*** RMIS View/Print Document Cover Sheet ***

This document was retrieved from the Documentation and Records Management (DRM) ISEARCH System. It is intended for Information only and may not be the most recent or updated version. Contact a Document Service Center (see Hanford Info for locations) if you need additional retrieval information.

Accession #: D196017870

Document #: SD-WM-TI-615

Title/Desc:
WASTE STATUS & TRANSACTION RECORD SUMMARY FOR THE NORTHEAST QUADRANT OF THE HANFORD 200 AREA

Pages: 464

COMPLETE

ENGINEERING CHANGE NOTICE

Page 1 of 2

1. ECN No 624016

Proj. ECN

2. ECN Category (mark one)	3. Originator's Name, Organization, MSIN, and Telephone No.	3a. USQ Required?	4. Date
Supplemental [] Direct Revision [X] Change ECN [] Temporary [] Standby [] Supersedure [] Cancel/Void []	C. H. Brevick/5A400/S3-10/ 372-0833	[] Yes [X] No	12/21/95
	5. Project Title/No./Work Order No. Waste Status and Transaction Record Summary for the NE Quadrant of the Hanford 200 Area/WHC-SD-WM-TI-615, Rev. 1/E44205	6. Bldg./Sys./Fac. No. 200E	7. Approval Designator N/A
	8. Document Numbers Changed by this ECN (includes sheet no. and rev.) WHC-SD-WM-TI-615, Rev. 0	9. Related ECN No(s). N/A	10. Related PO No. N/A

11a. Modification Work	11b. Work Package No.	11c. Modification Work Complete	11d. Restored to Original Condition (Temp. or Standby ECN only)
[] Yes (fill out Blk. 11b) [X] No (NA Blks. 11b, 11c, 11d)	N/A	N/A Cog. Engineer Signature & Date	N/A Cog. Engineer Signature & Date

12. Description of Change

Revision by Los Alamos National Laboratory (LANL) to the tables and graphs for each tank in the quadrant.

13a. Justification (mark one)

Criteria Change	[]	Design Improvement	[X]	Environmental	[]	Facility Deactivation	[]
As-Found	[]	Facilitate Const	[]	Const. Error/Omission	[]	Design Error/Omission	[]

13b. Justification Details

WSTRS revision was performed by LANL and the documentation is required by the tank characterization report preparation activities being addressed by WHC.

14. Distribution (include name, MSIN, and no. of copies)

See attached Distribution Sheet

RELEASE STAMP

3

DATE: JAN 29 1996 STA: 4 ID:

A-7900-013-2 (11/94) GEF095

ENGINEERING CHANGE NOTICE

1. ECN (use no. from pg. 1) 624016

15. Design Verification Required	16. Cost Impact				17. Schedule Impact (days)	
	ENGINEERING		CONSTRUCTION			
[ ] Yes	Additional	[ ] $	Additional	[ ] $	Improvement	[ ]
[X] No	Savings	[ ] $	Savings	[ ] $	Delay	[ ]

18. Change Impact Review: Indicate the related documents (other than the engineering documents identified on Side 1) that will be affected by the change described in Block 12. Enter the affected document number in Block 19.

SDD/DD	[ ]	Seismic/Stress Analysis	[ ]	Tank Calibration Manual	[ ]
Functional Design Criteria	[ ]	Stress/Design Report	[ ]	Health Physics Procedure	[ ]
Operating Specification	[ ]	Interface Control Drawing	[ ]	Spares Multiple Unit Listing	[ ]
Criticality Specification	[ ]	Calibration Procedure	[ ]	Test Procedures/Specification	[ ]
Conceptual Design Report	[ ]	Installation Procedure	[ ]	Component Index	[ ]
Equipment Spec.	[ ]	Maintenance Procedure	[ ]	ASME Coded Item	[ ]
Const. Spec.	[ ]	Engineering Procedure	[ ]	Human Factor Consideration	[ ]
Procurement Spec.	[ ]	Operating Instruction	[ ]	Computer Software	[ ]
Vendor Information	[ ]	Operating Procedure	[ ]	Electric Circuit Schedule	[ ]
OM Manual	[ ]	Operational Safety Requirement	[ ]	ICRS Procedure	[ ]
FSAR/SAR	[ ]	IEFD Drawing	[ ]	Process Control Manual/Plan	[ ]
Safety Equipment List	[ ]	Cell Arrangement Drawing	[ ]	Process Flow Chart	[ ]
Radiation Work Permit	[ ]	Essential Material Specification	[ ]	Purchase Requisition	[ ]
Environmental Impact Statement	[ ]	Fac. Proc. Samp. Schedule	[ ]	Tickler File	[ ]
Environmental Report	[ ]	Inspection Plan	[ ]		[ ]
Environmental Permit	[ ]	Inventory Adjustment Request	[ ]	N/A	[X]

19. Other Affected Documents: (NOTE: Documents listed below will not be revised by this ECN.) Signatures below indicate that the signing organization has been notified of other affected documents listed below.

Document Number/Revision	Document Number/Revision	Document Number Revision
N/A		

20. Approvals

	Signature	Date
OPERATIONS AND ENGINEERING		
Cog. Eng. T. M. Brown	Todd Brown	1/26/96
Cog. Mgr. J. W. Hunt	John W Hunt	1/26/96
QA		
Safety		
Environ.		
Other		

	Signature	Date
ARCHITECT-ENGINEER		
PE C. H. Brevick	C H Brevick	01/26/96
QA		
Safety		
Design		
Environ.		
Other		
DEPARTMENT OF ENERGY		
Signature or a Control Number that tracks the Approval Signature		
ADDITIONAL		

Waste Status and Transaction Record Summary for the Northeast Quadrant of the Hanford 200 Area

S. F. Agnew, et al.
Los Alamos National Laboratory, Los Alamos, New Mexico
U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: 624016 UC: 2070
Org Code: 73520 Charge Code: N4D2C
B&R Code: EW3120074 Total Pages: 461

Key Words: Transaction, Tank, Historical, Waste Northeast, Quadrant

Abstract: This supporting document contains a database of waste transactions and waste status reports for all the waste tanks in the northeast quadrant of the 200 Area of the Hanford Site.

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Release Approval 1/29/96 Date

Release Stamp

Approved for Public Release

RECORD OF REVISION	(1) Document Number WHC-SD-WM-T1-615, Rev. 1	Page 1

(2) Title

Waste Status and Transaction Record Summary for the Northeast Quadrant of the Hanford 200 Area

CHANGE CONTROL RECORD

(3) Revision	(4) Description of Change - Replace, Add, and Delete Pages	Authorized for Release	
		(5) Cog. Engr.	(6) Cog. Mgr. Date
0	(7) EDT-600101		
Rev. 1RS	See Engineering Change Notice 624016	T. M. Brown	J. W. Hunt
	WHC-SD-WM-TI-615	TB	1/26/96

A-7320-005 (08/91) WEF168

WHC-SD-WM-TI-615

Waste Status and Transaction Record Summary (WSTRS) Rev. 1

by

Stephen F. Agnew

Robert A. Corbin
Tomasita B. Duran
Kenneth A. Jurgensen
Theodore P. Ortiz
Bonnie L. Young

Chemical Science and Technology Division
Los Alamos National Laboratory
Los Alamos, New Mexico
87545

September 1995

Acknowledgments

A project of this nature would not be possible were it not for the help of a great number of people. They are Todd Brown (WHC) for the help with data gathering, Ray Daubert and Richard Anema (Ogden Envir.) for data validation, and Jerry Koreski and Jim Strode (WHC) for the Operational Waste Volume Projection document as well as a great number of other people at WHC and PNL for their generous help.

This work was performed under the auspices of the Department of Energy.

Information Feedback Card

Waste Status and Transaction Record Summary Rev. 2

We would appreciate any feedback on this document. Please send to Stephen F. Agnew, Los Alamos National Laboratory, MS J586, P.O. Box 1663, Los Alamos, NM 87545.

Title of comment:

Text of comment:

Table of Contents

I. Introduction 1

II. Strategy for Estimating Tank Chemical and Radionuclide Inventories 3

III. Description of the WSTRS Spreadsheet 5

IV. Cascade Transfers 8

V. Transaction Ordering 8

VI. Graphs 9

VII. Evaporator Operations 9

VII. Validation of WSTRS 10

IX. Tank Waste Uncertainties 11

Appendices

A. Glossary of Hanford Terminology A-1

B. Defined Waste List B-1

C. NE WSTRS: A, AX, B, BX, BY, C C-1

G. NE WSTRS Graphs G-1

I. Introduction

WSTRS (Waste Status and Transaction Record Summary) is a Microsoft Excel spreadsheet that was created on a Macintosh platform and derived from three sources: Anderson-90,[1] which is a listing of tank fill status information and some transaction information for all of the tanks at Hanford from 1945-80, Jungfleisch-83,[2] which is a data set of waste volumes and transactions that was used by Jungfleisch to calculate waste tank inventories for individual waste tanks using a program called TRAC, and the Operational Waste Volume Projection (OWVP)[3], which was developed for waste volume projection purposes. The OWVP uses the WVP (Waste Volume Projection) data set as its basis. Numbers from the WVP such as ending inventory and transaction amounts, etc., for the double shell tanks were taken and incorporated into the OWVP.

We have used as a starting point in our analysis an updated version of the S2K data set present in Jungfleisch-83. This updated data set was created in 1988 and there were many changes and additions as compared with the report created in 1983. Overall, we feel that the 1988 report more accurately reflects the WSTRS transaction history and therefore have used it as a starting point for the WSTRS data set.

The WSTRS Rev. 2 has numerous format changes and added columns as compared with Rev. 1. For example, the Types column makes it simpler to identify which transactions were associated with any of process to tank, tank to tank, tank to process, or tank to crib (defined in Section III). The new format and changes in Rev. 2 remove many inconsistencies and illogic that was embedded within Rev. 1, as well as correcting other mistakes and problems .

In the SE or DST quadrant, all STAT records from 1971 to 1980 qtr. 4 were taken from Anderson-90. The SE STAT records from 1981 qtr.1 - 1994 qtr. 4 were obtained from the original site monthly reports and Jungfleisch-83 data set. The SE STAT records from Anderson-90, monthly reports, Jungfleisch-83, and the WVP were merged to derive the SE WSTRS. The Anderson-90 and Jungfleisch-83 data also provide information as to the origin and type of waste existing in the tanks when the WVP started in 1981 whereas the WVP had not identified the origin of pre-existing wastes in 1981.

WSTRS Rev. 2 is, then, an integration of Anderson-90, Jungfleisch-83 and the WVP into a common format with the addition of other derived information as well. In particular, we have:

1) inserted cascade transactions explicitly using a straightforward rule structure (described below in section IV). Thus, the WSTRS data set includes all of the cascade waste transfers that had only been implicit in both Anderson-90 and Jungfleisch-83.

2) derived two quantities termed unknown transfers and cumulative unknown transfers. Unknown transfers are derived at the end of every quarter for which there is a tank level status entry. These unknown transfers are simply the difference between the reported tank volume and that predicted by summing all of the waste gains (positive volumes) and losses (negative volumes) for that quarter, and adding that net gain or loss to the reported status for the previous quarter. Thus, if there is a difference between the reported tank volume for a given quarter and the volume that we derive based on the transactions reported for that quarter, then we assume that an unknown transaction had occurred and record it as such.

However, all tank volumes are corrected to the status volume reported for each quarter in Anderson-90. In WSTRS all STAT records were taken from Anderson-90 and the monthly reports by Kaiser. We derive a running sum for these unknown transactions for each tank to derive a total cumulative unknown for a given tank for any quarter during a tank's fill history.

---

[1]Anderson, J. D. "A History of the 200 Area Tank Farms," WHC-MR-0132, June 1990.

[2](a) Jungfleisch, F. M. "Supplementary Information for the Preliminary Estimation of Waste Tank Inventories in Hanford Tanks through 1980," SD-WM-TI-058, June 1983. Jungfleisch, F. M. "Preliminary Estimation of Waste Tank Inventories in Hanford Tanks through 1980," SD-WM-TI-057, March 1984.

[3]Koreski, J. , Strode, J., "Operational Waste Volume Projection," WHC-SD-WM-ER-029 Rev. 20, September 1994.

EXCEL is a Registered Trademark of Micorsoft Corporation

Macintosh is a Registered Trademark of Apple Computer Corporation

3) derived a Total_vol for each tank for each transaction. Therefore, it includes an interpolated volume during each quarter. This interpolated volume is calculated by performing each transaction in the order that it has been inserted within the quarter.

4) derived a defined waste or transfer tank (DWXT) for each transaction. The waste types under DWXT are those defined by the "Hanford Defined Wastes: Chemical and Radionuclide Composition."

5) derived a quality index (QI) for each transaction in WSTRS including STATS. Each transaction is given a quality factor according to validation. This is explained further in Section III.

6) derived an overall transaction ordering system to put the transactions into the chronological order in which they occurred.

7) derived a numerical coding system throughout WSTRS Rev. 2. A code for the tank, type, DWXT, and solid type has been derived which facilitates the transfer of transaction information into the Supernatant Mixing Model.

8) embedded the Tank Layer Model into WSTRS Rev. 2. This adds the new columns of which are called Sol vol%, TLM Solids, Cum Solids, Sol type and Soltypeid to WSTRS Rev. 2.

9) included all of the Anderson-90 comments in WSTRS and we have reconciled these comments with the transaction information from Jungfleisch-83. In many cases one can see that our derived unknown transfers are actually present in the Anderson-90 comment line.

10) added transactions to WSTRS to resolve unknown transactions of >50 kgal and < -50 kgal for each quarter as well as many smaller unknowns according to the following set of rules.

Evaporator feed and bottoms receivers:
During an evaporator campaign, unknown waste transfers at the end of each quarter are resolved by sending or receiving wastes to or from an evaporator feed tank for tanks identified as either bottoms receivers or feed tanks for those campaigns. Once all of the bottoms unknowns have been resolved, either condensate is removed or water added to the evaporator feed tank to resolve its unknown transactions.

Self-concentrating tanks:
Certain tanks in S, SX, A, and AX Farms were allowed to self concentrate. Any losses or additions to these tanks are assigned to condensate or water, respectively.

Sluicing receivers:
For tanks associated with a sluicing campaign (either UR or SRR), unknown transactions are resolved by either sending or receiving from the sluicing receiver tank for that campaign. Once that is complete, the unknowns in the sluicing receiver are resolved by either sending waste to the process or by adding water to the sluicing receiver.

Salt well pumping and stabilization:
If an unknown transaction occurs during salt well pumping stabilization of a tank, then the transaction is resolved by sending waste to the active salt well receiver.

Historical use of tank:
If none of the above rules applies, then the historical use of the tank is used to assign the transaction. For example, C-105 was used as a supernatant feed for the CSR campaign and fed ~1,500 kgal of waste supernatant per quarter for several years. However, we have one quarter (1971q2) where C-105 loses 1,748 kgal without an assignment. We have therefore assigned that loss to CSR feed.

II. Strategy for Estimating Tank Chemical and Radionuclide Inventories

One of the more difficult tasks that must be performed prior to many other tasks involving intrusive activities in Hanford waste tanks is to derive an estimate of those tanks' contents. The present report is part of a strategy for estimation of tank inventories based on fill history, as shown in Fig. 1. Four fundamental steps need to be performed in order to provide such estimates.

The first step is to derive a list of qualified fill records for all of the four tank farm quadrants[4] with information derived from Jungfleisch-83 and Anderson-91, and checked against quarterly summary reports by Ogden Environmental and LANL. These qualified transaction records are called the Waste Status and Transaction Record Summaries (WSTRS). The WSTRS reports, although largely representative of the tanks' waste histories, are nevertheless incomplete in that there are many unrecorded transactions that have occurred for many tanks. Included within the WSTRS report, then, is a comparison of the tank volume that is calculated based on the fill records that are present in WSTRS with the measured volume of each tank. This comparison is made for each quarter to record any unknown waste additions or removals that may have occurred during that quarter.

Using these fill records, the second step in this strategy is an analysis that provides a definition of the solids layers within each tank and is called the Tank Layer Model or TLM. The TLM[5] is a volumetric and chronological description of tank inventory based on a defined set of waste solids layers. Each solids layer is attributed to a particular waste addition or process, and any solids layers that have unknown origin are assigned as such and contribute to the uncertainty of that tank's inventory. The Tank Layer Model for each tank, then, simply associates layers of solids within each tank with a waste addition or a process campaign. In order to derive an inventory of tank chemicals and radionuclides, one must provide a composition for each of these defined wastes.

The third step is to describe the composition of supernatants within each of the tanks (note that interstitial liquid is part of the solids definition, not the supernatant), for which purpose an ideal mixing model has been developed, called the Supernatant Mixing Model.[6] This model describes supernatants in terms of fractions of each of the HDW supernatants along with corresponding volume reduction due to active evaporation. The SMM is very important for definition of waste in DST's, since a large fraction of the waste supernatants now reside in DST's.

The fourth step in the strategy is to provide chemical and radiochemical definitions[7] for each of the defined waste types. The defined waste compositions coupled with the tank layering information provide a basis for estimation of each tank's chemical and radionuclide inventories (see Fig. 1).

---

[4] (a) Agnew, S. F., et al., "Waste Status and Transaction Record Summary for the NE Quadrant" WHC-SD-WM-TI-615, Rev. 1, October 1994. (b) Agnew, S. F., et al. "Waste Status and Transaction Record Summary for the SW Quadrant, " WHC-SD-WM-TI-614, Rev. 1, October 1994. (c) Agnew, S. F., et al. "Waste Status and Transaction Record Summary for the NW Quadrant, " WHC-SD-WM-TI-669, Rev. 1, October 1994. (d) Agnew, S. F., et al. "Waste Status and Transaction Record Summary for the SE Quadrant, " WHC-SD-WM-TI-689, Rev. 1, March 1995.

[5] Brevick,C.H., Gaddis, L.A., Pickett, W.W., et al., "Historical Tank Content Estimate of the Northeast Quadrant of the Hanford 200 East Areas," WCH-SD-WM--ER-349, June 1994, "Historical Tank Content Estimate of the Southwest Quadrant of the Hanford 200 West Areas," WHC-SD-WM-ER-352, March 1995, "Historical Tank Content Estimate of the Northwest Quadrant of the Hanford 200 West Areas," WHC-SD-WM-ER-351, March 1995, "Historical Tank Content Estimate of the Southeast Quadrant of the Hanford 200 West Areas," WHC-SD-WM-ER-350, June 1995

[6] Agnew, S. F.; Corbin, R. "Supernatant mixing model," in preparation.

[7] Agnew, S. F. "Hanford Defined Wastes: Chemical and Radionuclide Compositions," LA-UR-94-2657 Rev. 2, September 1995.



Fig. 1. Schematic of overall strategy

III. Description of the WSTRS Spreadsheet

The following is an explanation of the format, fields, and conventions used in the WSTRS database. A transaction is defined as a transfer of a volume of waste (in kgal, where 1 kgal = 1,000 gal.) from one tank to another tank, or to or from a processing plant, or from a tank to a crib or trench (i.e. the ground). The entire data set is volumetric based, and the volumes are usually based on single-point level measurements of the waste height within each tank.

Column Headings

Tank n

Tank identification. This is the letter representation of the tank farm followed by the number of the tank in that farm.

Tankid

Tank identification code for input into the SMM. (Hidden in WSTRS spreadsheet.)

Year

The year of the transaction or status record.

Qtr

The quarter of the transaction or status record.

Order

A sequential number given to transactions within a particular quarter used for creating the Lineal_date column. This order is not necessarily the actual order of the transactions within the quarter, since our data is sometimes limited. Also, it is very possible that the "summary" transactions that are reported here are actually combinations of smaller transactions, and could very well overlap with another combination of transfers to or from another location, or even occur simultaneously (i.e. an addition to a tank can occur at the same time as a removal since they can involve different risers and different transfer lines.)

Lineal date

The lineal date is a unique fractional year for each transaction that is calculated for purposes of ordering transactions within a quarter. It is also used for graphing and recreating the original database after sorting and database functions are applied, and is a nominal value. (Hidden in WSTRS spreadsheet.)

Type

A code that describes the type of transaction or record:

STAT-tank level measurement for each quarter in kgal (1 kgal = 1,000 gallons) as reported by Anderson.

SEND-transfer from Tank_n to Trans_tank and is always negative. Trans_tank will always be one of the primary 177 waste tanks.

REC-receive from Trans_tank and are always positive. Trans_tank will always be one of the primary 177 waste tanks.

XIN-addition of primary waste from plant (always positive). This transaction also covers waste returning from secondary processing operations.

OUTX-transfer from Tank_n out to either a secondary processing operation or to a crib.

CORR-correction to waste amount for reason specified by Waste_type.

CAS-designates the beginning or ending of cascade from Tank_n to Trans_tank, in which case Waste_type would be SET or END, respectively. No actual waste was transferred with this entry, but waste in Tank_n could now overflow into Trans_tank.

CREC-designates the beginning or ending of cascade from Tank_n from Trans_tank, in which case Waste_type would be SET or END, respectively. No actual waste was transferred with this entry, but waste in Tank_n could now overflow into Trans_tank.

GROUP-signifies a group of tanks for BX/BY Farms during the ITS campaign.

GREC-signifies a group of receiver tanks for BX/BY Farms during the ITS campaign.

rec-this lower case version of REC is a transaction that we derive.

outx-this lower case version of OUTX is a transaction that we derive.

xin-this lower case version of XIN is a transaction that we derive.

send-this lower case version of SEND is a transaction that we derive.

The lower case types indicate our added transactions. Note that there is an inherent symmetry in this data set in that there is a SEND for every REC and *vice versa*. Likewise, a CAS SET/END will have a corresponding CREC SET/END. However, there is no symmetry to XIN's and OUTX's.

Typeid

Transaction type identification code for input into the SMM. (Hidden in WSTRS spreadsheet.)

Trans vol

The amount of the transaction in kgal. Positive values signify waste additions, while negative values indicate waste removals. Zeros in this column signify a transaction that has not been used in the data set for a reason set forth in the comments column.

Stat vol

The tank level measurement is in kgal. This is essentially the quarterly value reported by Anderson-90. The tank level measurements after 1980 came from the monthly reports from various contractors.

Total vol

This is our calculated value for the tank volume during each quarter. The total volume is calculated by taking the last STAT record (tank level measurement) and adding to it all transactions up to that point during a quarter.

Solids vol

The solids volume is the level of solids in the tank and is measured in kgal. Because of a lack of knowledge about when the solids measurements were actually performed, we have assumed that only the first appearance of a unique solids measurement is valid. Therefore, we assume that all intermediate repeated solids reports are nominal.

Unk tfr

Unknown transfers are the differences between the tank volumes according to the calculated tank volume (Total_vol) and the values of the tank level measurements (Stat_vol). It is calculated at every STAT record and recorded either as #N/A (no difference) or as some amount of difference. See Section VI.

Cum unk

A running sum of the unknown transfers (Unk_trf). See Section VI.

Waste type

This column has different meaning for different transaction types (see **Type**).

XIN—addition of waste from a process plant has the following designations: MW, 1C, 2C, T##, P##, R, CWR, P, PL, CWP, Z, 224, B, BL, TH, THL, PO4, CON, DE, IWW, DW, CP, N, OWW, LW, BNW, HLO, H2O, NIT, DN, NCPLX, CC, CPLX. See glossary for definitions.

REC, SEND, OUTX—These indicate addition or removal of waste that's either SU (supernatant) or SL (slurry, nominal 20 vol% solids).

CORR—level correction designated LEAK, COOL, ADJ, or UNK.

CAS,CREC—a SET, or END indicates a cascade start or end for this tank to or from Trans_tank.

STAT—For status records, the Waste_type column contains the Anderson-90 designation of waste type.

Trans tank

This designates the other end of the transaction, which is a tank for SEND and REC, and a plant , evaporator, or crib for XIN and OUTX's.
For GROUP,GREC type transactions, there are multiple tanks delineating the group of tanks that were connected (BX/BY only).

SRR as a destination sometimes has a tank as well, indicating that the solids went to B-Plant for strontium recovery (SRR) while the supernatant went to the tank specified.

DWXT

Defined waste or transfer tank. For SEND or REC transactions this column designates the tank to or from which the waste transfer occurred. in the Defined Waste list. For OUTX's this column assigns where the waste went, either a secondary processing operation or one of the cribs.

DWXTid

Defined waste or transfer tank identification code for input into the SMM. (Hidden in WSTRS spreadsheet.)

LANL Comment

WSTRS comments. In particular, if there is a correction to a Jungfleisch-83 record, we note the nature of that correction, whether it is based on Ogden Environmental checking (OC) or on Anderson-91, or some other source of information.

Anderson Comment

Verbatim comments from Anderson-90.

Ogden comment

Comments from Ogden Environmental Q/A of this data set.

Sol vol%
Calculation of the solids volume percent for each transaction in WSTRS for each waste type that was predicted in the TLM.

TLM Solids
The amount of solids that is predicted to have precipitated for a transaction as defined in the TLM.

Cum Solids
Calculates a running total of the TLM solids.

Sol type
The HDW defined waste type that is predicted to have precipitated for a transaction as defined in the TLM.

Soltypeid
Solids waste type identification for input into the SMM. (Hidden in the WSTRS spreadsheet.)

QI
Quality index is a number that roughly reflects the number of independent sources that have verified this transaction. All Jungfleisch transactions and stat records receive an initial QI of 1. If Odgen validates a transaction with a document reference, the QI is +2. If Ogden shows a variance in the transaction and has a document reference, the QI receives +1. If an Anderson comment validates a transaction, the QI receives +1. If there is other supporting documentation for a transaction, the QI receives +1.

Q/A Flag
Single letter designation provided by Ogden Environmental for quality assurance of this record. V = variance and O = Original, with any details of the variance listed in the Ogden comment column. Blank entries do not yet have a record Q/A from Ogden.

Document/Pg #
This is the document and page number reference for the transaction Ogden verified.

IV. Cascade Transfers

Cascade lines were underground 3" pipes between tanks that were generally offset one foot of elevation. These lines allowed a tank to overflow into the next tank in the cascade series, and then from that tank to the next, and so on, from two to six tanks total in a given cascade series. WSTRS includes explicit transactions for each cascade transfer based on the following rules. If a tank's Total_vol exceeds its rated capacity, then check to see if a CSEND SET and CREC SET pair are present in the records of Tank_n and Trans_tank, respectively. If a pair is present, insert a "send" and "rec" pair of transactions of the appropriate volume. When cascading out to a crib "send" and "outx" pair are inserted. In the SE Quadrant there is no cascading.

V. Transaction Ordering

The chronological ordering of the transactions in our beginning data sets were not clearly defined. Many dates were nominal if they even existed. To help resolve this, an ordering scheme was put in place to help arrange the pre-1981 transactions. The transactions were arranged in the following order for each quarter.

1) Xin's from primary sources
2) Tank to tank transfers not involved in evaporator operations
3) Tank to tank transfers involved in evaporator feeds
4) Concentration of wastes involved in evaporators

5) Tank to tank transfers for the bottoms receivers
6) Outx's to processes and cribs (no condensates)

Some corrections to this initial order were required to prevent the total volume of the tanks from going negative and to minimize tank overfills. Further corrections will be necessary as more information as to the segregation of the organic wastes is compiled.

The post-1980 transactions were put into the order in that they reside in the WVP document. Many of these dates are summaries of transactions and some are nominal, so there exists the possibility that some reordering may be necessary as more information on these transactions surface.

VI. Graphs

The following is a description of the data presented with each tank graph.

Total Volume

A plot that shows the history of the tank volume. Stat_vol vs. Lineal_date. Note that many values of the Total_vol column are either negative or exceed the tank capacity. This is due to the summary nature of transactions within a quarter and only occurs during quarters (see description in cascading). The Stat_vol, on the other hand, reflects only the status of each tank at the end of each quarter.

Measured Solids

A plot that shows the history of the measured solids volumes in the tank. Solid_vol vs. Lineal_date. We have assumed that all repeated values for solids level reports in Anderson-91 are nominal. A nominal solids volume is one that is simply carried from quarter to quarter, as opposed to actually measured.

TLM Solids

A plot that shows the residual solids volumes predicted by the TLM. The TLM solids do not include salt cakes and salt slurries that are predicted by the SMM. The Measured and TLM solids can be quite different as a result.

VII. Evaporator Operations

An essential part of defining the waste history of Hanford wastes is understanding the operation of the many evaporator campaigns that have occurred over the years at Hanford. The greatest uncertainties within WSTRS are associated with evaporator campaigns. In other words, the volume reductions and continuous transfers of concentrates and condensates that occurred during these campaigns are not very well represented in WSTRS.

Much of the transaction information associated with evaporator operations was derived by Jungfleisch-83 with several models for various evaporator campaigns that were embedded within the WSTRS Rev. 1 data set. The TRAC program always assumed that "missing" waste was due to concentration of waste within a tank, and would calculate the precipitation of salts in that tank as a result.

In the WVP data set, the evaporation model transferred a volume from the feed tank to a bottoms receiver tank. The volume received by the bottoms receiver tank, however, would be less than the volume sent from the feed tank. This difference was the condensate that was evaporated, which was not specifically included.

In WSTRS Rev. 2, all evaporator transactions are assumed to take place from the evaporator feed tank. Therefore, all implicit condensate that is evaporated from the feed tank is explicitly included as transactions from the feed tank to a crib. We have inserted these condensate transactions for the feed tank and have changed the transaction volume (when necessary) that was sent from the feed tank to be equal to the volume received in the bottoms tank. This same model has been imposed on all evaporator operations at Hanford within WSTRS.

Imposition of this model along with the unknown transaction resolution methodology mentioned above reduces significantly the unknown transaction volume for the history of Hanford operations. One must bear in mind, though, that the assumptions that have been made are meant to be approximations that allow the bounding of waste compositions for all site operations. We have found, for example, that the transaction order within each quarter is not well defined and our assumptions about that order are very approximate.

VIII. Validation of WSTRS

Validation for the WSTRS and WVP datasets was performed by Ogden Environmental of Richland, WA. Reference documentation was provided for each transaction that Ogden verified. Table 1 shows the numbers and per cents validated for transactions and transaction volumes in all quadrants prior to Jan. 1981. Table 2 shows similar information for the DST's after Jan. 1981.

Table 1.
Validation for All Quadrants for Transactions prior to Jan. 1981.

	Number Basis		Volume Basis (kgal)	
	Validated / Total	% Validated	Validated / Total	% Validated
XIN's	1952/3236	60%	279,577/443,102	63%
OUTX's,REC's	2083/3624	57%	551,857/895,564	62%

Table 2.
Validation for DST's for Transactions after Jan. 1981.

	Number Basis		Volume Basis (kgal)	
	Validated / Total	% Validated	Validated / Total	% Validated
XIN's	398/2205	18%	7,037/64,032	11%
OUTX's,REC's	121/631	19%	20,004 /213,629	9%
STAT's	1422/1499	95%		

IX. Tank Waste Uncertainties

The SMM and the TLM both use the WSTRS dataset as their basis. Table 3 shows some of the parameters by which the relative amounts of unknowns in the WSTRS dataset can be readily derived from the SMM and the TLM. The Solids Volume and the % Solids Unknown columns come from the TLM. The other columns come from the SMM. Brief descriptions of the columns is as follows:

Solids Volume: TLM prediction of the volume of residual solids in a tank in kgals. Does not include salt cakes and slurries from the T2, S1, S2, A1, and A2 evaporator campaigns. These are concentrates calculated by the SMM. Solids definition does include interstitial liquid.

% Solids Unknown: The uncertainty of the solids in the TLM. Calculated by dividing the unassigned solids unknowns in a tank by the total solids predicted by the TLM.

Supernatant Volume: SMM prediction of the volume of supernatant in a tank in kgals. This includes the volumes of the salt cakes and slurries from the T2, S1, S2, A1, and A2 evaporator campaigns. This supernatant does not include interstitial liquid.

% SU Unknown: The SMM assigns as unknown transactions from tanks with insufficient waste as well as unknown waste sources calculated at the end of each quarter. This is reported as a percentage of the total unconcentrated volume of supernatant in each tank.

% SU Assumed: The percentage of the total supernatant volume that came from transactions assigned by rules mentioned above.

Total Tank Volume: The total waste volume of a tank. This includes the solids, supernatants, and concentrates.

% Total Unknown: The volume weighted combination of the % solids unknown and the % supernatant unknown.

Total Traffic: The volume in kgal of all xins from processes and rec's from other tanks for each tank throughout its history.

Table 3a. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
A-101	3	0%	950	2%	70%	953	2%	20,479
A-102	3	0%	38	2%	69%	41	2%	70,773
A-103	3	0%	368	2%	69%	371	2%	18,113
A-104	28	0%	0	0%	0%	28	0%	18,472
A-105	19	0%	0	0%	33%	19	0%	5,978
A-106	50	0%	75	2%	65%	125	1%	38,259
AX-101	13	0%	735	2%	70%	748	2%	14,992
AX-102	6	0%	33	2%	69%	39	2%	11,617
AX-103	14	0%	98	2%	70%	112	2%	14,636
AX-104	7	0%	0	0%	0%	7	0%	5,887
B-101	113	0%	0	0%	0%	113	0%	8,196
B-102	28	0%	4	49%	28%	32	6%	4,150
B-103	59	0%	0	0%	0%	59	0%	11,644
B-104	370	13%	1	7%	50%	371	13%	3,988
B-105	306	0%	0	0%	0%	306	0%	7,013
B-106	116	0%	1	9%	46%	117	0%	17,459
B-107	164	0%	1	67%	0%	165	0%	4,254
B-108	94	0%	0	0%	0%	94	0%	5,003
B-109	127	24%	0	0%	0%	127	24%	4,911
B-110	246	0%	0	0%	0%	246	0%	8,386
B-111	236	0%	1	0%	50%	237	0%	8,764
B-112	30	0%	3	13%	45%	33	1%	8,801
B-201	28	0%	1	100%	0%	29	3%	59
B-202	27	0%	0	0%	0%	27	0%	270
B-203	50	0%	1	100%	0%	51	2%	317
B-204	49	0%	1	70%	0%	50	1%	372
BX-101	42	0%	1	14%	43%	43	0%	27,709
BX-102	96	0%	0	0%	0%	96	0%	10,161
BX-103	62	0%	4	1%	51%	66	0%	35,868
BX-104	96	57%	3	2%	66%	99	56%	28,571
BX-105	46	0%	5	2%	62%	51	0%	13,140
BX-106	31	0%	15	6%	68%	46	2%	16,205
BX-107	344	0%	1	11%	0%	345	0%	2,368
BX-108	26	0%	0	0%	0%	26	0%	2,740
BX-109	193	0%	0	0%	0%	193	0%	7,599
BX-110	198	0%	0	0%	0%	198	0%	3,014
BX-111	211	0%	0	0%	0%	211	0%	3,122
BX-112	164	0%	1	63%	11%	165	0%	1,213
BY-101	387	0%	0	0%	0%	387	0%	9,472
BY-102	341	3%	0	0%	0%	341	3%	21,730
BY-103	400	0%	0	0%	0%	400	0%	26,540
BY-104	406	0%	0	0%	0%	406	0%	6,359
BY-105	503	0%	0	0%	0%	503	0%	7,527
BY-106	642	0%	0	0%	0%	642	0%	10,928
BY-107	266	0%	0	0%	0%	266	0%	13,767
BY-108	228	0%	0	0%	0%	228	0%	13,354
BY-109	423	0%	0	0%	0%	423	0%	33,344
BY-110	398	0%	0	0%	0%	398	0%	11,919
BY-111	459	0%	0	0%	0%	459	0%	10,878
BY-112	291	0%	0	0%	0%	291	0%	38,966

Table 3b. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
C-101	65	0%	23	20%	6%	88	5%	4,216
C-102	423	0%	0	0%	0%	423	0%	19,621
C-103	62	0%	133	5%	63%	195	4%	10,317
C-104	291	0%	4	5%	65%	295	0%	25,704
C-105	150	0%	0	0%	0%	150	0%	27,117
C-106	197	0%	32	5%	72%	229	1%	11,221
C-107	275	0%	0	0%	0%	275	0%	4,374
C-108	66	0%	0	0%	0%	66	0%	6,745
C-109	62	0%	4	100%	0%	66	6%	4,980
C-110	187	0%	0	0%	0%	187	0%	3,730
C-111	57	0%	0	0%	0%	57	0%	6,023
C-112	104	0%	0	0%	0%	104	0%	6,791
C-201	2	0%	0	0%	0%	2	0%	277
C-202	1	0%	0	0%	0%	1	0%	264
C-203	5	0%	0	0%	0%	5	0%	200
C-204	3	0%	0	0%	0%	3	0%	252
S-101	211	0%	216	3%	57%	427	1%	11,543
S-102	4	0%	545	2%	63%	549	2%	80,822
S-103	9	0%	239	2%	67%	248	2%	13,511
S-104	293	0%	1	43%	32%	294	0%	3,497
S-105	2	0%	405	3%	48%	407	3%	1,990
S-106	32	0%	447	3%	50%	479	3%	1,735
S-107	254	0%	122	3%	64%	376	1%	17,873
S-108	5	0%	497	5%	41%	502	5%	3,951
S-109	13	0%	494	4%	45%	507	4%	3,622
S-110	113	0%	277	2%	51%	390	2%	15,389
S-111	139	44%	399	3%	49%	538	13%	3,983
S-112	6	0%	517	3%	48%	523	3%	3,165
SX-101	310	0%	146	2%	67%	456	1%	10,865
SX-102	59	0%	484	4%	50%	543	3%	14,271
SX-103	112	0%	540	2%	55%	652	2%	7,772
SX-104	169	0%	445	2%	57%	614	2%	7,320
SX-105	55	0%	628	2%	56%	683	2%	10,357
SX-106	1	0%	537	2%	66%	538	2%	31,229
SX-107	104	0%	0	0%	42%	104	0%	4,387
SX-108	87	0%	0	0%	0%	87	0%	4,696
SX-109	250	0%	0	2%	52%	250	0%	2,894
SX-110	62	0%	0	0%	50%	62	0%	7,146
SX-111	125	0%	0	2%	9%	125	0%	6,219
SX-112	92	0%	0	0%	0%	92	0%	3,792
SX-113	31	0%	0	36%	4%	31	0%	724
SX-114	181	0%	0	0%	0%	181	0%	7,926
SX-115	12	0%	0	0%	0%	12	0%	2,044

Table 3c. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
U-101	22	0%	3	100%	0%	25	12%	5,238
U-102	43	0%	331	2%	61%	374	2%	7,049
U-103	32	0%	436	2%	59%	468	2%	9,806
U-104	122	35%	0	0%	0%	122	35%	3,544
U-105	32	0%	386	2%	58%	418	2%	5,770
U-106	26	0%	200	2%	53%	226	2%	4,705
U-107	76	0%	330	3%	65%	406	2%	17,346
U-108	29	0%	439	3%	48%	468	3%	8,737
U-109	48	0%	415	3%	53%	463	2%	6,296
U-110	186	0%	0	0%	0%	186	0%	4,112
U-111	26	0%	303	3%	64%	329	3%	9,540
U-112	45	0%	4	100%	0%	49	8%	1,004
U-201	4	0%	1	100%	0%	5	20%	49
U-202	4	0%	1	100%	0%	5	20%	51
U-203	2	0%	1	11%	10%	3	4%	46
U-204	2	0%	1	100%	0%	3	33%	15
T-101	37	0%	65	2%	58%	102	2%	6,378
T-102	19	0%	13	100%	0%	32	41%	3,128
T-103	18	0%	9	70%	4%	27	23%	5,192
T-104	442	0%	3	58%	0%	445	0%	3,460
T-105	98	0%	0	0%	0%	98	0%	5,870
T-106	19	0%	2	100%	0%	21	10%	3,192
T-107	171	0%	9	100%	0%	180	5%	4,729
T-108	44	0%	0	0%	0%	44	0%	3,833
T-109	58	0%	0	0%	0%	58	0%	2,465
T-110	376	0%	3	21%	0%	379	0%	22,535
T-111	456	0%	2	58%	21%	458	0%	21,963
T-112	60	0%	7	100%	0%	67	10%	25,206
T-201	28	0%	1	100%	0%	29	3%	55
T-202	21	0%	0	0%	0%	21	0%	118
T-203	35	0%	0	0%	0%	35	0%	173
T-204	38	0%	0	0%	0%	38	0%	55
TX-101	76	0%	11	2%	61%	87	0%	19,881
TX-102	2	0%	215	2%	46%	217	2%	7,942
TX-103	3	0%	154	2%	62%	157	2%	8,324
TX-104	18	0%	47	8%	49%	65	6%	4,910
TX-105	8	0%	601	2%	47%	609	2%	9,026
TX-106	5	0%	336	2%	51%	341	2%	9,929
TX-107	8	0%	28	2%	58%	36	1%	4,992
TX-108	6	0%	128	3%	55%	134	3%	4,968
TX-109	384	0%	0	0%	50%	384	0%	6,650
TX-110	37	0%	425	2%	48%	462	2%	6,789
TX-111	43	0%	327	2%	47%	370	2%	3,992
TX-112	24	0%	625	2%	48%	649	2%	4,008
TX-113	183	0%	424	3%	46%	607	2%	5,942
TX-114	62	0%	473	2%	47%	535	1%	4,871
TX-115	8	0%	560	2%	48%	568	2%	6,934
TX-116	391	0%	172	2%	44%	563	1%	4,129
TX-117	226	0%	306	2%	43%	532	1%	8,395
TX-118	45	0%	240	2%	61%	285	2%	78,553
TY-101	118	0%	0	0%	0%	118	0%	4,195
TY-102	29	0%	35	10%	40%	64	5%	1,934
TY-103	108	0%	54	28%	16%	162	9%	13,345
TY-104	43	0%	3	100%	0%	46	7%	4,291
TY-105	231	32%	0	0%	0%	231	32%	6,237
TY-106	21	0%	0	0%	0%	21	0%	5,053

Table 3d. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
AN-101	0	0%	700	5%	48%	700	5%	7,076
AN-102	0	0%	1095	2%	64%	1095	2%	3,684
AN-103	2	0%	951	3%	48%	953	3%	4,745
AN-104	0	0%	1058	2%	55%	1058	2%	2,381
AN-105	0	0%	1131	2%	55%	1131	2%	2,169
AN-106	0	0%	21	3%	55%	21	3%	1,067
AN-107	0	0%	1066	2%	66%	1066	2%	1,157
AP-101	0	0%	1060	2%	25%	1060	2%	2,762
AP-102	0	0%	1104	3%	54%	1104	3%	3,088
AP-103	0	0%	1131	2%	25%	1131	2%	2,951
AP-104	0	0%	18	25%	0%	18	25%	1,080
AP-105	0	0%	821	2%	30%	821	2%	1,683
AP-106	0	0%	1128	2%	27%	1128	2%	2,083
AP-107	0	0%	1108	2%	0%	1108	2%	1,153
AP-108	0	0%	899	3%	22%	899	3%	919
AW-101	61	0%	1077	2%	42%	1138	2%	10,301
AW-102	0	0%	966	3%	31%	966	3%	102,809
AW-103	363	0%	284	8%	3%	647	4%	5,232
AW-104	103	0%	1020	6%	4%	1123	6%	15,343
AW-105	240	0%	804	2%	29%	1044	2%	7,097
AW-106	1	0%	1081	2%	32%	1082	2%	28,762
AY-101	65	49%	826	5%	35%	891	8%	7,202
AY-102	32	0%	912	2%	14%	944	2%	20,621
AZ-101	35	17%	896	1%	35%	931	2%	6,386
AZ-102	93	54%	881	0%	8%	974	6%	7,492
SY-101	0	0%	1102	4%	60%	1102	4%	1,745
SY-102	30	0%	702	8%	7%	732	7%	44,388
SY-103	0	0%	758	3%	65%	758	3%	2,429

Appendix A.

Glossary of Hanford Terminology

September 1995

This is a glossary of Hanford terminology that has been compiled to aid in definition of Hanford tank "jargon". These definitions have come from so many different sources that it is difficult to name them all. A lot of these terms have come from Anderson-91, Jungfleisch-84, and from Strode-93. Where there have been conflicting uses of the same term, it is indicated, and where there is uncertainty as to an exact meaning, a "??" appears to indicate that uncertainty.

If you have any corrections/additions/deletions to this glossary, please send them to: Stephen F. Agnew, M/S J586 Los Alamos National Laboratory, Los Alamos, New Mexico 87545, or fax to 505-667-0851.

ACL	Air Circulator lines (term located WHC-SD-WM-ER-204, Rev.0)
Active	Currently operating or scheduled for further operation
Active Drywell	Drywell in which radiation readings of greater than 50 counts/second are detected. To be considered "active", these readings must be consistent as to depth and radiation level for repeated readings.
Active Tank	A tank that contains more than 33,000 gal. of waste and/or is still involved in waste management operations.
ADD	Add primary waste from process.
ADJ	Adjustment to waste amount. See also CORR, COOL, and LEAK.
AEC	Atomic Energy Commission. See also ERDA, and DOE
AFPC	High total beta activity in the evaporator process condensate
AG	Above Grade (term located WHC-SD-WM-ER-204, Rev.0)
AGE	Aging Waste. See also AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
AGING	Aging Waste. See also AGE, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
AGING WASTE	High level, first cycle solvent extraction waste from the PUREX plant See also AGE, AGING, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
AIR LIFT CIRCULATOR	The air lift circulators are installed in aging tanks to promote mixing of the supernate. By maintaining motion within the body of the liquid, the circulators minimize superheat buildup and, consequently, minimize burping.
AL	Analytical Laboratories
ALARA	As Low As Reasonably Achievable
ALE	Fitzner-Eberhardt Arid Land Ecology Reserve
ANCHAR	Analysis of characteristic waste deriving waste compositions from analytical information.
ANL	Argonne National Laboratory
ANNULUS	The annulus is the space between the inner and outer shells on DSTs. Drain channels in the insulating and/or supporting concrete carry any leakage to the annulus space where conductivity probes are installed. (term located Tank and Surveillance and Waste Status Summary Report)
ANSI	American National Standard Institute
APC	Alpha proportional counting
A Plant	Where PUREX process ran from Jan. 1952 - Jun. 1972, then was in standby and ran again from Nov. 1983 - 1991, and is now shutdown). See also PUREX-Plant, CARB, CWP, and OWW
APM	Ammonium Phosphomolybdate (term located WHC-EP-0791)
AQUELLW	Aqueous liquids (term located WHC-EP-0791)
AR	"Washed" P sludge. Also used to derive SRR. See also SRR.
ARM	Area Radiation Monitor

AR Vault	PSL (PUREX sludge) was sluiced from A - and AX-Farms and placed here for caustic wash to remove Cesium and acid dissolution for feed to B Plant. AR-002 (or TK-002) was slurry receiver in AR-Vault. Solids are then transferred to TK-004, acidified, and the PAS (PUREX Acidified Sludge) transferred to TK-003. Any solids left in TK-004 following acid dissolution are caustic digested and transferred to back TK-002 for the next cycle.
ASF	Ammonia Scrubber Feed
ASME	American Society of Mechanical Engineers
Assumed Leaker	The integrity classification of a waste storage tank for which surveillance data indicate a loss of liquid attributed to a breach of tank integrity.
Assumed Leaking Tank	In 1984, the criteria designations of "suspect leaker", "questionable integrity", "confirmed leaker", "declared leaker", "borderline", and "dormant" were merged into one category now reported as "assumed leaker".
Assumed Re-Leaker	A designation that exists after a tank has been declared an "assumed leaker" and then the surveillance data indicate a new loss of liquid attributed to a breach of integrity.
ASTM	American Society for Testing and Materials
AW	NEUTRALIZED CURRENT ACID WASTE
AWC	Aging Waste Condensate
A1SltCk	Salt cake waste generated from the 242-A Evaporator-crystallizer from 1977 until 1980.
A2SltSlry	Salt Slurry waste generated from the 242-A Evaporator-crystallizer from 1981 until 1994.
B86ON	DILUTE, NON-COMPLEXED WASTE FROM B PLANT CELL DRAINAGE
B	B Plant HLW. Also identifies waste returned to tanks from Sr recovery. Also used as destination, B Plant, for Cs/Sr recovery. $BiPO_4$ ran in B PLANT from Apr. 1945 to Oct. 1952, while Cs/Sr recovery from tank farms ran from 1967 to 1976, and Cs/Sr recovery from NCAW and CAW ran from 1967-72, and then from 1983-91. B Plant's mission from '67 was to take the acid stream from PUREX through Cesium and Strontium recovery operations.
BARCT	Best Available Radionuclide Control Technology
BAT/AKART	Best Available Technology/All Known And Relevant Technology
BC	TRU SOLIDS FROM B PLANT PROCESSING OF CC
BCD	Binary Code Decimal
BEMR	Baseline Environmental Management Report
BF	Breather Filter (term located WHC-SD-WM-ER-204, Rev.0)
BFSH	B Plant Flush
BG	Below Grade (term located WHC-SD-WM-ER-204, Rev.0)
BHI	Bechtel Hanford Inc.
BiPO4	Bismuth Phosphate Process. First precipitation process used at the Hanford Site for separating plutonium from the irradiated uranium fuels. This process was replaced by REDOX and PUREX processes to gain the advantages of separation and recovery of the uranium and plutonium fission products in B-222 and U-222, 1944-56. Left U in waste. See also MW, 1C, and 2C.
BIPP	B Plant Immobilization Pilot Plant
BIX	B Plant Ion Exchange
BIXBN	??
BIXRI	??
BL	B Plant Low Level. From '68-'76 added to AX-103, BX-101, B-101, and C-106. Wash(?) waste after concentration in cell 23 (i.e. low solids).
BLEB	B Plant Low level Evaporator Bottoms.
BLIX	B Plant Low Level Ion Exchange?
BLIXB	B Plant Low Level Ion Exchange bottoms?
BN	??
BNW	Battelle Northwest Laboratory Waste
Boiling Waste	Waste containing sufficient radioactive decay heat to self-boil.
Bottoms Receivers	Tank designated for receiving evaporator bottoms.

Bottom Referenced Tank	Either a dished bottom tank or a flat bottom tank where the zero point for liquid-level gages is the lowest elevation in the tank.
BP	TRU SOLIDS FROM B PLANT PROCESSING OF PFP
BPC	Beta proportional counting
BP/CPLX83-88	SSR, CSR, B, BL all in AY-101
BP/NCPLX83-88	now in AY-101
BPDCC	DILUTE, COMPLEXED WASTE FROM B PLANT CESIUM PROCESSING. See also CSR and BPDCC.
BPDCS	DILUTE, COMPLEXED WASTE FROM B PLANT STRONTIUM PROCESSING
BPDCV	DILUTE, COMPLEXED WASTE FROM B PLANT VESSEL CLEAN-OUT
BPFPS	B PLANT HIGH TRU SOLIDS FROM RETRIEVED PFP SOLIDS
B Plant	One of the three original Bismuth-Phosphate processing facilities. Later converted to waste fractional plant. B Plant used for $BiPO_4$ 1944-52, then for FP recovery. See also 222-B and TK.
BPLCS	DILUTE, NON-COMPLEXED WASTE FROM B PLANT STRONTIUM PROCESSING
BPLDC	DILUTE, COMPLEXED WASTE FROM B PLANT CESIUM PROCESSING
BPLDN	DILUTE, NON-COMPLEXED WASTE FROM B PLANT CESIUM PROCESSING
BR	TRU SOLIDS FROM B PLANT PROCESSING - NCRW
BS	B PLANT PRETREATED SOLIDS
B SLTCK	Salt cake waste generated from the 242-B Evaporator from 1951 until 1955.
BUMPING, TANK BUMP	A tank bump occurs when solids overheat in the lower portion of the tank. The hot solids are mixed with the cooler fluid either by operation of the airlift circulators (ACLs) or by natural means. The hot solids rapidly transfer heat to the liquid, some of which quickly vaporizes. The sudden pressurization caused by vapor generation is called a "bump".
Burial Ground (garden)	A land area specifically designated to receive packaged contaminated wastes and equipment for burial. Rated volume at the time of construction.
BVCLN	DILUTE, NON-COMPLEXED WASTE FROM B PLANT VESSEL CLEAN-OUT
BWIA	B Plant Waste Immobilization Annex. See also B Plant
BWIP	Basalt Waste Isolation Project.
BY SLTCK	Salt cake waste generated from in-tank solidification units 1 and 2 between 1965 and 1974.
Caisson	An underground structure used to store high-level waste; typical designs include corrugated metal or concrete cylinders, 55-gal. drums welded end-to-end, and vertical steel pipes below grade.
Calcine	To heat a substance to a high temperature, but below its melting point, causing loss of volatile constituents such as moisture; refers also to the material produced by this process.
CAM	Continuous Air Monitor
CARB	CARBONATED WASTEæsame as OWW. See also A Plant, PUREX Plant, CWP, and OWW.
CAS	Cascade, this process filled three or more tanks with one pump by using overflow lines. Normal use was with a sequence of tanks numbers 101, 102, 103, or 110, 111, 112. See also SET and END.
Cascade	Eleven of the Single-Shell Tank Farms (all except the AX-Tank Farm), were equipped w/ overflow lines between tanks. The tanks were connected in series and were placed at different elevations creating a down hill gradient for liquids to flow from one tank to another. See also CAS, SET, and END.
CASS	Computer Automated Surveillance System (AY and AZ Farm)
Catch Tank	Small-capacity single-wall tank, primarily associated with diversion boxes and diverter stations. The tanks collect liquid from diversion boxes, diverter stations, catch stations, and other facilities.
CAW	Current Acid Waste—this is PUREX acid waste, also called HAW or IWW. See also HAW, IWW, and PAW.
CB	??
CBUSTL	Combustible Solids and Liquids

CC	COMPLEXANT CONCENTRATE. Term refers to concentrates of solutions that have TOC's greater than 10 g/L. Usually associated with EDTA and HEDTA salts. See also CCPL, CCPLX, and CPLX.
CCGL	B PLANT HIGH TRU SOLIDS FROM RETRIEVED COMPLEXED CONCENTRATE
CCGR	DILUTE, NON-COMPLEXED WASTE FROM RETRIEVED COMPLEXED CONCENTRATE
CCPL	COMPLEXANT CONCENTRATE. See also CC, CCPLX, and CPLX
CCPLX	Complexant Concentrate. See also CC, CCPL, and CPLX
CCW	Complex Concentrated Waste
CCW	Concentrated Customer Waste
CCW	Counter-Clockwise ref. (LA-UR-92-3196)
CD	??
CDE	Committed Effective Dose Equivalent
CDF	TRAC Composition Data File or Transaction Flag Key—unit volume assumed to make stream active.
CE	Evaporator Concentrate
CE	Crown Ether
Cell 23	Waste from Cell 23 at B Plant. Cell 23 contained an evaporator and was used not only during B Plant operations, but to reduce tanked waste as well.
CEM	Cement added to BY-106 in 1977, see also CON.
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act.
CF	Cesium Feed
CFR	*Code of Federal Regulations*
CHP	Cascade Heel Pit
C Layer	Convective Layer
CLEAN 31	CLEAN Option HLW stream
CLELLW	CLEAN Option LLW stream
CLU	Chemical Laboratory Unit
CMPO	N-diisobutylcarbmoylmethylphosphine oxide
CON	Cement added to BY-105 in 1977, see also CEM. Also designated concentrated waste in SX-103 (1965-66), SX-107 (1965), SX-108 (1965), and SX-110 (1965).
COND	CONDENSATE. See also EVAP, AND EB.
COND	Condition
Conductivity Probe	Measures surface level of conductive liquid (or waste) by detecting electrical conductivity between probe tip and liquid/waste surface as it is lowered into contact.
Confirmed or Declared Leaker	The designation of any underground waste storage tank where the data is considered sufficient to support a conclusion with 95 percent confidence that the tank has leaked.
COOL	Change in waste volume due to cooling. See also ADJ, COOL, CORR, and LEAK.
CORR	Correction to tank waste level. See also ADJ, COOL, and LEAK.
CP	Condenser Pit
CP	CONCENTRATED PHOSPHATE WASTE (FROM 100 N-REACTOR DECONTAMINATION). See also N.
C Plant	Strontium Semi-Works. Called C Plant or Hot Semi-Works earlier, was pilot for both REDOX and PUREX, Jul. 1952 to Jul. 1956. Then reconfigured for Strontium Recovery Pilot Plant from July 1960 to July 1967. See also 222-C, SSW, and HS.
CPLX	Complexed waste. See also CC, CCPLX, and CCPL.
CPP	Cascade Pump Pit
CPW	Concentrated Phosphate Waste. Waste originating from the decontamination of 100-N Area reactor. concentration of this waste produces concentrated phosphate waste.
CRIB	Ground site for low level supernatants (from tanks) or condensates (from evaporators). NW (T-105 - T-107, T-018, T-021 - T-023, T-025, T-026, T-032, TY-CRIB, TY-1) and NE (B-##, S-##, T-##, A-008, A-024, B-007, B-008, B-014, B-016, B-018, B-035, B-037, B-040, B-042, and B-049).

CRUST	A hard surface layer that has formed in many waste tanks containing concentrated solutions.
CR Vault	Facility located adjacent to C Farm, used for scavenging campaign following Uranium recovery, 1952-58. Ferrocyanide was added to tank supernatants in CR-Vault, and then the slurry was returned to C Farm for settling, forming in-farm sediments.
CRW	Cladding Removal Waste
CSFD	Cesium Feed
CSIX	Cesium ion Exchange
CSKW	??
CSP	Cascade Sluice Pit
CSR	Tank supernatant was sent to B Plant for Cesium recovery using C-105 as a staging tank. From 1967-76, 21,724 kgal was sent to and 26,290 kgal returned from B Plant. See also IX, and BPDCC.
CSS	Concentrated supernatant solids
CST	Caustic Solution, 0.01 M NaOH.
CSWLE	COMPLEXED SALT WELL LIQUID EAST AREA
CSWLW	COMPLEXED SALT WELL LIQUID WEST AREA
CTW	Caustic waste for makeup
CUWP	Chemicals Used and Waste Volume Produced
CVAA	Cold vapor atomic absorption (Waste)
CVR	Metal Cover Plate
CVS	Compostion Variability Study
CW	Cladding Waste, included with 2C from 1945-50, and with 1C from 1951-56.
CW-Al	Aluminum cladding waste
CWHT	Concentrated Waste Holding Tank
CWP	Cladding Waste PUREX. See also A Plant, PUREX Plant, and OWW.
CWP2	Cladding waste. PUREX 2?
CWR	Cladding Waste-REDOX. See also REDOX and R.
CWR1	REDOX cladding waste from 1952 to 1960.
CWR2	REDOX cladding waste from 1961 to 1967.
CWZr1	Cladding waste from PUREX 1966-70 that used Zirflex process on Zircaloy clad fuel elements. See also PD and NCRW.
CWZr2	Coating waste (REDOX), zirconium cladding
CWP/Zr83-88	now called PD or NCRW
CX70	DILUTE, COMPLEXED (MIXTURE) HOT SEMI-WORKS TRU SOLIDS
D	Dilute
DACS	Data Acquisition Control System
DAS	Data Acquisition System
DBA	Design Basis Accident
DBP	Dibutyl Phosphate
DBPW	Dilute "B" Plant Waste
DC	DILUTE COMPLEXED. Waste characterized by a high content of organic carbon including organic complexants: ethylenediaminetetra-acetic acid (EDTA), citric acid, hydroxethylenediaminetriacetic acid (HEDTA), and iminodiacetate (IDA) being the major complexants used. Main sources of dilute complexed waste in the double-shell tanks system are salt well liquid inventory. See also, EDTA, HEDTS, and IDA
D & D	Decontamination and Decommissioning
DCG	Derived Concentration Guide
DCH 18-Cr-6	Dicyclohexano 18-Crown-6 Ether
DCS	Dilute Caustic Solution
DCW	Dilute Complexed Waste
DDSSF	Dilute Double Shell Slurry Feed
DDT	Deflagration to Detonation Transition
DDWSF	Dilute Double-Shell Slurry Feed. Product from run 86-1. See also DSS, and DSSF.

DE	Diatomaceous Earth added to BX-102 (1971), SX-113 (1972), TX-116 (1970), TX-117 (1970), TY-106 (1972) U-104 (1972).
DEF	??
DF	Decontamination Factor (term located WHC-EP-0791)
DIL	Dilute Feed for Evaporator input. Interstitial liquid that is not held in place by capillary forces, and will therefore migrate or move by gravity. See also DILFD
DILFD	Dilute Feed. See also DIL.
DISS	Dissolver
Ditch	A linearly oriented excavation often used for the temporary diversion or disposal of process waste streams.
Diversion Box	A below-grade concrete enclosure containing the remotely maintained jumpers and spare nozzles for diversion of waste solution to storage tank farms.
DN	DILUTE NON-COMPLEXED WASTE (DN) (i.e. contains no complexants) defined as waste with TOC <1wt% (10 g/L). See also DN/PD, DN/PT,PFP, PRF, TRU Solids, TRU, Z, and 224
DNCPW	Dilute Noncomplexed Waste
DN/PD	Dilute Non-Complexed Waste (DN) with P TRU solids. See also DN, DN/PT, P, PFP, PRF, PRF TRU Solids, TRU, Z, and 224..
DN/PT	Dilute Non-Complexed Waste (DN) with PFP TRU solids. See also DN, DN/PD, P, PFP, PRF, PRF TRU Solids, TRU, Z, and 224.
DNSFB	Defense Nuclear Facilities Safety Board
DoD	US Department of Defense
DOE	US Department of Energy. See also AEC and DOE.
DOE/RL	DOE/Richland (Field Office)
DOH	Washington Department of Health
DP	DILUTE PHOSPHATE WASTE
DP	Differential Pressure (term used LA-UR-92-3196 Rev 0)
DP	Distributor Pit (term used WHC-SD-WM-ER-204, Rev.0)
DPDS	Dilute PUREX Decladding Supernate
Drainable Interstitial Liquid	Liquid that is not held in place by capillary forces, and will therefore migrate or move by gravity. Drainable liquid remaining minus supernate. Drainable Interstitial Liquid is calculated based on the salt cake and sludge volumes, using average porosity values or actual data for each tank, when available.
Drainable Remaining Liquid	Supernate plus drainable interstitial.
DRCVR	Dilute Receiver Tank
DRYWELL	Vertical boreholes with 6-inch (internal diameter) carbon steel casings positioned radially around single-shell tanks. Periodic monitoring is done by gamma radiation or neutron sensors to obtain scan profiles of radiation or moisture in the soil as a function of well depth, which could be indicative of tank leakage. These wells range between 50 and 250 feet in depth, and are monitored between the range of 50 to 150 feet. The wells are sealed when not in use. The wells are called drywells because they do <u>not</u> penetrate to the water table and are therefore usually "dry".
Drywell (in tank)	A sealed casing within a tank that is attached to a riser and used for access of a gamma or neutron detector, or an acoustical probe to determine the level of interstitial liquid.
DSS	DOUBLE-SHELL SLURRY (from EOFY 77 inventory?). This waste is a concentrate of DSSF, but with a TOC<10g/L (<1wt% TOC is NC). Waste that exceeds the sodium aluminate saturation boundary in the evaporator without exceeding receiver tank composition limits. DSS is considered a solid. See also DDWSF and DSSF
DSSF	DOUBLE-SHELL SLURRY FEED. Waste concentrated just before reaching the Sodium Aluminate saturation boundary in the evaporator without exceeding receiver tank composition limits. This form is not as concentrated as DSS. See also DSS and DDWSF.
DST	Double Shell Tank. The newer one million gallon underground waste storage tanks consisting of a concrete shell and two concentric carbon steel liners with an annular space between the liners.

DTPA	diethylene-triamine-penta-acetic acid (term located WHC-EP-0791)
DUMM, DUMMY	Dummy Waste.
DW	Decontamination Waste
DWBIX	DECONTAMINATION WASTE AND B PLANT ION EXCHANGE
DWPF	Defense Waste Processing Facility
DWVD	Defense Waste Vitrification Demonstration
E	Emergency
E-Stop	Emergency stop
EAC	Energy Absorption Capacity
EB	Evaporator Bottoms. See also COND and EVAP.
Ecology	Washington State Department of Ecology
EDE	Effective Dose Equivalent
EDTA	Ethylenediaminetetraacetic acid (term located WHC-EP-0791). See also, DC, HEDTA, and IDA
EF	Evaporator Feed
EFD	Evaporator Feed Dilute
EGR	Episodic Gas Release (term located WHC-EP-0702, Rev 0)
EIS	Environmental Impact Statement
ELEVATION	Surveyed at riser flange (term used SD-RE-TI-053 Rev. 8)
END	Disconnect Cascaded Tanks. See also CAS, and SET.
EP	Enclosure Pit (term used WHC-SD-WM-ER-204, Rev.0)
ERA	Expedited Response Action
ERDF	Environmental Restoration Disposal Facility
EPRI	Electric Power Research Institute
ERPG	Emergency Response Planning Guideline
ERDA	Energy Research and Development Administration. See also AEC, and DOE.
ES&H	Environment, Safety, and Health
ESPIP	Efficient Separations and Process Integrated Program (term used WHC-EP-0791)
ETF	Effluent Treatment Facility
EV	Evaporation
EV	Evaporation Entry
EVAP	EVAPORATOR LOSSES
EVAP	Evaporator connected to tank. See also COND and EB.
EVAP	Evaporator Feed (post 1976)
EVAPF	DILUTE, NON-COMPLEXED WASTE FROM EVAPORATOR PAD FLUSH
EVAP Feed	Any waste liquid that can be concentrated to form salt cake; e.g., aged waste, low heat waste, dilute interstitial liquor, and other radioactive waste solutions.
Evap Feed Dil	Evaporator Feed Dilute. See also EFD
EVFD	Evaporator Feed Tank
EVS	Partial neutralization in 242-S Evaporator.
EVT	HEDTA destruction in 242-B or 242-T evaporators.
Evaporator Crystallizer	242-A and 242-S waste concentration facilities that operate at a reduced pressure (vacuum) and are capable of producing a slurry containing about 30 volume percent solids at a specific gravity of greater than 1.6.
Evaporator Feed	Any waste liquid that can be concentrated to form salt cake; e.g., low heat waste, dilute interstitial liquor, aged waste, and other radioactive waste solutions.
F	Food Instrument Company (FIC) Automatic Surface Level Gauge (term used Tank and Surveillance and Waste Status Summary Report)
FAILED	Thermocouples with either open circuits or loop resistance. (term used WHC-SD-WM-TI-553, Rev.0)
F/B	flange with bale (term used WHC-SD-WM-ER-204, Rev.0)
FCT	flux-corrected transport
FD	Feed Dilute
FDC	functional design criteria

FeCN	Ferrocyanide wastes created during a scavenging campaign in 1953-57. See also SCAV, P00, T00, PFeCN1, PFeCN2, and TFeCN
FFTF	Fast Flux Test Facility
FIC gauge	A Food Instrument Corporation Automatic Liquid Level Gauge based on a conductivity probe. At Hanford they are electrically connected to a computer for data transmission, analysis, and reporting. Local readings may also be obtained from a dial. (term located Tank and Surveillance and Waste Status Summary Report)
FIRST AND SECOND CYCLE DECONTAMINATION WASTES	Waste contained 10 percent of the original fission product activity and 2 percent of the product. By-product cake solution was mixed with product waste and neutralized with 50 percent caustic. This waste contained a mixture of suspended solids, hydroxides, carbonate and phosphate, scavenger metals, and chromium, iron and sodium, silicofluoride. See also 1C and 2C.
F/L	Flange with lead
FLSH	Flush water.
FM	Flow meter (term located LA-UR-92-3196 Revised)
FM-Approved	Factory Mutual-Approved (term located LA-UR-92-3196 Revised)
FP	Fission Product Waste. Cs and Sr recovery began in 222-B in 1967. Cs was removed from PUREX SU (PAW) and Sr from PUREX SL (PAS), and both from Acidic Waste.
FSPLIT	Separates or slots the flow of one or more input streams into two or more output streams.
FTIR	Fourier Transform Infrared (term located WHC-EP-0702, Rev 0)
FV	Field Verify
GA	Gain to Tank
GAS	SLURRY GROWTH AS A RESULT OF GAS GENERATION
GC	Gas Chromatograph (term located LA-UR-92-3196 Revised)
GEA	Gamma Energy Analyses (see SD-WM-PE-029 Rev. 0, 242-A Evap/Crystallizer FY 84-86 Campaign Run.
GIT	Georgia Institute of Technology (term located WHC-EP-0702, Rev 0)
GM Instrument	Instrument for detecting low-level beta and gamma radiation using a Geiger-Mueller tube.
GRD	Riser at Grade (term located WHC-SD-WM-ER-204, Rev.0)
GRE	Gas Release Event (term located WHC-EP-0702, Rev 0)
GROUP	A group of tanks where ITS averaged the supernatant phases. See also ITS.
GROUT	OUTFLOW TO THE GROUT FACILITY
GRTFD	Grout Feed Tank
GTCC	Greater than Class C (term from WHC-EP-0791)
GUNITE	A building material consisting of a mixture of cement, sand, and water that is sprayed onto a mold.
HAMMER	Hazardous Materials Management and Emergency Response Training Center
Hanford Coordinates	A set of offsets, in feet, from a reference point on the site. These are the units used to lay out these facilities. Conversion to latitude and longitude is possible.
Hard Pan	Term used to describe uranium carbonate phase that formed in solids from MW additions. Proved to be very difficult to sluice.
HASP	Health and Safety Plan
HAW	Aging waste from PUREX/PFM Processing NPR Nuclear Fuel. See also AGE, AGING, AGING WASTE, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
HazOP	Hazards and Operability Study
HDRL	Hanford Defense Residual Liquid
HEAT	A tank level correction due to thermal expansion. See also CORR, COOL, and LEAK.
HEDL	Dilute sulfate waste. See also UNC.(see SD-WM-PE-029 Rev..0, 242-A Evap/Crystallizer FY 84-86 Campaign Run)
HEDTA	N-(2-hydroxyethyl)ethylenediamine tetra acetate
Heel	The waste that remains in a tank after the tank is emptied.

HEPA	High-Efficiency Particulate Air . A filter designed to achieve 99,995 percent minimum efficiency in the containment of radioactive particulates greater than 0.3 micrometer in size. (term located WHC-EP-0702, Rev 0)
HFW	Hanford Facility Wastes
HHI	Health Hazard Index (term from WHC-EP-0791)
HHW	High Heat Waste
HIC	High Integrity Container
HJ	Heel Jet (term from WHC-SD-WM-ER-204, Rev.0)
HLO	Hanford Laboratory Operations Waste
HLW	High-Level Waste—generic for all Hanford Tank Wastes. Waste from the fuel reprocessing operations in separations plants.
HP	Heel Pit (term from WHC-SD-WM-ER-204, Rev.0)
HMS	Hanford Meteorological Station
HMS/TRAC	Hydrogen Mixing Study Transient Reactor Analysis Code (term located LA-UR-92-3196 Revised)
HS	Hot Semi-Works. A pilot facility that had a variety of operations. See also C Plant, and SSW.
HSA	Hanford Strategic Analysis (term located WHC-EP-0791)
HSRAM	Hanford Site Risk Assessment Methodology
HTCE	*Historical Tank Content Estimate*
HTWRS	Hanford Tank Waste Remediation System
HVAC	Heating, Ventilating, and Air Conditioning
HWVP	Hanford Waste Vitrification Plant.
HWVP	DILUTE, NON-COMPLEXED WASTE FROM THE VITRIFICATION PLANT (term From WHC-EP-0791)
I&S	Tank Isolated and Stabilized
IC	Synonym (misspelling?) for 1C-1st cycle decontamination waste-$BiPO_4$. See also MW, 2c, and $BiP0_4$.
ICE	Implicit Continuous Eulerian (term located LA-UR-92-3196 Revised)
ICEBC	?? (1st cycle evaporator bottoms concentrate??) See 1CEBC
ICF	Consolidated Incinerator Facility (term located WHC-EP-0791)
ICO	DILUTE NON-COMPLEXED WASTE FROM TERMINAL CLEANOUT.
IDA	Iminodiacetate. See also, DC, EDTA, and HEDTA.
IDEF	Integrated Computer-Aided Manufacturing (ICAM) Definition (Language) (term located WHC-EP-0791)
IDLH	Imminently (or immediately) Dangerous to life or health (term located LA-UR-92-3196 Revised)
Inactive Tank	A tank that has been removed from liquid-processing service, has been pumped to less than 33,000
IH	Instrument House (term from WHC-SD-WM-ER-204, Rev. 0)
II	Interim Isolated. The administrative designation reflecting the completion of the physical effort required to minimize the addition of liquids into an inactive storage tank, process vault, sump, catch tank, or diversion box. In June 1993, Interim Isolation was replaced by Intrusion Prevention. (term located Tank and Surveillance and Waste Status Summary Report)
ILL	Interstitial Liquid Level. Liquid that resides in the voids/interstices of the solids.
Inactive Tank	A tank that has been removed from liquid processing service, has been pumped to contain less that 33,000 gallons of waste, and is not yet or in the process of stabilization and interim isolation. This includes all tanks not in active or active-restricted categories. Also included are inactive spare tanks that would be used if an active tank failed.
INEL	Idaho National Engineering Laboratory (term located WHC-EP-0791)
In-Service Tank	The waste classification of a tank being used, or planned for use, for the storage of liquid (in excess of a minus supernatant liquid heel) in conjunction with production and/or waste processing. All Hanford double-shell tanks are in-service; none of the single-shell tanks are in-service.
INST	CHANGE IN TANK LEVEL DUE TO CHANGE IN INSTRUMENTATION.

Interim Isolation	An administrative designation reflecting the completion of the physical effort required to minimize the addition of liquids into an inactive storage tank, process vault, sump, catch tank, or diversion box. See Intrusion Prevention.
Interim Stabilization	A tank which contains less than 50,000 gallons of drainable interstitial liquid and has less than 5,000 gallons of supernatant. If the tank was jet pumped to achieve interim stabilization, then the jet pump flow must have been at or below 0.05 gallons per minute before interim stabilization is completed.
Intrusion	The unintended entry of any liquid into a waste storage tank.
Intrusion FIC	A mode of operating the FIC surface level monitoring equipment typically used when a waste surface is non-electrically conductive. The conductivity probe (plummet) is positioned a small distance above the waste surface. Should that gap be spanned by an intruding liquid, conductivity between the plummet and the waste surface would be established this triggers an alarm in the CASS system. Note that the intrusion FIC levels is not an actual measurement of the current waste surface.
Intrusion Mode FIC Setting	The FIC probe is positioned a short distance above the waste surface. If the surface level of the waste in the tank increases, thereby touching the probe tip, a pointive indication is received.
IP	Intrusion Prevention. This is an administrative designation reflecting the completion of the physical effort required to minimize the addition of liquid into an inactive storage tank, process vault, catch tank, sump, or diversion box. (term located Tank and Surveillance and Waste Status Summary Report) See also IP.
IP	Instrument House (term from WHC-SD-WM-ER-204, Rev.0)
IRAP	Integrated Risk Assessment Program
IS	Interim Stabilized. A tank which contains less than 50,000 gallons of drainable interstitial liquid and has less than 5,000 gallons of supernatant liquid. If the tank was jet pumped to achieve interim stabilization, then the jet pump flow must also have been at or below 0.05 gallons per minute before interim stabilization is completed.
ISO	Tank is Interim-Isolated
Isolation	The act of sealing a tank against liquid intrusion from credible sources and confining the atmosphere in the tank. Filtered airways are not sealed. The balance the pressure to the atmosphere, and in some cases provide cooling airflow.
ISV	In-situ Vitrification (term located WHC-EP-0791)
ITS	In-Tank Solidification-Program using steam evaporators inside of certain tanks on BY Farm. ITS#1 ran 1965-70 in BY-102 (a pilot demonstration was also run in BY-101) and ITS#2 ran 1968-74 in BY-112. During 1971-74, ITS#1 used as cooler instead of a heater. See also GROUP
IWW	INORGANIC WASH WASTE TO SST—same as P or NCAW. Refers to HAW or PAW. See also AGE, AGING, AGING WASTE, HAW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
IX	Ion Exchange Waste. Assumed ion exchange (IX) removal efficiency for radionuclides (i.e., americium, strontium, cesium, and technetium). Ion Exchange identifies waste returned from Cs recovery. See also CSR, and BPDCC.
IXROW	??Ion-Exchange REDOX Organic Wash??
JEG	Joint Evaluation Group (term located LA-UR-92-3196 Revised)
JET PUMP	A modified commercially available low capacity jet pump used as a salt well pump.
KNUCKLE	Point where the side wall and the bottom curved surface of a tank meet.
KOP	Knowledge of Process uses process information to derive waste compositions based on some process driver.
L	Inactive/Leaker
LaF	Lanthanum Fluoride waste generated in Plutonium Finishing Plant Operation from 1945-??. See also 224, and 224-F.
LANCE	OUT FLOW DUE TO LANCING OF TANK
Lance/Lancing	A long steel pipe, usually 2-to-3 inches in diameter. The top is bent at a 90-degree angle, and contains a check valve, gate valve, and nose connection. The bottom end of the lance is tapered to a 1/2-inch diameter. Water enters the top of the lance, which is forced out the bottom at high pressure. This creates a passage way which may be used for equipment installation.

LANH	Heavy Lanthanides (term located WHC-EP-0791)
LANL	Los Alamos National Laboratory
LANL	Light Lanthanides (term located WHC-EP-0791)
LATA Consortium	Los Alamos Technical Associates; British Nuclear Fuels, LTD; Southwest Research Institutes; and TRW, Inc.
Lateral	Horizontal drywell positioned under single-shell waste storage tanks to detect radionuclides in the soil which indicate leakage. Lateral drywells are monitored by radiation detection probes. Laterals are 4-inch ID steel pipes located 8 to 10 feet below the tank's concrete base. There are three laterals per tank in A and SX Farms. There are no lateral drywells in any other farms.
LB	Lifting Bale. Riser top has plate flange with lifting bale - possible concrete plug under
LE	Lead Encasement (term From WHC-SD-WM-ER-204, Rev.0)
LEAK	Tank leak volume. See also ADJ, COOL, and CORR.
LEAK DETECTOR	Fixed liquid level sensor - tape with weight (term located SD-RE-TI-053 Rev. 8)
LEAK DETECTION PIT	Collection point for any leakage from AM Farm Tanks. The pits are equipped with radiation and liquid detection instruments.
LEL	Lower Explosive Limit (term located WHC-EP-0702, Rev 0)
LERF	Liquid Effluent Retention Facility.
LETF	LIQUID EFFLUENT TREATMENT FACILITY FROM N REACTOR.
Level Adjustment	Any update in the waste inventory (or tank level) in a tank. The adjustments usually result from surveillance observations or historical investigations.
Level History	A diagram that shows the history of the waste level and waste level changes in a tank. The diagram also includes other related data.
LFL	Lower Flammability Limit (term located WHC-EP-0702, Rev 0)
Liquid Level Best Engineering Judgment Line	During the initial filling of certain single-shell tanks, only the liquid level was reported. To adjust for the big increase in level height, which occurred when solids were added to the record, a sloped line was used to reflect solids volume between the initial fill and the time the solids data were recorded.
LIT	Automatic Liquid indicator Tape (term located SD-RE-TI-053 Rev. 8)
LLI	Manual Liquid Level Indicator (term located SD-RE-TI-053 Rev. 8)
LLR	liquid level reel (term located WHC-SD-WM-ER-204, Rev.0)
LLR	manual liquid level sensor - tape with weight (term located SD-RE-TI-053 Rev. 8)
LLW	low-level waste (term From WHC-EP-0791)
LO	Loss from tank. (term From WHC-SD-WM-ER-204, Rev.0)
LOW	Liquid Observation Well. Liquid observation wells are used for monitoring the interstitial liquid level (ILL) in single-shell waste storage tanks. The wells are constructed of fiberglass, or tefzel-reinforced epoxy-polyester resin. They extend to within 1 inch of the bottom of the tank steel liner. They are sealed at their bottom ends and have a nominal outside diameter of 3.4 inches. See also ADJ, COOL, and CORR.
LUNC	DILUTE, NON-COMPLEXED WASTE FROM UNC FUELS FABRICATION FACILITY
LW	Laboratory Waste
L222S	222S LAB DILUTE NON-COMPLEXED WASTE FROM S PLANT.
L3A4A	DILUTE NON-COMPLEXED LABORATORY WASTES FROM 300 AND 400 AREAS.
M	Manual Tape Surface Level Gauge (term located Tank and Surveillance and Waste Status Summary Report)
MAB	Maximum Allowable Burp (term located LA-UR-92-3196 Revised)
MAPs	Mitigation Action Plans
MARGINAL	Thermocouple with higher than normal (0.5 ohms to 20 ohms depending on length) loop resistance, higher than normal resistance in one lead to ground, or having some other abnormality, e.g. inconsistent resistance measurements. (term located WHC-SD-WM-TI-553, Rev.0)
MAWB	Maximum Allowable Window Burp (term located LA-UR-92-3196 Revised)
MAXSPD	Maximum Speed Parameters (term located LA-UR-92-3196 Revised)
MCC	Motor Control Center (term located LA-UR-92-3196 Revised)
MDW	Miscellaneous Dilute Waste

Tefzel is a Registered Trademark of E.I. du Pont de Menours & Co.

MEB	Maximum Expected Burp (term located LA-UR-92-3196 Revised)
MIE	Minimum Ignition Energy (term located WHC-EP-0702, Rev 0)
MIT	Multifunction Instrument Tree (term located WHC-SD-WM-TI-553, Rev 0)
MPR	Multiport Riser (term located LA-UR-92-3196 Revised)
MS	Mass Spectrometer (term located LA-UR-92-3196 Revised)
MW	Metal Waste from $BiPO_4$. 90% of FP, all of U, 1% of Pu . Waste from the extraction containing all the Uranium, approximately 90% of the original fission product activity, and approximately 1% of the Pu product. This waste was brought just to the neutral point with 50% caustic and then treated with and excess of sodium carbonate. This procedure yielded almost completely soluble waste at a minimum total volume. The exact composition of the carbonate compounds was not known but was assumed to be a Uranium Phosphate Carbonate mixture. See also 1C, and 2C.
MW	Maximum Window (term located LA-UR-92-3196 Revised)
MW1	Metal waste from $BiPO_4$, 1944 to 1951
MW2	Metal waste from $BiPO_4$, 1952 to 1956
MWB	Maximum Window Burp (term located LA-UR-92-3196 Revised)
MWF	Metal Waste Feed? Set to water in TRAC.
N	N-Reactor waste. See also CP.
N2	Nitrogen
NBAW	NEUTRALIZED B PLANT ACID WASTE
NCAW	LIQUID WASTE, HIGH CS, SR, AND TRU CONTENT. Neutralized Current Acid Waste primary HLW stream from PUREX process. See also AGE, AGING, AGING WASTE, HAW, IWW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
NCBUSTS	Noncombustible Solids (term located WHC-EP-0791)
NC layer	Nonconvective Layer (term located LA-UR-92-3196 Revised)
NCPL	Non-Complexed Waste general term applied to all Hanford site liquids not identified as complexed. See also NCPLX and NCPLEX.
NCPLEX	Non-Complexed Waste. See also NCPL and NCPLX.
NCPLX	Non-Complexed Waste term applied to all Hanford Site liquors not identified as complexed.. See also NCPL and NCPLEX.
NCRW	Neutralized Cladding Removal Waste—Same as CWP/Zr. See also CWP, CWP/Zr, and PW.
NDAA	National Defense Authorization Act (term located WHC-EP-0702, Rev 0)
NE	Northeast quadrant of tank (term from WHC-SD-WM-ER-204, Rev.0)
NEC	National Electrical Code (term located LA-UR-92-3196 Revised)
NEPA	National Environmental Policy Act (term located WHC-EP-0702, Rev 0)
Neutralized PUREX Acid Waste	The original plant in 1956 neutralized all of the high-level waste and sent it to the A-241 Tank Farm. As fission product recovery started, a portion of the waste was treated for Strontium Recovery and then neutralized. As of 1967 all of the High-Level Waste left PUREX as an acid solution for treatment at B Plant. See also P, and PL.
NFAW	Aging waste from PUREX/PFM high level waste.
NFPA	National Fire Protection Association (term located LA-UR-92-3196 Revised)
Neutron Probe	Probe equipped with a neutron source and detector. They are used in dry well monitoring to determine the moisture content of the soil as one way to detect leaks in underground waste storage tanks or pipelines.
nf	does not show at surface, not in a pit - no surface access
NFAW	AGING WASTE FROM PUREX/PFM HIGH LEVEL WASTE (FFTF-NCAW) See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NHAW, NRAW, and P83-88.
NFPA	National Fire Protection Association
NHAW	AGING WASTE FROM PUREX/PFM PROCESSING OF NPR FUEL
NIOSH	National Institute of Occupational Safety and Health (term located LA-UR-92-3196 Revised)
NIST	National Institute of Standards and Technology (term located LA-UR-92-3196 Revised)

NIT	$HNO_3/KMNO_4$ solution added during evaporator operation (Neutralization in Transfer?) See also PNF.
NOx	Oxides of nitrogen (term located WHC-EP-0791)
NPH	Normal Paraffin Hydrocarbon was diluent used in Uranium recovery and PUREX processes, and is close to Dodecane, $C_{12}H_{26}$.
NRAW	AGING WASTE FROM PUREX/PFM RESIDUE ACID WASTE (FFTF-NCAW). See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NHAW, PAW, PFM, and P83-88.
NRC	US Nuclear Regulatory Commission (term fromWHC-EP-0791)
NRP82	DILUTE, NON-COMPLEXED WASTE FROM FY82 100-N AREA WASTE TRANSFER
NRPO4	DILUTE, PHOSPHATE WASTE FROM 100 N AREA
NRSO4	DILUTE, NON-COMPLEXED WASTE FROM 100 N AREA
NSTF	Near Surface Test Facility (NSTF) is a full-scale demonstration facility designed for testing, engineering, and training.
NTA	Nitrilotriacetic acid
OFFGAS	Cell air and offgas (term located WHC-EP-0791)
OP	Observation Port (term fromWHC-SD-WM-ER-204, Rev.0)
Open Hole Salt Well	A well in which a pump is inserted in solid waste. Frequently used to remove the liquid from tanks containing less than 2 feet of sludge. See also Salt Well.
ORR	Operational Readiness Review (term located WHC-EP-0702, Rev 0)
OSD	Operational Safety Document
OSHA	Occupational Safety and Health Administration
OSR	Operational Safety Requirement
OTHHI	Other upper limit (term located WHC-EP-0791)
Out-of-Service	A tank which does not meet the definition of an in-service tank. All single-shell tanks are out of service.
OUTX	Transfer from Tank_n out to either a secondary processing operation or to a crib. See also TR.
OVM	Organic Vapor Monitor (term located WHC-EP-0702, Rev 0)
OWW **OWW1, OWW2, OWW3**	ORGANIC WASH WASTE FROM PUREX. Evidently, this was combined with P waste in 1960-61, but usually kept separate. The solvent used in PUREX was treated before reuse by washing with potassium permanganate and sodium carbonate, followed by dilute nitric acid and then a sodium carbonate wash. See also A-Plant, CWP, CARB, OWW PUREX Plant, and.
P	PUREX HLW, 1956-72. Sometimes assumed to be 50% OWW. Used NPH/TBP to extract both Pu and U. Np was also extracted from 1963-72. See also DN, and PL.
P	Photo Evaluation (term located Tank and Surveillance and Waste Status Summary Report)
P1	PUREX high-level waste generated between 1955 and 1962.
P2	PUREX high-level waste generated between 1963 and 1967.
P83-88	now called PXNAW or NCAW. AZ-101 and AZ-103. See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, and PFM.
PL83-88	now called PXMSC
P-10 Pump	A turbine pump used in the first stage of removing liquids from a waste storage tank.
P&IDs	Piping & Instrument Diagrams
P00-P##	In-Plant scavenging with FeCN. See also SCAV, T00-T##
PADFG	PUREX AMMONIA DESTRUCTION WASTE, FROM FUELS GRADE FUEL
PADWG	PUREX AMMONIA DESTRUCTION WASTE, FROM WEAPONS GRADE FUEL
Partially Interim Isolated	The administrative designation reflecting the Interim Isolated completion of the physical effort required for Interim Isolation except for isolation of risers and piping that is required for jet pumping or for other methods of stabilization.
PAL	222-S Process and Analytical Laboratory
PAS	PUREX Acidified Sludge—refers to sludge that has been sluiced from waste tanks and acidified to 0.1 M HNO_3 (as part of Cs/Sr recovery) in AR-Vault.

PASF	PUREX AMMONIA SCRUBBER FEED. Waste that derives from the scrubber for the cladding dissolves off gas.
PASF83-88	PUREX Ammonia Scrubber Fee, never before seen
PAW	PUREX Acidified Waste. Also used to refer to Aluminum Cladded Fuel (as opposed to ZAW for Zirconium Cladded Fuel). See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PFM, and P83-88.
PCOND	PUREX condensate
PCONDCRIB	PUREX condensate to crib.
PD	PUREX decladding waste. See also CWP/Zr, NCRW, and PN.
PDBNG	DECLADDING SLUDGE (NON-TRU) FROM B PLANT PROCESSING
PDBSU	DILUTE, NON-COMPLEXED WASTE FROM B PLANT DECLADDING WASTE
PDBTG	B PLANT AGING WASTE SOLIDS FROM PUREX DECLADDING WASTE
PDCSS	DILUTE NON-COMPLEXED PUREX DECLADDING WASTE, FY 1986 ONLY
PDL87	PUREX DECLADDING SUPERNATANT, 1987
PDL89	PUREX DECLADDING SUPERNATANT, NON TRU, SPENT METATHESIS REMOVED
PD/PN	Plutonium-Uranium Extraction (PUREX) Neutralized Cladding Removal Waste (NCRW), transuranic waste (TRU). See also PUREX Decladding.
PDNSG	NON-TRU DECLADDING SLUDGE FROM PUREX
PDS87	PUREX DECLADDING SLUDGE
PDS89	PUREX DECLADDING SLUDGE AFTER FY89
PDSLG	PUREX DECLADDING SLUDGE SOL PUREX
PDSUP	DILUTE, NON-COMPLEXED WASTE PUREX DECLADDING WASTE
PFD	Process Flow Diagram (term located WHC-EP-0791)
PFeCN	Ferrocyanide sludge produced by in-plant scavenging of waste from uranium recovery.
PFeCN1	Ferrocyanide sludge produced by in-plant scavenging of waste from Uranium recovery. Used 0.005 M Ferrocyanide. See also FeCN, TFeCN, UR, P00, and T00.
PFeCN2	Same as PFeCN1, except used 0.0025 M Ferrocyanide used.
PEL	Permissible Exposure Limit
PFM	Process Facility Modification (PFM) Project provides a head end facility for the PUREX Plant in which N-fuel and FFTF fuel can be processed. See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, and P83-88.
PFMMS	DILUTE, NON-COMPLEXED WASTE FROM SHEAR/LEACH PROCESSING OF NPR FUEL
PFP	Z Plant Plutonium Finishing Plant. Pu Finishing Plant waste. See also DN, DN/PD, DN/PT, P, PRF, PFPNT, PFP TRU Solids, TRU, Z Plant, and 224
PFPGR	DILUTE, NON-COMPLEXED WASTE FROM RETRIEVED PFP SOLIDS
PFPNT	NON-TRU SLUDGE FROM THE PFP SOL Z PLANT. See also DN, DN/PD, DN/PT, P, PRF, PFP TRU Solids, TRU, Z Plant, and 224
PFPPT	DILUTE, NON-COMPLEXED WASTE FROM THE PFP (WITH TRUEX). See also TRUEX
PFPSL	HIGH-TRU SLUDGE FROM THE PFP SOL Z PLANT. See also DN, DN/PD, DN/PT, P, PRF, PFPNT, PFP TRU Solids, TRU, Z Plant, and 224
PFP TRU Solids	TRANSURANIC SOLIDS FRACTION FROM PLUTONIUM FINISHING PLANT OPERATIONS. See also DN, DN/PD, DN/PT, P, PRF, PFPNT, PFP, TRU, Z Plant, and 224
PhW	Phosphorous Waste
PI	Partially Interim Isolated. The administrative designation reflecting the completion of the physical effort required for Interim Isolation except for isolation of riser and piping that is required for jet pumping or for other methods of stabilization. (term located Tank and Surveillance and Waste Status Summary Report)
PL	PUREX low-level waste. See also DN, DN/PD, DN/PT P, PL, PFP, PFP TRU Solids, PRF, TRU, PFP TRU Solids, Z Plant, and 224.
PML89	PUREX SPENT METATHESIS LIQUID AFTER FY89

PMS89	PUREX SPENT METATHESIS SOLIDS AFTER FY89
PMW	PUREX miscellaneous waste
PN	PUREX, neutralized cladding waste. See also CWP, NCRW and PD.
PNF	Partial Neutralization Feed. Indicates addition of nitric acid at an evaporator in an attempt to produce more salt cake during volume reduction. See also NIT.
PNL	Pacific Northwest Laboratory
PNW	Partial Neutralization Waste
Pond (Swamp)	Ground area where uncontaminated or low-level waste water is discharged to seep into the ground.
PP	pump pit (term located WHC-SD-WM-ER-204, Rev.0)
PRA	Probabilistic Risk Assessment
PRF	Plutonium Reclamation Facility—Type of waste generated in Z-Plant for "finishing wastes". Solvent based extraction process using CCl4/TBP. See also DN, DN/PD, DN/PT, P, PFP, PFP TRU Solids, Z Plant, 224, and 236-B.
PRTR	Plutonium Recycle Test Reactor
Primary Addition	An addition of waste from a specific plant or process vault. These additions come from the *Waste Status and Transaction Summary.*, WHC-SD-WM-TI-614 & -615, Rev. O, DRAFT.
PRTR	Plutonium Recycle Test Reactor
PS	Primary Stabilization . The condition of an inactive waste storage tank after all liquid above the solids, other than isolated surface pockets has been removed. Isolated surface pockets of liquid are those not pumpable by conventional techniques.
PSA	Probabilistic Safety Assessment
PSICSF	Pump System installation containment seal fixture
PSL	PUREX sludge sluiced during recovery of Sr.
PSS	PUREX Sludge Supernatant.
PSSF	PUREX Sludge Supernatant Feed?
PT	Plutonium Finishing Plant (PFP) TRU Solids. TRU solids from 200W.
PT100	TRU waste from ??
PUREX	Plutonium Uranium Extraction Plant. Also called A Plant where PUREX process ran from Jan.1952-Jun. 1972, then was in standby and ran again from Nov. 1983 to 1991, and is now shutdown. See also A Plant, CWP, CARB, OWW , and P.
PWM	Pulse width modulated
PWR	Pressurized Water Reactor Core II from Shipping Port Atomic Power Station
PX86S	DILUTE, NON-COMPLEXED WASTE FROM PUREX MISC. STREAMS (NPR FUEL) FY 86
PXBAW	B PLANT AGING WASTE SUPERNATANT FROM RETRIEVED AGING WASTE
PXBSG	B PLANT AGING WASTE SOLIDS FROM RETRIEVED AGING WASTE
PXFTF	DILUTE, NON-COMPLEXED WASTE FROM PUREX MISC. STREAMS (FFTF)
PXLOW	PUREX LOW LEVEL WASTE THAT WENT TO SST
PXMET	PUREX DILUTE, NON-COMPLEXED DECLADDING: SPENT METATHESIS
PXMSC	DILUTE, NON-COMPLEXED WASTE FROM PUREX MISC. STREAMS (NPR FUEL)
PXNAW	AGING WASTE FROM PUREX HIGH LEVEL WASTE
QA	Quality Assurance
QATF	Quality Assurance Task Force
Questionable Integrity	Any tank that has a small decrease in liquid level or a radiation increase in an associated dry well, for which the remaining data for the tank is insufficient to support a conclusion with 95% confidence that the tank is sound.
R	REDOX High Level Waste (HLW) was generated from 1952 to 1966. It used methylisobutylketone (hexone) as a solvent, and extracted both uranium and plutonium. (S-Plant) Ran from Jan. 1952 to Dec. 1967.
R1	REDOX waste generated between 1952 and 1957.
R2	REDOX waste generated between 1958 and 1966.
R202S	
RCC	??REDOX CC??

RCOND	REDOX Condensate.
RCONDCRIB	REDOX Condensate to Crib.
REC	Receive from Trans_tank and are always positive. Trans_tank will always be one of the primary 177 waste tanks. See also SEND, TR, and XFER.
REDOX	Also know as S-Plant where REDOX process ran 1952-66? See also R, and CWR.
Removed from Service (Tanks)	Any tank that is a confirmed leaker or is not intended for reuse.
RESD	Residual Evaporator Liquor
RISER	Pipe leading into tank dome See also Blank Space.(term located SD-RE-TI-053 Rev. 8)
Riser P/CP	Riser is recessed below a cement pad with an access plate at grade (term located SD-RE-TI-053 Rev. 8)
RIX	REDOX Ion Exchange. See also RTX, and SIX
RP	Receiving Pit (term located WHC-SD-WM-ER-204, Rev.0)
RMA	Remote Mechanical A-Line.
RMC	Remote Mechanical C-Line—Process used in Z Plant.
RSltCk	Salt Cake precipitate from self concentration in S and SX Farms.
RSN	REDOX Supernatant
RSS	REDOX Sludge Supernatant
RSS	Remote Supervisory Station
RTD	Resistance Temperature Detector (term located WHC-SD-WM-TI-553, Rev 0)
RTX	REDOX Ion Exchange. See also SIX, and RIX
S	Transaction Flag Key-Partial Neutralization (PNF).
S	Sludge Level Measurement Device (term located Tank and Surveillance and Waste Status Summary Report)
S1SltCk	Salt cake waste generated from the 242-S Evaporator/crystallizer from 1973 until 1976.
S2SltSlry	Salt cake waste generated from the 242-S Evaporator/crystallizer from 1977 until 1980.
SA	Safety Assessment
Salt Cake	Crystallized Nitrate and other salts deposited in waste tanks, usually after active measures are taken to remove moisture. (term located Tank and Surveillance and Waste Status Summary Report)
Salt Slurries	Same as DSS, estimated from chemical model by precipitation (via evaporator). DSS derives from the supernatants of a variety of wastes following evaporation of water. See also DSS, and A2Altslr.
Salt Well	A hole drilled or sluiced into a salt cake and lined with a cylindrical screen to permit drainage and jet pumping of interstitial liquors.
Salt Well Liquid	See also SWLIQ
Salt-Well Pump	A low-capacity pump used to remove interstitial liquid from wells.
SAR	*Safety Analysis Report*
SCAV	Scavenging campaign with FeCN on TBP, 1952-57. See also T00-T##, P00-P##, and Scavenged.
Scavenged	Waste which has been treated with ferrocyanide to remove cesium for the supernatant by precipitating it into the sludge. See also SCAV
SCBA	Self-contained Breathing Apparatus
SCO	*Safety Condition for Operation*
SCWO	Supercritical Water Oxidation (SCWO) destroys organics completed with metal ions and precipitates the multivalent metals out of solution as their hydroxides. Process conditions for SCWO are 500∞ C and 3,000 psi. (term located WHC-EP-0791)
SD	Slurry distributor (term located WHC-SD-WM-ER-204, Rev.0)
SDRCSF	Slurry distributor removal containment seal fixture
SVOA	Semi-volatile organic analysis
SEND	Transfer from Tank_n to Trans_tank and is always negative. Trans_tank will always be one of the primary 177 waste tanks. See also TR and XFER.
SET	Connect cascaded tanks together. See also CAS and END.

SF	Slurry feed?
Side referenced tank	A dished-bottom tank where the zero point for the liquid-level gauges is at the elevation that the dished bottom begins.
SIX	REDOX Ion Exchange. See also RTX, and RIX.
SL	DOUBLE-SHELL SLURRY
SL	Sludge (Solids formed during sodium hydroxide additions to waste. Sludge usually was in the form of suspended solids when the waste was originally received in the tank from the waste generator. In-tank photographs may be used to estimate the volume.
SLS	solid/liquid separation (term located WHC-EP-0791)
SLT	sludge level tape (term located WHC-SD-WM-ER-204, Rev.0)
SL3SY	DOUBLE-SHELL SLURRY FROM EOFY 80 SY-103 INVENTORY
Sludge	Solids formed after waste neutralization with sodium hydroxide additions. Sludges usually sediment and remain in the tanks into which the waste is originally added.
SLUD31	Sludge Wash C HLW stream (term located WHC-EP-0791)
Slugs	An term for uranium fuel elements which had been machined or extruded into short cylinders which were then clad or encased in corrosion-resistant metals.
Sluicing, or Sluiced	At Hanford, this means to dissolve or suspend in solution by action of a high pressure water stream.
SLULLW	Sludge Wash C LLW stream
SMM	*Supernatant Mixing Model* that calculates the composition of tank liquids and concentrates as linear combinations of HDW supernatants.
SMP	Sludge Measurement Port (term located WHC-SD-WM-ER-204, Rev.0 & SD-RE-TI-053 Rev. 8)
SN	Sluicing nozzle (term located WHC-SD-WM-ER-204, Rev.0)
SOE	Safe Operating Envelope
SOLEX	Solvent Extraction Option (term located WHC-EP-0791)
Sound or Sound Tank	The integrity classification of a waste storage tank for which surveillance data indicate no loss of liquid from a breach of integrity.
SP	Sluice pit (term located WHC-SD-WM-ER-204, Rev.0)
SPARE	Spare riser with no current function or planned use - possible concrete plug underneath plate (term located SD-RE-TI-053 Rev. 8)
S PLANT	The facility at Hanford which contains the original extraction process for recovery of both plutonium and uranium. See also REDOX
SREX	Strontium extraction and solvent extraction.(term located WHC-EP-0791)
SPRG	Sparge-transfer of water or volume?
SR	SST SOLIDS RETRIEVED
SR	Sluicing Riser (term located WHC-SD-WM-ER-204, Rev.0)
SRCVR	Slurry Receiver Tank
SREX	Strontium extraction
SRR	Slurred PUREX sludge from A and AX Farms was sent to B Plant for strontium recovery from 1967-76. Some 801 kgal was sent to and 2,810 kgal returned from B Plant with A-102, A-106, and AX-103 as a staging tanks sending sludge to AR vault and supernatant to C-105.
SRS	Strontium Recovery Supernatant. The sludges sluiced for SRR were washed in AR vault with supernatant from C-105. The resulting supernatants were sent to CSR.
SRS	Strontium sludge
SRS	Savannah River Site (term located WHC-EP-0791)
S.S.	Evidently refers to a direct addition from plant to a cascade series that bypassed the first tank in the cascade series.
SST	single-shell tank (term located WHC-SD-WM-ER-204, Rev.0)
SSW	Strontium Semi-Works. Called C Plant or Hot Semi-Works earlier, was pilot for both REDOX and PUREX, Jul. 1952 to Jul. 1956. Then reconfigured for Strontium recovery pilot plant from July 1960 to July 1967. See also C Plant and HS.
STAB	Tank stabilized by removal of liquid. Both floating suction and salt-well jet pumps are used to remove liquid.

Stabilization	The removal or immobilization, as completely as possible, or the liquid contained in a radioactive waste storage tank by salt well pumping, open hole salt well pumping, adding diatomaceous earth, etc.
STAT	Tank level measurement for each quarter in kgal (1 kgal = 1,000 gallons) as reported by Anderson.
Static Tank	A tank with no significant change in liquid level or involvement in transfer operations during a stated period of time.
SU	Supernatant (Drainable Liquid Remaining minus Drainable Interstitial). Supernate is usually derived by subtracting the solids level measurement from the liquid level measurement.
SW	SST WASHED SOLIDS
SWA	Sludge Wash A (term located WHC-EP-0791)
SWB	Sludge Wash B (term located WHC-EP-0791)
SWC	Sludge Wash C (term located WHC-EP-0791)
SWLIQ	DILUTE, NON-COMPLEXED WASTE FROM EAST AREA SINGLE-SHELL TANKS
SWLQW	DILUTE, NON-COMPLEXED WASTE FROM WEST AREA SSTs
SWP	Salt well pump (term located WHC-SD-WM-ER-204, Rev.0)
SW RCR	Salt well receiver
SWPS	Salt well pump and screen (term located WHC-SD-WM-ER-204, Rev.0)
SWS	Salt well screen (term located WHC-SD-WM-ER-204, Rev.0)
T1SltCk	Salt cake waste generated from the 242-T Evaporator -crystallizer from 1951 until 1955
T2SltCk	Salt cake waste generated from the 242-T Evaporator -crystallizer from 1955 until 1965
Tank Farm	An area containing a number of storage tanks; i.e., a chemical tank farm for storage of chemicals used in a plant, or underground waste tank storage or radioactive waste.
TBP	Tri-Butyl Phosphate-waste from solvent based uranium recovery operation in '50's. Renamed to UR waste in the Defined Waste report. More usually refers to the chemical tributyl phosphate, $OP(OC_4H_9)_3$, which was used in uranium recovery and in PUREX.
TBX	Instrument leads of several kinds - usually on annulus of tank (term located SD-RE-TI-053 Rev. 8)
TC	Thermocouple (term located WHC-SD-WM-TI-553, Rev 0)
TCIX	Technetium ion exchange (term located WHC-EP-0791)
TCO	DILUTE NON-COMPLEXED WASTE FROM WEST AREA SINGLE-SHELL TANKS
TCT	Thermocouple tree
TEDF	Treated Effluent Disposal Facility
TEMP	Temperature probe (term located SD-RE-TI-053 Rev. 8)
Terminal Liquor	The liquid product from the Evaporation-Crystallization Process which, upon further concentration, forms an unacceptable solid for storage in single-shell tanks. Terminal liquor is characterized by caustic concentration of approximately 5.5 M (the caustic molarity will be lower if the Aluminum Salt Saturation is reached first). See also HDRL.
TFeCN	Ferrocyanide sludge produced by in-tank or in-farm scavenging. See also FeCN, PFeCN, UR, P00, T00.
TFEPTU	Tank Farms and Evaporator Process Technology Unit (term located SD-WM-PE-029 Rev. 0, 242-A Evap/Crystallizer FY 84-86 Campaign Run)
TGA	Thermal Gravimetric Analysis
TH	Thoria HLW or Cladding waste
TH66	
TH77	
Thermocouple Tree	A group of thermocouples assembled in a pipe and inserted into a waste tank for measuring temperatures at regular (normally 2 foot) vertical intervals.
Thermowell	A well in a waste tank which contains thermocouples
THFTCA	Tetrahydrofurantetracarboxylic acid (term located WHC-EP-0791)
THL	Thoria Low Level

TK	Tank
TK	TK-17-2 was an early name for B Plant. See also B Plant and 222-B.
TL	Terminal Liquor
TLM	*Tank Layer Model* derived from the Waste Status and Transaction Record Summary (WSTRS) database.
TLV	Threshold limit value
TLV-C	Threshold limit value-ceiling
TLV-STEL	Threshold limit value-short-term exposure limit
TLV-TWA	Threshold limit value-time weighted average
TMACS	Tank monitor and control system (term located WHC-SD-WM-TI-553, Rev 0)
TOC	Total organic carbon (term located WHC-EP-0791)
T00-##	In-Tank scavenging with FeCN. See also SCAV, P##
TP	Temperature probe (term located WHC-SD-WM-ER-204, Rev.0)
TP	Throughput nominal plant throughput PFR (Pu Nitrate), RMA (Pu Oxide), RMC (Pu Metal). See SD-WM-PE-029 Rev.0, 242-A Evap/Crystallizer FY 84-86 Campaign Run
TPA	Tri-Party Agreement includes DOE, Washington State Dept. of Ecology, and the EPA
TPLAL	DILUTE, NON-COMPLEXED WASTE FROM T PLANT
TPLAN	DILUTE, NON-COMPLEXED WASTE FROM T PLANT
T Plant	Decontamination plant for various equipment. Originally built for $BiPO_4$ process, but since only used for decontamination. $BiPO_4$ ran from Dec. 1944 to Aug. 1956. See also 222-T
TPLAS	SLUDGE FROM T PLANT OPERATIONS
TR	Transfer from tank. See also REC, SEND, and XFER
TRAC	Hanford radionuclide Tracking program devised by Jungfleisch. Also, Transient Reactor Analysis Code developed at LANL.
Trench	A deep furrow in the ground. At Hanford, they are used for the disposal of solid waste.
trFlag	Transaction Flag Keys—used by W-TRAC—See also CDF,D,E,S,SV,1,3,6,.17,.33.
TRG	Test Review Group
TRU	Transuranic. See also DN, DN/PD, DN/PT, P, PFP, PRF, Z, and 224.
TRUEX	Transuranic Extraction. See also PFPPT.
TRUEX-C	Transuranic Extraction Option C (term located WHC-EP-0791)
TRULLW	TRUEX-C LLW stream (term located WHC-EP-0791)
TRUX31	TRUEX-C HLW stream (term located WHC-EP-0791)
TSD	Treatment, Storage or Disposal Unit
TSR	Technical Safety Requirement
TTF	Thermal Treatment Facility
TWRS	Tank Waste Remediation System
TXR Vault	Vault in TX Farm used in FeCN scavenging in TX Farm.
Type I Tank	These are the 200 series tanks found in B, C, T, and U Farm. They have an operating capacity of 55,000 gal., a 20-ft., diameter, a 6-in. dish bottom, and a 3-ft. knuckle. Generation is not associated with Type I tanks.
Type II Tank	These are the original (1st generation) tank designs, which are found in B,C,T, and U (excluding the 200 series tanks), and BX Tank Farms. See also 1st Generation Tank.
Type III Tank	These are the 2nd generation tank designs, which are found in BY, S, TX, and TY Tank Farms. See also 2nd Generation Tank.
Type IV Tank	These are 3rd, 4th, and 5th generation tank designs, which are found in SX, A, and AX Tank Farms, respectively. See also 3rd Generation Tank, 4th Generation Tank, and 5th Generation Tank.
Type V Tank	These are the first double-shell tank designs, which are found in AY, AZ, and SY Tank Farms.
U1U2	DILUTE, NON-COMPLEXED WASTE FROM U1/U2 GROUNDWATER PUMPING

UFL	Upper Flammability Limit (term located WHC-EP-0702, Rev 0)
UNC	Dilute sulfate waste . See also HEDL. (see SD-WM-PE-029 Rev.0, 242-A Evap/Crystallizer FY 84-86 Campaign Run)
UNC	UNC Nuclear Industries Inc.
UNC Fuels	
UNH Stream	See 224-UA
UNKN	UNKNOWN WASTE ORIGIN SINK
UOR	Unusual Occurrence Report
U1U2	Dilute, non-complexed waste from U1/Us ground water pumping.
U Plant	Uranium Recovery Plant from Mar. 1952 to Jan. 1958, UO_3-plant from then until Sept. 1972. Restarted in Mar. 1984, and is now shutdown. See also 222-U, UR, and TBP.
UPS	Uninterruptible Power Supply
UR	Uranium Recovery Operation in 222-U, 1952-57. Created TBP (primary waste) and FeCN (scavenging wastes). TBP waste called UR waste in Defined Waste report. See also, TFeCN, PFeCN, P00, T00, FeCN. See also TBP.
UREX	Uranium Extraction
USNRC	US Nuclear Regulatory Commission
USBM	US Bureau of Mines (term located WHC-EP-0702, Rev 0)
USNRC	U S Nuclear Regulatory Commission
USQ	Unreviewed Safety Question (term located WHC-EP-0702, Rev 0)
UX-241	???
V & V	Validation and Verification
VAQUELLW	Varied aqueous liquids (term located WHC-EP-0791)
VCBUSTL	Varied combustible solids and liquids (term located WHC-EP-0791)
VDTT	Velocity, Density, Thermocouple tree
VM	Vapor Manifold (term located WHC-SD-WM-ER-204, Rev.0)
VOF	Volume Of Fluid
VOFFGAS	Varied Cell Air and OffGas (term located WHC-EP-0791)
VNCBUSTS	Varied Noncombustible Solids (term located WHC-EP-0791)
WASHF	OUTFLOW TO SST WASH FACILITY
Waste Tank Safety Issue	A potentially unsafe condition in the handling of waste material in underground storage tanks that requires corrective action to reduce or eliminate the unsafe condition. (term located Tank and Surveillance and Waste Status Summary Report)
Watch List Tank	An underground storage tank containing waste that requires special safety precautions because it may have a serious potential for release of high-level radioactive waste because of uncontrolled increases in temperatures or pressure. Special restrictions have been placed on these tanks by "Safety Measures for Waste Tanks at Hanford Nuclear Reservation," Section 3137 of the National Defense Authorization Act for Fiscal Year 199l, November 5, 1990, Public Law 101-501 (Also known as the Wyden Amendment) (term located Tank and Surveillance and Waste Status Summary Report)
WATER	FLUSH WATER FROM MISCELLANEOUS SOURCES. See also WTR.
WC	Weather Cover (polyurethane foam) (term located WHC-SD-WM-ER-204, Rev.0)
WESF-Plant	Construction complete in 1974. Capable of producing up to 350 capsules of cesium and 175 capsules of strontium per year. 1575 cesium capsules and 625 strontium capsules produced between 1974 and 1985. See also 225-B
WHC	Westinghouse Hanford Company
WIPP	Waste Isolation Pilot Plant (term located WHC-EP-0791)
WMIS	Waste Management Information System (term located WHC-EP-0791)
WRAP	Hanford's first major solid waste processing plant, serving to analyze and repackage containers of waste left from the Hanford defense mission and generated by cleanup activities.
WSCF	Waste Sampling and Characterization Facility
WSTRS	*Waste Status and Transaction Records Summary*
WTR	Water. See also WATER.

WVDP	West Valley Demonstration Project (term located WHC-EP-0791)
WVP	Waste volume projections
WVR	Waste volume reduction
XFER	Transfer of waste out of tank. See also REC, SEND, and TR.
XIN	Addition of primary waste from plant (always positive). This transaction also covers waste returning from secondary processing operations.
Z	Z Plant waste. 234-5Z waste/Z Plant Pu Finishing. See also DN, DN/PD, DN/PT, P, PFP, PRF, TRU, and 224.
ZAW	Zirconium Acidified Waste (PUREX waste stream from Zirconium (Zircaloy II) cladded fuel.
ZHIGH	DILUTE, NON-COMPLEXED WASTE FROM THE PFP (WITHOUT TRUEX)
ZLAB	DILUTE, NON-COMPLEXED WASTE FROM PFP LABORATORIES
ZLOW	DILUTE, NON-COMPLEXED WASTE FROM PRE-FY85 Z PLANT OPERATIONS
ZPA	Zero Period Acceleration
Z Plant	Pu finishing plant. See also DN, DN/PD, DN/PT, P, PFP, PRF, TRU, Z, and 224. Operated from 1949 to 1991, and is now in standby
ZPRFL	DILUTE, NON-COMPLEXED WASTE FROM PRF PROCESSING
ZPRFS	PFP TRU SOLIDS FROM PRF PROCESSING
ZRM	Waste abbreviation
ZRMCL	DILUTE, NON-COMPLEXED WASTE FROM PFP RMC PROCESSING
ZRMCS	PFP TRU SOLIDS FROM PFP RMC PROCESSING
1AYIN	CONCENTRATED COMPLEX WASTE FROM AY-101 INVENTORY
1AZIN	PRE 2-81 AZ-101 INVENTORY
1C	1st Cycle Decontamination-BiPO4 process. Often included cladding waste. Held 10% of FP, 1% of Pu. See also BiO_4, MW, and 2 C.
1C1	First cycle decontamination waste from the $BiPO_4$ process, 1944 to 1951.
1C2	First cycler decontamination waste from the $BiP0_4$ process, 1952 to 1956.
1C44-51	Includes CW
1C52-56	Includes CW
1CEB	1st Cycle Evaporator Bottoms
1CF	??1st Cycle Feed?? Set to WATER in TRAC.
1CFeCN	Ferrocyanide sludge produced by in-plant scavenging of 1C supernatant wastes. Used 0.005 M ferrocyanide. See also FECN, PFeCN, TFeCN.
1CS	1st Cycle Scavenging waste. TY-101 and TY-103 received 1C waste that was scavenged with FeCN before it was added to the tanks. Termed 1CFeCN.
1st Generation Tank	The original tank design encompassing Tank Farms B, C, T, U (excluding the 200 series tanks), and BX. These tanks have an operating capacity of 530,000 gal, a 75-ft. diameter, a 12-in. dish bottom, and a 4-ft knuckle. Also see Type II tanks.
2C	2nd Cycle Waste from BiO_4 process. Supernatant often cribbed, 0.1% of FP, 1% of Pu. See also BiO_4, MW, and 1C.
2C1	2nd Cycle Waste from BiO_4 process, 1944 to 1951
2C2	2nd Cycle Waste from BiO_4 process, 1952 to 1956
2AYIN	PRE 2-81 AY-102 INVENTORY
2AZIN	PRE 2-81 CONCENTRATED COMPLEX WASTE FROM AZ-102 INVENTORY
2SYIN	PRE 2-81 SY-102 INVENTORY
2nd Generation Tank	Same as original tank design (1st generation or type II) except the operating capacity was increased to 758,000 gal. Also, see Type III tanks.
202-S	Also known as S-Plant where REDOX process ran 1952-66? See also R, CWR, AND S-PLANT
204-AR	Rail Car Unloading Facility, completed in 1981, replaced 204-S as Rail Car Unloading Facility. Completed in 1981.
211-T	Chemical storage area used for nitric acid and sodium hydroxide storage, low-level radioactive sludge storage.
221-B	See also B Plant

221-T	Head End facilities (two cells) in 221-T Building are used by HEDL as a containment systems test facility to develop sodium aerosol data needed for the design of air cleaning equipment for large-scale Liquid Metal Fast Breeder Reactors. 221-T Building (Cell 4) used for interim storage of Pressurized Water Reactor Core II fuel from Shippingport Atomic Power Station. See also T-Plant.
222-B	One of the three original bismuth-phosphate processing facilities. Later converted to waste fractional plant. B Plant used for $BiPO_4$ 1944-52, then for FP recovery. See also B Plant and TK.
222-C	Initially a pilot plant for REDOX, later a pilot plant for PUREX and B Plant waste partitioning. See also C Plant.
222-T	T Plant used for $BiPO_4$ 1944-52.
222-U	One of the three original Bismuth Phosphate Processing Facilities. Later converted to a uranium recovery plant. See also U Plant.
224	LaF finishing waste. 224-U Waste. See also DN, DN/PD, DN/PT, P, PFP, PRF, TRU, and Z
224-2	Same as 224?
224-AR Vault	Originally designed for treating and transferring tank farm sludges to B Plant and for interim lag storage and transfer of PUREX acid wastes to Plant. Also for lag storage of neutralized high-level waste enroute from B Plant to tank farm storage. Construction completed in 1968 put in standby mode in 1978.
224-F	224-U Waste. LaF Pu Finishing Plant. Same as Z-Plant? See also LaF.
224-U	Completed in 1944 as part of U Plant complex. Never used for original purpose used as training facility from 1944 to 1950, converted to UO_3 plant in 1951. Plant shut down in 1972. Restarted 1984. Feedlines from REDOX and U Plant canyon disconnected. See also 224-F.
224-UA	Constructed in 1957 with six calciners installed. UO_3 Plant capability sufficient to handle UNH stream from REDOX, U-Plant, and PUREX.
225-B	See also WESF Plant
231-Z	DILUTE, PHOSPHATE WASTE FROM Z-231 LABORATORIES
241-Z	Underground sump pit.
242-A	Reduced pressure evaporator in East Area designed for 30% solids. A-102 was feed 1977-1980. AW-102 was feed 1981-present.
242-B	Atmospheric evaporator used for concentrating wastes, 1952-56. B-106 was feed tank.
242-S	Reduced pressure evaporator designed for 30% solids 1973-80. S-102 was feed '73-'77. SY-102 was feed '77-'81.
242-T	Atmospheric evaporator used to concentrate wastes. 1952-56 and 1965-76. TX-118 was feed tank.
242-Z	Waste treatment facility. Equipment was used to treat PRF waste and extract americium from the waste. Scheduled for D&D.
244-AR Vault	Originally designed for treating and transferring tank farm sludges to B Plant and for interim lag storage and transfer of PUREX acid wastes to B Plant. Also for lag storage of neutralized high-level waste enroute from B Plant to tank farm storage.
2706-T	Used as equipment low-level decontamination facility. See also T Plant, 271-T and 221-T.
271-T	Building used for chemical make-up area and dry storage, and offices. See also T Plant, 2706-T, and 221-T.
2736-ZA	Plutonium Storage and Support Facility. Used to store plutonium in a variety of forms. Plutonium packaged in metal containers. Also used for shipping, receiving, repackaging, and nondestructive analysis of plutonium. See also 2736-ZAB.
2736-ZAB	Plutonium Storage and Support Facility. Used to store plutonium in a variety of forms. Plutonium packaged in metal containers. Also used for shipping receiving, repackaging, and nondestructive analysis of plutonium. See also 2736-ZA
3AWIN	PRE 2-81 AW-103 INVENTORY
3rd Generation Tank	The first generation of the type IV tanks, contains the SX Tank Farm only. These Tanks have a 1,000,000 gal. operating capacity, a 75-ft. diameter, a 14.875-in. dish bottom, and no knuckle. See also Type IV tanks.

4th Generation Tank The second generation of the type IV tanks, contains the A Tank Farm only. These tanks are the same as the 3rd generation except they have a flat bottom. See also Type IV Tanks.

5 B Plant Tank 5 and 6 waste.

5-6# Cells 5&6 from B Plant

5AWIN PRE 2-81 AW-105 INVENTORY

5th Generation Tank The third generation of the Type IV tanks, found only in the AX Tank Farm. These tanks are the same as the 4th generation with the addition of grid drain slots beneath the steel liner bottom.

6AWIN CONCENTRATED PHOSPHATE WASTE IN AW-106 INVENTORY

Note on transactions involving:

CAS-Cascades that "overfill" are assumed to have been directed to low-level "sites" (cribs or trenches?). No MW or R was cascaded to low-level sites.

EVAP-Operations involving evaporators are assumed to change the waste by the difference in the transaction and status reports.

R-REDOX plant used concentrator 1967-72.

B-B PLANT used concentrator 1967-68.

Definitions in all caps are from the Waste Volume Projection Data Set.

Capacities and Tanks

55 kgal	530 kgal/SST	758 kgal/SST	1,000 kgal/SST	1,000 kgal/DST	1,160 kgal/DST
B-200 C-200 T-200 U-200	B-100 BX-100 C-100 T-100 U-100	BY-100 S-100 TX-100 TY-100	A-100 AX-100 SX-100	AY-100 AZ-100	AN-100 AP-100 AW-100 SY-100
NE Quadrant B-200 C-200	B-100 BX-100 C-100	BY-100	A-100 AX-100		
SW Quadrant U-200	U-100	S-100	SX-100		
NW Quadrant T-200	T-100	TX-100 TY-100			
SE and DST Quadrant				AY-100 AZ-100	AN-100 AP-100 AW-100 SY-100

Appendix B

Defined Waste List Solids Vol%

September 1995

The Hanford Defined Waste List is a set of wastes that can be used to define all of Hanford's waste types. Implicit within this list is a solids and a supernatant fraction for each waste type. Note that some HDW's are derived from other Defined Wastes, as BSltCk, for example, is actually a mixture of supernatants from other waste types that have been concentrated by removal of water. The Defined Wastes for these concentrates are derived from the evaporator campaigns from which they were formed.

$BiPO_4$ and Uranium Recovery Wastes 1944-56

no.	waste type	vol%	comments
1	MW1	12.0	1944-49
2	MW2	12.0	1950-56
3	1C1	13.7	1944-49, includes cladding waste.
4	1C2	24.9	1950-56, includes cladding waste.
5	2C1	6.8	1944-49
6	2C2	3.4	1950-56, includes supernatants formerly cribbed at T-plant.
7	224	3.9	LaF finishing waste.
8	UR	2.8	same as TBP waste.
9	PFeCN1	3.7	Ferrocyanide scavenged UR supernatants in Plant.
10	PFeCN2	3.2	Ferrocyanide scavenged UR supernatants in Plant.
11	TFeCN	1.4	Ferrocyanide scavenged CR Vault.
12	1CFeCN	4.8	Ferrocyanide scavenged 1C supernatants.

REDOX Wastes 1952-62

13	R1	4.5	1952-57
14	R2	1.9	1958-66
15	CWR1	8.1	1952-60, aluminum clad fuel.
16	CWR2	2.9	1961-72, aluminum clad fuel with some Zr fuel

PUREX Wastes 1956-76

17	P1	2.2	1955-62
18	P2	3.9	1963-67, also called IWW, FP.
19	P2'		1968-72, assigned to P2.
20	PL1	2.2	
21	CWP1	8.1	1956-60, Al cladding
22	CWP2	2.9	1961-72, Al cladding
23	CWZr1	10.5	1968-72, Zr cladding
24	OWW1	0.0	1956-62, called CARB, low solids.
25	OWW2	0.0	1963-67, low solids.
26	OWW3	0.0	1968-72, low solids.
27	Z	2.3	derived from analysis of SY-102, 1,910 kgal from 1976-80 sent to TX-118, 1,656 kgal from 1981-86 sent to SY-102.
28	HS	1.2	also SSW, Strontium semiworks.
29	TH1	5.8	1966 thoria
30	TH2	5.8	1970 thoria
31	AR	3.1	"washed" P sludge. Also used to derive SRR.
32	B	0.50	acid waste from PAW, processed through B-Plant for Sr extraction.
33	BL	0.68	low level waste from all B Plant operations.

34	SRR	2.6	strontium recovery waste from sluiced P sludge—based on washed PUREX sludge plus added EDTA, HEDTA, and glycolate.
35	CSR	0.0	waste from cesium recovery from supernatants—not a characteristic waste type, but rather a supernatant from which the 137Cs has been removed. Need only to add citrate to supernatants to track this component.

Other wastes

36	DE	all	Diatomaceous earth added to six tanks.
37	CEM	all	Cement added to only one tank, BY-105.
38	NIT	no solids	Partial Neutralization Feed for evaporator campaigns '77-81.
	Salt Slurry		same as DSS, estimated from chemical model by precipitation (via evaporator). Once again, DSS derives from the supernatants of a variety of wastes following evaporation of water.

Decontamination Waste

39	DW	1.0	decontamination waste, from D&D of plants, but mainly from T Plant operations, mostly Turco residues (phenol, alkyl phosphate esters, hydroxy alkyl amines) with neutralized phosphoric acid.
40	N	1.0	N-Reactor decontamination waste, mainly neutralized phosphoric acid. Concentrates of N are CP (Concentrated Phosphate) waste, which are in AN-106 and AP-102.

Salt Cakes and Salt Slurries

41	BSltCk	Salt cake from 242-B operation, 1951-3, B-106 feed.
42	T1SltCk	Salt cake from 242-T, 1951-6, TX-118 feed.
43	RSltCk	Salt cake from self-concentration in S and SX Farms.
44	BYSltCk	Salt cake blend from ITS in BY Farm, 1965-74.

The following salt cakes were used in HDW rev. 1 and are now replaced by the SMM.

	T2SltCk	Salt cake from 242-T, 1965-76, TX-118 feed.
	S1SltCk	242-S campaign 1973-6, S-102 feed.
	S2SltSlr	242-S campaign, 1977-80, SY-102 feed.
	A1SltCk	242-A campaign, 1976-80, A-102 feed.
	A2SltSlr	242-A campaign, 1981-88, AW-102 feed.

PUREX Wastes from 1983-88 Campaign

45	P3	3.9	1983-88, now called PXNAW or NCAW.
46	PL2	2.0	1983-88, now called PXMSC, among other things.
47	CWZr2	10.5	1983-88, now called PD or NCRW.
	BP/Cplx83-88		1983-88, was SSR, CSR, B, BL now it's all in AY-101.
	BP/NCplx83-88		1983-88, assigned to BL, now in AY-102
48	PASF	0.6	PUREX Ammonia Scrubber Feed, never before seen.

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
A-101	1900																					
A-101	1955	3	STAT		N/A	0		#N/A	0					* Dry Well 10-01-05 drilled.			0	0		1		
A-101	1955	4	STAT		N/A	0		#N/A	0								0	0		1		
A-101	1956	1	XIN	15		15		#N/A	0	OWW		OWW1			*Shows 74 total with *	0	0	0.000		2	V	HWN-1991-2
A-101	1956	1	XIN	47		62		#N/A	0	OWW		OWW1				0	0	0.000		3	O	HWN-1991-2
A-101	1956	1	XIN	4		66		#N/A	0	OWW		OWW1				0	0	0.000		3	O	HWN-1991-2
A-101	1956	1	XIN	82		148		#N/A	0	P		P1				0.0006281	0.0515	0.052	P1	2	V	HWN-1991-2
A-101	1956	1	XIN	250		398		#N/A	0	P		P1				0.0006281	0.157	0.209	P1	3	O	HWN-1991-2
A-101	1956	1	XIN	26		424		#N/A	0	P		P1				0.0006281	0.0163	0.225	P1	3	O	HWN-1991-2
A-101	1956	1	STAT		424	424	0	#N/A	0					Stopped filling here on 3-21-56		0	0	0.225		1		
A-101	1956	2	STAT		424	424	0	#N/A	0	P						0	0	0.225		1		
A-101	1956	3	OUTX	-5		419		#N/A	0	COND	A-008	PCOND			No XFER indicated	0	0	0.225		3	O	WHC-MR-0132
A-101	1956	3	STAT		419	419	0	#N/A	0	P				New electrode rdg.		0	0	0.225		1		
A-101	1956	4	OUTX	-22		397		#N/A	0	COND	A-008	PCOND			No XFER indicated	0	0	0.225		3	O	WHC-MR-0132
A-101	1956	4	STAT		397	397	0	#N/A	0	P				Less inventory due to vapor loss		0	0	0.225		1		
A-101	1957	1	STAT		397	397	0	#N/A	0	P						0	0	0.225		1		
A-101	1957	2	XIN	75		472		#N/A	0	P		P1				0.0006281	0.0471	0.272	P1	4	O	HWN-1991-2
A-101	1957	2	SEND	-234		238		#N/A	0	SU		C-106				0	0	0.272		4	O	HWN-1991-2
A-101	1957	2	OUTX	-4		234		#N/A	0	COND	A-106	PCOND			No XFER indicated	0	0	0.272		3	O	WHC-MR-0132
A-101	1957	2	STAT		234	234	0	#N/A	0	P				S.S. 234M to 106-C;; rec'd 75M		0	0	0.272		1		
A-101	1957	3	XIN	277		511		#N/A	0	P		P1				0.0006281	0.174	0.446	P1	3	O	HWN-1991-2
A-101	1957	3	XIN	218		729		#N/A	0	P		P1				0.0006281	0.1369	0.583	P1	3	O	HWN-1991-2
A-101	1957	3	XIN	192		921		#N/A	0	P		P1				0.0006281	0.1206	0.703	P1	3	O	HWN-1991-2
A-101	1957	3	OUTX	-43		878		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	0.703		4	O	HWN-1991-3
A-101	1957	3	OUTX	-183		695		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	0.703		4	O	HWN-1991-3
A-101	1957	3	OUTX	-211		484		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	0.703		4	O	HWN-1991-3
A-101	1957	3	STAT		484	484	0	#N/A	0	P			OUTX total 437,XIN total 687, AND reports 487	437M self conc rec'd 487M		0	0	0.703		1		
A-101	1957	4	XIN	180		664		#N/A	0	P		P1	OC 274 to 180		Shows 180 not 274	0.0006281	0.1131	0.817	P1	3	V	HWN-1991-2
A-101	1957	4	XIN	242		906		#N/A	0	P		P1				0.0006281	0.152	0.969	P1	4	O	HWN-1991-2
A-101	1957	4	XIN	260		1166		#N/A	0	P		P1				0.0006281	0.1633	1.132	P1	4	O	HWN-1991-2
A-101	1957	4	OUTX	-268		898		#N/A	0	COND	A-106	PCOND	OC 362 to 268		268 No XFER indicated	0	0	1.132		4	V	HWN-1991-3
A-101	1957	4	OUTX	-278		620		#N/A	0	COND	A-106	PCOND			No XFER indicated	0	0	1.132		4	O	HWN-1991-3
A-101	1957	4	OUTX	-232		388		#N/A	0	COND	A-106	PCOND			No XFER indicated	0	0	1.132		4	O	HWN-1991-3
A-101	1957	4	STAT		388	388	0	#N/A	0	P			OUTXS total -778, XINS total 682	672M self conc rec'd 776M		0	0	1.132		1		
A-101	1958	1	XIN	280		668		#N/A	0	P		P1				0.0006281	0.1759	1.308	P1	4	O	HWN-1991-2
A-101	1958	1	XIN	268		936		#N/A	0	P		P1				0.0006281	0.1683	1.476	P1	4	O	HWN-1991-2
A-101	1958	1	OUTX	-297		639		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.476		4	O	HWN-1991-3
A-101	1958	1	OUTX	-130		509		#N/A	0	COND	A-106	PCOND	180 to 130		No XFER to A-106 indicated	0	0	1.476		4	O	HWN-1991-3
A-101	1958	1	OUTX	0		509		#N/A	0	COND	CRIB?	PCOND	616 to 0		Omission	0	0	1.476		2	V	HW-55630-8
A-101	1958	1	STAT		509	509	0	#N/A	0	P			OUTXS total -477, XINS total 548	477M Self conc. 548M rec'd 616M water-boiled off		0	0	1.476		1		
A-101	1958	2	XIN	91		600		#N/A	0	PL		P1				0.0006281	0.0572	1.533	P1	4	O	HWN-1991-2
A-101	1958	2	XIN	42		642		#N/A	0	PL		P1				0.0006281	0.0264	1.560	P1	4	O	HWN-1991-2
A-101	1958	2	XIN	38		680		#N/A	0	PL		P1	OC 69 to 38		Shows 38 not 69	0.0006281	0.0239	1.583	P1	2	V	HWN-1991-2
A-101	1958	2	REC	91		771		#N/A	0		A-106	A-106			Omission	0	0	1.583		3	V	HW-55997-8
A-101	1958	2	OUTX	-44		727		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.583		4	O	HWN-1991-3
A-101	1958	2	OUTX	-163		564		#N/A	0	COND	A-106	PCOND	53 to 163		No XFER to A-106 indicated	0	0	1.583		4	O	HWN-1991-3
A-101	1958	2	STAT		564	564	0	#N/A	0	P			XINS total 133, OUTXS total -97	97M Self conc. rec'd 133M		0	0	1.583		1		
A-101	1958	3	XIN	58		622		#N/A	0	PL		P1	OC 27 to 58		Shows 58 not 27	0.0006281	0.0364	1.620	P1	3	V	HWN-1991-2
A-101	1958	3	XIN	50		672		#N/A	0	PL		P1	ogden comment wrong line			0.0006281	0.0314	1.651	P1	4	O	HWN-1991-2
A-101	1958	3	XIN	45		717		#N/A	0	PL		P1				0.0006281	0.0283	1.680	P1	4	O	HWN-1991-2
A-101	1958	3	OUTX	-41		676		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.680		4	O	HWN-1991-3

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-101	1958	3	OUTX	-31		645		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.680		4	O	HWN-1991-3
A-101	1958	3	OUTX	-136		509		#N/A	0	COND	A-106	PCOND	105 to		No XFER to A-106 Indicated	0	0	1.680		4	O	HWN-1991-3
A-101	1958	3	STAT		509	509	0	#N/A	0	P			XINS total 153, OUTX total -177	177M self conc. rec'd 153M		0	0	1.680		1		
A-101	1958	4	XIN	60		569		#N/A	0	PL		P1				0.0006281	0.0377	1.717	P1	4	O	HWN-1991-2
A-101	1958	4	XIN	72		641		#N/A	0	PL		P1				0.0006281	0.0452	1.762	P1	4	O	HWN-1991-2
A-101	1958	4	XIN	89		730		#N/A	0	PL		P1				0.0006281	0.0559	1.818	P1	4	O	HWN-1991-2
A-101	1958	4	OUTX	-52		678		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.818		4	O	HWN-1991-3
A-101	1958	4	OUTX	-110		568		#N/A	0	COND	A-106	PCOND			No XFER to A-106 Indicated	0	0	1.818		4	O	HWN-1991-3
A-101	1958	4	OUTX	-70		498		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.818		4	O	HWN-1991-3
A-101	1958	4	STAT		498	498	0	#N/A	0	P			OUTX total -232, XIN total 221	232M self conc. rec'd 221M		0	0	1.818		1		
A-101	1959	1	XIN	122		620		#N/A	0	P		P1				0.0006281	0.0766	1.895	P1	4	O	HWN-1991-2
A-101	1959	1	XIN	77		697		#N/A	0	P		P1				0.0006281	0.0484	1.943	P1	4	O	HWN-1991-2
A-101	1959	1	XIN	86		783		#N/A	0	P		P1				0.0006281	0.054	1.997	P1	4	O	HWN-1991-2
A-101	1959	1	OUTX	-114		669		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.997		4	O	HWN-1991-3
A-101	1959	1	OUTX	-66		603		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.997		4	O	HWN-1991-3
A-101	1959	1	OUTX	-103		500		#N/A	0	COND	A-106	PCOND	OC 89 to 103		103 no XFER indicated	0	0	1.997		3	V	HWN-1991-3
A-101	1959	1	STAT		500	500	0	#N/A	0	P			OUTX total -283. XINs total 285	283M self cond. rec'd 285M		0	0	1.997		1		
A-101	1959	2	XIN	91		591		#N/A	0	P		P1				0.0006281	0.0572	2.055	P1	4	O	HWN-1991-2
A-101	1959	2	XIN	103		694		#N/A	0	P		P1				0.0006281	0.0647	2.119	P1	4	O	HWN-1991-2
A-101	1959	2	XIN	102		796		#N/A	0	P		P1				0.0006281	0.0641	2.183	P1	4	O	HWN-1991-2
A-101	1959	2	OUTX	-85		711		#N/A	0	COND	A-106	PCOND	OC 99 to 85		85 no XFER indicated	0	0	2.183		3	V	HWN-1991-3
A-101	1959	2	OUTX	-128		583		#N/A	0	COND	A-106	PCOND	OC 133 to128		128 no XFER indicated	0	0	2.183		3	V	HWN-1991-3
A-101	1959	2	STAT		578	578	0	-5	-5	P			OUTX total -214, XIN total 296	214M self cond. rec'd 296M		0	0	2.183		1		
A-101	1959	3	XIN	113		691		#N/A	-5	P		P1				0.0006281	0.071	2.254	P1	4	O	HWN-1991-2
A-101	1959	3	XIN	96		787		#N/A	-5	P		P1				0.0006281	0.0603	2.315	P1	4	O	HWN-1991-18
A-101	1959	3	XIN	111		898		#N/A	-5	P		P1				0.0006281	0.0697	2.384	P1	4	O	HWN-1991-18
A-101	1959	3	OUTX	-113		785		#N/A	-5	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2.384		4	O	HWN-1991-3
A-101	1959	3	OUTX	-69		716		#N/A	-5	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2.384		4	O	HWN-1991-3
A-101	1959	3	OUTX	-22		694		#N/A	-5	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2.384		4	O	HWN-1991-19
A-101	1959	3	STAT		694	694	0	#N/A	-5	P			XINS total 320, OUTX total -204, AND -104	104M self conc. rec'd 320M		0	0	2.384		1		
A-101	1959	4	XIN	102		796		#N/A	-5	P		P1				0.0006281	0.0641	2.448	P1	4	O	HWN-1991-18
A-101	1959	4	OUTX	-67		729		#N/A	-5	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2.448		4	O	HWN-1991-19
A-101	1959	4	OUTX	-35		694		#N/A	-5	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2.448		4	O	HWN-1991-19
A-101	1959	4	OUTX	-80		614		#N/A	-5	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2.448		4	O	HWN-1991-19
A-101	1959	4	STAT		614	614	0	#N/A	-5	P			OUTX -182, XIN 102	182M self conc. rec'd 102M		0	0	2.448		1		
A-101	1960	1	XIN	13		627		#N/A	-5	FLSH		WTR			No indication of XFER	0	0	2.448		4	O	HW-64810-8
A-101	1960	1	XIN	113		740		#N/A	-5	COND	A-106	WTR	OC ADD to XFER ASSUMED TO A-106		Self cond. not an ADD	0	0	2.448		3	V	HW-63896-8
A-101	1960	1	OUTX	-66		674		#N/A	-5	COND	A-106	PCOND			No indication of XFER	0	0	2.448		4	O	HW-64373-8
A-101	1960	1	STAT		674	674	0	#N/A	-5	P			OUTX total -179,	179M self conc.13M recircutate for flush H20 added		0	0	2.448		1		
A-101	1960	2	XIN	51		725		#N/A	-5	DIL		WTR	OC 56 to 51		Show 51 not 56	0	0	2.448		3	V	HW-66187-8
A-101	1960	2	OUTX	-11		714		#N/A	-5	COND	A-106	PCOND			No indication of XFER	0	0	2.448		4	O	HW-65272-8
A-101	1960	2	STAT		719	719	0	5	0	P				Boiled off 11M rec'd 51M		0	0	2.448		1		
A-101	1960	3	XIN	45		764		#N/A	0	FLSH		WTR				0	0	2.448		4	O	HW-66557-8
A-101	1960	3	XIN	68		832		#N/A	0	DIL		WTR				0	0	2.448		4	O	HW-66827-8
A-101	1960	3	OUTX	-90		742		#N/A	0	COND	A-106	PCOND				0	0	2.448		1		
A-101	1960	3	OUTX	-68		674		#N/A	0	COND	A-106	PCOND			No indication of XFER	0	0	2.448		4	O	HW-66827-8
A-101	1960	3	OUTX	-30		644		#N/A	0	COND	A-106	PCOND			No indication of XFER	0	0	2.448		4	O	HW-67696-8
A-101	1960	3	STAT		644	644	0	#N/A	0	P			OUTX total -98, XIN 113	Boiled of 98M rec'd 113M		0	0	2.448		1		
A-101	1960	4	XIN	17		661		#N/A	0	CARB		OWW1				0	0	2.448		4	O	HWN-1991-18
A-101	1960	4	XIN	11		672		#N/A	0	P		P1				0.0006281	0.0069	2.455	P1	3	O	HWN-1991-18

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
A-101	1960	4	XIN	49		721		#N/A	0	P		P1				0.0006281	0.0308	2.486	P1	4	O	HWN-1991-18
A-101	1960	4	XIN	82		803		#N/A	0	CSKW		WTR				0	0	2.486		4	O	HWN-1991-18
A-101	1960	4	OUTX	-2		801		#N/A	0	COND	A-106	PCOND			No indication of XFER	0	0	2.486		3	O	HW-67705-8
A-101	1960	4	OUTX	-25		776		#N/A	0	COND	A-106	PCOND			No indication of XFER	0	0	2.486		3	O	HW-68291-8
A-101	1960	4	OUTX	-79		697		#N/A	0	COND	A-106	PCOND	UNCHANGED		214 No indication of XFER	0	0	2.486		2	V	HW-68292-8
A-101	1960	4	STAT		697	697	0	#N/A	0	P			XIN total 159, AND 150, OUTX total -241, AND reports -39	Rec'd 150M 39M boil off		0	0	2.486		1		
A-101	1961	1	XIN	819		1516		#N/A	0	P		P1				0.0006281	0.5144	3.000	P1	4	O	HWN-1991-18
A-101	1961	1	OUTX	-586		930		#N/A	0	COND	A-106	PCOND			503 No indication of XFER	0	0	3.000		2	V	HWN-1991-19
A-101	1961	1	STAT		930	930	0	#N/A	0	P				Rec'd 819M - 6 months report		0	0	3.000		1		
A-101	1961	2	STAT		N/A	930		#N/A	0								0	3.0004		1		
A-101	1961	3	OUTX	-20		910		#N/A	0	COND	A-024	PCOND			No indication of XFER	0	0	3.000		3	O	HWN-1991-19
A-101	1961	3	STAT		N/A	910		#N/A	0								0	3.0004		1		
A-101	1961	4	STAT		910	910	0	#N/A	0	P				6 Months report		0	0	3.000		1		
A-101	1962	1	STAT		N/A	910		#N/A	0	P			STAT 861 TO N/A	6 Months report			0	3.0004		1		
A-101	1962	2	OUTX	-49		861		#N/A	0	COND	A-024	PCOND			No indication of XFER	0	0	3.000		3	O	HWN-1991-19
A-101	1962	2	STAT		N/A	861		#N/A	0					* Dry wells 10-01-01, -03, -04, -06, -08, -10 and -11 drilled.			0	3.0004		1		
A-101	1962	3	STAT		N/A	861		#N/A	0								0	3.0004		1		
A-101	1962	4	OUTX	-303		558		#N/A	0	COND	A-024	PCOND				0	0	3.000		1		
A-101	1962	4	STAT		558	558	0	#N/A	0	P				6 Months report		0	0	3.000		1		
A-101	1963	1	xin	267		825		#N/A	0			OWW2				0	0	3.000		0		
A-101	1963	1	STAT		825	825	0	#N/A	0	P				6 months report - rec'd 378M carbonate		0	0	3.000		1		
A-101	1963	2	XIN	378		1203		#N/A	0	CARB		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1963	2	OUTX	-111		1092		#N/A	0	COND	A-024	PCOND				0	0	3.000		1		
A-101	1963	2	STAT		N/A	1092		#N/A	0								0	3.0004		1		
A-101	1963	3	XIN	161		1253		#N/A	0	CARB		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1963	3	OUTX	-169		1084		#N/A	0	COND	A-024	PCOND				0	0	3.000		1		
A-101	1963	3	STAT		N/A	1084		#N/A	0				XIN from qrt 2 & 3 total 364	6 months report - rec'd 364M carbonate			0	3.0004		1		
A-101	1963	4	XIN	203		1287		#N/A	0	CARB		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1963	4	send	-267		1020		#N/A	0			A-102	sluicinginput, tosluicing			0	0	3.000		0		
A-101	1963	4	OUTX	-163		857		#N/A	0	COND	A-024	PCOND				0	0	3.000		1		
A-101	1963	4	STAT		857	857	0	#N/A	0	P						0	0	3.000		1		
A-101	1964	1	XIN	146		1003		#N/A	0	CARB		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1964	1	send	-249		754		#N/A	0			A-102				0	0	3.000		0		
A-101	1964	1	STAT		754	754	0	#N/A	0	P				Rec'd 146M carb. 6 months report		0	0	3.000		1		
A-101	1964	2	STAT		N/A	754		#N/A	0								0	3.0004		1		
A-101	1964	3	STAT		N/A	754		#N/A	0								0	3.0004		1		
A-101	1964	4	XIN	408		1162		#N/A	0	CARB		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1964	4	send	-282		880		#N/A	0			A-102				0	0	3.000		0		
A-101	1964	4	STAT		880	880	0	#N/A	0	P				Rec'd 408M carb. 6 months report		0	0	3.000		1		
A-101	1965	1	XIN	151		1031		#N/A	0	OWW		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1965	1	send	-151		880		#N/A	0			A-102				0	0	3.000		0		
A-101	1965	1	STAT		880	880	72	#N/A	0	P				Rec'd 151 M		0	0	3.000		1		
A-101	1965	2	STAT		N/A	880		#N/A	0								0	3.0004		1		
A-101	1965	3	XIN	112		992		#N/A	0	OWW		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1965	3	send	-106		886		#N/A	0			A-102				0	0	3.000		0		
A-101	1965	3	STAT		886	886	72	#N/A	0	P				Rec'd 112 M		0	0	3.000		1		
A-101	1965	4	XIN	4		890		#N/A	0	OWW		OWW2				0	0	3.000		4	O	HWN-1991-24
A-101	1965	4	send	-20		870		#N/A	0			A-102				0	0	3.000		0		
A-101	1965	4	SEND	-202		668		#N/A	0	SU		C-103				0	0	3.000		4	O	HWN-1991-24

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-101	1965	4	STAT		668	668	72	#N/A	0	P				Rec'd 4 M, 202 M to 103-C		0	0	3.000		1		
A-101	1966	1	REC	611		1279		#N/A	0	SU	A-103	A-103				0	0	3.000		4	O	ISO-226-8
A-101	1966	1	SEND	-446		833		#N/A	0	SU		C-103				0	0	3.000		4	O	ISO-226-4
A-101	1966	1	STAT		833	833	72	#N/A	0	P				446 M to 103-C;; 611 from 103-A								
A-101	1966	2	XIN	31		864		#N/A	0	OWW		OWW2				0	0	3.000		1		
A-101	1966	2	xin	41		905		#N/A	0			OWW2				0	0	3.000		4	O	ISO-226-8
A-101	1966	2	STAT		905	905	72	#N/A	0							0	0	3.000		0		
A-101	1966	3	XIN	70		975		#N/A	0	P		P2		Rec'd 31 M OWW		0	0	3.000		1		
A-101	1966	3	send	-70		905		#N/A	0			A-102				0	0	3.000		4	O	ISO-226-8
A-101	1966	3	STAT		905	905	72	#N/A	0							0	0	3.000		0		
A-101	1966	4	XIN	76		981		#N/A	0	OWW		OWW2		Rec'd 70 M		0	0	3.000		1		
A-101	1966	4	send	-76		905		#N/A	0			A-102				0	0	3.000		4	O	ISO-226-8
A-101	1966	4	STAT		905	905	72	#N/A	0	P						0	0	3.000		0		
A-101	1967	1	XIN	64		969		#N/A	0	OWW		OWW2		Rec'd 76 M OWW		0	0	3.000		1		
A-101	1967	1	send	-64		905		#N/A	0			A-102				0	0	3.000		4	O	ISO-226-8
A-101	1967	1	STAT		905	905	72	#N/A	0	P						0	0	3.000		0		
A-101	1967	2	XIN	54		959		#N/A	0	OWW		OWW2		Rec'd 64 M OWW		0	0	3.000		1		
A-101	1967	2	send	-54		905		#N/A	0			A-102				0	0	3.000		4	O	ISO-967-8
A-101	1967	2	STAT		905	905	72	#N/A	0	P						0	0	3.000		0		
A-101	1967	3	XIN	50		955		#N/A	0	OWW		OWW2		Rec'd 54 M OWW		0	0	3.000		1		
A-101	1967	3	send	-51		904		#N/A	0			A-102				0	0	3.000		4	O	ARH-95-9
A-101	1967	3	STAT		904	904	79	#N/A	0	P						0	0	3.000		0		
A-101	1967	4	XIN	63		967		#N/A	0	OWW		OWW2		Rec'd 50 M OWW		0	0	3.000		1		
A-101	1967	4	send	-62		905		#N/A	0			A-102				0	0	3.000		4	O	ARH-326-9
A-101	1967	4	STAT		905	905	80	#N/A	0	P						0	0	3.000		0		
A-101	1968	1	XIN	28		933		#N/A	0	OWW		OWW3		Rec'd 63 M OWW		0	0	3.000		1		
A-101	1968	1	SEND	-550		383		#N/A	0	SU		A-105				0	0	3.000		4	O	ARH-534-9
A-101	1968	1	send	-25		358		#N/A	0			A-102				0	0	3.000		4	O	ARH-534-9
A-101	1968	1	STAT		358	358	83	#N/A	0	P						0	0	3.000		0		
A-101	1968	2	SEND	-33		325		#N/A	0	SL		A-102		Tank equipped for boiling waste Rec'd 28 M OWW, 550 M to 105-A		0	0	3.000		1		
A-101	1968	2	SEND	-264		61		#N/A	0	SU		A-105				0	0	3.000		1		
A-101	1968	2	STAT		77	77	50	16	16	P						0	0	3.000		4	O	ARH-721-9
A-101	1968	3	REC	358		435		#N/A	16	SU	A-103	A-103		264 to 105-A;; test sluicing to 102-A		0	0	3.000		1		
A-101	1968	3	SEND	-324		111		#N/A	16	SU		A-102				0	0	3.000		4	O	ARH-871-9
A-101	1968	3	STAT		124	124	50	13	29	P						0	0	3.000		4	O	ARH-871-9
A-101	1968	4	SEND	0		124		#N/A	29	SU	A-102	A-102	*-37 TO 0	Rec'd 358M from 103-A;; 324 M to 102-A		0	0	3.000		1		
A-101	1968	4	STAT		135	135	50	11	40	P							0	3.0004		1		
A-101	1969	1	XIN	982		1117		#N/A	40	WTR		WTR				0	0	3.000		1		
A-101	1969	1	SEND	-33		1084		#N/A	40	SL		A-102				0	0	3.000		1		
A-101	1969	1	send	-85		999		#N/A	40			A-102			No quantity stated	0	0	3.000		3	O	ARH-1200A-10
A-101	1969	1	outx	-9		990		#N/A	40	SL	SRR	SRR	9to SRR 2 back to A-106			0	0	3.000		0		
A-101	1969	1	STAT		990	990	8	#N/A	40	P						0	0	3.000		0		
A-101	1969	2	SEND	-215		775		#N/A	40	SU		A-104		Sluicing to 102-A;; AR Vault completed 3-25-69. Filled with H20 for leak test		0	0	3.000		1		
A-101	1969	2	send	-27		748		#N/A	40			A-106				0	0	3.000		4	O	ARH-1200B-10
A-101	1969	2	STAT		748	748	8	#N/A	40	H2O						0	0	3.000		0		
A-101	1969	3	SEND	-335		413		#N/A	40	SU		A-104		215 M to 104-A;; Leak check satisfactory, water held in tank to maintain tank temperature for emergency use		0	0	3.000		1		
A-101	1969	3	send	-80		333		#N/A	40			A-106				0	0	3.000		4	O	ARH-1200C-10
																0	0	3.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
A-101	1969	3	STAT		333	333	3	#N/A	40	H2O				Spare tank, 335 M H20 to 104-A		0	0	3.000		1		
A-101	1969	4	SEND	-133		200		#N/A	40	SU		A-104				0	0	3.000		4	O	ARH-1200D-10
A-101	1969	4	send	-27		173		#N/A	40			A-106				0	0	3.000		0		
A-101	1969	4	REC	0		173		#N/A	40	SU	A-106	A-106	OC 328 to 0		REC at A-102		0	3.0004		2	V	ARH-1200D-10
A-101	1969	4	STAT		173	173	11	#N/A	40	H2O				Spare tank 133 M H20 to 104-A		0	0	3.000		1		
A-101	1970	1	XIN	108		281		#N/A	40	WTR		WTR				0	0	3.000		4	O	ARH-1666A-10
A-101	1970	1	REC	198		479		#N/A	40	SU	AX-104	AX-104				0	0	3.000		4	O	ARH-1666A-10
A-101	1970	1	STAT		462	462	11	-17	23	P				Sluicing completed in March 198 198 M from 104-AX; rec'd 108 M H20; due to increase sludge temp. 198,000 gal. to 104-AX & 98,000 gals H20 added		0	0	3.000		1		
A-101	1970	2	XIN	84		546		#N/A	23	WTR		WTR	Omis.		Omission	0	0	3.000		3	V	ARH-1666B-10
A-101	1970	2	REC	198		744		#N/A	23	SU	AX-104	AX-104				0	0	3.000		4	O	ARH-1666B-10
A-101	1970	2	send	-105		639		#N/A	23			A-106				0	0	3.000		0		
A-101	1970	2	STAT		639	639	11	#N/A	23	P				Rec'd 198 M from 104-SX and 84M H20		0	0	3.000		1		
A-101	1970	3	send	-108		531		#N/A	23			A-106				0	0	3.000		0		
A-101	1970	3	STAT		531	531	11	#N/A	23	P				Rec'd Purex supernatant from 104-AX in 1970		0	0	3.000		1		
A-101	1970	4	XIN	36		567		#N/A	23	P		P2				0	0	3.000		4	O	ARH-1666D-10
A-101	1970	4	send	-84		483		#N/A	23			A-106				0	0	3.000		0		
A-101	1970	4	STAT		483	483	11	#N/A	23	P				36M from Purex		0	0	3.000		1		
A-101	1971	1	send	-42		441		#N/A	23			A-106				0	0	3.000		0		
A-101	1971	1	STAT		441	441	11	#N/A	23	P						0	0	3.000		1		
A-101	1971	2	STAT		440	440	11	-1	22	P						0	0	3.000		1		
A-101	1971	3	STAT		430	430	11	-10	12	P						0	0	3.000		1		
A-101	1971	4	STAT		430	430	11	#N/A	12	P						0	0	3.000		1		
A-101	1972	1	STAT		422	422	11	-8	4	P				Sluicing completed March 1969 Rec'd Purex supernatant from 104 BX in 1970		0	0	3.000		1		
A-101	1972	2	SEND	-384		38		#N/A	4	SU		C-105				0	0	3.000		4	O	ARH-2456B-4
A-101	1972	2	STAT		28	28	11	-10	-6	P				384M to 105-C		0	0	3.000		1		
A-101	1972	3	OUTX	0		28		#N/A	-6		AR-002	AR	OMIS NOT USED		Omission		0	3.0004		3	V	ARH-2456C-9
A-101	1972	3	STAT		32	32	11	4	-2	P				35M to 002-AR		0	0	3.000		1		
A-101	1972	4	STAT		33	33	16	1	-1	P						0	0	3.000		1		
A-101	1973	1	XIN	257		290		#N/A	-1	SRR		SRR				0	0	3.000		4	O	ARH-2794A-9
A-101	1973	1	STAT		302	302	16	12	11	P,B				257M from B Plant		0	0	3.000		1		
A-101	1973	2	XIN	628		930		#N/A	11	SRR		SRR				0	0	3.000		4	O	ARH-2794B-9
A-101	1973	2	STAT		928	928	16	-2	9	P,B				628M from B Plant		0	0	3.000		1		
A-101	1973	3	XIN	6		934		#N/A	9	SRR		SRR				0	0	3.000		4	O	ARH-2794C-9
A-101	1973	3	STAT		934	934	16	#N/A	9	P,B				Sluicing completed March 1969 6M from B Plant		0	0	3.000		1		
A-101	1973	4	XIN	5		939		#N/A	9	PL		PL1				0	0	3.000		4	O	ARH-2794D-9
A-101	1973	4	XIN	101		1040		#N/A	9	SRR		SRR				0	0	3.000		4	O	ARH-2794D-9
A-101	1973	4	send	-61		979		#N/A	9			A-106				0	0	3.000		0		
A-101	1973	4	SEND	-79		900		#N/A	9	SU		C-104				0	0	3.000		4	O	ARH-2794D-4/ARH-2794D-9 SEND
A-101	1973	4	STAT		900	900	16	#N/A	9	P,B				101M from B Plant;; 5M from Purex;; 79M to 104-C		0	0	3.000		1		
A-101	1974	1	XIN	74		974		#N/A	9	SRR		SRR				0	0	3.000		4	O	ARH-CD-133A-9
A-101	1974	1	SEND	-45		929		#N/A	9	SU		C-104				0	0	3.000		4	O	ARH-CD-133A-4
A-101	1974	1	STAT		968	968	16	39	48	P,B				74M from B Plant;; 45M to 104-C		0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	C/A	Document/Pg #
A-101	1974	2	STAT		968	968	33	#N/A	48	P,B			and stats at 962			0	0	3.000		1		
A-101	1974	3	STAT		957	957	33	-11	37	P,B						0	0	3.000		1		
A-101	1974	4	STAT		938	938	33	-19	18	P,B						0	0	3.000		1		
A-101	1975	1	STAT		924	924	33	-14	4	P,B				Slulcing completed in March 69								
A-101	1975	2	SEND	-485		439		#N/A	4	SU		C-104				0	0	3.000		1		
A-101	1975	2	STAT		432	432	11	-7	-3	P,B						0	0	3.000		4	O	ARH-CD-336B-4
A-101	1975	3	XIN	6		438		#N/A	-3	SRR		SRR		485M to 104-C		0	0	3.000		1		
A-101	1975	3	XIN	2		440		#N/A	-3	WTR		WTR				0	0	3.000		4	O	ARH-CD-336C-9
A-101	1975	3	REC	276		716		#N/A	-3		A-102	A-102				0	0	3.000		4	O	ARH-CD-336C-9
A-101	1975	3	REC	318		1034		#N/A	-3	SU	A-106	A-106			Omission	0	0	3.000		3	V	ARH-CD-336C-9
A-101	1975	3	SEND	-818		216		#N/A	-3	SU		C-104				0	0	3.000		4	O	ARH-CD-336C-9
A-101	1975	3	STAT		217	217	11	1	-2	B				6M from B Plant;; 276M from 102-A;; 318M from 106-A 2M H20; 818M to 104-C		0	0	3.000		4	O	ARH-CD-336C-4
A-101	1975	4	send	-154		63		#N/A	-2			A-106				0	0	3.000		1		
A-101	1975	4	SEND	-11		52		#N/A	-2	SL		A-106				0	0	3.000		0		
A-101	1975	4	STAT		52	52	6	#N/A	-2	H2O						0	0	3.000		1		
A-101	1976	1	REC	155		207		#N/A	-2		A-106	A-106	*+172 to	Slulcing		0	0	3.000		1		
A-101	1976	1	SEND	-201		6		#N/A	-2	SU		C-104			Omission	0	0	3.000		3	V	ARH-CD-702A-9
A-101	1976	1	STAT		6	6	1	#N/A	-2	H2O						0	0	3.000		4	O	ARH-CD-702A-4
A-101	1976	2	STAT		6	6	3	#N/A	-2	H2O				Slulcing;; 172M from 106-A, 201M to 104-C		0	0	3.000		1		
A-101	1976	3	rec	151		157		#N/A	-2		AX-103	AX-103		Slulcing completed March 1976		0	0	3.000		1		
A-101	1976	3	STAT		157	157	3	#N/A	-2	EVAP						0	0	3.000		0		
A-101	1976	4	rec	773		930		#N/A	-2		A-102	A-102		Space Low heat		0	0	3.000		1		
A-101	1976	4	STAT		930	930	3	#N/A	-2	EVAP						0	0	3.000		0		
A-101	1977	1	send	-121		809		#N/A	-2			A-102		Evap. Feed Dil		0	0	3.000		1		
A-101	1977	1	STAT		809	809	3	#N/A	-2	EVAP						0	0	3.000		0		
A-101	1977	2	send	-47		762		#N/A	-2			A-102		Salt receiver, slurry receiver		0	0	3.000		1		
A-101	1977	2	STAT		762	762	3	#N/A	-2	EVAP						0	0	3.000		0		
A-101	1977	3	rec	206		968		#N/A	-2		A-102	A-102				0	0	3.000		1		
A-101	1977	3	STAT		968	968	85	#N/A	-2	RESD						0	0	3.000		0		
A-101	1977	4	rec	6		974		#N/A	-2		A-102	A-102				0	0	3.000		1		
A-101	1977	4	STAT		974	974	85	#N/A	-2	RESD						0	0	3.000		0		
A-101	1978	1	SEND	-205		769		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	1	SEND	-77		692		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	1	SEND	-50		642		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	1	SEND	-42		600		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	1	SEND	-21		579		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	1	SEND	-17		562		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	1	rec	315		877		#N/A	-2	SU	A-102	A-102	*-1 to			0	0	3.000		1		
A-101	1978	1	STAT		877	877	377	#N/A	-2	HDRL						0	0	3.000		0		
A-101	1978	2	send	-11		866		#N/A	-2			A-102				0	0	3.000		1		
A-101	1978	2	STAT		866	866	377	#N/A	-2	DSSF						0	0	3.000		0		
A-101	1978	3	SEND	-120		746		#N/A	-2	SU		A-102	*+44 to			0	0	3.000		1		
A-101	1978	3	SEND	-118		628		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	3	SEND	-14		614		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1978	3	SEND	-116		498		#N/A	-2	SU		AZ-101				0	0	3.000		1		
A-101	1978	3	SEND	-30		468		#N/A	-2	SU		AZ-101				0	0	3.0004		1		
A-101	1978	3	STAT		468	468	377	#N/A	-2	DSSF						0	0	3.0004		1		
A-101	1978	4	send	-14		454		#N/A	-2			A-102		New Photo 5/23/78		0	0	3.000		1		
A-101	1978	4	REC	213		667		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		0		
A-101	1978	4	REC	142		809		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1978	4	REC	77		886		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1978	4	REC	74		960		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1978	4	REC	11		971		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-101	1978	4	STAT		971	971	490	#N/A	-2	DSSF				Solids Deter. Eval. (12/14/78)		0	0	3.000		1		
A-101	1979	1	rec	460		1431		#N/A	-2	SU	A-102	A-102	*-358 to			0	0	3.000		0		
A-101	1979	1	SEND	-300		1131		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	1	SEND	-264		867		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	1	SEND	-215		652		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	1	SEND	-187		465		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	1	SEND	-50		415		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	1	STAT		415	415	415	#N/A	-2	NCPLX						0	0	3.000		1		
A-101	1979	2	rec	130		545		#N/A	-2		A-102	A-102				0	0	3.000		0		
A-101	1979	2	STAT		545	545	415	#N/A	-2	NCPLX				New Solids Level 3/31/		0	0	3.000		1		
A-101	1979	3	rec	217		762		#N/A	-2		A-102	A-102				0	0	3.000		0		
A-101	1979	3	REC	176		938		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1979	3	STAT		938	938	415	#N/A	-2	NCPLX				New Photo 7/18/79		0	0	3.000		1		
A-101	1979	4	REC	773		1711		#N/A	-2	SU	A-102	A-102				0	0	3.000		1		
A-101	1979	4	SEND	-770		941		#N/A	-2	SU		A-102	*+527 to			0	0	3.000		1		
A-101	1979	4	REC	465		1406		#N/A	-2	SU	A-102	A-102				0	0	3.000		1		
A-101	1979	4	SEND	-382		1024		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	4	SEND	-328		696		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	4	SEND	-239		457		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1979	4	REC	263		720		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1979	4	REC	149		869		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1979	4	SEND	-525		344		#N/A	-2	SU		A-106				0	0	3.000		1		
A-101	1979	4	STAT		344	344	333	#N/A	-2	NCPLX				New Solids Level (12/31/		0	0	3.000		1		
A-101	1980	1	REC	318		662		#N/A	-2	SU	A-102	A-102				0	0	3.000		1		
A-101	1980	1	SEND	-173		489		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	1	SEND	-165		324		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	1	SEND	-144		180		#N/A	-2	SU		A-102	*+158 to			0	0	3.000		1		
A-101	1980	1	SEND	-129		51		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	1	REC	256		307		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	1	REC	179		486		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	1	REC	114		600		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	1	REC	91		691		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	1	REC	30		721		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	1	SEND	-286		435		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	1	STAT		435	435	333	#N/A	-2	DSSF						0	0	3.000		1		
A-101	1980	2	REC	193		628		#N/A	-2	SU	BX-105	BX-105				0	0	3.000		1		
A-101	1980	2	REC	191		819		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	2	REC	87		906		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	2	REC	45		951		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	2	REC	33		984		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	2	SEND	-489		495		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	2	SEND	-97		398		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	2	SEND	-69		329		#N/A	-2	SU		A-102	*+225 to			0	0	3.000		1		
A-101	1980	2	STAT		329	329	316	#N/A	-2	CPLX						0	0	3.000		1		
A-101	1980	3	REC	254		583		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	3	REC	239		822		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	3	REC	126		948		#N/A	-2	SU	BX-104	BX-104				0	0	3.000		1		
A-101	1980	3	SEND	-391		557		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	3	SEND	-269		288		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	3	SEND	-180		108		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	3	rec	879		987		#N/A	-2	SU	A-102	A-102	*-131 to			0	0	3.000		0		
A-101	1980	3	SEND	-131		856		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	3	SEND	-179		677		#N/A	-2	SU		AY-102				0	0	3.0004		1		
A-101	1980	3	SEND	-147		530		#N/A	-2	SU		AY-102				0	0	3.0004		1		
A-101	1980	3	STAT		530	530	316	#N/A	-2	DSSF						0	0	3.000		1		
A-101	1980	4	SEND	-122		408		#N/A	-2	SU		AW-103				0	0	3.0004		1		
A-101	1980	4	SEND	-85		323		#N/A	-2	SU		AW-103				0	0	3.0004		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-101	1980	4	SEND	-28		295		#N/A	-2	SU		AW-103				0	0	3.0004		1		
A-101	1980	4	SEND	-140		155		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	4	SEND	-34		121		#N/A	-2	SU		A-102				0	0	3.000		1		
A-101	1980	4	rec	810		931		#N/A	-2	SU	A-102	A-102	*-58 to			0	0	3.000		0		
A-101	1980	4	STAT		931	931	550	#N/A	-2	DSSF				Inactive - New Solids Level 11/21/80, New Photo 11/19/80		0	0	3.000		1		
A-101	1993	2	STAT		953	953	953	22	20	DSSF						0	0	3.000		1		
A-101	1993	4	STAT		953	953	953	#N/A	20							0	0	3.000		1		
A-101	1994	1	STAT		953	953	953	#N/A	20							0	0	3.000		1		
A-101	2000															0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1900																					
A-102	1956	1	XIN	19		19		#N/A	0	OWW		OWW1				0	0	0.000		3	O	HWN-1991-4
A-102	1956	1	XIN	111		130		#N/A	0	P		P1				0	0	0.000		3	O	HWN-1991-4
A-102	1956	1	STAT		130	130	0	#N/A	0	P				Waste routed here on 3/22		0	0	0.000		1		
A-102	1956	2	XIN	375		505		#N/A	0	P		P1			Shows 355 not 375	0	0	0.000		2	V	HWN-1991-4
A-102	1956	2	STAT		505	505	0	#N/A	0	P						0	0	0.000		1		
A-102	1956	3	OUTX	-10		495		#N/A	0	COND	A-008	PCOND				0	0	0.000		1		
A-102	1956	3	STAT		495	495	0	#N/A	0	P				New electrode rdg .		0	0	0.000		1		
A-102	1956	4	OUTX	-32		463		#N/A	0	COND	A-008	PCOND				0	0	0.000		1		
A-102	1956	4	STAT		463	463	0	#N/A	0	P						0	0	0.000		1		
A-102	1957	1	OUTX	-6		457		#N/A	0	COND	A-008	PCOND				0	0	0.000		1		
A-102	1957	1	STAT		457	457	0	#N/A	0	P				Latest electrode rdg .		0	0	0.000		1		
A-102	1957	2	XIN	28		485		#N/A	0	OWW		OWW1				0	0	0.000		2		
A-102	1957	2	SEND	-77		408		#N/A	0	SU		C-106				0	0	0.000		4	O	HWN-1991-4
A-102	1957	2	OUTX	-34		374		#N/A	0	COND	A-008	PCOND	6 to			0	0	0.000		1		
A-102	1957	2	STAT		374	374	0	#N/A	0	P				77M pumped 106-C		0	0	0.000		1		
A-102	1957	3	XIN	20		394		#N/A	0	OWW		OWW1	OC qtr 1 to 3		Shows 3rd Qtr	0	0	0.000		3	V	HWN-1991-4
A-102	1957	3	XIN	26		420		#N/A	0	OWW		OWW1	OC qtr 1 to 3		Shows 3rd Qtr	0	0	0.000		3	V	HWN-1991-4
A-102	1957	3	XIN	31		451		#N/A	0	OWW		OWW1	OC qtr 1 to 3		Shows 3rd Qtr	0	0	0.000		3	V	HWN-1991-4
A-102	1957	3	XIN	28		479		#N/A	0	OWW		OWW1	OC qtr 2 to 3		Shows 3rd Qtr	0	0	0.000		3	V	HWN-1991-4
A-102	1957	3	XIN	24		503		#N/A	0	OWW		OWW1	OC qtr 2 to 3		Shows 3rd Qtr	0	0	0.000		3	V	HWN-1991-4
A-102	1957	3	XIN	34		537		#N/A	0	OWW		OWW1				0	0	0.000		4	O	HWN-1991-4
A-102	1957	3	XIN	28		565		#N/A	0	OWW		OWW1				0	0	0.000		4	O	HWN-1991-4
A-102	1957	3	XIN	18		583		#N/A	0	OWW		OWW1				0	0	0.000		4	O	HWN-1991-4
A-102	1957	3	SEND	-292		291		#N/A	0	SU		C-103				0	0	0.000		4	O	HWN-1991-4
A-102	1957	3	SEND	-170		121		#N/A	0	SU		C-106	AND says 70 to C-106 pos error			0	0	0.000		4	O	HWN-1991-4
A-102	1957	3	STAT		149	149	0	28	28	P			XIN from qtr 2 & 3 total 237	237M carb. wash rec'd 70M to 106-C, 292M to 103		0	0	0.000		1		
A-102	1957	4	SEND	-19		130		#N/A	28	SU		C-103	OC 25 to 19		Shows 19 not 25	0	0	0.000		3	V	HWN-1991-4
A-102	1957	4	STAT		124	124	0	-6	22	P				19M to 103-C		0	0	0.000		1		
A-102	1958	1	XIN	294		418		#N/A	22	P		P1	LC 186 to 294 rule			0	0	0.000		4	O	HWN-1991-4
A-102	1958	1	OUTX	-19		399		#N/A	22	COND	CRIB?	PCOND	Omis.		Omission	0	0	0.000		3	V	HW-55630-8
A-102	1958	1	STAT		399	399	0	#N/A	22	P				186M rec'd 19M water boiled off		0	0	0.000		1		
A-102	1958	2	XIN	184		583		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	2	XIN	269		852		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	2	XIN	138		990		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	2	OUTX	-101		889		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	2	OUTX	-238		651		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	2	OUTX	-263		388		#N/A	22	COND	A-106	PCOND	174 to 263		No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	2	STAT		388	388	0	#N/A	22	P			OUTX -513, XIN total 591	513M self conc. rec'd 591M		0	0	0.000		1		
A-102	1958	3	XIN	148		536		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	3	XIN	115		651		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	3	XIN	185		836		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	3	OUTX	-60		776		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	3	OUTX	-110		666		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	3	OUTX	-201		465		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	3	STAT		465	465	0	#N/A	22	P			OUTX -371, XIN total 448	371M self conc. rec'd 448M		0	0	0.000		1		
A-102	1958	4	XIN	192		657		#N/A	22	P		P1	OC 237 to 192		Shows 192 not 237	0	0	0.000		2	V	HWN-1991-4
A-102	1958	4	XIN	201		858		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	4	XIN	234		1092		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1958	4	OUTX	-184		908		#N/A	22	COND	A-106	PCOND	OC 229 to 184,AND reports 267		184, No XFER to A-106	0	0	0.000		2	V	HWN-1991-5
A-102	1958	4	OUTX	-162		746		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	4	OUTX	-242		504		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1958	4	STAT		504	504	0	#N/A	22	P			OUTX total -404, XIN total 435	404M self conc. rec'd 435M 267M H20 boiled off		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1959	1	XIN	183		687		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1959	1	XIN	86		773		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1959	1	XIN	169		942		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1959	1	OUTX	-184		758		#N/A	22	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-4
A-102	1959	1	OUTX	-94		664		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1959	1	OUTX	-169		495		#N/A	22	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
															No XFER to A-106	0	0	0.000		4	O	HWN-1991-5
A-102	1959	1	STAT		495	495	0	#N/A	22	P			OUTX total -447, XIN total 438	447M self conc. rec'd 438M								
A-102	1959	2	XIN	153		648		#N/A	22	P		P1				0	0	0.000		1		
A-102	1959	2	XIN	80		728		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1959	2	XIN	181		909		#N/A	22	P		P1				0	0	0.000		4	O	HWN-1991-4
A-102	1959	2	OUTX	-153		756		#N/A	22	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-20
A-102	1959	2	OUTX	-149		607		#N/A	22	COND	A-106	PCOND	OC 147 to 153		153, No XFER to A-106	0	0	0.000		3	V	HWN-1991-5
A-102	1959	2	STAT		602	602	0	-5	17	P			OC 160 to 149		149, No XFER to A-106	0	0	0.000		3	V	HWN-1991-21
A-102	1959	3	XIN	208		810		#N/A	17	P		P1	OUTX -302, XIN total 414	310M self conc. rec'd 414M		0	0	0.000		1		
A-102	1959	3	XIN	284		1094		#N/A	17	P		P1				0	0	0.000		3	O	HWN-1991-20
A-102	1959	3	XIN	245		1339		#N/A	17	P		P1				0	0	0.000		3	O	HWN-1991-20
A-102	1959	3	OUTX	-213		1126		#N/A	17	COND	A-106	PCOND				0	0	0.000		3	O	HWN-1991-20
A-102	1959	3	OUTX	-325		801		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1959	3	OUTX	-239		562		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
															No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1959	3	STAT		562	562	0	#N/A	17	P			OUTX -777,XIN total 737, AND reports 320	777M self conc. rec'd 320M								
A-102	1959	4	XIN	262		824		#N/A	17	P		P1				0	0	0.000		1		
A-102	1959	4	XIN	338		1162		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1959	4	XIN	500		1662		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1959	4	OUTX	-249		1413		#N/A	17	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-20
A-102	1959	4	OUTX	-334		1079		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1959	4	OUTX	-390		689		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
															No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1959	4	STAT		689	689	0	#N/A	17	P			OUTX -973, XIN total 1100	973M self conc. rec'd 1100M								
A-102	1960	1	XIN	375		1064		#N/A	17	P		P1				0	0	0.000		1		
A-102	1960	1	XIN	193		1257		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	1	XIN	235		1492		#N/A	17	P		P1				0	0	0.000		3	O	HWN-1991-20
A-102	1960	1	OUTX	-317		1175		#N/A	17	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-20
A-102	1960	1	OUTX	-270		905		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1960	1	OUTX	-234		671		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1960	1	STAT		671	671	0	#N/A	17	P			OUTX -821, XIN total 610	821M self conc. rec'd 603M	No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1960	2	XIN	57		728		#N/A	17	CARB		OWW1				0	0	0.000		1		
A-102	1960	2	XIN	64		792		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	2	XIN	107		899		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	2	XIN	363		1262		#N/A	17	PL		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	2	OUTX	-34		1228		#N/A	17	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-20
A-102	1960	2	OUTX	-90		1138		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		3	O	HWN-1991-21
A-102	1960	2	OUTX	-411		727		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		3	O	HWN-1991-21
															291, No XFER to A-106	0	0	0.000		2	V	HWN-1991-21
A-102	1960	2	STAT		727	727	0	#N/A	17	P			XIN total 591, OUTX total -415, AND reports -248	248M self conc. rec'd 591M								
A-102	1960	3	XIN	32		759		#N/A	17	CARB		OWW1				0	0	0.000		1		
A-102	1960	3	XIN	122		881		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	3	XIN	156		1037		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	3	XIN	216		1253		#N/A	17	P		P1				0	0	0.000		3	O	HWN-1991-20
A-102	1960	3	XIN	91		1344		#N/A	17	DIL		WTR				0	0	0.000		4	O	HWN-1991-20
A-102	1960	3	XIN	59		1403		#N/A	17	DIL		WTR				0	0	0.000		4	O	HW-66557-8
A-102	1960	3	OUTX	-135		1268		#N/A	17	COND	A-106	PCOND	OC 122 to 59		Shows 59 not 122	0	0	0.000		3	V	HW-66827-8
A-102	1960	3	OUTX	-339		929		#N/A	17	COND	A-106	PCOND	OC 198 to 135		107, No XFER to A-106	0	0	0.000		3	V	HWN-1991-21
A-102	1960	3	OUTX	-129		800		#N/A	17	COND	A-106	PCOND			217, No XFER to A-106	0	0	0.000		3	V	HWN-1991-21
															No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1960	3	STAT		800	800	0	#N/A	17	P			OUTX -453, XIN total 520, AND 517	453M self conc. rec'd 517M								
A-102	1960	4	XIN	15		815		#N/A	17	CARB		OWW1				0	0	0.000		1		
																0	0	0.000		4	O	HWN-1991-20

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	Q/A	Document/Pg #
A-102	1960	4	XIN	147		962		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	4	XIN	213		1175		#N/A	17	DIL		WTR				0	0	0.000		4	O	HW-68291-8
A-102	1960	4	OUTX	-168		1007		#N/A	17	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-21
A-102	1960	4	OUTX	-136		871		#N/A	17	COND	CRIB?	PCOND	Omis.		No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
															Omission	0	0	0.000		2	V	HW-68291-8
A-102	1960	4	STAT		882	882	0	11	28	P			XINS total 375, OUTX in qtr 1 -319, AND reports -292	166M self conc. rec'd 375M 292M boil off								
A-102	1961	1	XIN	331		1213		#N/A	28	P		P1				0	0	0.000		1		
A-102	1961	1	OUTX	-396		817		#N/A	28	COND	A-106	PCOND				0	0	0.000		4	O	HWN-1991-20
															319, No XFER to A-106	0	0	0.000		2	V	HWN-1991-21
A-102	1961	1	STAT		806	806	0	-11	17	P												
A-102	1961	2	STAT		N/A	806		#N/A	17					Rec'd 331M - 6 months report		0	0	0.000		1		
A-102	1961	3	XIN	120		926		#N/A	17	P		P1						0.000		1		
A-102	1961	3	OUTX	-38		888		#N/A	17	COND	A-024	PCOND				0	0	0.000		4	O	HWN-1991-20
A-102	1961	3	STAT		N/A	888		#N/A	17						No XFER to A-024	0	0	0.000		3	O	HWN-1991-21
A-102	1961	4	XIN	120		1008		#N/A	17			WTR						0.000		1		
A-102	1961	4	OUTX	-136		872		#N/A	17	COND	A-106	PCOND				0	0	0.000		1		
																0	0	0.000		1		
A-102	1961	4	STAT		888	888	0	16	33	P												
A-102	1962	1	outx	-41		847		#N/A	33			PCOND		Rec'd 120M - 6 months report		0	0	0.000		1		
A-102	1962	1	STAT		847	847	0	#N/A	33	P						0	0	0.000		0		
														6 months report		0	0	0.000		1		
														* Dry wells drilled: 10-02-01, 10-02-03, 10-02-05, 10-02-06, 10-02-08, 10-02-10, 10-02-11								
A-102	1962	2	STAT		N/A	847		#N/A	33													
A-102	1962	3	XIN	92		939		#N/A	33	CARB		OWW1					0	0.000		1		
A-102	1962	3	OUTX	-30		909		#N/A	33	COND	A-024	PCOND				0	0	0.000		4	O	HWN-1991-25
A-102	1962	3	STAT		N/A	909		#N/A	33							0	0	0.000		1		
A-102	1962	4	XIN	246		1155		#N/A	33	CARB		OWW1					0	0.000		1		
A-102	1962	4	OUTX	-140		1015		#N/A	33	COND	A-024	PCOND				0	0	0.000		4	O	HWN-1991-25
																0	0	0.000		1		
A-102	1962	4	STAT		1015	1015	0	#N/A	33	P			XINS from qrt 3 & 4 total 338	6 months report - rec'd 338M ca								
A-102	1963	1	OUTX	-50		965		#N/A	33	COND	A-024	PCOND	*14 to			0	0	0.000		1		
																0	0	0.000		1		
A-102	1963	1	STAT		965	965	0	#N/A	33	P				6 months report - rec'd 221M ca								
A-102	1963	2	XIN	221		1186		#N/A	33	CARB		OWW2				0	0	0.000		1		
A-102	1963	2	OUTX	-257		929		#N/A	33	COND	A-024	PCOND				0	0	0.000		4	O	HWN-1991-25
A-102	1963	2	STAT		N/A	929		#N/A	33							0	0	0.000		1		
A-102	1963	3	XIN	15		944		#N/A	33	CARB		OWW2						0.000		1		
A-102	1963	3	xin	166		1110		#N/A	33			WTR				0	0	0.000		4	O	HWN-1991-25
A-102	1963	3	SEND	-138		972		#N/A	33	SU		C-101				0	0	0.000		0		
A-102	1963	3	SEND	-138		834		#N/A	33	SU		C-101				0	0	0.000		4	O	HW-80379-4
A-102	1963	3	SEND	-407		427		#N/A	33	SU		C-105	OC 204 to 407			0	0	0.000		2		
A-102	1963	3	SEND	-245		182		#N/A	33	SU		C-106	OC 182 to 245		Shows 407 not 204	0	0	0.000		3	V	HW-80379-4
A-102	1963	3	SEND	-182		0		#N/A	33	SU		C-106			427 total for these 2	0	0	0.000		3	V	HW-80379-4
A-102	1963	3	STAT		N/A	0		#N/A	33						427 total for these 2	0	0	0.000		3	V	HW-80379-4
A-102	1963	4	XIN	276		276		#N/A	33	WTR		WTR	OC 423 to 276					0.000		1		
A-102	1963	4	rec	267		543		#N/A	33		A-101	A-101	sluicinginput, tosluicing		Shows 276	0	0	0.000		2	V	HWN-1991-25
A-102	1963	4	rec	487		1030		#N/A	33		A-105	A-105	sluicinginput			0	0	0.000		0		
A-102	1963	4	rec	1147		2177		#N/A	33		B-109	B-109	sluicinginput, whereto??			0	0	0.000		0		
A-102	1963	4	rec	122		2299		#N/A	33		C-101	C-101	sluicinginput			0	0	0.000		0		
A-102	1963	4	rec	66		2365		#N/A	33		C-106	C-106	sluicinginput, sluicing?			0	0	0.000		0		
A-102	1963	4	rec	214		2579		#N/A	33		B-103	B-103	sluicinginput			0	0	0.000		0		
A-102	1963	4	outx	-2223		356		#N/A	33			PCOND				0	0	0.000		0		
																0	0	0.000		0		
A-102	1963	4	STAT		356	356	0	#N/A	33					6 months report - rec'd 15M car Supernatant to C-Farm								
A-102	1964	1	rec	584		940		#N/A	33		A-104	A-104				0	0	0.000		1		
A-102	1964	1	rec	249		1189		#N/A	33			A-101				0	0	0.000		0		
A-102	1964	1	rec	46		1235		#N/A	33			A-106				0	0	0.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1964	1	send	-68		1167		#N/A	33			A-103				0	0	0.000		0		
A-102	1964	1	outx	-380		787		#N/A	33			PCOND				0	0	0.000		0		
A-102	1964	1	STAT		787	787	0	#N/A	33	P				Sluicing for sludge removal 6 months report								
A-102	1964	2	rec	106		893		#N/A	33		BX-109	BX-109	sluicing			0	0	0.000		1		
A-102	1964	2	rec	16		909		#N/A	33		C-106	C-106	sluicing?			0	0	0.000		0		
A-102	1964	2	rec	60		969		#N/A	33			C-105				0	0	0.000		0		
A-102	1964	2	STAT		N/A	969		#N/A	33							0	0	0.000		0		
A-102	1964	3	STAT		N/A	969		#N/A	33								0	0.000		1		
A-102	1964	4	rec	252		1221		#N/A	33		A-104	A-104					0	0.000		1		
A-102	1964	4	rec	17		1238		#N/A	33		C-106	C-106	sluicing?			0	0	0.000		0		
A-102	1964	4	rec	282		1520		#N/A	33			A-101				0	0	0.000		0		
A-102	1964	4	rec	484		2004		#N/A	33			A-106				0	0	0.000		0		
A-102	1964	4	rec	106		2110		#N/A	33			C-105				0	0	0.000		0		
A-102	1964	4	send	-94		2016		#N/A	33			A-103				0	0	0.000		0		
A-102	1964	4	outx	-1086		930		#N/A	33			PCOND				0	0	0.000		0		
A-102	1964	4	STAT		930	930	0	#N/A	33	P				Sluicing for sludge removal- 6 months report								
A-102	1965	1	xin	499		1429		#N/A	33			WTR				0	0	0.000		1		
A-102	1965	1	rec	151		1580		#N/A	33			A-101				0	0	0.000		0		
A-102	1965	1	send	-199		1381		#N/A	33			A-103				0	0	0.000		0		
A-102	1965	1	send	-13		1368		#N/A	33			A-105				0	0	0.000		0		
A-102	1965	1	send	-480		888		#N/A	33			AX-103				0	0	0.000		0		
A-102	1965	1	STAT		888	888	77	#N/A	33	P						0	0	0.000		0		
A-102	1965	2	rec	151		1039		#N/A	33		B-110	B-110	toselfboiling??	6 months report		0	0	0.000		1		
A-102	1965	2	rec	342		1381		#N/A	33		C-102	C-102				0	0	0.000		0		
A-102	1965	2	STAT		N/A	1381		#N/A	33							0	0	0.000		0		
A-102	1965	3	rec	61		1442		#N/A	33		B-110	B-110	toselfboiling??				0	0.000		1		
A-102	1965	3	rec	106		1548		#N/A	33			A-101				0	0	0.000		0		
A-102	1965	3	rec	171		1719		#N/A	33			A-104				0	0	0.000		0		
A-102	1965	3	rec	605		2324		#N/A	33			A-106				0	0	0.000		0		
A-102	1965	3	rec	262		2586		#N/A	33			AX-101				0	0	0.000		0		
A-102	1965	3	rec	1059		3645		#N/A	33			AX-103				0	0	0.000		0		
A-102	1965	3	send	-11		3634		#N/A	33			C-102				0	0	0.000		0		
A-102	1965	3	outx	-2713		921		#N/A	33			PCOND				0	0	0.000		0		
A-102	1965	3	STAT		921	921	77	#N/A	33	P						0	0	0.000		0		
A-102	1965	4	rec	35		956		#N/A	33		B-110	B-110	toselfboiling??			0	0	0.000		1		
A-102	1965	4	rec	20		976		#N/A	33			A-101				0	0	0.000		0		
A-102	1965	4	rec	78		1054		#N/A	33			A-104				0	0	0.000		0		
A-102	1965	4	rec	146		1200		#N/A	33			A-106				0	0	0.000		0		
A-102	1965	4	rec	179		1379		#N/A	33			AX-102				0	0	0.000		0		
A-102	1965	4	rec	1463		2842		#N/A	33			AX-103				0	0	0.000		0		
A-102	1965	4	rec	344		3186		#N/A	33			AX-104				0	0	0.000		0		
A-102	1965	4	send	-10		3176		#N/A	33			A-103				0	0	0.000		0		
A-102	1965	4	outx	-2260		916		#N/A	33			PCOND				0	0	0.000		0		
A-102	1965	4	STAT		916	916	77	#N/A	33	P						0	0	0.000		0		
A-102	1966	1	rec	99		1015		#N/A	33		B-110	B-110	toselfboiling??			0	0	0.000		1		
A-102	1966	1	rec	114		1129		#N/A	33			A-104				0	0	0.000		0		
A-102	1966	1	rec	141		1270		#N/A	33			A-106				0	0	0.000		0		
A-102	1966	1	rec	622		1892		#N/A	33			AX-103				0	0	0.000		0		
A-102	1966	1	send	-24		1868		#N/A	33			A-103				0	0	0.000		0		
A-102	1966	1	outx	-963		905		#N/A	33			PCOND				0	0	0.000		0		
A-102	1966	1	STAT		905	905	77	#N/A	33	P						0	0	0.000		0		
A-102	1966	2	rec	76		981		#N/A	33		A-103	A-103				0	0	0.000		1		
A-102	1966	2	rec	46		1027		#N/A	33			A-104				0	0	0.000		0		
A-102	1966	2	rec	104		1131		#N/A	33			A-106				0	0	0.000		0		
A-102	1966	2	rec	103		1234		#N/A	33			AX-101				0	0	0.000		0		
A-102	1966	2	rec	261		1495		#N/A	33			AX-103				0	0	0.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1966	2	rec	25		1520		#N/A	33			C-105				0	0	0.000		0		
A-102	1966	2	send	-45		1475		#N/A	33			AX-104				0	0	0.000		0		
A-102	1966	2	outx	-573		902		#N/A	33			PCOND				0	0	0.000		0		
A-102	1966	2	STAT		902	902	77	#N/A	33	P						0	0	0.000		0		
A-102	1966	3	rec	70		972		#N/A	33			A-101				0	0	0.000		1		
A-102	1966	3	rec	102		1074		#N/A	33			A-104				0	0	0.000		0		
A-102	1966	3	rec	137		1211		#N/A	33			A-106				0	0	0.000		0		
A-102	1966	3	send	-288		923		#N/A	33			AX-104				0	0	0.000		0		
A-102	1966	3	STAT		894	894	77	-29	4	P						0	0	0.000		0		
A-102	1966	4	rec	76		970		#N/A	4			A-101				0	0	0.000		1		
A-102	1966	4	rec	91		1061		#N/A	4			A-104				0	0	0.000		0		
A-102	1966	4	rec	119		1180		#N/A	4			A-106				0	0	0.000		0		
A-102	1966	4	rec	264		1444		#N/A	4			AX-104				0	0	0.000		0		
A-102	1966	4	rec	100		1544		#N/A	4			C-105				0	0	0.000		0		
A-102	1966	4	send	-83		1461		#N/A	4			A-103				0	0	0.000		0		
A-102	1966	4	outx	-556		905		#N/A	4			PCOND				0	0	0.000		0		
A-102	1966	4	STAT		905	905	77	#N/A	4	P						0	0	0.000		0		
A-102	1967	1	rec	64		969		#N/A	4			A-101				0	0	0.000		1		
A-102	1967	1	rec	100		1069		#N/A	4			A-104				0	0	0.000		0		
A-102	1967	1	rec	90		1159		#N/A	4			A-106				0	0	0.000		0		
A-102	1967	1	rec	305		1464		#N/A	4			AX-101				0	0	0.000		0		
A-102	1967	1	rec	271		1735		#N/A	4			AX-104				0	0	0.000		0		
A-102	1967	1	outx	-833		902		#N/A	4			PCOND				0	0	0.000		0		
A-102	1967	1	STAT		902	902	77	#N/A	4	P						0	0	0.000		0		
A-102	1967	2	rec	54		956		#N/A	4			A-101				0	0	0.000		1		
A-102	1967	2	rec	94		1050		#N/A	4			A-104				0	0	0.000		0		
A-102	1967	2	rec	114		1164		#N/A	4			A-106				0	0	0.000		0		
A-102	1967	2	rec	226		1390		#N/A	4			AX-101				0	0	0.000		0		
A-102	1967	2	rec	124		1514		#N/A	4			AX-102				0	0	0.000		0		
A-102	1967	2	rec	50		1564		#N/A	4			AX-103				0	0	0.000		0		
A-102	1967	2	rec	465		2029		#N/A	4			AX-104				0	0	0.000		0		
A-102	1967	2	outx	-1090		939		#N/A	4			PCOND				0	0	0.000		0		
A-102	1967	2	STAT		939	939	77	#N/A	4	P						0	0	0.000		0		
A-102	1967	3	rec	51		990		#N/A	4			A-101				0	0	0.000		1		
A-102	1967	3	rec	130		1120		#N/A	4			A-104				0	0	0.000		0		
A-102	1967	3	send	-555		565		#N/A	4			AX-102				0	0	0.000		0		
A-102	1967	3	rec	123		688		#N/A	4			A-106				0	0	0.000		0		
A-102	1967	3	rec	410		1098		#N/A	4			AX-101				0	0	0.000		0		
A-102	1967	3	rec	449		1547		#N/A	4			AX-104				0	0	0.000		0		
A-102	1967	3	outx	-615		932		#N/A	4			PCOND				0	0	0.000		0		
A-102	1967	3	STAT		932	932	102	#N/A	4	P						0	0	0.000		0		
A-102	1967	4	rec	62		994		#N/A	4			A-101				0	0	0.000		1		
A-102	1967	4	rec	66		1060		#N/A	4			A-104				0	0	0.000		0		
A-102	1967	4	rec	107		1167		#N/A	4			A-106				0	0	0.000		0		
A-102	1967	4	rec	60		1227		#N/A	4			AX-103				0	0	0.000		0		
A-102	1967	4	rec	339		1566		#N/A	4			AX-104				0	0	0.000		0		
A-102	1967	4	send	-24		1542		#N/A	4			A-103				0	0	0.000		0		
A-102	1967	4	send	-704		838		#N/A	4			AX-101				0	0	0.000		0		
A-102	1967	4	STAT		862	862	99	24	28	P						0	0	0.000		0		
A-102	1968	1	rec	25		887		#N/A	28			A-101				0	0	0.000		1		
A-102	1968	1	rec	103		990		#N/A	28			A-104				0	0	0.000		0		
A-102	1968	1	rec	102		1092		#N/A	28			A-106				0	0	0.000		0		
A-102	1968	1	rec	288		1380		#N/A	28			AX-101				0	0	0.000		0		
A-102	1968	1	rec	79		1459		#N/A	28			AX-103				0	0	0.000		0		
A-102	1968	1	rec	152		1611		#N/A	28			AX-104				0	0	0.000		0		
A-102	1968	1	SEND	-167		1444		#N/A	28	SU		A-103	°+135 to			0	0	0.000		0		
A-102	1968	1	send	-42		1402		#N/A	28			AX-102				0	0	0.000		0		
A-102	1968	1	outx	-761		641		#N/A	28			PCOND				0	0	0.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1968	1	STAT		641	641	99	#N/A	28	P				Equipped for boiling 135M to 103-A								
A-102	1968	2	REC	33		674		#N/A	28	SL	A-101	A-101				0	0	0.000		1		
A-102	1968	2	rec	549		1223		#N/A	28		A-103	A-103				0	0	0.000		1		
A-102	1968	2	send	-558		665		#N/A	28			A-105				0	0	0.000		0		
A-102	1968	2	rec	925		1590		#N/A	28			AX-101				0	0	0.000		0		
A-102	1968	2	rec	134		1724		#N/A	28			AX-103				0	0	0.000		0		
A-102	1968	2	rec	93		1817		#N/A	28			AX-104				0	0	0.000		0		
A-102	1968	2	outx	-1149		668		#N/A	28			PCOND				0	0	0.000		0		
A-102	1968	2	STAT		668	668	124	#N/A	28	P				Rec'd sludge waste from 101-B								
A-102	1968	3	REC	324		992		#N/A	28	SU	A-101	A-101				0	0	0.000		1		
A-102	1968	3	rec	82		1074		#N/A	28			A-103				0	0	0.000		4	O	ARH-871-9
A-102	1968	3	rec	61		1135		#N/A	28			A-106				0	0	0.000		0		
A-102	1968	3	rec	721		1856		#N/A	28			AX-101				0	0	0.000		0		
A-102	1968	3	rec	48		1904		#N/A	28			AX-103				0	0	0.000		0		
A-102	1968	3	SEND	-459		1445		#N/A	28	SU		A-103				0	0	0.000		0		
A-102	1968	3	send	-60		1385		#N/A	28			A-105				0	0	0.000		4	O	ARH-871-9
A-102	1968	3	outx	-920		465		#N/A	28			PCOND				0	0	0.000		0		
A-102	1968	3	STAT		465	465	127	#N/A	28	P				459M to 103-A 324M from 101-A								
A-102	1968	4	rec	62		527		#N/A	28			A-103				0	0	0.000		1		
A-102	1968	4	rec	1056		1583		#N/A	28			AX-101				0	0	0.000		0		
A-102	1968	4	rec	44		1627		#N/A	28			AX-103				0	0	0.000		0		
A-102	1968	4	send	-11		1616		#N/A	28			A-105				0	0	0.000		0		
A-102	1968	4	outx	-1176		440		#N/A	28			PCOND				0	0	0.000		0		
A-102	1968	4	STAT		440	440	127	#N/A	28	P						0	0	0.000		0		
A-102	1969	1	REC	33		473		#N/A	28	SL	A-101	A-101				0	0	0.000		1		
A-102	1969	1	rec	85		558		#N/A	28			A-101			No quantity stated	0	0	0.000		3	O	ARH-1200A-10
A-102	1969	1	rec	51		609		#N/A	28			A-103				0	0	0.000		0		
A-102	1969	1	rec	23		632		#N/A	28			A-104				0	0	0.000		0		
A-102	1969	1	rec	226		858		#N/A	28			AX-101				0	0	0.000		0		
A-102	1969	1	rec	28		886		#N/A	28			AX-103				0	0	0.000		0		
A-102	1969	1	rec	96		982		#N/A	28			AX-104				0	0	0.000		0		
A-102	1969	1	outx	-316		666		#N/A	28			PCOND				0	0	0.000		0		
A-102	1969	1	STAT		666	666	146	#N/A	28	P						0	0	0.000		0		
A-102	1969	2	REC	331		997		#N/A	28	SU	A-106	A-106		Rec'd sludge 101-A		0	0	0.000		1		
A-102	1969	2	REC	193		1190		#N/A	28	SU	A-106	A-106				0	0	0.000		4	O	ARH-1200B-10
A-102	1969	2	send	-83		1107		#N/A	28			A-106				0	0	0.000		4	O	ARH-1200B-10
A-102	1969	2	SEND	-278		829		#N/A	28	SU		C-105			516 total for these 2	0	0	0.000		0		
A-102	1969	2	SEND	-238		591		#N/A	28	SU		C-105	OC 242 to 238		516 total for these 2	0	0	0.000		3	V	ARH-1200B-5/ARH-1200B-10 SEND
A-102	1969	2	STAT		591	591	154	#N/A	28	P			REC total 524, SEND total - 516	516M to 105-C;; 524 from 106-A		0	0	0.000		3	V	ARH-1200B-5/ARH-1200B-10 SEND
A-102	1969	3	REC	473		1064		#N/A	28	SU	A-106	A-106				0	0	0.000		1		
A-102	1969	3	REC	204		1268		#N/A	28	SU	A-106	A-106				0	0	0.000		4	O	ARH-1200C-10
A-102	1969	3	send	-88		1180		#N/A	28			A-106				0	0	0.000		4	O	ARH-1200C-10
A-102	1969	3	SEND	-196		984		#N/A	28	SU		C-105				0	0	0.000		0		
A-102	1969	3	SEND	-156		828		#N/A	28			C-105	OC 165 to 156,C-102 to C-105		Omission, 156,XFER to C-105	0	0	0.000		4	O	ARH-1200C-10
A-102	1969	3	SEND	-149		679		#N/A	28	SU		C-105				0	0	0.000		3	M/V	ARH-1200C-10
A-102	1969	3	STAT		679	679	149	#N/A	28	P			REC 677	680 from 106-A		0	0	0.000		4	O	ARH-1200C-10
A-102	1969	4	REC	410		1089		#N/A	28	SU	A-103	A-103				0	0	0.000		1		
A-102	1969	4	REC	328		1417		#N/A	28		A-106	A-106	OC A-101 to A-102		Omission, XFER to A-102	0	0	0.000		4	O	ARH-1200D-10
A-102	1969	4	send	-98		1319		#N/A	28			A-106				0	0	0.000		3	M/V	ARH-1200D-10
A-102	1969	4	SEND	-443		876		#N/A	28	SU		C-105				0	0	0.000		0		
A-102	1969	4	SEND	-166		710		#N/A	28	SU		C-105				0	0	0.000		4	O	ARH-1200D-5
																0	0	0.000		4	O	ARH-1200D-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
A-102	1969	4	STAT		710	710	149	#N/A	28	P			REC total 738, SEND total - 609	738M from 103 & 106-A;; 609M to 105-C		0	0	0.000		1		
A-102	1970	1	send	-124		586		#N/A	28			A-106				0	0	0.000		0		
A-102	1970	1	SEND	-171		415		#N/A	28	SU		C-105				0	0	0.000		4	O	ARH-1666A-5
A-102	1970	1	STAT		415	415	138	#N/A	28	P				171M to 105-C		0	0	0.000		1		
A-102	1970	2	SEND	-206		209		#N/A	28	SU		C-105										ARH-1666B-5, ARH-1666B 10 SEND
A-102	1970	2	STAT		206	206	146	-3	25	P						0	0	0.000		4	O	
A-102	1970	3	STAT		205	205	148	-1	24	P				206M to 105-C		0	0	0.000		1		
A-102	1970	4	REC	50		255		#N/A	24		A-106	A-106				0	0	0.000		1		
A-102	1970	4	REC	194		449		#N/A	24	SU	C-106	C-106			Omission	0	0	0.000		3	V	ARH-1666D-10
A-102	1970	4	send	-114		335		#N/A	24			A-106				0	0	0.000		4	O	ARH-1666D-5
A-102	1970	4	STAT		335	335	154	#N/A	24	P,PSS						0	0	0.000		0		
A-102	1971	1	XIN	81		416		#N/A	24	WTR		WTR	Omis. REC TK-417	194M from 106-C;; 50 from 106-A		0	0	0.000		1		
A-102	1971	1	SEND	-194		222		#N/A	24	SU		C-106			Omission	0	0	0.000		3	V	ARH-2074A-10
A-102	1971	1	STAT		193	193	154	-29	-5	P,PSS				81M from 417-TK, 194 to 106-C		0	0	0.000		4	O	ARH-2074-A5
A-102	1971	2	STAT		206	206	154	13	8	P,PSS						0	0	0.000		1		
A-102	1971	3	STAT		206	206	154	#N/A	8	P,PSS						0	0	0.000		1		
A-102	1971	4	REC	39		245		#N/A	8	SU	A-106	A-106				0	0	0.000		1		
A-102	1971	4	STAT		242	242	154	-3	5	P,PSS						0	0	0.000		4	O	ARH-2074D-10
A-102	1972	1	STAT		246	246	154	4	9	P,PSS				39M from 106-A		0	0	0.000		1		
A-102	1972	2	STAT		256	256	154	10	19	P,PSS						0	0	0.000		1		
A-102	1972	3	send	-81		175		#N/A	19			A-106				0	0	0.000		1		
A-102	1972	3	STAT		175	175	154	#N/A	19	PSS						0	0	0.000		0		
A-102	1972	4	outx	-85		90		#N/A	19	SL	SRR	SRR	17 AR at C-105			0	0	0.000		1		
A-102	1972	4	STAT		96	96	69	6	25	PSS				Sluicing		0	0	0.000		0		
A-102	1973	1	outx	-40		56		#N/A	25	SL	SRR	SRR	8 AR at C-105			0	0	0.000		1		
A-102	1973	1	STAT		39	39	39	-17	8							0	0	0.000		0		
A-102	1973	2	SEND	-19		20		#N/A	8	SU		A-103				0	0	0.000		1		
A-102	1973	2	SEND	0		20		#N/A	8	SL	A-103	A-103	*-24 TO 0 DBL ACCT			0	0	0.000		4	O	ARH-2794B-9
A-102	1973	2	STAT		30	30	15	10	18	H2O							0	0.000		1		
A-102	1973	3	STAT		32	32	15	2	20	H2O				Sluicing 19M to 103-A		0	0	0.000		1		
A-102	1973	4	STAT		30	30	15	-2	18	H2O						0	0	0.000		1		
A-102	1974	1	rec	41		71		#N/A	18		AX-103	AX-103				0	0	0.000		1		
A-102	1974	1	outx	-15		56		#N/A	18	SL	SRR	SRR	3 AR at C-105			0	0	0.000		0		
A-102	1974	1	STAT		56	56	0	#N/A	18	H2O				Sluicing completed Feb. 1974		0	0	0.000		1		
A-102	1974	2	STAT		56	56	0	#N/A	18	H2O				Sluicing completed Feb. 1974		0	0	0.000		1		
A-102	1974	3	xin	27		83		#N/A	18	AR		AR	LC added as per AND comment			0	0	0.000		1		
A-102	1974	3	XIN	46		129		#N/A	18	SRR		SRR				0.00763359	0.3511	0.351	SRR	2		
A-102	1974	3	rec	44		173		#N/A	18		AX-103	AX-103				0	0	0.351		0		
A-102	1974	3	STAT		173	173	0	#N/A	18	B				46M from B Plant, 27M from AR Vault Sluic. comp. 9-74		0	0	0.351		1		
A-102	1974	4	XIN	29		202		#N/A	18	AR		AR	Omis.		Omission	0	0	0.351		3	V	ARH-CD-133D-9
A-102	1974	4	XIN	104		306		#N/A	18	SRR		SRR				0.00763359	0.7939	1.145	SRR	4	O	ARH-CD-133D-9
A-102	1974	4	REC	276		582		#N/A	18	SU	A-106	A-106				0	0	1.145		4	O	ARH-CD-133D-9
A-102	1974	4	rec	70		652		#N/A	18		AX-103	AX-103				0	0	1.145		0		
A-102	1974	4	STAT		652	652	17	#N/A	18	B				104M from B Plant;; 276M from 106-A, 29M from AR Vault		0	0	1.145		1		
A-102	1975	1	XIN	49		701		#N/A	18	AR		AR	Omis.		Omission	0	0	1.145		3	V	ARH-CD-336A-9
A-102	1975	1	XIN	147		848		#N/A	18	SRR		SRR				0.00763359	1.1221	2.267	SRR	4	O	ARH-CD-336A-9
A-102	1975	1	STAT		839	839	17	-9	9	B				147M from B Plant;; 49M from AR Vault		0	0	2.267		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
A-102	1975	2	XIN	17		856		#N/A	9	AR		AR	Omis.		Omission	0	0	2.267		3	V	ARH-CD-336B-9
A-102	1975	2	XIN	96		952		#N/A	9	SRR		SRR				0.00763359	0.7328	3.000	SRR	4	O	ARH-CD-336B-9
A-102	1975	2	STAT		952	952	17	#N/A	9	B				96M from B Plant;; 17M from AR Vault								
A-102	1975	3	XIN	3		955		#N/A	9	B	B PLAN	B	Omis.			0	0	3.000		1		
A-102	1975	3	XIN	11		966		#N/A	9	WTR		WTR	Omis.		Omission	0	0	3.000		2	V	ARH-CD-336C-9
A-102	1975	3	SEND	-276		690		#N/A	9			A-101			Omission	0	0	3.000		2	V	ARH-CD-336C-9
															Omission	0	0	3.000		3	V	ARH-CD-336C-9
A-102	1975	3	STAT		693	693	17	3	12	B				Sluicing completed Sept. 1974								
A-102	1975	4	STAT		690	690	17	-3	9	B						0	0	3.000		1		
A-102	1976	1	XIN	6		696		#N/A	9	WTR		WTR				0	0	3.000		1		
A-102	1976	1	SEND	-338		358		#N/A	9	SU		A-103				0	0	3.000		4	O	ARH-CD-702A-9
A-102	1976	1	SEND	-163		195		#N/A	9	SU		A-106				0	0	3.000		4	O	ARH-CD-702A-9
A-102	1976	1	SEND	-16		179		#N/A	9	SL		A-106				0	0	3.000		4	O	ARH-CD-702A-9
A-102	1976	1	SEND	-130		49		#N/A	9	SU		C-104				0	0	3.000		1		
																0	0	3.000		4	O	ARH-CD-702A-4
A-102	1976	1	STAT		72	72	1	23	32	B				Sluicing;; 130M to 104-C;; 6M H20;; 338M to 103-A; 163M to 106-A								
A-102	1976	2	STAT		39	39	2	-33	-1	H2O						0	0	3.000		1		
A-102	1976	3	rec	85		124		#N/A	-1			C-104		Sluicing completed April 1976		0	0	3.000		1		
A-102	1976	3	rec	77		201		#N/A	-1			C-106				0	0	3.000		0		
A-102	1976	3	send	-66		135		#N/A	-1			A-103				0	0	3.000		0		
A-102	1976	3	send	-47		88		#N/A	-1			BX-104				0	0	3.000		0		
A-102	1976	3	outx	-82		6		#N/A	-1			A1COND				0	0	3.000		0		
A-102	1976	3	STAT		6	6	6	#N/A	-1	H2O						0	0	3.000		0		
A-102	1976	4	rec	91		97		#N/A	-1			A-103				0	0	3.000		1		
A-102	1976	4	rec	695		792		#N/A	-1			AX-102				0	0	3.000		0		
A-102	1976	4	rec	154		946		#N/A	-1		AY-102	AY-102				0	0	3.000		0		
A-102	1976	4	rec	64		1010		#N/A	-1		BX-104	BX-104				0	0	3.000		0		
A-102	1976	4	rec	72		1082		#N/A	-1		BX-105	BX-105				0	0	3.000		0		
A-102	1976	4	rec	222		1304		#N/A	-1		BX-106	BX-106				0	0	3.000		0		
A-102	1976	4	rec	154		1458		#N/A	-1		BY-101	BY-101				0	0	3.000		0		
A-102	1976	4	rec	49		1507		#N/A	-1		BY-104	BY-104				0	0	3.000		0		
A-102	1976	4	rec	47		1554		#N/A	-1		C-104	C-104				0	0	3.000		0		
A-102	1976	4	rec	189		1743		#N/A	-1			C-106				0	0	3.000		0		
A-102	1976	4	xin	689		2432		#N/A	-1			water				0	0	3.000		0		
A-102	1976	4	send	-773		1659		#N/A	-1			A-101				0	0	3.000		0		
A-102	1976	4	send	-149		1510		#N/A	-1			A-106				0	0	3.000		0		
A-102	1976	4	send	-63		1447		#N/A	-1			AX-101				0	0	3.000		0		
A-102	1976	4	send	-528		919		#N/A	-1			AX-104				0	0	3.000		0		
A-102	1976	4	send	-50		869		#N/A	-1			AZ-101				0	0	3.000		0		
A-102	1976	4	send	-396		473		#N/A	-1			AZ-102				0	0	3.000		0		
A-102	1976	4	send	-20		453		#N/A	-1			BX-103				0	0	3.000		0		
A-102	1976	4	send	-24		429		#N/A	-1			C-103				0	0	3.000		0		
A-102	1976	4	STAT		429	429	3	#N/A	-1	EF						0	0	3.000		0		
A-102	1977	1	xin	86		515		#N/A	-1			WTR		Evap. feed Dil		0	0	3.000		1		
A-102	1977	1	rec	121		636		#N/A	-1		A-101	A-101				0	0	3.000		0		
A-102	1977	1	rec	30		666		#N/A	-1		A-106	A-106				0	0	3.000		0		
A-102	1977	1	rec	53		719		#N/A	-1			AX-102				0	0	3.000		0		
A-102	1977	1	rec	618		1337		#N/A	-1		AX-104	AX-104				0	0	3.000		0		
A-102	1977	1	rec	35		1372		#N/A	-1		BX-111	BX-111				0	0	3.000		0		
A-102	1977	1	rec	121		1493		#N/A	-1		BY-101	BY-101				0	0	3.000		0		
A-102	1977	1	rec	33		1526		#N/A	-1		BY-102	BY-102				0	0	3.000		0		
A-102	1977	1	rec	36		1562		#N/A	-1		BY-104	BY-104				0	0	3.000		0		
A-102	1977	1	rec	91		1653		#N/A	-1		BY-106	BY-106				0	0	3.000		0		
A-102	1977	1	rec	137		1790		#N/A	-1		BY-109	BY-109				0	0	3.000		0		
A-102	1977	1	rec	69		1859		#N/A	-1		BY-110	BY-110				0	0	3.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1977	1	xin	443		2302		#N/A	-1			water				0	0	3.000		0		
A-102	1977	1	send	-484		1818		#N/A	-1			A-103				0	0	3.000		0		
A-102	1977	1	send	-220		1598		#N/A	-1			AX-101				0	0	3.000		0		
A-102	1977	1	send	-233		1365		#N/A	-1			AZ-102				0	0	3.000		0		
A-102	1977	1	send	-11		1354		#N/A	-1			BX-103				0	0	3.000		0		
A-102	1977	1	send	-212		1142		#N/A	-1			BX-104				0	0	3.000		0		
A-102	1977	1	send	-36		1106		#N/A	-1			BX-105				0	0	3.000		0		
A-102	1977	1	send	-132		974		#N/A	-1			BX-106				0	0	3.000		0		
A-102	1977	1	send	-39		935		#N/A	-1			C-103				0	0	3.000		0		
A-102	1977	1	send	-33		902		#N/A	-1			C-104				0	0	3.000		0		
A-102	1977	1	send	-140		762		#N/A	-1			C-106				0	0	3.000		0		
A-102	1977	1	STAT		762	762	3	#N/A	-1	EVAP						0	0	3.000		0		
A-102	1977	2	rec	47		809		#N/A	-1		A-101	A-101		Evap. feed dil., feed & dump		0	0	3.000		1		
A-102	1977	2	rec	385		1194		#N/A	-1		A-103	A-103				0	0	3.000		0		
A-102	1977	2	rec	5		1199		#N/A	-1		AX-102	AX-102				0	0	3.000		0		
A-102	1977	2	rec	110		1309		#N/A	-1		AX-104	AX-104				0	0	3.000		0		
A-102	1977	2	rec	41		1350		#N/A	-1		B-103	B-103				0	0	3.000		0		
A-102	1977	2	rec	44		1394		#N/A	-1		B-108	B-108				0	0	3.000		0		
A-102	1977	2	rec	110		1504		#N/A	-1		B-109	B-109				0	0	3.000		0		
A-102	1977	2	rec	259		1763		#N/A	-1		B-112	B-112				0	0	3.000		0		
A-102	1977	2	rec	113		1876		#N/A	-1		BX-103	BX-103				0	0	3.000		0		
A-102	1977	2	rec	74		1950		#N/A	-1		BX-104	BX-104				0	0	3.000		0		
A-102	1977	2	rec	45		1995		#N/A	-1		BX-105	BX-105				0	0	3.000		0		
A-102	1977	2	rec	163		2158		#N/A	-1		BX-106	BX-106				0	0	3.000		0		
A-102	1977	2	rec	99		2257		#N/A	-1		BX-107	BX-107				0	0	3.000		0		
A-102	1977	2	rec	250		2507		#N/A	-1		BX-110	BX-110				0	0	3.000		0		
A-102	1977	2	rec	215		2722		#N/A	-1		BX-111	BX-111				0	0	3.000		0		
A-102	1977	2	rec	24		2746		#N/A	-1		BX-112	BX-112				0	0	3.000		0		
A-102	1977	2	rec	11		2757		#N/A	-1		BY-101	BY-101				0	0	3.000		0		
A-102	1977	2	rec	143		2900		#N/A	-1		BY-102	BY-102				0	0	3.000		0		
A-102	1977	2	rec	17		2917		#N/A	-1		BY-109	BY-109				0	0	3.000		0		
A-102	1977	2	rec	77		2994		#N/A	-1		BY-110	BY-110				0	0	3.000		0		
A-102	1977	2	rec	55		3049		#N/A	-1		BY-111	BY-111				0	0	3.000		0		
A-102	1977	2	outx	-1021		2028		#N/A	-1			A1COND				0	0	3.000		0		
A-102	1977	2	send	-674		1354		#N/A	-1			AX-101				0	0	3.000		0		
A-102	1977	2	send	-198		1156		#N/A	-1			AY-102				0	0	3.000		0		
A-102	1977	2	send	-237		919		#N/A	-1			AZ-102				0	0	3.000		0		
A-102	1977	2	send	-3		916		#N/A	-1			C-103				0	0	3.000		0		
A-102	1977	2	send	-47		869		#N/A	-1			C-104				0	0	3.000		0		
A-102	1977	2	send	-107		762		#N/A	-1			C-106				0	0	3.000		0		
A-102	1977	2	STAT		762	762	3	#N/A	-1	EVAP						0	0	3.000		0		
A-102	1977	3	rec	44		806		#N/A	-1		AX-104	AX-104				0	0	3.000		1		
A-102	1977	3	rec	39		845		#N/A	-1		AY-102	AY-102				0	0	3.000		0		
A-102	1977	3	rec	215		1060		#N/A	-1		AZ-102	AZ-102				0	0	3.000		0		
A-102	1977	3	rec	36		1096		#N/A	-1		B-102	B-102				0	0	3.000		0		
A-102	1977	3	rec	11		1107		#N/A	-1		B-109	B-109				0	0	3.000		0		
A-102	1977	3	rec	33		1140		#N/A	-1		B-112	B-112				0	0	3.000		0		
A-102	1977	3	rec	132		1272		#N/A	-1		BX-104	BX-104				0	0	3.000		0		
A-102	1977	3	rec	296		1568		#N/A	-1		BX-105	BX-105				0	0	3.000		0		
A-102	1977	3	rec	27		1595		#N/A	-1		BX-106	BX-106				0	0	3.000		0		
A-102	1977	3	rec	30		1625		#N/A	-1		BX-111	BX-111				0	0	3.000		0		
A-102	1977	3	rec	14		1639		#N/A	-1		BY-102	BY-102				0	0	3.000		0		
A-102	1977	3	rec	105		1744		#N/A	-1		BY-111	BY-111				0	0	3.000		0		
A-102	1977	3	rec	113		1857		#N/A	-1		C-103	C-103				0	0	3.000		0		
A-102	1977	3	rec	119		1976		#N/A	-1		C-104	C-104				0	0	3.000		0		
A-102	1977	3	rec	82		2058		#N/A	-1		C-106	C-106				0	0	3.000		0		
A-102	1977	3	outx	-948		1110		#N/A	-1			A1COND				0	0	3.000		0		
A-102	1977	3	send	-206		904		#N/A	-1			A-101				0	0	3.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1977	3	send	-418		486		#N/A	-1			A-103				0	0	3.000		0		
A-102	1977	3	send	-24		462		#N/A	-1			AX-102				0	0	3.000		0		
A-102	1977	3	send	-96		366		#N/A	-1			AZ-101				0	0	3.000		0		
A-102	1977	3	send	-33		333		#N/A	-1			BY-106				0	0	3.000		0		
A-102	1977	3	send	-17		316		#N/A	-1			BY-110				0	0	3.000		0		
A-102	1977	3	STAT		316	316	3	#N/A	-1	EVAP						0	0	3.000		0		
A-102	1977	4	xin	689		1005		#N/A	-1			WTR				0	0	3.000		1		
A-102	1977	4	send	0		1005		#N/A	-1			A-106				0	0	3.000		0		
A-102	1977	4	rec	13		1018		#N/A	-1		A-106	A-106				0	0	3.000		0		
A-102	1977	4	rec	2		1020		#N/A	-1		AX-102	AX-102				0	0	3.000		0		
A-102	1977	4	rec	0		1020		#N/A	-1		AY-101	AY-101				0	0	3.000		0		
A-102	1977	4	rec	9		1029		#N/A	-1		B-108	B-108				0	0	3.000		0		
A-102	1977	4	rec	99		1128		#N/A	-1		BX-104	BX-104				0	0	3.000		0		
A-102	1977	4	rec	14		1142		#N/A	-1		C-106	C-106				0	0	3.000		0		
A-102	1977	4	rec	83		1225		#N/A	-1			C-107				0	0	3.000		0		
A-102	1977	4	send	-6		1219		#N/A	-1			A-101				0	0	3.000		0		
A-102	1977	4	send	-121		1098		#N/A	-1			A-103				0	0	3.000		0		
A-102	1977	4	send	-445		653		#N/A	-1			AZ-101				0	0	3.000		0		
A-102	1977	4	send	-3		650		#N/A	-1			BX-111				0	0	3.000		0		
A-102	1977	4	send	-11		639		#N/A	-1			BY-110				0	0	3.000		0		
A-102	1977	4	send	-105		534		#N/A	-1			BY-111				0	0	3.000		0		
A-102	1977	4	send	-148		386		#N/A	-1			C-103				0	0	3.000		0		
A-102	1977	4	send	-6		380		#N/A	-1			C-104				0	0	3.000		0		
A-102	1977	4	STAT		385	385	6	5	4	EVAP						0	0	3.000		1		
A-102	1978	1	xin	290		675		#N/A	4			WTR				0	0	3.000		0		
A-102	1978	1	REC	205		880		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	1	REC	77		957		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	1	REC	50		1007		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	1	REC	42		1049		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	1	REC	21		1070		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	1	REC	17		1087		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	1	rec	41		1128		#N/A	4		BY-107	BY-107				0	0	3.000		0		
A-102	1978	1	REC	44		1172		#N/A	4	SU	C-106	C-106	*237 to			0	0	3.000		1		
A-102	1978	1	send	-315		857		#N/A	4	SU		A-101	*-1 to			0	0	3.000		0		
A-102	1978	1	send	-154		703		#N/A	4			A-103				0	0	3.000		0		
A-102	1978	1	send	-46		657		#N/A	4			A-106				0	0	3.000		0		
A-102	1978	1	send	-130		527		#N/A	4			AY-102				0	0	3.000		0		
A-102	1978	1	send	-15		512		#N/A	4			AZ-101				0	0	3.000		0		
A-102	1978	1	send	-11		501		#N/A	4			BY-109				0	0	3.000		0		
A-102	1978	1	send	-11		490		#N/A	4			BY-110				0	0	3.000		0		
A-102	1978	1	send	-11		479		#N/A	4			C-103				0	0	3.000		0		
A-102	1978	1	send	-352		127		#N/A	4	SU		C-104	*-165 to			0	0	3.000		0		
A-102	1978	1	rec	280		407		#N/A	4		BX-104	BX-104				0	0	3.000		0		
A-102	1978	1	STAT		407	407	8	#N/A	4	EVAP						0	0	3.000		1		
A-102	1978	2	rec	11		418		#N/A	4		A-101	A-101				0	0	3.000		0		
A-102	1978	2	rec	79		497		#N/A	4		A-106	A-106				0	0	3.000		0		
A-102	1978	2	REC	920		1417		#N/A	4	SU	AZ-101	AZ-101				0	0	3.000		1		
A-102	1978	2	REC	433		1850		#N/A	4	SU	AZ-102	AZ-102				0	0	3.000		1		
A-102	1978	2	REC	272		2122		#N/A	4	SU	AZ-102	AZ-102	*-82 to -272			0	0	3.000		1		
A-102	1978	2	REC	250		2372		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1978	2	rec	62		2434		#N/A	4		BX-105	BX-105				0	0	3.000		0		
A-102	1978	2	rec	19		2453		#N/A	4		BY-102	BY-102				0	0	3.000		0		
A-102	1978	2	REC	80		2533		#N/A	4	SU	C-104	C-104	*+171 to			0	0	3.000		1		
A-102	1978	2	REC	159		2692		#N/A	4	SU	C-106	C-106				0	0	3.000		1		
A-102	1978	2	outx	-234		2458		#N/A	4			A1COND				0	0	3.000		0		
A-102	1978	2	send	-5		2453		#N/A	4			A-103				0	0	3.000		0		
A-102	1978	2	send	-928		1525		#N/A	4			AX-102				0	0	3.000		0		
A-102	1978	2	send	-126		1399		#N/A	4			AY-101				0	0	3.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1978	2	send	-27		1372		#N/A	4			AY-102				0	0	3.000		0		
A-102	1978	2	send	-290		1082		#N/A	4	SU		BX-104	*-188 to			0	0	3.000		0		
A-102	1978	2	send	-8		1074		#N/A	4			BY-110				0	0	3.000		0		
A-102	1978	2	send	-25		1049		#N/A	4			C-103				0	0	3.000		0		
A-102	1978	2	send	-260		789		#N/A	4	SU		C-106	*-1 to			0	0	3.000		0		
A-102	1978	2	STAT		789	789	17	#N/A	4	NCPLX						0	0	3.000		0		
A-102	1978	3	REC	120		909		#N/A	4	SU	A-101	A-101	*+44 to			0	0	3.000		1		
A-102	1978	3	REC	118		1027		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	3	REC	14		1041		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1978	3	REC	58		1099		#N/A	4	SU	A-103	A-103				0	0	3.000		1		
A-102	1978	3	outx	-356		743		#N/A	4			A1COND				0	0	3.000		1		
A-102	1978	3	send	-288		455		#N/A	4			SY-102				0	0	3.000		0		
A-102	1978	3	send	-226		229		#N/A	4	SU		A-103	*-43 to			0	0	3.000		0		
A-102	1978	3	send	-124		105		#N/A	4			AY-101				0	0	3.000		0		
A-102	1978	3	send	-8		97		#N/A	4	SU		AY-102	*-322 to 8			0	0	3.000		0		
A-102	1978	3	send	-221		-124		#N/A	4			AZ-101				0	0	3.000		0		
A-102	1978	3	send	-3		-127		#N/A	4			BY-110				0	0	3.000		0		
A-102	1978	3	rec	240		113		#N/A	4		AX-101	AX-101				0	0	3.000		0		
A-102	1978	3	send	-157		-44		#N/A	4			C-104				0	0	3.000		0		
A-102	1978	3	send	-88		-132		#N/A	4			C-106				0	0	3.000		0		
A-102	1978	3	rec	11		-121		#N/A	4		A-106	A-106				0	0	3.000		0		
A-102	1978	3	rec	121		0		#N/A	4		AX-102	AX-102				0	0	3.000		0		
A-102	1978	3	REC	125		125		#N/A	4	SU	BX-104	BX-104	*+216 to 125			0	0	3.000		1		
A-102	1978	3	rec	18		143		#N/A	4		C-103	C-103				0	0	3.000		0		
A-102	1978	3	STAT		143	143	11	#N/A	4	NCPLX				Solids Deter. 9/14/78		0	0	3.000		1		
A-102	1978	4	xin	1803		1946		#N/A	4			WTR				0	0	3.000		0		
A-102	1978	4	rec	14		1960		#N/A	4		A-101	A-101				0	0	3.000		0		
A-102	1978	4	rec	3		1963		#N/A	4		AX-102	AX-102				0	0	3.000		0		
A-102	1978	4	rec	9		1972		#N/A	4		BX-112	BX-112				0	0	3.000		0		
A-102	1978	4	rec	22		1994		#N/A	4		C-106	C-106				0	0	3.000		0		
A-102	1978	4	send	-399		1595		#N/A	4			A-103				0	0	3.000		0		
A-102	1978	4	send	-558		1037		#N/A	4	SU		BX-104	*-138 to			0	0	3.000		0		
A-102	1978	4	send	-54		983		#N/A	4			C-103				0	0	3.000		0		
A-102	1978	4	send	-86		897		#N/A	4			C-104				0	0	3.000		0		
A-102	1978	4	STAT		897	897	17	#N/A	4	DSSF				New Photo 9/5/78		0	0	3.000		1		
A-102	1979	1	send	-460		437		#N/A	4	SU		A-101	*-358 to			0	0	3.000		0		
A-102	1979	1	REC	300		737		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	1	REC	264		1001		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	1	REC	215		1216		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	1	REC	187		1403		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	1	REC	50		1453		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	1	REC	622		2075		#N/A	4	SU	A-103	A-103				0	0	3.000		1		
A-102	1979	1	send	-966		1109		#N/A	4	SU		AX-103	*-409 to			0	0	3.000		0		
A-102	1979	1	REC	287		1396		#N/A	4	SU	AX-103	AX-103				0	0	3.000		1		
A-102	1979	1	REC	176		1572		#N/A	4	SU	AX-103	AX-103				0	0	3.000		1		
A-102	1979	1	REC	176		1748		#N/A	4	SU	BX-104	BX-104	*+189 to			0	0	3.000		1		
A-102	1979	1	REC	149		1897		#N/A	4	SU	C-104	C-104	*+186 to			0	0	3.000		1		
A-102	1979	1	REC	209		2106		#N/A	4	SU	C-106	C-106				0	0	3.000		1		
A-102	1979	1	REC	11		2117		#N/A	4	SU	C-106	C-106	*+40 to			0	0	3.000		1		
A-102	1979	1	outx	-1285		832		#N/A	4			A1COND				0	0	3.000		0		
A-102	1979	1	send	-256		576		#N/A	4	SU		A-103	*-40 to			0	0	3.000		0		
A-102	1979	1	send	-55		521		#N/A	4			A-106				0	0	3.000		0		
A-102	1979	1	send	-14		507		#N/A	4			AX-102				0	0	3.000		0		
A-102	1979	1	send	-154		353		#N/A	4			AY-101				0	0	3.000		0		
A-102	1979	1	send	-34		319		#N/A	4			BY-110				0	0	3.000		0		
A-102	1979	1	STAT		319	319	17	#N/A	4	CPLX						0	0	3.000		1		
A-102	1979	2	xin	77		396		#N/A	4			WTR				0	0	3.000		0		
A-102	1979	2	rec	117		513		#N/A	4		BX-104	BX-104				0	0	3.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1979	2	rec	33		546		#N/A	4		BY-110	BY-110				0	0	3.000		0		
A-102	1979	2	send	-130		416		#N/A	4			A-101				0	0	3.000		0		
A-102	1979	2	send	-168		248		#N/A	4			A-103				0	0	3.000		0		
A-102	1979	2	send	-13		235		#N/A	4			A-106				0	0	3.000		0		
A-102	1979	2	send	-50		185		#N/A	4			AY-101				0	0	3.000		0		
A-102	1979	2	send	-30		155		#N/A	4			C-104				0	0	3.000		0		
A-102	1979	2	send	-17		138		#N/A	4			C-106				0	0	3.000		0		
A-102	1979	2	STAT		138	138	17	#N/A	4	CPLX				New Photo 5/11/79		0	0	3.000		1		
A-102	1979	3	xin	655		793		#N/A	4			WTR				0	0	3.000		0		
A-102	1979	3	rec	20		813		#N/A	4		A-105	A-105				0	0	3.000		0		
A-102	1979	3	rec	93		906		#N/A	4		C-104	C-104				0	0	3.000		0		
A-102	1979	3	REC	430		1336		#N/A	4	SU	BX-104	BX-104	*+441 to			0	0	3.000		1		
A-102	1979	3	REC	304		1640		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1979	3	send	-217		1423		#N/A	4			A-101				0	0	3.000		0		
A-102	1979	3	send	-6		1417		#N/A	4			A-103				0	0	3.000		0		
A-102	1979	3	SEND	-220		1197		#N/A	4	SU		AX-102	*+108 to			0	0	3.000		1		
A-102	1979	3	send	-343		854		#N/A	4			AX-103				0	0	3.000		0		
A-102	1979	3	send	-26		828		#N/A	4			BY-110				0	0	3.000		0		
A-102	1979	3	STAT		828	828	17	#N/A	4	CPLX						0	0	3.000		1		
A-102	1979	4	SEND	-773		55		#N/A	4	SU		A-101				0	0	3.000		1		
A-102	1979	4	REC	770		825		#N/A	4	SU	A-101	A-101	*+527 to			0	0	3.000		1		
A-102	1979	4	SEND	-465		360		#N/A	4	SU		A-101				0	0	3.000		1		
A-102	1979	4	REC	382		742		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	4	REC	328		1070		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	4	REC	239		1309		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1979	4	rec	17		1326		#N/A	4		A-103	A-103				0	0	3.000		0		
A-102	1979	4	SEND	-525		801		#N/A	4	SU		A-106				0	0	3.000		1		
A-102	1979	4	REC	533		1334		#N/A	4	SU	A-106	A-106	*+521 to			0	0	3.000		1		
A-102	1979	4	REC	577		1911		#N/A	4	SU	AX-101	AX-101	*+369 to			0	0	3.000		1		
A-102	1979	4	REC	161		2072		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1979	4	REC	107		2179		#N/A	4	SU	BX-104	BX-104	*+177 to			0	0	3.000		1		
A-102	1979	4	REC	469		2648		#N/A	4	SU	BX-105	BX-105	*+185 to			0	0	3.000		1		
A-102	1979	4	send	-857		1791		#N/A	4			SY-102				0	0	3.000		0		
A-102	1979	4	outx	-928		863		#N/A	4			A1COND				0	0	3.000		0		
A-102	1979	4	SEND	-481		382		#N/A	4	SU		AX-101				0	0	3.000		1		
A-102	1979	4	send	-151		231		#N/A	4			AX-102				0	0	3.000		0		
A-102	1979	4	send	-44		187		#N/A	4			AY-101				0	0	3.000		0		
A-102	1979	4	send	-85		102		#N/A	4			C-104				0	0	3.000		0		
A-102	1979	4	REC	0		102		#N/A	4	SU	SX-106	SX-106	*+777 to 0				0	3.000		1		
A-102	1979	4	SEND	0		102		#N/A	4	SU	AX-103	AX-103	*-545 to				0	3.000		1		
A-102	1979	4	STAT		102	102	17	#N/A	4	NCPLX						0	0	3.000		1		
A-102	1980	1	REC	210		312		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	1	REC	48		360		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	1	SEND	-318		42		#N/A	4	SU		A-101				0	0	3.000		1		
A-102	1980	1	REC	173		215		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	1	REC	165		380		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	1	REC	144		524		#N/A	4	SU	A-101	A-101	*+158 to			0	0	3.000		1		
A-102	1980	1	REC	129		653		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	1	REC	498		1151		#N/A	4	SU	A-103	A-103				0	0	3.000		1		
A-102	1980	1	SEND	-511		640		#N/A	4	SU		A-103				0	0	3.000		1		
A-102	1980	1	SEND	-611		29		#N/A	4	SU		A-103	511 to			0	0	3.000		1		
A-102	1980	1	rec	1161		1190		#N/A	4		A-103	A-103				0	0	3.000		0		
A-102	1980	1	REC	363		1553		#N/A	4	SU	AY-101	AY-101				0	0	3.000		1		
A-102	1980	1	REC	120		1673		#N/A	4	SU	AY-101	AY-101				0	0	3.000		1		
A-102	1980	1	rec	47		1720		#N/A	4		BX-110	BX-110				0	0	3.000		0		
A-102	1980	1	rec	22		1742		#N/A	4		BY-110	BY-110				0	0	3.000		0		
A-102	1980	1	rec	135		1877		#N/A	4		C-104	C-104				0	0	3.000		0		
A-102	1980	1	outx	-773		1104		#N/A	4			A1COND				0	0	3.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	DI	Q/A	Document/Pg #
A-102	1980	1	SEND	-626		478		#N/A	4	SU		A-103	726 to			0	0	3.000		1		
A-102	1980	1	send	-6		472		#N/A	4			A-106				0	0	3.000		0		
A-102	1980	1	send	-201		271		#N/A	4			AX-102				0	0	3.000		0		
A-102	1980	1	send	-87		184		#N/A	4	SU		BX-104	*-174 to			0	0	3.000		0		
A-102	1980	1	REC	286		470		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	1	STAT		470	470	17	#N/A	4	DSSF						0	0	3.000		1		
A-102	1980	2	REC	489		959		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	2	REC	97		1056		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	2	REC	69		1125		#N/A	4	SU	A-101	A-101	*+225 to			0	0	3.000		1		
A-102	1980	2	rec	39		1164		#N/A	4		A-103	A-103				0	0	3.000		0		
A-102	1980	2	REC	366		1530		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	2	SEND	-507		1023		#N/A	4	SU		AX-102	*+250 to			0	0	3.000		1		
A-102	1980	2	REC	401		1424		#N/A	4	SU	AX-102	AX-102				0	0	3.000		1		
A-102	1980	2	REC	380		1804		#N/A	4	SU	AX-102	AX-102				0	0	3.000		1		
A-102	1980	2	REC	261		2065		#N/A	4	SU	AX-102	AX-102				0	0	3.000		1		
A-102	1980	2	REC	315		2380		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	2	REC	163		2543		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	2	REC	106		2649		#N/A	4	SU	BX-104	BX-104	*+389 to			0	0	3.000		1		
A-102	1980	2	send	-306		2343		#N/A	4			SY-102				0	0	3.000		0		
A-102	1980	2	outx	-861		1482		#N/A	4			A1COND				0	0	3.000		0		
A-102	1980	2	SEND	-657		825		#N/A	4	SU		A-103				0	0	3.000		1		
A-102	1980	2	send	-2		823	50	#N/A	4			A-106				0	0	3.000		0		
A-102	1980	2	send	-355		468		#N/A	4			AX-101				0	0	3.000		0		
A-102	1980	2	SEND	-150		318		#N/A	4	SU		AX-102				0	0	3.000		1		
A-102	1980	2	send	-25		293		#N/A	4			AX-103				0	0	3.000		0		
A-102	1980	2	send	-18		275		#N/A	4			AY-101				0	0	3.000		0		
A-102	1980	2	send	-21		254		#N/A	4			AY-102				0	0	3.000		0		
A-102	1980	2	send	-26		228		#N/A	4			AZ-102				0	0	3.000		0		
A-102	1980	2	STAT		228	228	17	#N/A	4	NCPLX						0	0	3.000		1		
A-102	1980	3	xin	89		317		#N/A	4			WTR				0	0	3.000		0		
A-102	1980	3	REC	348		665		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	3	REC	300		965		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	3	REC	240		1205		#N/A	4	SU	BX-104	BX-104				0	0	3.000		1		
A-102	1980	3	REC	391		1596		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	3	REC	269		1865		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	3	REC	180		2045		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	3	send	-879		1166		#N/A	4	SU		A-101	*-131 to			0	0	3.000		0		
A-102	1980	3	REC	131		1297		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	3	REC	381		1678		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	3	send	-1534		144		#N/A	4	SU		AX-101	*-124 to			0	0	3.000		0		
A-102	1980	3	REC	366		510		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	3	REC	360		870		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	3	REC	226		1096		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	3	REC	107		1203		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	3	REC	8		1211		#N/A	4	SU	AX-101	AX-101				0	0	3.000		1		
A-102	1980	3	REC	255		1466		#N/A	4	SU	AX-103	AX-103				0	0	3.000		1		
A-102	1980	3	REC	176		1642		#N/A	4	SU	AX-103	AX-103				0	0	3.000		1		
A-102	1980	3	REC	13		1655		#N/A	4	SU	AX-103	AX-103				0	0	3.000		1		
A-102	1980	3	rec	304		1959		#N/A	4		AY-102	AY-102				0	0	3.000		0		
A-102	1980	3	rec	183		2142		#N/A	4		AZ-101	AZ-101				0	0	3.000		0		
A-102	1980	3	send	-4		2138		#N/A	4	SU		A-106	*-538 to			0	0	3.000		0		
A-102	1980	3	send	-936		1202		#N/A	4			AW-105				0	0	3.000		0		
A-102	1980	3	send	-139		1063		#N/A	4			AX-102				0	0	3.000		0		
A-102	1980	3	send	-379		684		#N/A	4			AX-103				0	0	3.000		0		
A-102	1980	3	send	-41		643		#N/A	4			AY-101				0	0	3.000		0		
A-102	1980	3	send	-226		417		#N/A	4	SU		BX-104	*-46 to			0	0	3.000		0		
A-102	1980	3	STAT		417	417	17	#N/A	4	NCPLX						0	0	3.000		1		
A-102	1980	4	REC	140		557		#N/A	4	SU	A-101	A-101				0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1980	4	REC	34		591		#N/A	4	SU	A-101	A-101				0	0	3.000		1		
A-102	1980	4	rec	16		607		#N/A	4		A-103	A-103				0	0	3.000		0		
A-102	1980	4	rec	758		1365		#N/A	4		AX-103	AX-103				0	0	3.000		0		
A-102	1980	4	REC	559		1924		#N/A	4	SU	AY-102	AY-102	"+606 to +559			0	0	3.000		1		
A-102	1980	4	REC	377		2301		#N/A	4	SU	AZ-101	AZ-101				0	0	3.000		1		
A-102	1980	4	REC	265		2566		#N/A	4	SU	AZ-101	AZ-101				0	0	3.000		1		
A-102	1980	4	REC	68		2634		#N/A	4	SU	AZ-101	AZ-101				0	0	3.000		1		
A-102	1980	4	REC	50		2684		#N/A	4	SU	AZ-101	AZ-101				0	0	3.000		1		
A-102	1980	4	REC	41		2725		#N/A	4	SU	AZ-101	AZ-101				0	0	3.000		1		
A-102	1980	4	rec	244		2969		#N/A	4		BX-104	BX-104				0	0	3.000		0		
A-102	1980	4	rec	172		3141		#N/A	4		BX-105	BX-105				0	0	3.000		0		
A-102	1980	4	outx	-1004		2137		#N/A	4			A1COND				0	0	3.000		0		
A-102	1980	4	send	-810		1327		#N/A	4	SU		A-101	"-58 to			0	0	3.000		0		
A-102	1980	4	send	-723		604		#N/A	4			AX-101				0	0	3.000		0		
A-102	1980	4	SEND	-515		89		#N/A	4	SU		AZ-101	"100 to 515			0	0	3.000		1		
A-102	1980	4	STAT		89	89	22	#N/A	4	DSSF				Inactive-New Solids Level 11/21/80								
A-102	1983	3	send	-48		41		#N/A	4	swliq		AN-101				0	0	3.000		1		
A-102	1993	2	STAT		41	41	37	#N/A	4	DSSF						0	0	3.000		0		
A-102	1993	4	STAT		41	41	37	#N/A	4							0	0	3.000		1		
A-102	1994	1	STAT		41	41	37	#N/A	4							0	0	3.000		1		
A-102	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-103	1900																					
A-103	1955	4	STAT		N/A	0		#N/A	0					* Leak detection dry well 10-03-10 drilled.								
A-103	1956	1	STAT		N/A	0		#N/A	0					S.S. rec'd 99M gals			0	0.000		1		
A-103	1956	2	XIN	72		72		#N/A	0	P		P1					0	0.000		1		
A-103	1956	2	XIN	99		171		#N/A	0	P		P1				0	0	0.000		3	O	HWN-1991-6
A-103	1956	2	STAT		171	171	0	#N/A	0	P					Shows 110 not 99	0	0	0.000		2	V	HWN-1991-6
A-103	1956	3	XIN	154		325		#N/A	0	P		P1		S.S. 34M self conc.		0	0	0.000		1		
A-103	1956	3	XIN	130		455		#N/A	0	P		P1			Shows 198	0	0	0.000		2	V	HWN-1991-6
A-103	1956	3	XIN	177		632		#N/A	0	P		P1			Shows 124	0	0	0.000		2	V	HWN-1991-6
A-103	1956	3	OUTX	-34		598		#N/A	0	COND	A-008	PCOND			Shows 200	0	0	0.000		2	V	HWN-1991-6
A-103	1956	3	OUTX	-149		449		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1956	3	OUTX	0		449		#N/A	0	COND	CRIB?	PCOND	not used		No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1956	3	STAT		449	449	0	#N/A	0	P					Omission	0	0	0.000		2	V	HWN-1991-7
A-103	1956	4	XIN	266		715		#N/A	0	P		P1		S.S. 149M self conc.		0	0	0.000		1		
A-103	1956	4	XIN	203		918		#N/A	0	P		P1				0	0	0.000		3	O	HWN-1991-6
A-103	1956	4	XIN	214		1132		#N/A	0	P		P1				0	0	0.000		3	O	HWN-1991-6
A-103	1956	4	OUTX	-193		939		#N/A	0	COND	A-008	PCOND				0	0	0.000		3	O	HWN-1991-6
A-103	1956	4	OUTX	-213		726		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.	0	0	0.000		3	O	HWN-1991-7
A-103	1956	4	OUTX	-282		444		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1956	4	STAT		444	444	0	#N/A	0	P			OUTX total -495, AND -488	488 M Self Conc.	No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1957	1	XIN	224		668		#N/A	0	P		P1				0	0	0.000		1		
A-103	1957	1	XIN	282		950		#N/A	0	P		P1				0	0	0.000		3	O	HWN-1991-6
A-103	1957	1	XIN	322		1272		#N/A	0	P		P1	OC 362 to 322			0	0	0.000		3	O	HWN-1991-6
A-103	1957	1	XIN	40		1312		#N/A	0	WTR		WTR	Omis.		Shows 322	0	0	0.000		4	V	HWN-1991-6
A-103	1957	1	OUTX	-299		1013		#N/A	0	COND	A-008	PCOND			Omission	0	0	0.000		3	V	HW-48523-8
A-103	1957	1	OUTX	-273		740		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.	0	0	0.000		3	O	HWN-1991-7
A-103	1957	1	OUTX	-331		409		#N/A	0	COND	A-008	PCOND	OC 371 to 331		No XFER to A-008 indic.	0	0	0.000		3	O	HWN-1991-7
A-103	1957	1	outx	-37		372		#N/A	0	COND		PCOND	LC added as per ogden comment		331, No XFER to A-008	0	0	0.000		2	V	HWN-1991-7
A-103	1957	1	STAT		369	369	0	-3	-3	P				S.S. 371M self conc. rec'd 322M plus 40M water		0	0	0.000		1		
A-103	1957	2	XIN	248		617		#N/A	-3	P		P1				0	0	0.000		1		
A-103	1957	2	XIN	331		948		#N/A	-3	P		P1				0	0	0.000		4	O	HWN-1991-6
A-103	1957	2	XIN	149		1097		#N/A	-3	P		P1				0	0	0.000		3	O	HWN-1991-6
A-103	1957	2	XIN	64		1161		#N/A	-3	WTR		WTR	Omis.			0	0	0.000		4	O	HWN-1991-6
A-103	1957	2	XIN	118		1279		#N/A	-3	WTR		WTR	Omis.		Omission	0	0	0.000		3	V	HW-50127-8
A-103	1957	2	XIN	373		1652		#N/A	-3	WTR		WTR	Omis.		Omission	0	0	0.000		2	V	HW-50617-8
A-103	1957	2	OUTX	-240		1412		#N/A	-3	COND	A-008	PCOND			Omission	0	0	0.000		2	V	HW-51348
A-103	1957	2	OUTX	-312		1100		#N/A	-3	COND	A-008	PCOND			No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1957	2	OUTX	-630		470		#N/A	-3	COND	A-008	PCOND	75 to 630		No XFER to A-008 indic.	0	0	0.000		3	O	HWN-1991-7
A-103	1957	2	STAT		470	470	0	#N/A	-3	P				S.S. 240M self conc ., rec'd 248M plus 64M water S.S. 75M self conc rec'd 149M	No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1957	3	XIN	174		644		#N/A	-3	OWW		OWW1	OC 10 to 31 to LC of 174 rev 2 rule			0	0	0.000		1		
A-103	1957	3	XIN	259		903		#N/A	-3	WTR		WTR	Omis.		Shows 31 not 10	0	0	0.000		3	V	HWN-1991-6
A-103	1957	3	OUTX	-15		888		#N/A	-3	COND	A-106	PCOND			Omission	0	0	0.000		3	V	HW-52932-8
A-103	1957	3	OUTX	-5		883		#N/A	-3	COND	A-008	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1957	3	OUTX	-402		481		#N/A	-3	COND	CRIB?	PCOND	Omis.		No XFER to A-008 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1957	3	STAT		481	481	0	#N/A	-3	P			OUTX & XIN total 697, AND 735	20M self conc.;; 735M added & boiled off	Omission	0	0	0.000		3	V	HW-51858-8
A-103	1957	4	XIN	50		531		#N/A	-3	OWW		OWW1				0	0	0.000		1		
A-103	1957	4	XIN	37		568		#N/A	-3	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1957	4	XIN	1		569		#N/A	-3	OWW		OWW1	OC 36 to 1			0	0	0.000		4	O	HWN-1991-6
A-103	1957	4	OUTX	-125		444		#N/A	-3	COND	A-106	PCOND	OC 129 to 125		Shows 1	0	0	0.000		3	V	HWN-1991-6
A-103	1957	4	OUTX	-236		208		#N/A	-3	COND	CRIB?	PCOND	Omis.		125, no XFER to A-106	0	0	0.000		2	V	HWN-1991-7
															Omission	0	0	0.000		4	V	HW-54519-8

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
A-103	1957	4	STAT		199	199	0	-9	-12				XIN total 88, AND 92	129M self conc.;; rec'd 92M carb. 236M Water boil off		0	0	0.000		1		
A-103	1958	1	xin	414		613		#N/A	-12			WTR	ADDED REV 2 RULE, ANDERSON COMMENT			0	0	0.000		1		
A-103	1958	1	XIN	11		624		#N/A	-12	OWW		OWW1				0	0	0.000		1		
A-103	1958	1	XIN	135		759		#N/A	-12	OWW		OWW1	OC 115 to 135, AND 115			0	0	0.000		3	O	HWN-1991-6
A-103	1958	1	OUTX	-3		756		#N/A	-12	COND	A-106	PCOND			Shows 135	0	0	0.000		2	V	HWN-1991-6
A-103	1958	1	OUTX	-104		652		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		3	O	HWN-1991-7
A-103	1958	1	OUTX	-179		473		#N/A	-12	COND	CRIB?	PCOND	Omis.		No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
															Omission	0	0	0.000		3	V	HW-54916-8
A-103	1958	1	STAT		473	473	0	#N/A	-12	P				108M self conc.179M H20 boiled off, 115M carb. H20		0	0	0.000		1		
A-103	1958	2	XIN	84		557		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	2	XIN	14		571		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	2	OUTX	-45		526		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1958	2	OUTX	-41		485		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1958	2	OUTX	-23		462		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1958	2	STAT		462	462	0	#N/A	-12	P			OUTX total-109, XIN total 98	108M self conc. rec'd 97M		0	0	0.000		1		
A-103	1958	3	XIN	48		510		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	3	XIN	87		597		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	3	XIN	58		655		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	3	OUTX	-88		567		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1958	3	OUTX	-86		481		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1958	3	STAT		481	481	0	#N/A	-12	P			OUTX total - 174, XIN total 193	174M self conc. rec'd 193M		0	0	0.000		1		
A-103	1958	4	XIN	192		673		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	4	XIN	113		786		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-6
A-103	1958	4	XIN	68		854		#N/A	-12	OWW		OWW1				0	0	0.000		4	O	HWN-1991-22
A-103	1958	4	OUTX	-178		676		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-7
A-103	1958	4	OUTX	-80		596		#N/A	-12	COND	A-106	PCOND	OC 94 to 80		80, no XFER to A-106	0	0	0.000		3	V	HWN-1991-7
A-103	1958	4	OUTX	-87		509		#N/A	-12	COND	A-106	PCOND	OC 73 to 40 TO LC 87		40, no indication of XFER	0	0	0.000		3	V	HW-58831-8
A-103	1958	4	STAT		509	509	0	#N/A	-12	P			OUTX total -298, XIN total 373	298M self conc. rec'd 373M		0	0	0.000		1		
A-103	1959	1	XIN	72		581		#N/A	-12	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	1	XIN	125		706		#N/A	-12	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	1	XIN	54		760		#N/A	-12	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	1	OUTX	-75		685		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	1	OUTX	-84		601		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	1	OUTX	-53		548		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	1	STAT		548	548	0	#N/A	-12	P			OUTX total -212, XIN total 251	212M self conc. rec'd 251M		0	0	0.000		1		
A-103	1959	2	XIN	80		628		#N/A	-12	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	2	XIN	96		724		#N/A	-12	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	2	XIN	87		811		#N/A	-12	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	2	OUTX	-61		750		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	2	OUTX	-37		713		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	2	OUTX	-42		671		#N/A	-12	COND	A-106	PCOND	OC 47 to 42		42, No XFER to A-106	0	0	0.000		3	V	HWN-1991-23
A-103	1959	2	STAT		666	666	0	-5	-17	P			XIN total 263, OUTX total -140, AND total 247 difference of 107	247M self conc. rec'd 263M		0	0	0.000		1		
A-103	1959	3	XIN	65		731		#N/A	-17	P		P1				0	0	0.000		4	O	HWN-1991-22
A-103	1959	3	OUTX	-90		641		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	3	OUTX	-36		605		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	3	OUTX	-43		562		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	3	STAT		562	562	0	#N/A	-17	P			OUTX total -169	169M self conc. rec'd 65M		0	0	0.000		1		
A-103	1959	4	OUTX	-6		556		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	4	OUTX	-17		539		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1959	4	STAT		539	539	0	#N/A	-17	P			OUTX total -25 from qrt 4 & 1, AND -46	46M self conc. rec'd 0M		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ct	Q/A	Document/Pg #
A-103	1960	1	OUTX	-26		513		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000		4	O	HWN-1991-23
A-103	1960	1	OUTX	-40		473		#N/A	-17	COND	A-106	PCOND	OC 34 to 40		40, No XFER to A-106	0	0	0.000		3	V	HWN-1991-23
A-103	1960	1	OUTX	-2		471		#N/A	-17	COND	CRIB?	PCOND	Omis.		Omission	0	0	0.000		3	V	HW-64373-8
A-103	1960	1	STAT		473	473	0	2	-15	P			OUTX total -66	66M self conc.		0	0	0.000		1		
A-103	1960	2	XIN	75		548		#N/A	-15	CTW		WTR				0	0	0.000		4	O	HW-65272-8
A-103	1960	2	XIN	16		564		#N/A	-15	DIL		WTR				0	0	0.000		4	O	HW-66187-8
A-103	1960	2	OUTX	-43		521		#N/A	-15	COND	CRIB?	PCOND	Omis.		Omission	0	0	0.000		2	V	HW-66187-8
A-103	1960	2	STAT		526	526	0	5	-10	P			XIN total 91	rec'd 91M		0	0	0.000		1		
A-103	1960	3	XIN	323		849		#N/A	-10	P		P1				0	0	0.000		4	O	HW-66827-8
A-103	1960	3	XIN	32		881		#N/A	-10	DIL		WTR	OC 22 to 32		Shows 32 not 22	0	0	0.000		2	V	HW-66557-8
A-103	1960	3	XIN	433		1314		#N/A	-10	WTR		WTR	Omis. DIL		Omission	0	0	0.000		2	V	HW-66827-8
A-103	1960	3	OUTX	-35		1279		#N/A	-10	COND	A-106	PCOND	OC 30 to 35		35, no indic. of XFER	0	0	0.000		2	V	HW-66557-8
A-103	1960	3	OUTX	-369		910		#N/A	-10	COND	A-106	PCOND	OC 385 to 369		369, no indic. of XFER	0	0	0.000		2	V	HW-66827-8
A-103	1960	3	OUTX	-15		895		#N/A	-10	COND	A-106	PCOND			No indic. of XFER	0	0	0.000		3	O	HW-67696-8
A-103	1960	3	outx	-422		473		#N/A	-10	COND		PCOND	LC added as per and comment			0	0	0.000		1		
A-103	1960	3	STAT		473	473	0	#N/A	-10	P			OUTX total -419, AND 782 difference of 363, XIN total	782M self conc. rec'd 325M		0	0	0.000		1		
A-103	1960	4	XIN	26		499		#N/A	-10	DIL		WTR				0	0	0.000		4	O	HW-68291-8
A-103	1960	4	OUTX	-17		482		#N/A	-10	COND	A-106	PCOND	OC 17 to 36, AND -52		36, no indic. of XFER	0	0	0.000		2	V	HW-68292-8
A-103	1960	4	OUTX	-2		480		#N/A	-10	COND	CRIB?	PCOND	Omis.		Omission	0	0	0.000		4	V	HW-67705-8
A-103	1960	4	STAT		490	490	0	10	0	P				2M self conc. rec'd 26M 51M boil off		0	0	0.000		1		
A-103	1961	1	STAT		501	501	0	11	11	P				6 months report		0	0	0.000		1		
A-103	1961	2	STAT		N/A	501		#N/A	11								0	0.000		1		
A-103	1961	3	STAT		N/A	501		#N/A	11								0	0.000		1		
A-103	1961	4	XIN	102		603		#N/A	11	WTR		WTR					0	0.000		1		
A-103	1961	4	STAT		N/A	603		#N/A	11	P				6 months report		0	0	0.000		1		
A-103	1962	1	SEND	-283		320		#N/A	11	SU		A-105	OC 314 to 283		Shows 283 not 314	0	0	0.000		3	V	HWN-1991-10
A-103	1962	1	STAT		325	325	0	5	16	P				283M to 105-A - 6 months report		0	0	0.000		1		
A-103	1962	2	STAT		N/A	325		#N/A	16					*Leak detection dry wells drilled:10-03-01 *10-03-02 *10-03-04 *10-03-05 *10-03-07 *10-03-10 *			0	0.000		1		
A-103	1962	3	STAT		N/A	325		#N/A	16								0	0.000		1		
A-103	1962	4	STAT		294	294	0	-31	-15	P				6 months report		0	0	0.000		1		
A-103	1963	1	STAT		267	267	0	-27	-42	P				6 months report		0	0	0.000		1		
A-103	1963	2	STAT		N/A	267		#N/A	-42								0	0.000		1		
A-103	1963	3	STAT		N/A	267		#N/A	-42								0	0.000		1		
A-103	1963	4	STAT		270	270	0	3	-39	P				6 months report		0	0	0.000		1		
A-103	1964	1	rec	68		338		#N/A	-39		A-102	A-102				0	0	0.000		0		
A-103	1964	1	SEND	-172		166		#N/A	-39			C-101			Omission	0	0	0.000		3	V	HW-83308-4
A-103	1964	1	SEND	-50		116		#N/A	-39	SL		C-105				0	0	0.000		1		
A-103	1964	1	STAT		116	116	0	#N/A	-39	P				Sluicing for sludge removal 6 months report		0	0	0.000		1		
A-103	1964	2	STAT		N/A	116		#N/A	-39								0	0.000		1		
A-103	1964	3	STAT		N/A	116		#N/A	-39								0	0.000		1		
A-103	1964	4	rec	94		210		#N/A	-39		A-102	A-102				0	0	0.000		0		
A-103	1964	4	SEND	-100		110		#N/A	-39	SL		C-105				0	0	0.000		1		
A-103	1964	4	STAT		110	110	0	#N/A	-39	P				Sluicing for sludge removal 6 months report 10-03-11**		0	0	0.000		1		
A-103	1965	1	XIN	262		372		#N/A	-39		CR VAL	DW	Omis.		Omission	0	0	0.000		3	V	RL-SEP-659-8
A-103	1965	1	rec	199		571		#N/A	-39		A-102	A-102				0	0	0.000		0		
A-103	1965	1	SEND	-491		80		#N/A	-39			AX-101			Omission	0	0	0.000		4	V	HWN-1991-26
A-103	1965	1	STAT		80	80	0	#N/A	-39	P				6 months report, rec'd 262M from CR, 491M to 101-AX		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-103	1965	2	STAT		80	80	0	#N/A	-39					Back up tank in event of tank failure		0	0	0.000		1		
A-103	1965	3	STAT		80	80	0	#N/A	-39	P						0	0	0.000		1		
A-103	1965	4	rec	10		90		#N/A	-39		A-102	A-102				0	0	0.000		0		
A-103	1965	4	REC	435		525		#N/A	-39	SU	C-103	C-103				0	0	0.000		4	O	HWN-1991-26
A-103	1965	4	STAT		525	525	0	#N/A	-39	P				435M from 103-C, back up tank		0	0	0.000		1		
A-103	1966	1	XIN	61		586		#N/A	-39	OWW		OWW2	Omis.		Omission	0	0	0.000		3	V	ISO-226-8
A-103	1966	1	REC	141		727		#N/A	-39	SU	C-103	C-103				0	0	0.000		4	O	ISO-226-4
A-103	1966	1	SEND	-611		116		#N/A	-39	SU		A-101				0	0	0.000		4	O	ISO-226-8
A-103	1966	1	rec	24		140		#N/A	-39		A-102	A-102				0	0	0.000		0		
A-103	1966	1	STAT		140	140	0	#N/A	-39	P				141M from 103-C;; 61M 0WW;; 611M to 101-A		0	0	0.000		1		
A-103	1966	2	XIN	76		216		#N/A	-39	OWW		OWW2				0	0	0.000		4	O	ISO-404-8
A-103	1966	2	send	-76		140		#N/A	-39			A-102				0	0	0.000		0		
A-103	1966	2	SEND	-66		74		#N/A	-39	SU		AX-101				0	0	0.000		4	O	ISO-404-8
A-103	1966	2	STAT		74	74	0	#N/A	-39	P				Rec'd 76M 0WW;; 66M to 101-AX		0	0	0.000		1		
A-103	1966	3	STAT		72	72	0	-2	-41	P						0	0	0.000		1		
A-103	1966	4	rec	83		155		#N/A	-41		A-102	A-102				0	0	0.000		0		
A-103	1966	4	SEND	-100		55		#N/A	-41	SL		C-105				0	0	0.000		1		
A-103	1966	4	STAT		55	55	0	#N/A	-41	P				Sluicing		0	0	0.000		1		
A-103	1967	1	STAT		55	55	0	#N/A	-41	P						0	0	0.000		1		
A-103	1967	2	XIN	62		117		#N/A	-41	OWW		OWW2				0	0	0.000		4	O	ISO-967-8
A-103	1967	2	SEND	-84		33		#N/A	-41			AX-102			Omission	0	0	0.000		3	V	ISO-967-8
A-103	1967	2	STAT		33	33	0	#N/A	-41	P				Rec'd 62M 0WW;; 84M to 102-AX		0	0	0.000		1		
A-103	1967	3	STAT		30	30	0	-3	-44	P						0	0	0.000		1		
A-103	1967	4	rec	24		54		#N/A	-44		A-102	A-102				0	0	0.000		0		
A-103	1967	4	STAT		54	54	22	#N/A	-44	P						0	0	0.000		1		
A-103	1968	1	REC	167		221		#N/A	-44	SU	A-102	A-102	*+135 to			0	0	0.000		4	O	ARH-534-9
A-103	1968	1	REC	481		702		#N/A	-44	SU	A-105	A-105				0	0	0.000		4	O	ARH-534-9
A-103	1968	1	REC	293		995		#N/A	-44	SU	A-105	A-105				0	0	0.000		4	O	ARH-534-9
A-103	1968	1	REC	259		1254		#N/A	-44	SU	A-105	A-105				0	0	0.000		4	O	ARH-534-9
A-103	1968	1	SEND	-778		476		#N/A	-44	SU		AX-102				0	0	0.000		4	O	ARH-534-9
A-103	1968	1	STAT		476	476	61	#N/A	-44	P			REC total 553	Equipped for boiling waste Rec'd 481M 105-A; rec'd 135M from 102-A; 553M of Tank 105-A, heel dilutions; 778M to 102-AX		0	0	0.000		1		
A-103	1968	2	REC	549		1025		#N/A	-44	SU	A-105	A-105				0	0	0.000		4	O	ARH-721-9
A-103	1968	2	send	-549		476		#N/A	-44			A-102				0	0	0.000		0		
A-103	1968	2	REC	451		927		#N/A	-44	SU	A-105	A-105				0	0	0.000		1		
A-103	1968	2	REC	98		1025		#N/A	-44	SL	A-105	A-105				0	0	0.000		1		
A-103	1968	2	SEND	-560		465		#N/A	-44	SU		AX-102				0	0	0.000		4	O	ARH-721-9
A-103	1968	2	STAT		465	465	52	#N/A	-44	P				549M from 105-A;; 560 to 102-A		0	0	0.000		1		
A-103	1968	3	SEND	-358		107		#N/A	-44	SU		A-101				0	0	0.000		4	O	ARH-871-9
A-103	1968	3	send	-82		25		#N/A	-44			A-102				0	0	0.000		0		
A-103	1968	3	REC	459		484		#N/A	-44	SU	A-102	A-102				0	0	0.000		4	O	ARH-871-9
A-103	1968	3	REC	270		754		#N/A	-44	SU	A-105	A-105				0	0	0.000		1		
A-103	1968	3	REC	49		803		#N/A	-44	SL	A-105	A-105				0	0	0.000		1		
A-103	1968	3	STAT		803	803	102	#N/A	-44	P				358M to 101-A;; rec'd 459M from 102-A		0	0	0.000		1		
A-103	1968	4	send	-62		741		#N/A	-44			A-102				0	0	0.000		0		
A-103	1968	4	STAT		741	741	102	#N/A	-44	P						0	0	0.000		1		
A-103	1969	1	send	-51		690		#N/A	-44			A-102				0	0	0.000		0		
A-103	1969	1	STAT		690	690	102	#N/A	-44	P						0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	C/A	Document/Pg #
A-103	1969	2	send	-49		641		#N/A	-44			A-106				0	0	0.000		0		
A-103	1969	2	STAT		641	641	91	#N/A	-44	P						0	0	0.000		1		
A-103	1969	3	send	-24		617		#N/A	-44			A-106				0	0	0.000		0		
A-103	1969	3	STAT		617	617	121	#N/A	-44	P						0	0	0.000		1		
A-103	1969	4	SEND	-410		207		#N/A	-44	SU		A-102				0	0	0.000		4	O	ARH-1200D-10
A-103	1969	4	send	-47		160		#N/A	-44			A-106				0	0	0.000		0		
A-103	1969	4	STAT		160	160	102	#N/A	-44	P				410M to 102-A		0	0	0.000		1		
A-103	1970	1	XIN	63		223		#N/A	-44	WTR		WTR				0	0	0.000		4	O	ARH-1666A-6
A-103	1970	1	REC	377		600		#N/A	-44	SU	BY-104	BY-104				0	0	0.000		4	O	ARH-1666A-10, ARH-1666A-6 SEND
A-103	1970	1	STAT		594	594	102	-6	-50	P,IX				rec'd 377M from 104 BY & 63M H20;; IX waste due to high salt & low cesium content, will be used to sluice 105-A		0	0	0.000		1		
A-103	1970	2	XIN	43		637		#N/A	-50			WTR				0	0	0.000		1		
A-103	1970	2	STAT		637	637	102	#N/A	-50	P,IX				H20 added to adjust liquid level		0	0	0.000		1		
A-103	1970	3	STAT		635	635	102	-2	-52	P,IX						0	0	0.000		1		
A-103	1970	4	STAT		622	622	102	-13	-65	P,IX				Receiving sludge from 105-A		0	0	0.000		1		
A-103	1971	1	STAT		620	620	102	-2	-67	P,IX						0	0	0.000		1		
A-103	1971	2	STAT		N/A	620	102	#N/A	-67	P,IX			649 TO N/A				0	0.000		1		
A-103	1971	3	STAT		630	630	102	10	-57	P,IX						0	0	0.000		1		
A-103	1971	4	REC	7		637		#N/A	-57	SU	A-105	A-105				0	0	0.000		4	O	ARH-2074-10
A-103	1971	4	STAT		660	660	102	23	-34	P,IX				7 from 105-A		0	0	0.000		1		
A-103	1972	1	STAT		661	661	102	1	-33	P,IX						0	0	0.000		1		
A-103	1972	2	SEND	-302		359		#N/A	-33	SU		C-105				0	0	0.000		4	O	ARH-2456B-4
A-103	1972	2	STAT		346	346	102	-13	-46	P,IX				302M to 105-C		0	0	0.000		1		
A-103	1972	3	STAT		358	358	102	12	-34	P,IX						0	0	0.000		1		
A-103	1972	4	SEND	0		358		#N/A	-34	SU	AX-104	AX-104	OC 567 to 0		Shows XFER from A-104		0	0.000		2	V	ARH-2456D-9
A-103	1972	4	STAT		333	333	102	-25	-59	P,IX			AND comment refers to A-104	525M from AR Vault, 134 from B Plant, 567 to 104-AX		0	0	0.000		1		
A-103	1973	1	STAT		349	349	102	16	-43	P,IX						0	0	0.000		1		
A-103	1973	2	REC	19		368		#N/A	-43	SU	A-102	A-102				0	0	0.000		4	O	ARH-2794B-9
A-103	1973	2	REC	0		368		#N/A	-43	SL	A-102	A-102	*24 TO 0 DBL ACCT				0	0.000		1		
A-103	1973	2	STAT		352	352	102	-16	-59	P,IX				19M from 102-A		0	0	0.000		1		
A-103	1973	3	STAT		336	336	102	-16	-75	P,IX						0	0	0.000		1		
A-103	1973	4	XIN	71		407		#N/A	-75	CSR		CSR				0	0	0.000		4	O	ARH-2794D-9
A-103	1973	4	STAT		392	392	102	-15	-90	P,IX				71M from B Plant		0	0	0.000		1		
A-103	1974	1	SEND	-244		148		#N/A	-90	SU		A-104				0	0	0.000		4	O	ARH-CD-133A-9
A-103	1974	1	STAT		N/A	148	102	#N/A	-90	H2O			227 TO N/A	244M to 104-A;; sluicing			0	0.000		1		
A-103	1974	2	outx	-80		68		#N/A	-90	SL	SRR	SRR	16 AR at C-105			0	0	0.000		0		
A-103	1974	2	STAT		N/A	68	22	#N/A	-90	H2O			41 TO N/A	Sluicing			0	0.000		1		
A-103	1974	3	outx	-22		46		#N/A	-90	SL	SRR	SRR	4 AR at C-105			0	0	0.000		0		
A-103	1974	3	STAT		50	50	0	4	-86	H2O				Sluicing, 347 from AR Vault		0	0	0.000		1		
A-103	1974	4	XIN	266		316		#N/A	-86	AR		AR	Omis.		Omission	0.00726392	1.9322	1.932	AR	3	V	ARH-CD-133D-9
A-103	1974	4	send	-261		55		#N/A	-86			AX-103				0	0	1.932		0		
A-103	1974	4	STAT		55	55	14	#N/A	-86	H2O				Sluicing completed 9-74, 266M from AR vault		0	0	1.932		1		
A-103	1975	1	STAT		28	28	14	-27	-113	H2O						0	0	1.932		1		
A-103	1975	2	XIN	29		57		#N/A	-113	AR		AR	Omis.		Omission	0.00726392	0.2107	2.143	AR	3	V	ARH-CD-336B-9
A-103	1975	2	REC	46		103		#N/A	-113	SU	A-104	A-104				0	0	2.143		4	O	ARH-CD-336B-9
A-103	1975	2	REC	128		231		#N/A	-113	SU	AX-101	AX-101				0	0	2.143		4	O	ARH-CD-336B-9
A-103	1975	2	STAT		212	212	6	-19	-132	H2O				128M from 101-AX ;; 46M from 104-A;; 29M from AR Vault		0	0	2.143		1		
A-103	1975	3	XIN	13		225		#N/A	-132	B	B PLAN	B	Omis.		Omission	0	0	2.143		2	V	ARH-CD-336C-9

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-103	1975	3	XIN	3		228		#N/A	-132	WTR		WTR	Omis.		Omission	0	0	2.143		2	V	ARH-CD-336C-9
A-103	1975	3	REC	174		402		#N/A	-132	SU	A-106	A-106	OC qtr2 to qtr3		Shows 3rd Qtr	0	0	2.143		3	M/V	ARH-CD-336C-9
A-103	1975	3	SEND	-168		234		#N/A	-132			A-106			Omission	0	0	2.143		3	V	ARH-CD-336C-9
A-103	1975	3	STAT		231	231	14	-3	-135	PSS,B				Sluicing completed Sept.'75		0	0	2.143		1		
A-103	1975	4	XIN	118		349		#N/A	-135	AR		AR	Omis.		Omission	0.00726392	0.8571	3.000	AR	3	V	ARH-CD-336D-9
A-103	1975	4	XIN	141		490		#N/A	-135	SRR		SRR				0	0	3.000		4	O	ARH-CD-336D-9
A-103	1975	4	XIN	2		492		#N/A	-135	WTR		WTR	Omis. REC CT AX-151		Omission	0	0	3.000		3	V	ARH-CD-336D-9
A-103	1975	4	STAT		481	481	14	-11	-146	PSS,B				141M from B P1ant;; 118M from AR Vault;; 2 from C. T. 151-AX		0	0	3.000		1		
A-103	1976	1	REC	338		819		#N/A	-146	SU	A-102	A-102				0	0	3.000		4	O	ARH-CD-702A-9
A-103	1976	1	rec	155		974		#N/A	-146		AX-103	AX-103				0	0	3.000		0		
A-103	1976	1	STAT		974	974	6	#N/A	-146	PSS,B				Sluicing completed 9-74 338M from 102-A		0	0	3.000		1		
A-103	1976	2	SEND	-13		961		#N/A	-146	SU		A-106				0	0	3.000		4	O	ARH-CD-702B-9
A-103	1976	2	SEND	-920		41		#N/A	-146	SU		C-104				0	0	3.000		4	O	ARH-CD-702B-4
A-103	1976	2	STAT		36	36	16	-5	-151	PSS,B				920M to 104-C;; 13M to 106-A		0	0	3.000		1		
A-103	1976	3	rec	66		102		#N/A	-151			A-102				0	0	3.000		0		
A-103	1976	3	STAT		102	102	17	#N/A	-151	EVAP				In Farm sluicing		0	0	3.000		1		
A-103	1976	4	send	-91		11		#N/A	-151			A-102				0	0	3.000		0		
A-103	1976	4	SEND	-8		3		#N/A	-151	SL		A-106				0	0	3.000		1		
A-103	1976	4	STAT		3	3	3	#N/A	-151	EVAP				Sluicing		0	0	3.000		1		
A-103	1977	1	rec	484		487		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1977	1	STAT		487	487	3	#N/A	-151	EVAP				Evap. feed d#., Evap. fee storage.		0	0	3.000		1		
A-103	1977	2	send	-385		102		#N/A	-151			A-102				0	0	3.000		0		
A-103	1977	2	STAT		102	102	3	#N/A	-151	EVAP						0	0	3.000		1		
A-103	1977	3	rec	418		520		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1977	3	STAT		520	520	105	#N/A	-151	RESD				Resid. liquor, slurry recel		0	0	3.000		1		
A-103	1977	4	rec	121		641		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1977	4	STAT		641	641	105	#N/A	-151	RESD						0	0	3.000		1		
A-103	1978	1	rec	154		795		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1978	1	STAT		795	795	206	#N/A	-151	HDRL				New Photo 1/27/78		0	0	3.000		1		
A-103	1978	2	rec	5		800		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1978	2	STAT		800	800	275	#N/A	-151	DSSF				New Solids Level 4/12/27		0	0	3.000		1		
A-103	1978	3	SEND	-58		742		#N/A	-151	SU		A-102				0	0	3.000		1		
A-103	1978	3	rec	226		968		#N/A	-151	SU	A-102	A-102	*-43 to			0	0	3.000		0		
A-103	1978	3	SEND	-501		467		#N/A	-151	SU		AZ-101				0	0	3.000		1		
A-103	1978	3	SEND	-30		437		#N/A	-151	SU		AZ-101				0	0	3.000		1		
A-103	1978	3	STAT		437	437	275	#N/A	-151	DSSF				Solids Level Taken 9/14/78. New Photo 9/5/78		0	0	3.000		1		
A-103	1978	4	rec	399		836		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1978	4	STAT		836	836	303	#N/A	-151	NCPLX				Cross Site Recvr.		0	0	3.000		1		
A-103	1979	1	SEND	-622		214		#N/A	-151	SU		A-102				0	0	3.000		1		
A-103	1979	1	rec	256		470		#N/A	-151	SU	A-102	A-102	*-40 to			0	0	3.000		0		
A-103	1979	1	STAT		470	470	303	#N/A	-151	NCPLX						0	0	3.000		1		
A-103	1979	2	rec	168		638		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1979	2	STAT		638	638	303	#N/A	-151	DSSF						0	0	3.000		1		
A-103	1979	3	rec	6		644		#N/A	-151		A-102	A-102				0	0	3.000		0		
A-103	1979	3	STAT		644	644	303	#N/A	-151	CPLX						0	0	3.000		1		
A-103	1979	4	send	-17		627		#N/A	-151			A-102				0	0	3.000		0		
A-103	1979	4	STAT		627	627	303	#N/A	-151	CPLX				New Photo 12/3/79		0	0	3.000		1		
A-103	1980	1	SEND	-498		129		#N/A	-151	SU		A-102				0	0	3.000		1		
A-103	1980	1	REC	511		640		#N/A	-151	SU	A-102	A-102				0	0	3.000		1		
A-103	1980	1	REC	611		1251		#N/A	-151	SU	A-102	A-102	511 to			0	0	3.000		1		
A-103	1980	1	send	-1161		90		#N/A	-151			A-102				0	0	3.000		0		
A-103	1980	1	REC	626		716		#N/A	-151	SU	A-102	A-102	726 to			0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-103	1980	1	SEND	-174		542		#N/A	-151	SU		AY-101				0	0	3.000		1		
A-103	1980	1	STAT		542	542	303	#N/A	-151	DSSF						0	0	3.000		1		
A-103	1980	2	send	-39		503		#N/A	-151			A-102				0	0	3.000		0		
A-103	1980	2	REC	657		1160		#N/A	-151	SU	A-102	A-102				0	0	3.000		1		
A-103	1980	2	SEND	-268		892		#N/A	-151	SU		AY-102				0	0	3.000		1		
A-103	1980	2	SEND	-8		884		#N/A	-151	SU		AY-102				0	0	3.000		1		
A-103	1980	2	SEND	-5		879		#N/A	-151	SU		AY-102				0	0	3.000		1		
A-103	1980	2	STAT		879	879	303	#N/A	-151	DSSF						0	0	3.000		1		
A-103	1980	3	SEND	-348		531		#N/A	-151	SU		AX-101		Complexed Slurry		0	0	3.000		1		
A-103	1980	3	STAT		532	532	499	1	-150	DSSF				Inactive-New Solids Level 8/14/80		0	0	3.000		1		
A-103	1980	4	send	-16		516		#N/A	-150			A-102				0	0	3.000		0		
A-103	1980	4	STAT		516	516	499	#N/A	-150							0	0	3.000		1		
A-103	1988	2	send	-146		370		#N/A	-150			SY-103	salt-wellpumped			0	0	3.000		0		
A-103	1993	2	STAT		370	370	366	#N/A	-150	DSSF						0	0	3.000		1		
A-103	1993	4	STAT		371	371	366	1	-149							0	0	3.000		1		
A-103	1994	1	STAT		371	371	366	#N/A	-149							0	0	3.000		1		
A-103	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-104	1900																					
A-104	1955	3	STAT		N/A	0		#N/A	0					* Leak detection dry well 10-04-04 drilled.			0	0.000		1		
A-104	1957	2	XIN	17		17		#N/A	0	WTR		WTR				0	0	0.000		1		
A-104	1957	2	STAT		17	17	0	#N/A	0	P				Test water 373M water		0	0	0.000		1		
A-104	1957	3	STAT		22	22	0	5	5	P				Test water		0	0	0.000		1		
A-104	1957	4	STAT		17	17	0	-5	0	P				Test water		0	0	0.000		1		
A-104	1958	1	XIN	5		22		#N/A	0	WTR		WTR				0	0	0.000		1		
A-104	1958	1	STAT		22	22	0	#N/A	0	P				Test Water		0	0	0.000		1		
A-104	1958	2	XIN	6		28		#N/A	0	WTR		WTR				0	0	0.000		1		
A-104	1958	2	STAT		28	28	0	#N/A	0	P				Test water		0	0	0.000		1		
A-104	1958	3	XIN	110		138		#N/A	0	WTR		WTR	no change used		Shows 20 not 110	0	0	0.000		3	V	HWN-1991-8
A-104	1958	3	STAT		N/A	138	0	#N/A	0	P			phasing error 168 to N/A	20M rec'd latest electrode rdg.		0	0	0.000		1		
A-104	1958	4	STAT		138	138	0	#N/A	0	P				Latest electrode rdg.		0	0	0.000		1		
A-104	1959	1	XIN	5		143		#N/A	0	WTR		WTR				0	0	0.000		4	O	HW-59204-8
A-104	1959	1	XIN	39		182		#N/A	0	WTR		WTR				0	0	0.000		4	O	HW-59586-8
A-104	1959	1	XIN	5		187		#N/A	0	WTR		WTR				0	0	0.000		1		
A-104	1959	1	STAT		187	187	0	#N/A	0	P				S.S 38M H20.; S.S. rec'd 5M;; latest electrode rdg.		0	0	0.000		1		
A-104	1959	2	XIN	11		198		#N/A	0	WTR		WTR				0	0	0.000		1		
A-104	1959	2	XIN	6		204		#N/A	0	WTR		WTR				0	0	0.000		1		
A-104	1959	2	STAT		204	204	0	#N/A	0	P				Latest electrode rdg.		0	0	0.000		1		
A-104	1959	3	XIN	92		296		#N/A	0	P		P1				0.00014841	0.0137	0.014	P1	4	O	HWN-1991-8
A-104	1959	3	XIN	23		319		#N/A	0	P		P1				0.00014841	0.0034	0.017	P1	4	O	HWN-1991-8
A-104	1959	3	XIN	49		368		#N/A	0	P		P1				0.00014841	0.0073	0.024	P1	4	O	HWN-1991-8
A-104	1959	3	XIN	28		396		#N/A	0	WTR		WTR				0	0	0.024		3	O	HW-62421-8
A-104	1959	3	OUTX	-59		337		#N/A	0	COND	A-106	PCOND			No indic. of XFER	0	0	0.024		4	O	HW 61952 8
A-104	1959	3	STAT		366	366	0	29	29	P			XINS total 164, OUTX total -59, AND 87 difference of 28	87M self conc. rec'd 164M dilute H20 added		0	0	0.024		1		
A-104	1959	4	XIN	61		427		#N/A	29	P		P1				0.00014841	0.0091	0.033	P1	4	O	HWN-1991-8
A-104	1959	4	XIN	86		513		#N/A	29	P		P1				0.00014841	0.0128	0.046	P1	4	O	HWN-1991-8
A-104	1959	4	XIN	107		620		#N/A	29	P		P1			Shows 117 not 107	0.00014841	0.0159	0.062	P1	3	V	HWN-1991-8
A-104	1959	4	OUTX	-35		585		#N/A	29	COND	A-106	PCOND			No indic. of XFER	0	0	0.062		4	O	HW62723-5
A-104	1959	4	OUTX	-64		521		#N/A	29	COND	A-106	PCOND	OC 67 to64		184 total w/ *	0	0	0.062		3	V	HWN-1991-9
A-104	1959	4	OUTX	-120		401		#N/A	29	COND	A-106	PCOND			*	0	0	0.062		3	V	HWN-1991-9
A-104	1959	4	STAT		369	369	0	-32	-3	P			OUTX total -219, XIN total 264	222M self conc. rec'd 264M		0	0	0.062		1		
A-104	1960	1	XIN	117		486		#N/A	-3	P		P1				0.00014841	0.0174	0.079	P1	3	O	HWN-1991-8
A-104	1960	1	XIN	286		772		#N/A	-3	P		P1	OC 313 to 286, AND reports 313 in total		Shows 286 not 313	0.00014841	0.0424	0.122	P1	2	V	HWN-1991-8
A-104	1960	1	XIN	314		1086		#N/A	-3	P		P1				0.00014841	0.0466	0.168	P1	4	O	HWN-1991-8
A-104	1960	1	OUTX	-100		986		#N/A	-3	COND	A-106	PCOND	OC 58 to 100		100, No indic. of XFER	0	0	0.168		3	V	HW-63896-8
A-104	1960	1	OUTX	-243		743		#N/A	-3	COND	A-106	PCOND	OC 285 to 243		243, no XFER to A-106	0	0	0.168		3	V	HWN-1991-9
A-104	1960	1	STAT		743	743	0	#N/A	-3	P			XIN total 717, OUTX total -343, AND reports -140	140M self conc. rec'd 744M		0	0	0.168		1		
A-104	1960	2	XIN	337		1080		#N/A	-3	P		P1				0.00014841	0.05	0.218	P1	4	O	HWN-1991-8
A-104	1960	2	XIN	329		1409		#N/A	-3	P		P1				0.00014841	0.0488	0.267	P1	4	O	HWN-1991-8
A-104	1960	2	XIN	290		1699		#N/A	-3	P		P1				0.00014841	0.043	0.310	P1	4	O	HWN-1991-8
A-104	1960	2	XIN	450		2149		#N/A	-3	DIL		WTR				0	0	0.310		3	O	HW-66187-8
A-104	1960	2	OUTX	-376		1773		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.310		3	O	HWN-1991-9
A-104	1960	2	OUTX	-356		1417		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.310		3	O	HWN-1991-9
A-104	1960	2	OUTX	-667		750		#N/A	-3	COND	A-106	PCOND	LC ogden corr ignored		217, no XFER to A-106	0	0	0.310		2	V	HWN-1991-9
A-104	1960	2	STAT		750	750	0	#N/A	-3	P			XIN total 956, OUTX total -949, AND -1181	1,181 self conc. rec'd 956M		0	0	0.310		1		
A-104	1960	3	XIN	41		791		#N/A	-3	CARB		OWW1				0	0	0.310		3	O	HWN-1991-8
A-104	1960	3	XIN	466		1257		#N/A	-3	P		P1				0.00014841	0.0692	0.379	P1	4	O	HWN-1991-8
A-104	1960	3	XIN	282		1539		#N/A	-3	P		P1				0.00014841	0.0419	0.421	P1	4	O	HWN-1991-8

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	O/A	Document/Pg #
A-104	1960	3	XIN	323		1862		#N/A	-3	DIL		WTR	OC 365 to 323		Shows 323 not 365	0	0	0.421		3	V	HWN-1991-8
A-104	1960	3	OUTX	-473		1389		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.421		4	O	HWN-1991-9
A-104	1960	3	OUTX	-365		1024		#N/A	-3	COND	A-106	PCOND	OC 407 to 365		365, no XFER to A-106	0	0	0.421		2	V	HWN-1991-9
A-104	1960	3	OUTX	-369		655		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.421		4	O	HWN-1991-9
A-104	1960	3	STAT		655	655	0	#N/A	-3	P			OUTX total -842, XIN total 1071	842M self conc. rec'd 1,094M		0	0	0.421		1		
A-104	1960	4	XIN	19		674		#N/A	-3	CARB		OWW1				0	0	0.421		4	O	HWN-1991-8
A-104	1960	4	XIN	345		1019		#N/A	-3	CARB		OWW1				0	0	0.421		4	O	HWN-1991-8
A-104	1960	4	XIN	198		1217		#N/A	-3	P		P1				0.00014841	0.0294	0.451	P1	4	O	HWN-1991-8
A-104	1960	4	XIN	55		1272		#N/A	-3	P		P1				0.00014841	0.0082	0.459	P1	4	O	HWN-1991-8
A-104	1960	4	XIN	105		1377		#N/A	-3	P		P1				0.00014841	0.0156	0.474	P1	4	O	HWN-1991-8
A-104	1960	4	XIN	311		1688		#N/A	-3	CSKW		WTR				0	0	0.474		4	O	HWN-1991-8
A-104	1960	4	OUTX	-158		1530		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.474		4	O	HWN-1991-9
A-104	1960	4	OUTX	-308		1222		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.474		4	O	HWN-1991-9
A-104	1960	4	OUTX	-497		725		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.474		4	O	HWN-1991-9
A-104	1960	4	STAT		725	725	0	#N/A	-3	P			OUTX total -963, XIN total 1033	963M self conc. rec'd 1033M		0	0	0.474		1		
A-104	1961	1	XIN	357		1082		#N/A	-3	P		P1				0.00014841	0.053	0.527	P1	4	O	HWN-1991-8
A-104	1961	1	OUTX	-382		700		#N/A	-3	COND	A-106	PCOND				0	0	0.527		3	O	HWN-1991-9
A-104	1961	1	STAT		N/A	700	0	#N/A	-3	P			XIN from qtr 1 & 2 total 357,842 TO N/A	Rec'd 1,967M 6 months report			0	0.527		1		
A-104	1961	2	XIN	710		1410		#N/A	-3	P		P1				0.00014841	0.1054	0.633	P1	4	O	HWN-1991-8
A-104	1961	2	XIN	900		2310		#N/A	-3	P		P1				0.00014841	0.1336	0.766	P1	4	O	HWN-1991-8
A-104	1961	2	OUTX	-868		1442		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.766		3	O	HWN-1991-9
A-104	1961	2	OUTX	-600		842		#N/A	-3	COND	A-106	PCOND				0	0	0.766		3	O	HWN-1991-9
A-104	1961	2	STAT		N/A	842		#N/A	-3					* Leak detection dry wells drilled; 10-04-01, 10-04-05, 10-04-07, 10-04-08, 10-04-10,10-04-11			0	0.766		1		
A-104	1961	3	XIN	700		1542		#N/A	-3	P		P1				0.00014841	0.1039	0.870	P1	3	O	HWN-1991-8
A-104	1961	3	XIN	744		2286		#N/A	-3	P		P1			For 3rd and 4th Qtr	0.00014841	0.1104	0.981	P1	3	O	HWN-1991-8
A-104	1961	3	OUTX	-700		1586		#N/A	-3	COND	A-024	PCOND				0	0	0.981		3	O	HWN-1991-9
A-104	1961	3	OUTX	-664		922		#N/A	-3	COND	A-024	PCOND			No XFER to A-204 indic.	0	0	0.981		3	O	HWN-1991-9
A-104	1961	3	STAT		N/A	922		#N/A	-3								0	0.981		1		
A-104	1961	4	XIN	130		1052		#N/A	-3	P		P1				0.00014841	0.0193	1.000	P1	3	O	HWN-1991-8
A-104	1961	4	OUTX	-166		886		#N/A	-3	COND	A-024	PCOND				0	0	1.000		3	O	HWN-1991-9
A-104	1961	4	STAT		886	886	0	#N/A	-3	P			XIN total 130, AND reports 157	Rec'd 157M 6 months report		0	0	1.000		1		
A-104	1962	1	XIN	566		1452		#N/A	-3	CARB		OWW1				0	0	1.000		4	O	HWN-1991-8
A-104	1962	1	OUTX	-535		917		#N/A	-3	COND	A-024	PCOND				0	0	1.000		3	O	HWN-1991-9
A-104	1962	1	STAT		N/A	917	0	#N/A	-3	P			XIN from qrt 1 & 2 total 1213, STAT 952 TO N/A	Rec'd 1213M carbonate waste 6 month report			0	1.000		1		
A-104	1962	2	XIN	647		1564		#N/A	-3	CARB		OWW1				0	0	1.000		4	O	HWN-1991-8
A-104	1962	2	OUTX	-612		952		#N/A	-3	COND	A-024	PCOND			No XFER to A-204 indic.	0	0	1.000		3	O	HWN-1991-9
A-104	1962	2	STAT		N/A	952		#N/A	-3								0	1.000		1		
A-104	1962	3	XIN	171		1123		#N/A	-3	CARB		OWW1				0	0	1.000		4	O	HWN-1991-27
A-104	1962	3	OUTX	-245		878		#N/A	-3	COND	A-024	PCOND				0	0	1.000		1		
A-104	1962	3	STAT		N/A	878		#N/A	-3					6 month report			0	1.000		1		
A-104	1962	4	XIN	457		1335		#N/A	-3	CARB		OWW1				0	0	1.000		4	O	HWN-1991-27
A-104	1962	4	OUTX	-653		682		#N/A	-3	COND	A-024	PCOND				0	0	1.000		1		
A-104	1962	4	STAT		682	682	0	#N/A	-3	P			XIN from qrt 3 & 4 total 628	Rec'd 628M carbonate		0	0	1.000		1		
A-104	1963	1	XIN	310		992		#N/A	-3	CARB		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1963	1	OUTX	-197		795		#N/A	-3	COND	A-024	PCOND				0	0	1.000		1		
A-104	1963	1	STAT		795	795	0	#N/A	-3	P				6 month report		0	0	1.000		1		
A-104	1963	2	STAT		N/A	795		#N/A	-3					Rec'd 310M carbonate			0	1.000		1		
A-104	1963	3	XIN	438		1233		#N/A	-3	CARB		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1963	3	OUTX	-409		824		#N/A	-3	COND	A-024	PCOND				0	0	1.000		1		
A-104	1963	3	STAT		N/A	824		#N/A	-3					6 month report			0	1.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-104	1963	4	STAT		824	824	0	#N/A	-3	P				Rec'd 438M carbonate		0	0	1.000		1		
A-104	1964	1	XIN	591		1415		#N/A	-3	CARB		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1964	1	send	-584		831		#N/A	-3			A-102				0	0	1.000		0		
A-104	1964	1	STAT		831	831	0	#N/A	-3	P				Rec'd 591M carbonate 6 month report		0	0	1.000		1		
A-104	1964	2	STAT		N/A	831		#N/A	-3					6 month report			0	1.000		1		
A-104	1964	3	STAT		N/A	831		#N/A	-3								0	1.000		1		
A-104	1964	4	XIN	285		1116		#N/A	-3	CARB		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1964	4	send	-252		864		#N/A	-3			A-102				0	0	1.000		0		
A-104	1964	4	STAT		864	864	0	#N/A	-3	P				Rec'd 285M carbonate 6 month report		0	0	1.000		1		
A-104	1965	1	XIN	55		919		#N/A	-3			OWW2				0	0	1.000		1		
A-104	1965	1	STAT		919	919	146	#N/A	-3	P				6 months report		0	0	1.000		1		
A-104	1965	2	XIN	149		1068		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1965	2	STAT		N/A	1068		#N/A	-3					rec'd 149M OWW			0	1.000		1		
A-104	1965	3	XIN	41		1109		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1965	3	send	-171		938		#N/A	-3			A-102				0	0	1.000		0		
A-104	1965	3	STAT		938	938	146	#N/A	-3	P				rec'd 41M OWW		0	0	1.000		1		
A-104	1965	4	XIN	72		1010		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	HWN-1991-27
A-104	1965	4	send	-78		932		#N/A	-3			A-102				0	0	1.000		0		
A-104	1965	4	STAT		932	932	146	#N/A	-3	P				rec'd 72M OWW		0	0	1.000		1		
A-104	1966	1	XIN	114		1046		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ISO-226-8
A-104	1966	1	send	-114		932		#N/A	-3			A-102				0	0	1.000		0		
A-104	1966	1	STAT		932	932	146	#N/A	-3	P				Rec'd 114M OWW		0	0	1.000		1		
A-104	1966	2	XIN	55		987		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ISO-404-8
A-104	1966	2	send	-46		941		#N/A	-3			A-102				0	0	1.000		0		
A-104	1966	2	STAT		941	941	146	#N/A	-3	P				Rec'd 55M OWW		0	0	1.000		1		
A-104	1966	3	XIN	93		1034		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ISO-538-8
A-104	1966	3	send	-102		932		#N/A	-3			A-102				0	0	1.000		0		
A-104	1966	3	STAT		932	932	146	#N/A	-3	P				Rec'd 93M		0	0	1.000		1		
A-104	1966	4	XIN	94		1026		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ISO-674-8
A-104	1966	4	send	-91		935		#N/A	-3			A-102				0	0	1.000		0		
A-104	1966	4	STAT		935	935	146	#N/A	-3	P				Rec'd 94M OWW		0	0	1.000		1		
A-104	1967	1	XIN	97		1032		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ISO-806-8
A-104	1967	1	send	-100		932		#N/A	-3			A-102				0	0	1.000		0		
A-104	1967	1	STAT		932	932	146	#N/A	-3	P				Rec'd 97M OWW		0	0	1.000		1		
A-104	1967	2	XIN	97		1029		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ISO-967-8
A-104	1967	2	send	-94		935		#N/A	-3			A-102				0	0	1.000		0		
A-104	1967	2	STAT		935	935	146	#N/A	-3	P				Rec'd 97M OWW		0	0	1.000		1		
A-104	1967	3	XIN	119		1054		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ARH-95-9
A-104	1967	3	send	-130		924		#N/A	-3			A-102				0	0	1.000		0		
A-104	1967	3	STAT		924	924	165	#N/A	-3	P				Rec'd 119M OWW		0	0	1.000		1		
A-104	1967	4	XIN	66		990		#N/A	-3	OWW		OWW2				0	0	1.000		4	O	ARH-326-9
A-104	1967	4	send	-66		924		#N/A	-3			A-102				0	0	1.000		0		
A-104	1967	4	STAT		924	924	168	#N/A	-3	P				Rec'd 66M OWW		0	0	1.000		1		
A-104	1968	1	XIN	106		1030		#N/A	-3	OWW		OWW3				0	0	1.000		4	O	ARH-534-9
A-104	1968	1	send	-103		927		#N/A	-3			A-102				0	0	1.000		0		
A-104	1968	1	STAT		927	927	182	#N/A	-3	P				Rec'd 106M OWW, Tank equipped for boiling waste		0	0	1.000		1		
A-104	1968	2	XIN	44		971		#N/A	-3			OWW3				0	0	1.000		1		
A-104	1968	2	STAT		971	971	171	#N/A	-3	P						0	0	1.000		1		
A-104	1968	3	STAT		976	976	165	5	2	P						0	0	1.000		1		
A-104	1968	4	STAT		983	983	171	7	9	P						0	0	1.000		1		
A-104	1969	1	send	-23		960		#N/A	9			A-102				0	0	1.000		0		
A-104	1969	1	SEND	-532		428		#N/A	9	SU		C-105	OC 481 to 532		Shows 532 not 481	0	0	1.000		3	V	ARH-1200A-5/ARH-1200A-10 SEND
A-104	1969	1	STAT		428	428	171	#N/A	9	P				481M to 105-C		0	0	1.000		1		
A-104	1969	2	REC	215		643		#N/A	9	SU	A-101	A-101				0	0	1.000		4	O	ARH-1200B-10

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
A-104	1969	2	SEND	-43		600		#N/A	9	SU		A-106				0	0	1.000		1		
A-104	1969	2	SEND	-188		412		#N/A	9	SU		C-105				0	0	1.000		4	O	ARH-1200B-5
A-104	1969	2	outx	-97		315		#N/A	9	SL	SRR	SRR	97 to SRR, 19 back to A-106			0	0	1.000		0		
A-104	1969	2	STAT		308	308	74	-7	2	P				188M to 105-C; sluicing started 5-12-69, 1/2 of slud was sluiced to 160A--215,000 gal. hot water added to soft remaining sludge								
A-104	1969	3	REC	335		643		#N/A	2	SU	A-101	A-101				0	0	1.000		1		
A-104	1969	3	SEND	-330		313		#N/A	2	SU		A-106				0	0	1.000		4	O	ARH-1200C-10
A-104	1969	3	SEND	-126		187		#N/A	2	SU		A-106	*-262 TO 126			0	0	1.000		3	O	ARH-1200C-10
A-104	1969	3	SEND	-61		126		#N/A	2	SU		A-106				0	0	1.000		2		
A-104	1969	3	SEND	-35		91		#N/A	2	SL		A-106				0	0	1.000		2		
A-104	1969	3	outx	-63		28		#N/A	2	SL	SRR	SRR	63 to SRR, 13 back to A-106			0	0	1.000		3	O	ARH-1200C-10
A-104	1969	3	STAT		28	28	11	#N/A	2	P						0	0	1.000		0		
A-104	1969	4	XIN	825		853		#N/A	2	WTR		WTR		sluicing in process		0	0	1.000		1		
A-104	1969	4	REC	133		986		#N/A	2	SU	A-101	A-101				0	0	1.000		1		
A-104	1969	4	STAT		960	960	3	-26	-24	H2O				sluicing comp. Oct.;; leak check comfirmed the integrit of 104-A & delared a spare		0	0	1.000		4	O	ARH-1200D-10
A-104	1970	1	STAT		957	957	1	-3	-27	H2O				spare		0	0	1.000		1		
A-104	1970	2	STAT		964	964	1	7	-20	H2O						0	0	1.000		1		
A-104	1970	3	send	-103		861		#N/A	-20			A-106				0	0	1.000		1		
A-104	1970	3	STAT		861	861	1	#N/A	-20	H2O						0	0	1.000		0		
A-104	1970	4	send	-118		743		#N/A	-20			A-106				0	0	1.000		1		
A-104	1970	4	STAT		743	743	1	#N/A	-20	H2O						0	0	1.000		0		
A-104	1971	1	send	-116		627		#N/A	-20			A-106				0	0	1.000		1		
A-104	1971	1	STAT		627	627	1	#N/A	-20	H2O						0	0	1.000		0		
A-104	1971	2	send	-66		561		#N/A	-20			A-106		sluicing comp. Oct. 1969		0	0	1.000		1		
A-104	1971	2	STAT		561	561	1	#N/A	-20	H2O						0	0	1.000		0		
A-104	1971	3	send	-107		454		#N/A	-20			A-106				0	0	1.000		1		
A-104	1971	3	STAT		454	454	1	#N/A	-20	H2O						0	0	1.000		0		
A-104	1971	4	send	-105		349		#N/A	-20			A-106				0	0	1.000		1		
A-104	1971	4	STAT		349	349	1	#N/A	-20	H2O						0	0	1.000		0		
A-104	1972	1	send	-89		260		#N/A	-20			A-106				0	0	1.000		1		
A-104	1972	1	SEND	-62		198		#N/A	-20	SU		AY-102				0	0	1.000		0		
A-104	1972	1	STAT		198	198	1	#N/A	-20	H2O				Sluicing completed Oct.1969 62M t0 102-AY		0	0	1.000		4	O	ARH-2456A-9
A-104	1972	2	XIN	137		335		#N/A	-20			AR	TREND ADD			0	0	1.000		1		
A-104	1972	2	SEND	-60		275		#N/A	-20	SU		AY-102				0.00785569	1.0762	2.076	AR	1		
A-104	1972	2	STAT		275	275	1	#N/A	-20	H2O				Sluicing completed Oct.1969 60M to 102-AY		0	0	2.076		1		
A-104	1972	3	XIN	84		359		#N/A	-20	AR		AR	Omis.		Omission	0	0	2.076		1		
A-104	1972	3	STAT		346	346	8	-13	-33	H2O						0.00785569	0.6599	2.736	AR	2	V	ARH-2456C-9
A-104	1972	4	XIN	525		871		#N/A	-33	AR		AR	Omis.		Omission	0	0	2.736		1		
A-104	1972	4	XIN	134		1005		#N/A	-33	CSR		CSR				0.00785569	4.1242	6.860	AR	3	V	ARH-2456D-9
A-104	1972	4	SEND	-567		438		#N/A	-33	SU		AX-104	OC A-103 to A-104		Shows XFER from A-104, Omission	0	0	6.860		4	O	ARH-2456D-9
A-104	1972	4	STAT		440	440	8	2	-31	B				525M from AR Vault, 134 from B Plant, 567 to 104-AX		0	0	6.860		3	M/V	ARH-2456D-9
A-104	1973	1	XIN	609		1049		#N/A	-31	AR		AR	358 TO 609		Omission	0	0	6.860		1		
A-104	1973	1	SEND	-276		773		#N/A	-31	SU		AX-104				0.00785569	4.7841	11.644	AR	3	V	ARH-2794A-9
A-104	1973	1	STAT		773	773	80	#N/A	-31	PSS				358M from AR Vault 276M to 104-AX		0	0	11.644		4	O	ARH-2794A-9
A-104	1973	2	XIN	705		1478		#N/A	-31	AR		AR	Omis.		Omission	0	0	11.644		1		
A-104	1973	2	SEND	-525		953		#N/A	-31	SU		AX-101				0.00785569	5.5383	17.183	AR	3	V	ARH-2794B-9
																0	0	17.183		4	O	ARH-2794B-9

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-104	1973	2	STAT		956	956	80	3	-28	PSS				Sluicing completed Oct. 1969 705M from AR Vault:; 525M to 101-AX		0	0	17.183		1		
A-104	1973	3	send	-44		912		#N/A	-28			A-106				0	0	17.183		0		
A-104	1973	3	STAT		912	912	80	#N/A	-28	PSS						0	0	17.183		1		
A-104	1973	4	XIN	169		1081		#N/A	-28	AR		AR	Omis.		Omission	0.00785569	1.3276	18.510	AR	2	V	ARH-2794D-9
A-104	1973	4	send	-27		1054		#N/A	-28			A-106				0	0	18.510		0		
A-104	1973	4	SEND	-217		837		#N/A	-28			AX-101			Omission	0	0	18.510		3	V	ARH-2794D-9
A-104	1973	4	STAT		837	837	80	#N/A	-28	PSS						0	0	18.510		1		
A-104	1974	1	XIN	61		898		#N/A	-28	AR		AR	Omis.		Omission	0.00785569	0.4792	18.990	AR	3	V	ARH-CD-133A-9
A-104	1974	1	REC	244		1142		#N/A	-28	SU	A-103	A-103				0	0	18.990		4	O	ARH-CD-133A-9
A-104	1974	1	REC	23		1165		#N/A	-28	SU	A-106	A-106				0	0	18.990		4	O	ARH-CD-133A-9
A-104	1974	1	send	-19		1146		#N/A	-28			AX-103				0	0	18.990		0		
A-104	1974	1	SEND	-643		503		#N/A	-28	SU		AX-101				0	0	18.990		4	O	ARH-133A-9/ARH-CD-133A-9 SEND
A-104	1974	1	STAT		503	503	80	#N/A	-28	PSS				23M from 106-A;; 244M from 103-A;; 643M to 101-AX, 61M from AR vault		0	0	18.990		1		
A-104	1974	2	XIN	338		841		#N/A	-28	AR		AR	Omis.		Omission	0.00785569	2.6552	21.645	AR	3	V	ARH-CD-133B-9
A-104	1974	2	send	-35		806		#N/A	-28			AX-103				0	0	21.645		0		
A-104	1974	2	STAT		806	806	80	#N/A	-28	PSS				338M from AR Vault		0	0	21.645		1		
A-104	1974	3	SEND	-23		783		#N/A	-28	SL		A-106				0	0	21.645		1		
A-104	1974	3	send	-148		635		#N/A	-28			AX-103				0	0	21.645		0		
A-104	1974	3	SEND	-46		589		#N/A	-28	SU		AX-101				0	0	21.645		2		
A-104	1974	3	SEND	-47		542		#N/A	-28	SU		AX-102				0	0	21.645		1		
A-104	1974	3	SEND	-446		96		#N/A	-28	SU		AX-104				0	0	21.645		2		
A-104	1974	3	STAT		96	96	57	#N/A	-28	PSS				Sluicing;; 96M from AR vault;; 46M to 101-AX;; 47M to 102-AX 446M to 104-AX		0	0	21.645		1		
A-104	1974	4	XIN	545		641		#N/A	-28	AR		AR	Omis.		Omission	0.00785569	4.2814	25.926	AR	3	V	ARH-CD-133D-9
A-104	1974	4	SEND	-32		609		#N/A	-28	SL		A-106				0	0	25.926		1		
A-104	1974	4	send	-554		55		#N/A	-28			AX-103				0	0	25.926		0		
A-104	1974	4	STAT		55	55	39	#N/A	-28	PSS				sluicing;; 545M from AR vault		0	0	25.926		1		
A-104	1975	1	XIN	264		319		#N/A	-28	AR		AR	Omis.		Omission	0.00785569	2.0739	28.000	AR	3	V	ARH-CD-336A-9
A-104	1975	1	send	-63		256		#N/A	-28			A-106	historical use of tank rule			0	0	28.000		0		
A-104	1975	1	send	-187		69		#N/A	-28			AX-103				0	0	28.000		0		
A-104	1975	1	STAT		69	69	39	#N/A	-28	PSS						0	0	28.000		1		
A-104	1975	2	SEND	-46		23		#N/A	-28	SU		A-103		Sluicing, 264M from AR vault		0	0	28.000		4	O	ARH-CD-336B-9
A-104	1975	2	STAT		25	25	25	2	-26							0	0	28.000		1		
A-104	1975	3	STAT		25	25	25	#N/A	-26					Tanks leaks;; 46M to 103-A		0	0	28.000		1		
A-104	1975	4	STAT		25	25	25	#N/A	-26					Tanks leaks;;		0	0	28.000		1		
A-104	1976	1	STAT		25	25	25	#N/A	-26					Tanks leaks		0	0	28.000		1		
A-104	1976	2	STAT		25	25	25	#N/A	-26							0	0	28.000		1		
A-104	1976	3	STAT		25	25	25	#N/A	-26							0	0	28.000		1		
A-104	1976	4	STAT		25	25	25	#N/A	-26							0	0	28.000		1		
A-104	1977	1	STAT		25	25	25	#N/A	-26							0	0	28.000		1		
A-104	1977	2	STAT		25	25	25	#N/A	-26					Tank leaks		0	0	28.000		1		
A-104	1977	3	STAT		25	25	25	#N/A	-26					Stabilized		0	0	28.000		1		
A-104	1977	4	STAT		25	25	25	#N/A	-26					Stabilized Phase I		0	0	28.000		1		
A-104	1978	1	STAT		28	28	28	3	-23					New Sludge Level 1/27/78 Primary Stablized		0	0	28.000		1		
A-104	1978	2	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1978	3	STAT		28	28	28	#N/A	-23					Interim Stabilized		0	0	28.000		1		
A-104	1978	4	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1979	1	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1979	2	STAT		28	28	28	#N/A	-23							0	0	28.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-104	1979	3	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1979	4	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1980	1	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1980	2	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1980	3	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1980	4	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1993	2	STAT		28	28	28	#N/A	-23	NCPLX						0	0	28.000		1		
A-104	1993	4	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	1994	1	STAT		28	28	28	#N/A	-23							0	0	28.000		1		
A-104	2000															0	0	28.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-105	1900																					
A-105	1957	2	XIN	17		17		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1957	2	STAT		17	17	0	#N/A	0					Test water		0	0	0.000		1		
A-105	1957	3	STAT		22	22	0	5	5					Test water		0	0	0.000		1		
A-105	1957	4	STAT		17	17	17	-5	0					Test water		0	0	0.000		1		
A-105	1958	1	XIN	5		22		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1958	1	STAT		22	22	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1958	2	XIN	3		25		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1958	2	STAT		25	25	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1958	3	XIN	5		30		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1958	3	STAT		30	30	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1958	4	STAT		30	30	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1959	1	STAT		30	30	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1959	2	STAT		30	30	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1959	3	STAT		30	30	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1959	4	STAT		30	30	17	#N/A	0					Test Water		0	0	0.000		1		
A-105	1960	1	STAT		30	30	17	#N/A	0	P				Test Water		0	0	0.000		1		
A-105	1960	2	XIN	11		41		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1960	2	STAT		41	41	17	#N/A	0	P				Latest electrode rdg.		0	0	0.000		1		
A-105	1960	3	XIN	6		47		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1960	3	STAT		47	47	17	#N/A	0	P				Latest electrode rdg.		0	0	0.000		1		
A-105	1960	4	XIN	3		50		#N/A	0	WTR		WTR				0	0	0.000		1		
A-105	1960	4	STAT		50	50	17	#N/A	0	P				Latest electrode rdg.		0	0	0.000		1		
A-105	1961	1	STAT		50	50	50	#N/A	0	P				6 months report		0	0	0.000		1		
A-105	1961	2	STAT		N/A	50		#N/A	0								0	0.000		1		
A-105	1961	3	STAT		N/A	50		#N/A	0								0	0.000		1		
A-105	1961	4	STAT		50	50	50	#N/A	0	P				6 months report		0	0	0.000		1		
A-105	1962	1	REC	283		333		#N/A	0	SU	A-103	A-103	OC 314 to 283		Shows 283 not 314	0	0	0.000		3	V	HWN-1991-10
A-105	1962	1	STAT		333	333	50	#N/A	0	P				283M 103-A		0	0	0.000		1		
A-105	1962	2	STAT		N/A	333		#N/A	0					6 months report			0	0.000		1		
A-105	1962	3	STAT		N/A	333		#N/A	0					* Leak detection dry wells drilled: 10-05-02, 10-05-05, 10-05-07, 10-05-08, 10-05-09, 10-05-10, 10-05-12			0	0.000		1		
A-105	1962	4	XIN	366		699		#N/A	0	IWW		P1	169 TO 366			0	0	0.000		1		
A-105	1962	4	STAT		699	699	50	#N/A	0	P				6 months report		0	0	0.000		1		
A-105	1963	1	XIN	514		1213		#N/A	0	IWW		P2	193 TO 514			0.00616083	3.1667	3.167	P2	4	O	HWN-1991-28
A-105	1963	1	SEND	-473		740		#N/A	0	SU		C-103				0	0	3.167		4	O	HW-78279-4
A-105	1963	1	STAT		740	740	50	#N/A	0	P						0	0	3.167		1		
A-105	1963	2	XIN	487		1227		#N/A	0	IWW		P2				0.00616083	3.0003	6.167	P2	4	O	HWN-1991-28
A-105	1963	2	STAT		N/A	1227		#N/A	0				XIN total 680.	6 months report Rec'd 680M IWW; 473M to 103-C			0	6.167		1		
A-105	1963	3	XIN	367		1594		#N/A	0	IWW		P2				0.00616083	2.261	8.428	P2	4	O	HWN-1991-28
A-105	1963	3	OUTX	-383		1211		#N/A	0	COND	A-024	PCOND				0	0	8.428		1		
A-105	1963	3	STAT		N/A	1211		#N/A	0								0	8.428		1		
A-105	1963	4	XIN	318		1529		#N/A	0	IWW		P2				0.00616083	1.9591	10.387	P2	4	O	HWN-1991-28
A-105	1963	4	send	-487		1042		#N/A	0			A-102	sluicinginput			0	0	10.387		0		
A-105	1963	4	OUTX	-331		711		#N/A	0	COND	A-024	PCOND				0	0	10.387		1		
A-105	1963	4	STAT		711	711	50	#N/A	0	P			XIN total 685	6 months report Rec'd 685M IWW		0	0	10.387		1		
A-105	1964	1	XIN	128		839		#N/A	0	IWW		P2				0.00616083	0.7886	11.176	P2	4	O	HWN-1991-28
A-105	1964	1	XIN	127		966		#N/A	0	IWW		P2				0.00616083	0.7824	11.958	P2	4	O	HWN-1991-28
A-105	1964	1	XIN	127		1093		#N/A	0	IWW		P2				0.00616083	0.7824	12.741	P2	2		
A-105	1964	1	outx	-378		715		#N/A	0	COND	A-024	PCOND	assumed			0	0	12.741		0		
A-105	1964	1	STAT		715	715	50	#N/A	0	P						0	0	12.741		1		
A-105	1964	2	XIN	127		842		#N/A	0	IWW		P2				0.00616083	0.7824	13.523	P2	4	O	HWN-1991-28
A-105	1964	2	XIN	127		969		#N/A	0	IWW		P2				0.00616083	0.7824	14.305	P2	2		
A-105	1964	2	XIN	127		1096		#N/A	0	IWW		P2				0.00616083	0.7824	15.088	P2	2		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-105	1964	2	outx	-300		796		#N/A	0	COND	A-024	PCOND	assumed			0	0	15.088		0		
A-105	1964	2	STAT		N/A	796		#N/A	0				XIN from qtr 1 & 2 total 763	Rec'd 763M IWW 6 months report			0	15.088		1		
A-105	1964	3	XIN	105		901		#N/A	0	IWW		P2				0.00616083	0.6469	15.735	P2	4	O	HWN-1991-28
A-105	1964	3	XIN	106		1007		#N/A	0	IWW		P2				0.00616083	0.653	16.388	P2	4	O	HWN-1991-28
A-105	1964	3	XIN	106		1113		#N/A	0	IWW		P2				0.00616083	0.653	17.041	P2	2		
A-105	1964	3	outx	-300		813		#N/A	0	COND	A-024	PCOND	assumed			0	0	17.041		0		
A-105	1964	3	STAT		N/A	813		#N/A	0								0	17.041		1		
A-105	1964	4	XIN	106		919		#N/A	0	IWW		P2				0.00616083	0.653	17.694	P2	4	O	HWN-1991-28
A-105	1964	4	XIN	106		1025		#N/A	0	IWW		P2				0.00616083	0.653	18.347	P2	2		
A-105	1964	4	XIN	106		1131		#N/A	0	IWW		P2				0.00616083	0.653	19.000	P2	2		
A-105	1964	4	outx	-278		853		#N/A	0	COND	A-024	PCOND	assumed			0	0	19.000		0		
A-105	1964	4	STAT		853	853	50	#N/A	0	P			XINS from qrt 3 & 4 total 635	Rec'd 635M IWW 6 months report		0	0	19.000		1		
A-105	1965	1	rec	13		866		#N/A	0		A-102	A-102				0	0	19.000		0		
A-105	1965	1	STAT		866	866	72	#N/A	0	P				6 months report		0	0	19.000		1		
A-105	1965	2	XIN	452		1318		#N/A	0	FLSH		WTR				0	0	19.000		4	O	HWN-1991-28
A-105	1965	2	outx	-225		1093		#N/A	0	COND	A-024	PCOND	assumed			0	0	19.000		0		
A-105	1965	2	STAT		N/A	1093		#N/A	0					rec'd 452M cell drainage flushes			0	19.000		1		
A-105	1965	3	outx	-229		864		#N/A	0	COND	A-024	PCOND	assumed			0	0	19.000		0		
A-105	1965	3	STAT		864	864	72	#N/A	0	P						0	0	19.000		1		
A-105	1965	4	STAT		858	858	72	-6	-6	P						0	0	19.000		1		
A-105	1966	1	STAT		850	850	72	-8	-14	P						0	0	19.000		1		
A-105	1966	2	STAT		858	858	72	8	-6	P						0	0	19.000		1		
A-105	1966	3	STAT		861	861	72	3	-3	P						0	0	19.000		1		
A-105	1966	4	STAT		869	869	72	8	5	P						0	0	19.000		1		
A-105	1967	1	STAT		864	864	72	-5	0	P						0	0	19.000		1		
A-105	1967	2	STAT		855	855	72	-9	-9	P						0	0	19.000		1		
A-105	1967	3	STAT		872	872	110	17	8	P						0	0	19.000		1		
A-105	1967	4	STAT		887	887	110	15	23	P						0	0	19.000		1		
A-105	1968	1	REC	550		1437		#N/A	23	SU	A-101	A-101		Suspected leaker		0	0	19.000		1		
A-105	1968	1	SEND	-481		956		#N/A	23	SU		A-103				0	0	19.000		4	O	ARH-534-9
A-105	1968	1	SEND	-293		663		#N/A	23	SU		A-103				0	0	19.000		4	O	ARH-534-9
A-105	1968	1	SEND	-259		404		#N/A	23	SU		A-103				0	0	19.000		4	O	ARH-534-9
A-105	1968	1	STAT		385	385	180	-19	4	P				Tank leaks--supernatant remc		0	0	19.000		4	O	ARH-534-9
A-105	1968	2	XIN	287		672		#N/A	4	CSR		CSR	Omis.		Omission	0	0	19.000		1		
A-105	1968	2	SEND	-549		123		#N/A	4	SU		A-103				0	0	19.000		3	V	ARH-721-9
A-105	1968	2	rec	558		681		#N/A	4		A-102	A-102				0	0	19.000		4	O	ARH-721-9
A-105	1968	2	SEND	-451		230		#N/A	4	SU		A-103				0	0	19.000		0		
A-105	1968	2	SEND	-98		132		#N/A	4	SL		A-103				0	0	19.000		1		
A-105	1968	2	REC	264		396		#N/A	4	SU	A-101	A-101				0	0	19.000		1		
A-105	1968	2	STAT		396	396	82	#N/A	4	P				Tank leaks C 's diluted from heel;; supernatant diluted with 264M from 101 -A & with 287M cesium depleted supernatant waste, 549 transferred to 1C		0	0	19.000		4	O	ARH-721-9
A-105	1968	3	SEND	-270		126		#N/A	4	SU		A-103				0	0	19.000		1		
A-105	1968	3	SEND	-49		77		#N/A	4	SL		A-103				0	0	19.000		1		
A-105	1968	3	rec	60		137		#N/A	4		A-102	A-102				0	0	19.000		1		
A-105	1968	3	SEND	-60		77		#N/A	4	SL		A-106				0	0	19.000		0		
A-105	1968	3	STAT		77	77	33	#N/A	4	P						0	0	19.000		1		
A-105	1968	4	rec	11		88		#N/A	4		A-102	A-102		Sluicing on Aug. 15		0	0	19.000		1		
A-105	1968	4	STAT		88	88	33	#N/A	4	P						0	0	19.000		0		
A-105	1969	1	STAT		85	85	33	-3	1	P				Tank leaks--sluicing.		0	0	19.000		1		
A-105	1969	2	STAT		89	89	52	4	5	P						0	0	19.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-105	1969	3	STAT		94	94	63	5	10	P						0	0	19.000		1		
A-105	1969	4	STAT		66	66	33	-28	-18	P						0	0	19.000		1		
A-105	1970	1	STAT		66	66	33	#N/A	-18					Tank leaks		0	0	19.000		1		
A-105	1970	2	STAT		66	66	33	#N/A	-18	P				Tank leaks		0	0	19.000		1		
A-105	1970	3	STAT		66	66	33	#N/A	-18	IX				Tank leaks Removal of sludge heel Aug. 25, 1970		0	0	19.000		1		
A-105	1970	4	STAT		66	66	33	#N/A	-18	P,IX				Tank Leaks, Removal of sludge heel Aug. 25, 1970		0	0	19.000		1		
A-105	1971	1	STAT		89	89	33	23	5	P,1C				Tank leaks, no sluicing act.		0	0	19.000		1		
A-105	1971	2	STAT		94	94	33	5	10	P,1C						0	0	19.000		1		
A-105	1971	3	STAT		87	87	33	-7	3	P,1C						0	0	19.000		1		
A-105	1971	4	SEND	-7		80		#N/A	3	SU		A-103				0	0	19.000		4	O	ARH-2074-10
A-105	1971	4	send	-43		37		#N/A	3			A-106				0	0	19.000		0		
A-105	1971	4	STAT		37	37	33	#N/A	3	IX				7M to 103-A		0	0	19.000		1		
A-105	1972	1	STAT		50	50	33	13	16	IX				Tank leaks;; no sluicing act.		0	0	19.000		1		
A-105	1972	2	STAT		50	50	33	#N/A	16	IX						0	0	19.000		1		
A-105	1972	3	STAT		47	47	33	-3	13	IX						0	0	19.000		1		
A-105	1972	4	STAT		44	44	33	-3	10	IX						0	0	19.000		1		
A-105	1973	1	STAT		44	44	33	#N/A	10	IX						0	0	19.000		1		
A-105	1973	2	STAT		43	43	33	-1	9	IX				Tank leaks;; no sluicing act.		0	0	19.000		1		
A-105	1973	3	STAT		36	36	33	-7	2	IX						0	0	19.000		1		
A-105	1973	4	STAT		50	50	33	14	16							0	0	19.000		1		
A-105	1974	1	STAT		50	50	33	#N/A	16	IX						0	0	19.000		1		
A-105	1974	2	STAT		50	50	33	#N/A	16	IX				Tank leaks no sluicing act		0	0	19.000		1		
A-105	1974	3	STAT		50	50	33	#N/A	16	IX						0	0	19.000		1		
A-105	1974	4	STAT		52	52	33	2	18	IX						0	0	19.000		1		
A-105	1975	1	STAT		52	52	33	#N/A	18							0	0	19.000		1		
A-105	1975	2	STAT		52	52	33	#N/A	18	IX				Tank leaks; no sluicing act.		0	0	19.000		1		
A-105	1975	3	STAT		52	52	33	#N/A	19	IX						0	0	19.000		1		
A-105	1975	4	STAT		50	50	33	-2	16	IX						0	0	19.000		1		
A-105	1976	1	STAT		50	50	33	#N/A	16	IX						0	0	19.000		1		
A-105	1976	2	STAT		50	50	33	#N/A	16	IX				Tank leaks;; no sluicing act.		0	0	19.000		1		
A-105	1976	3	STAT		50	50	33	#N/A	16							0	0	19.000		1		
A-105	1976	4	STAT		47	47	33	-3	13							0	0	19.000		1		
A-105	1977	1	STAT		50	50	33	3	16							0	0	19.000		1		
A-105	1977	2	STAT		47	47	33	-3	13							0	0	19.000		1		
A-105	1977	3	STAT		47	47	33	#N/A	13							0	0	19.000		1		
A-105	1977	4	STAT		50	50	33	3	16							0	0	19.000		1		
A-105	1978	1	STAT		50	50	33	#N/A	16	EVAP				Eval. stero photo		0	0	19.000		1		
A-105	1978	2	STAT		41	41	33	-9	7	NCPLX				New Photo on 1/30/78		0	0	19.000		1		
A-105	1978	3	STAT		44	44	33	3	10	NCPLX						0	0	19.000		1		
A-105	1978	4	STAT		39	39	33	-5	5							0	0	19.000		1		
A-105	1979	1	STAT		39	39	33	#N/A	5							0	0	19.000		1		
A-105	1979	2	STAT		39	39	33	#N/A	5	NCPLX						0	0	19.000		1		
A-105	1979	3	send	-20		19		#N/A	5			A-102				0	0	19.000		0		
A-105	1979	3	STAT		19	19	19	#N/A	5					Interim Stabilized New Photo 6/21/79		0	0	19.000		1		
A-105	1979	4	STAT		19	19	19	#N/A	5					New Solids Level 8/23/79		0	0	19.000		1		
A-105	1980	1	STAT		19	19	19	#N/A	5							0	0	19.000		1		
A-105	1980	2	STAT		19	19	19	#N/A	5							0	0	19.000		1		
A-105	1980	3	STAT		19	19	19	#N/A	5							0	0	19.000		1		
A-105	1980	4	STAT		19	19	19	#N/A	5	NCPLX						0	0	19.000		1		
A-105	1993	2	STAT		19	19	19	#N/A	5	NCPLX						0	0	19.000		1		
A-105	1993	4	STAT		19	19	19	#N/A	5							0	0	19.000		1		
A-105	1994	1	STAT		19	19	19	#N/A	5							0	0	19.000		1		
A-105	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1900																					
A-106	1957	1	XIN	94		94		#N/A	0	WTR		WTR				0	0	0.000		1		
A-106	1957	1	STAT		88	88	0	-6	-6	P				De-entrained water		0	0	0.000		1		
A-106	1957	2	XIN	4		92		#N/A	-6	COND	A-101	WTR			No XFER indic.	0	0	0.000		3	O	WHC-MR-0132-101-A-1
A-106	1957	2	STAT		94	94	0	2	-4	P				De-entrained water		0	0	0.000		1		
A-106	1957	3	XIN	43		137		#N/A	-4	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1957	3	XIN	183		320		#N/A	-4	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1957	3	XIN	15		335		#N/A	-4	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1957	3	XIN	211		546		#N/A	-4	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1957	3	OUTX	-47		499		#N/A	-4	SU	A-008	CRIB				0	0	0.000		1		
A-106	1957	3	OUTX	-159		340		#N/A	-4	SU	A-008	CRIB				0	0	0.000		1		
A-106	1957	3	OUTX	-220		120		#N/A	-4	SU	A-008	CRIB				0	0	0.000		1		
A-106	1957	3	STAT		124	124	0	4	0	P				De-entrained water		0	0	0.000		1		
A-106	1957	4	XIN	129		253		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1957	4	XIN	362		615		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1957	4	XIN	278		893		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1957	4	XIN	232		1125		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1957	4	OUTX	-488		637		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1957	4	OUTX	-273		364		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1957	4	OUTX	-180		184		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1957	4	STAT		184	184	0	#N/A	0	P				Condensate from 101-A & 103-A		0	0	0.000		1		
A-106	1958	1	XIN	3		187		#N/A	0	COND	A-103	WTR				0	0	0.000		1		
A-106	1958	1	XIN	297		484		#N/A	0	COND	A-101	WTR				0	0	0.000		1		
A-106	1958	1	XIN	180		664		#N/A	0	COND	A-101	WTR				0	0	0.000		1		
A-106	1958	1	XIN	104		768		#N/A	0	COND	A-103	WTR				0	0	0.000		1		
A-106	1958	1	OUTX	-258		510		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1958	1	OUTX	-178		332		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1958	1	OUTX	-98		234		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1958	1	STAT		234	234	0	#N/A	0					Condensate from boiling tanks		0	0	0.000		1		
A-106	1958	2	xin	91		325		#N/A	0			WTR	LC added rev 2 rule			0	0	0.000		0		
A-106	1958	2	XIN	44		369		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	2	XIN	45		414		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	2	XIN	101		515		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	2	XIN	41		556		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	2	XIN	53		609		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	2	XIN	238		847		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	2	XIN	23		870		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	2	XIN	174		1044		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	2	SEND	-91		953		#N/A	0			A-101			Omission	0	0	0.000		3	V	HW-55997-8
A-106	1958	2	OUTX	-281		672		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1958	2	OUTX	-329		343		#N/A	0	SU	A-008	CRIB				0	0	0.000		1		
A-106	1958	2	OUTX	-104		239		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	2	STAT		239	239	0	#N/A	0	P				191M to 101-A Concensate collect		0	0	0.000		1		
A-106	1958	3	XIN	41		280		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	3	XIN	60		340		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	3	XIN	31		371		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	3	XIN	88		459		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	3	XIN	110		569		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	3	XIN	86		655		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	3	XIN	105		760		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	3	XIN	201		961		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	3	OUTX	-95		866		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	3	OUTX	-210		656		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	3	OUTX	-411		245		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	3	STAT		245	245	0	#N/A	0	P				Condensate collector		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1958	4	XIN	52		297		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	4	XIN	178		475		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	4	XIN	229		704		#N/A	0	COND	A-102	WTR			184, no record of XFER	0	0	0.000		2	V	HWN-1991-5
A-106	1958	4	XIN	94		798		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-7
A-106	1958	4	XIN	110		908		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	4	XIN	162		1070		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	4	XIN	33		1103		#N/A	0	FLSH		WTR				0	0	0.000		4	O	HW-58831-8
A-106	1958	4	XIN	70		1173		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1958	4	XIN	73		1246		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HW-58831-8
A-106	1958	4	XIN	242		1488		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1958	4	OUTX	-459		1029		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	4	OUTX	-366		663		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	4	OUTX	-385		278		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1958	4	STAT		278	278	0	#N/A	0	P				Rec' d 33M Flushwater condensate collector		0	0	0.000		1		
A-106	1959	1	XIN	75		353		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	1	XIN	114		467		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1959	1	XIN	184		651		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1959	1	XIN	66		717		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1959	1	XIN	84		801		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	1	XIN	94		895		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1959	1	XIN	53		948		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	1	XIN	89		1037		#N/A	0	COND	A-101	WTR			103, no record of XFER	0	0	0.000		2	V	HWN-1991-3
A-106	1959	1	XIN	169		1206		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-5
A-106	1959	1	OUTX	-368		838		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	1	OUTX	-240		598		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	1	OUTX	-303		295		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	1	STAT		295	295	0	#N/A	0	P				Condensate collector		0	0	0.000		1		
A-106	1959	2	XIN	61		356		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	2	XIN	147		503		#N/A	0	COND	A-102	WTR			153, no record of XFER	0	0	0.000		2	V	HWN-1991-5
A-106	1959	2	XIN	37		540		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	2	XIN	99		639		#N/A	0	COND	A-101	WTR			85, no record of XFER	0	0	0.000		2	V	HWN-1991-3
A-106	1959	2	XIN	47		686		#N/A	0	COND	A-103	WTR			42, no record of XFER	0	0	0.000		2	V	HWN-1991-23
A-106	1959	2	XIN	133		819		#N/A	0	COND	A-101	WTR			128, no record of XFER	0	0	0.000		2	V	HWN-1991-3
A-106	1959	2	XIN	160		979		#N/A	0	COND	A-102	WTR	OC 160 to 149		149, no record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1959	2	OUTX	-203		776		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	2	OUTX	-119		657		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	2	OUTX	-343		314		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	2	STAT		314	314	0	#N/A	0	P				Condensate collector		0	0	0.000		1		
A-106	1959	3	XIN	90		404		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	3	XIN	113		517		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1959	3	XIN	213		730		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	3	XIN	36		766		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	3	XIN	59		825		#N/A	0	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HW-61952-8
A-106	1959	3	XIN	69		894		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-3
A-106	1959	3	XIN	325		1219		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	3	XIN	22		1241		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-19
A-106	1959	3	XIN	43		1284		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	3	XIN	239		1523		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	3	OUTX	-408		1115		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	3	OUTX	-475		640		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	3	OUTX	-298		342		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	3	STAT		342	342	0	#N/A	0	P				Condensate collector		0	0	0.000		1		
A-106	1959	4	XIN	6		348		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	4	XIN	35		383		#N/A	0	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HW-62723-5
A-106	1959	4	XIN	67		450		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-19
A-106	1959	4	XIN	249		699		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	4	XIN	35		734		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-19

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	C/A	Document/Pg #
A-106	1959	4	XIN	64		798		#N/A	0	COND	A-104	WTR	OC 67 to 64		Total 184 w/ *, no record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1959	4	XIN	334		1132		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	4	XIN	17		1149		#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	4	XIN	80		1229		#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-19
A-106	1959	4	XIN	120		1349		#N/A	0	COND	A-104	WTR			* No record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1959	4	XIN	390		1739		#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	4	OUTX	-327		1412		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	4	OUTX	-428		984		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	4	OUTX	-607		377		#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	4	STAT		380	380	0	3	3	P				Condensate collector		0	0	0.000		1		
A-106	1960	1	XIN	26		406		#N/A	3	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1960	1	XIN	100		506		#N/A	3	COND	A-104	WTR	OC 85 to 100		100, no record of XFER	0	0	0.000		3	O	HW-63896-8
A-106	1960	1	XIN	317		823		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	XIN	66		889		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-64373-8
A-106	1960	1	XIN	270		1159		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	XIN	40		1199		#N/A	3	COND	A-103	WTR	OC 35 to 40		40, no record of XFER	0	0	0.000		2	V	HWN-1991-23
A-106	1960	1	XIN	234		1433		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	XIN	243		1676		#N/A	3	COND	A-104	WTR	OC 285 to 243		243, no record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	1	OUTX	-428		1248		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	1	OUTX	-300		948		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	1	OUTX	-532		416		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	1	XIN	0		416		#N/A	3	COND	A-101	WTR	added due to OC in A-101,TAKEN OFF									
A-106	1960	1	STAT		416	416	0	#N/A	3	P				Condensate collector		0	0	0.000		1		
A-106	1960	2	XIN	11		427		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-65272-8
A-106	1960	2	XIN	34		461		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	2	XIN	376		837		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	2	XIN	90		927		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	2	XIN	356		1283		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	2	XIN	291		1574		#N/A	3	COND	A-102	WTR	OC 411 to 291		291, No record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1960	2	XIN	667		2241		#N/A	3	COND	A-104	WTR	LC ogden corr ignored		217, No record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1960	2	OUTX	-402		1839		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	2	OUTX	-441		1398		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	2	OUTX	-600		798		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	2	OUTX	-358		440		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	2	STAT		440	440	0	#N/A	3	P				Condensate collector		0	0	0.000		1		
A-106	1960	3	XIN	35		475		#N/A	3	COND	A-103	WTR	OC 30 to 35		35, no record of XFER	0	0	0.000		2	V	HW-66557-8
A-106	1960	3	XIN	90		565		#N/A	3	COND	A-101	WTR				0	0	0.000		1		
A-106	1960	3	XIN	107		672		#N/A	3	COND	A-102	WTR	OC 198 to 107		107, no record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1960	3	XIN	473		1145		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	3	XIN	68		1213		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-66827-8
A-106	1960	3	XIN	217		1430		#N/A	3	COND	A-102	WTR	OC 339 to 217		217, no record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1960	3	XIN	369		1799		#N/A	3	COND	A-103	WTR	OC 385 to 369		369, no record of XFER	0	0	0.000		2	V	HW-66827-8
A-106	1960	3	XIN	365		2164		#N/A	3	COND	A-104	WTR	OC 407 to 365		365, no record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1960	3	XIN	9		2173		#N/A	3	CTW		WTR				0	0	0.000		4	O	HW-67696-8
A-106	1960	3	XIN	15		2188		#N/A	3	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HW-67696-8
A-106	1960	3	XIN	30		2218		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-67696-8
A-106	1960	3	XIN	129		2347		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	3	XIN	369		2716		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	3	OUTX	-590		2126		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-201		1925		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-750		1175		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-449		726		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-277		449		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	STAT		449	449	0	#N/A	3	P				Rec'd 9M flush H20 from diversion box		0	0	0.000		1		
A-106	1960	4	XIN	33		482		#N/A	3	PL		P1				0	0	0.000		4	O	HW-67705-8

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
A-106	1960	4	XIN	2		484		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-67705-8
A-106	1960	4	XIN	158		642		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	XIN	168		810		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	4	XIN	36		846		#N/A	3	COND	A-103	WTR	OC 17 to 36		36, no record of XFER	0	0	0.000		2	V	HW-68292-8
A-106	1960	4	XIN	25		871		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-68291-8
A-106	1960	4	XIN	308		1179		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	XIN	214		1393		#N/A	3	COND	A-101	WTR	OC 79 to 214		214, no record of XFER	0	0	0.000		2	V	HW-68292-8
A-106	1960	4	XIN	497		1890		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	OUTX	-328		1562		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	4	OUTX	-483		1079		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	4	OUTX	-576		503		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	4	STAT		485	485	0	-18	-15	P				Rec'd 33M Latest electrode rdg		0	0	0.000		1		
A-106	1961	1	XIN	382		867		#N/A	-15	COND	A-104	WTR				0	0	0.000		1		
A-106	1961	1	XIN	396		1263		#N/A	-15	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1961	1	XIN	586		1849		#N/A	-15	COND	A-101	WTR			319, no record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1961	1	OUTX	-580		1269		#N/A	-15	SU	A-024	CRIB	900 TO 580		503, no record of XFER	0	0	0.000		2	V	HWN-1991-19
A-106	1961	1	OUTX	-500		769		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	1	OUTX	-389		380		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	1	STAT		380	380	0	#N/A	-15	P						0	0	0.000		1		
A-106	1961	2	XIN	600		980		#N/A	-15	COND	A-104	WTR		6 Months report		0	0	0.000		1		
A-106	1961	2	XIN	868		1848		#N/A	-15	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1961	2	OUTX	-1056		792		#N/A	-15	SU	A-024	CRIB			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1961	2	OUTX	-548		244		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	2	STAT		N/A	244		#N/A	-15					* Leak detection dry wells drilled; 10-06-02, 10-06-04, 10-06-05, 10-06-07, 10-06-09, 10-06-10, 10-06-12		0	0	0.000		1		
A-106	1961	3	STAT		N/A	244		#N/A	-15							0	0	0.000		1		
A-106	1961	4	XIN	500		744		#N/A	-15	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1961	4	XIN	559		1303		#N/A	-15	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1961	4	XIN	136		1439		#N/A	-15	COND	A-102	WTR				0	0	0.000		1		
A-106	1961	4	OUTX	-724		715		#N/A	-15	COND	A-024	PCOND				0	0	0.000		1		
A-106	1961	4	STAT		715	715	0	#N/A	-15	P			XIN tota l 1059	Rec'd 1059M - 6 months report		0	0	0.000		1		
A-106	1962	1	XIN	640		1355		#N/A	-15	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1962	1	OUTX	-647		708		#N/A	-15	COND	A-024	PCOND			No indic. XFER to A024	0	0	0.000		3	O	HWN-1991-13
A-106	1962	1	STAT		699	699	0	-9	-24	P			XIN from qrt 1 & 2 total 1370	Rec'd 1370M - 6 months report		0	0	0.000		1		
A-106	1962	2	XIN	730		1429		#N/A	-24	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1962	2	OUTX	-600		829		#N/A	-24	COND	A-024	PCOND			No indic. XFER to A024	0	0	0.000		3	O	HWN-1991-13
A-106	1962	2	OUTX	-139		690		#N/A	-24	COND	A-024	PCOND			No indic. XFER to A024	0	0	0.000		3	O	HWN-1991-13
A-106	1962	2	STAT		N/A	690		#N/A	-24								0	0.000		1		
A-106	1962	3	XIN	210		900		#N/A	-24	CARB		OWW1				0	0	0.000		4	O	HWN-1991-29
A-106	1962	3	XIN	409		1309		#N/A	-24	IWW		P1				0	0	0.000		4	O	HWN-1991-29
A-106	1962	3	OUTX	-600		709		#N/A	-24	COND	A-024	PCOND				0	0	0.000		1		
A-106	1962	3	STAT		N/A	709		#N/A	-24								0	0.000		1		
A-106	1962	4	XIN	679		1388		#N/A	-24	IWW		P1				0	0	0.000		4	O	HWN-1991-29
A-106	1962	4	OUTX	-523		865		#N/A	-24	COND	A-024	PCOND				0	0	0.000		1		
A-106	1962	4	STAT		883	883	0	18	-6	P			XIN from qtr 3 & 4 total 11088	6 Months report Rec'd 1088M IWW; 210M carbonate		0	0	0.000		1		
A-106	1963	1	XIN	152		1035		#N/A	-6	IWW		P2				0	0	0.000		4	O	HWN-1991-29
A-106	1963	1	OUTX	-46		989		#N/A	-6	COND	A-024	PCOND				0	0	0.000		1		
A-106	1963	1	STAT		N/A	989	0	#N/A	-6	P				6 Months report Rec 'd 152M IWW		0	0	0.000		1		
A-106	1963	2	OUTX	-65		924		#N/A	-6	COND	A-024	PCOND	924 TO N/A			0	0	0.000		1		
A-106	1963	2	STAT		N/A	924		#N/A	-6								0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1963	3	STAT		N/A	924		#N/A	-6								0	0.000		1		
A-106	1963	4	XIN	327		1251		#N/A	-6	CARB		OWW2										
A-106	1963	4	OUTX	-336		915		#N/A	-6	COND	A-024	PCOND				0	0	0.000		4	O	HWN-1991-29
																0	0	0.000		1		
A-106	1963	4	STAT		915	915	0	#N/A	-6	P				6 Months report Rec'd 327M carbonate								
A-106	1964	1	XIN	47		962		#N/A	-6	CARB		OWW2				0	0	0.000		1		
A-106	1964	1	send	-46		916		#N/A	-6			A-102				0	0	0.000		4	O	HWN-1991-29
																0	0	0.000		0		
A-106	1964	1	STAT		916	916	0	#N/A	-6	P				Rec'd 47M carbonate 6 months report								
A-106	1964	2	STAT		N/A	916		#N/A	-6							0	0	0.000		1		
A-106	1964	3	XIN	379		1295		#N/A	-6	CARB		OWW2					0	0.000		1		
A-106	1964	3	STAT		N/A	1295		#N/A	-6							0	0	0.000		4	O	HWN-1991-29
A-106	1964	4	send	-484		811		#N/A	-6			A-102					0	0.000		1		
																0	0	0.000		0		
A-106	1964	4	STAT		811	811	0	#N/A	-6	P				Rec'd 379M carbonate 6 months report								
A-106	1965	1	XIN	64		875		#N/A	-6			OWW2				0	0	0.000		1		
A-106	1965	1	STAT		875	875	118	#N/A	-6	P				6 months report		0	0	0.000		1		
A-106	1965	2	XIN	389		1264		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1965	2	STAT		N/A	1264		#N/A	-6					rec'd 389M 0WW		0	0	0.000		4	O	HWN-1991-29
A-106	1965	3	XIN	221		1485		#N/A	-6	OWW		OWW2					0	0.000		1		
A-106	1965	3	send	-605		880		#N/A	-6			A-102				0	0	0.000		4	O	HWN-1991-29
A-106	1965	3	STAT		880	880	118	#N/A	-6	P				Rec'd 221M 0WW		0	0	0.000		0		
A-106	1965	4	XIN	146		1026		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1965	4	send	-146		880		#N/A	-6			A-102				0	0	0.000		4	O	HWN-1991-29
A-106	1965	4	STAT		880	880	118	#N/A	-6	P				Rec'd 146M 0WW		0	0	0.000		0		
A-106	1966	1	XIN	138		1018		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1966	1	send	-141		877		#N/A	-6			A-102				0	0	0.000		4	O	ISO-226-8
A-106	1966	1	STAT		877	877	118	#N/A	-6	P				Rec'd 138M 0WW		0	0	0.000		0		
A-106	1966	2	XIN	104		981		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1966	2	send	-104		877		#N/A	-6			A-102				0	0	0.000		4	O	ISO-404-8
A-106	1966	2	STAT		877	877	118	#N/A	-6	P				Rec'd 104M 0WW		0	0	0.000		0		
A-106	1966	3	XIN	137		1014		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1966	3	send	-137		877		#N/A	-6			A-102				0	0	0.000		4	O	ISO-538-8
A-106	1966	3	STAT		877	877	118	#N/A	-6	P				Rec'd 137M		0	0	0.000		0		
A-106	1966	4	XIN	122		999		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1966	4	send	-119		880		#N/A	-6			A-102				0	0	0.000		4	O	ISO-674-8
A-106	1966	4	STAT		880	880	118	#N/A	-6	P				Rec'd 122M 0WW		0	0	0.000		0		
A-106	1967	1	XIN	74		954		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1967	1	send	-90		864		#N/A	-6			A-102				0	0	0.000		4	O	ISO-806-8
A-106	1967	1	STAT		864	864	118	#N/A	-6	P				Rec'd 74M 0WW		0	0	0.000		0		
A-106	1967	2	XIN	98		962		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1967	2	XIN	22		984		#N/A	-6	FLSH		WTR				0	0	0.000		4	O	ISO-967-8
A-106	1967	2	send	-114		870		#N/A	-6			A-102				0	0	0.000		1		
A-106	1967	2	STAT		870	870	118	#N/A	-6	P				Rec'd 98M 0WW		0	0	0.000		0		
A-106	1967	3	XIN	114		984		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1967	3	send	-123		861		#N/A	-6			A-102				0	0	0.000		4	O	ARH-95-9
A-106	1967	3	STAT		861	861	140	#N/A	-6	P				Rec'd 114M 0WW		0	0	0.000		0		
A-106	1967	4	XIN	107		968		#N/A	-6	OWW		OWW2				0	0	0.000		1		
A-106	1967	4	send	-107		861		#N/A	-6			A-102				0	0	0.000		4	O	ARH-326-9
A-106	1967	4	STAT		861	861	176	#N/A	-6	P				Rec'd 107M 0WW		0	0	0.000		0		
A-106	1968	1	XIN	135		996		#N/A	-6	OWW		OWW3				0	0	0.000		1		
A-106	1968	1	send	-102		894		#N/A	-6			A-102				0	0	0.000		4	O	ARH-534-9
																0	0	0.000		0		
A-106	1968	1	STAT		894	894	173	#N/A	-6	P				Tank equipped for boiling waste rec'd 135M 0WW								
A-106	1968	2	XIN	20		914		#N/A	-6	OWW		OWW3				0	0	0.000		1		
A-106	1968	2	STAT		936	936	171	22	16	P				Rec'd 20M 0WW		0	0	0.000		4	O	ARH-721-9
A-106	1968	3	send	-61		875		#N/A	16			A-102				0	0	0.000		1		
A-106	1968	3	REC	60		935		#N/A	16	SL	A-105	A-105				0	0	0.000		0		
																0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
A-106	1968	3	STAT		935	935	168	#N/A	16	P						0	0	0.000		1		
A-106	1968	4	STAT		936	936	176	1	17	P						0	0	0.000		1		
A-106	1969	1	xin	2		938		#N/A	17	SL A-10	AR	AR				0.160305	0.3206	0.321	AR	0		
A-106	1969	1	STAT		935	935	175	-3	14	P						0	0	0.321		1		
A-106	1969	2	xin	19		954		#N/A	14	SL A-10	AR	AR				0.160305	3.0458	3.366	AR	0		
A-106	1969	2	SEND	-331		623		#N/A	14	SU		A-102				0	0	3.366		4	O	ARH-1200B-10
A-106	1969	2	SEND	-193		430		#N/A	14	SU		A-102				0	0	3.366		4	O	ARH-1200B-10
A-106	1969	2	REC	43		473		#N/A	14	SU	A-104	A-104				0	0	3.366		1		
A-106	1969	2	rec	27		500		#N/A	14			A-101				0	0	3.366		0		
A-106	1969	2	rec	83		583		#N/A	14			A-102				0	0	3.366		0		
A-106	1969	2	rec	49		632		#N/A	14			A-103				0	0	3.366		0		
A-106	1969	2	rec	753		1385		#N/A	14			AX-102				0	0	3.366		0		
A-106	1969	2	send	-26		1359		#N/A	14			AX-103				0	0	3.366		0		
A-106	1969	2	outx	-787		572		#N/A	14			PCOND				0	0	3.366		0		
A-106	1969	2	STAT		572	572	227	#N/A	14	P			SEND total -524	524M to 102-A;; rec'd sludge from 104-A; PSN transferred to 105-C following ion exchange processing PSN from 104-A sludge		0	0	3.366		1		
A-106	1969	3	xin	13		585		#N/A	14	SL A-10	AR	AR				0.160305	2.084	5.450	AR	2		
A-106	1969	3	rec	475		1060		#N/A	14			AX-102				0	0	5.450		0		
A-106	1969	3	SEND	-473		587		#N/A	14	SU		A-102				0	0	5.450		4	O	ARH-1200C-10
A-106	1969	3	SEND	-204		383		#N/A	14	SU		A-102				0	0	5.450		4	O	ARH-1200C-10
A-106	1969	3	REC	330		713		#N/A	14	SU	A-104	A-104				0	0	5.450		3	O	ARH-1200C-10
A-106	1969	3	REC	126		839		#N/A	14	SU	A-104	A-104	*-262 TO 126			0	0	5.450		2		
A-106	1969	3	REC	61		900		#N/A	14	SU	A-104	A-104				0	0	5.450		2		
A-106	1969	3	REC	35		935		#N/A	14	SL	A-104	A-104				0	0	5.450		3	O	ARH-1200C-10
A-106	1969	3	rec	80		1015		#N/A	14			A-101				0	0	5.450		0		
A-106	1969	3	rec	88		1103		#N/A	14			A-102				0	0	5.450		0		
A-106	1969	3	rec	24		1127		#N/A	14			A-103				0	0	5.450		0		
A-106	1969	3	rec	14		1141		#N/A	14			AX-103				0	0	5.450		0		
A-106	1969	3	outx	-541		600		#N/A	14			PCOND				0	0	5.450		0		
A-106	1969	3	STAT		600	600	254	#N/A	14	P			REC total 700, SEND total -677	700M from 104-A;; 680M to 102 rec'd sludge from 104-A; includes hot water soaks of 104-A		0	0	5.450		1		
A-106	1969	4	SEND	-328		272		#N/A	14			A-102	OC A-101 to A-102		Omission, XFER to A-102	0	0	5.450		3	M/V	ARH-1200D-10
A-106	1969	4	rec	27		299		#N/A	14			A-101				0	0	5.450		0		
A-106	1969	4	rec	98		397		#N/A	14			A-102				0	0	5.450		0		
A-106	1969	4	rec	47		444		#N/A	14			A-103				0	0	5.450		0		
A-106	1969	4	rec	1035		1479		#N/A	14			AX-102				0	0	5.450		0		
A-106	1969	4	rec	21		1500		#N/A	14			AX-103				0	0	5.450		0		
A-106	1969	4	outx	-1237		263		#N/A	14			PCOND				0	0	5.450		0		
A-106	1969	4	STAT		263	263	234	#N/A	14	P				328M to 102-A; supernatant removed to prepare for sluicing		0	0	5.450		1		
A-106	1970	1	rec	124		387		#N/A	14			A-102				0	0	5.450		0		
A-106	1970	1	rec	546		933		#N/A	14			AX-102				0	0	5.450		0		
A-106	1970	1	send	-20		913		#N/A	14			AX-103				0	0	5.450		0		
A-106	1970	1	outx	-633		280		#N/A	14			PCOND				0	0	5.450		0		
A-106	1970	1	outx	-28		252		#N/A	14	SL	SRR	SRR	6 AR at C-106			0	0	5.450		0		
A-106	1970	1	STAT		252	252	195	#N/A	14	P				Sluicing to AR vault was started 2-17-70		0	0	5.450		1		
A-106	1970	2	rec	105		357		#N/A	14		A-101	A-101				0	0	5.450		0		
A-106	1970	2	rec	370		727		#N/A	14			AX-102				0	0	5.450		0		
A-106	1970	2	outx	-472		255		#N/A	14			PCOND				0	0	5.450		0		
A-106	1970	2	outx	-10		245		#N/A	14	SL	SRR	SRR	2 AR at C-106			0	0	5.450		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1970	2	STAT		245	245	185	#N/A	14	P						0	0	5.450		1		
A-106	1970	3	rec	108		353		#N/A	14		A-101	A-101				0	0	5.450		0		
A-106	1970	3	rec	103		456		#N/A	14			A-104				0	0	5.450		0		
A-106	1970	3	outx	-185		271		#N/A	14			PCOND				0	0	5.450		0		
A-106	1970	3	outx	-22		249		#N/A	14	SL	SRR	SRR	4 AR at C-106			0	0	5.450		0		
A-106	1970	3	STAT		249	249	163	#N/A	14	P						0	0	5.450		0		
A-106	1970	4	SEND	-50		199		#N/A	14			A-102				0	0	5.450		1		
A-106	1970	4	rec	84		283		#N/A	14		A-101	A-101			Omission	0	0	5.450		3	V	ARH-1666D-10
A-106	1970	4	rec	114		397		#N/A	14			A-102				0	0	5.450		0		
A-106	1970	4	rec	118		515		#N/A	14			A-104				0	0	5.450		0		
A-106	1970	4	outx	-322		193		#N/A	14			PCOND				0	0	5.450		0		
A-106	1970	4	outx	-39		154		#N/A	14	SL	SRR	SRR	8 AR at C-106			0	0	5.450		0		
A-106	1970	4	STAT		154	154	124	#N/A	14	P						0	0	5.450		0		
A-106	1971	1	rec	42		196		#N/A	14		A-101	A-101				0	0	5.450		1		
A-106	1971	1	rec	116		312		#N/A	14			A-104				0	0	5.450		0		
A-106	1971	1	outx	-147		165		#N/A	14			PCOND				0	0	5.450		0		
A-106	1971	1	outx	-26		139		#N/A	14	SL	SRR	SRR	5 AR at C-106			0	0	5.450		0		
A-106	1971	1	STAT		139	139	98	#N/A	14	P						0	0	5.450		0		
A-106	1971	2	xin	661		800		#N/A	14			WTR		Sluicing to AR Vault		0	0	5.450		1		
A-106	1971	2	rec	66		866		#N/A	14			A-104				0	0	5.450		0		
A-106	1971	2	send	-507		359		#N/A	14			AY-101				0	0	5.450		0		
A-106	1971	2	send	-217		142		#N/A	14			AY-102				0	0	5.450		0		
A-106	1971	2	STAT		142	142	98	#N/A	14	P						0	0	5.450		0		
A-106	1971	3	rec	617		759		#N/A	14		AY-101	AY-101		No Sluicing activity		0	0	5.450		1		
A-106	1971	3	rec	107		866		#N/A	14			A-104				0	0	5.450		0		
A-106	1971	3	outx	-715		151		#N/A	14			PCOND				0	0	5.450		0		
A-106	1971	3	STAT		151	151	98	#N/A	14	P						0	0	5.450		0		
A-106	1971	4	SEND	-39		112		#N/A	14	SU		A-102				0	0	5.450		1		
A-106	1971	4	rec	547		659		#N/A	14		AY-101	AY-101				0	0	5.450		4	C	ARH-2074D-10
A-106	1971	4	rec	105		764		#N/A	14			A-104				0	0	5.450		0		
A-106	1971	4	rec	43		807		#N/A	14			A-105				0	0	5.450		0		
A-106	1971	4	send	-37		770		#N/A	14			C-105				0	0	5.450		0		
A-106	1971	4	outx	-549		221		#N/A	14			PCOND				0	0	5.450		0		
A-106	1971	4	OUTX	-99		122		#N/A	14		AR-002	SRR	Omis AR waste type changed to SRR		Omission	0	0	5.450		3	V	ARH-2074D-10
A-106	1971	4	STAT		122	122	98	#N/A	14	P				39M to 102-A, 99M to AR Vault								
A-106	1972	1	rec	626		748		#N/A	14		AY-101	AY-101				0	0	5.450		1		
A-106	1972	1	rec	30		778		#N/A	14		AY-102	AY-102				0	0	5.450		0		
A-106	1972	1	rec	89		867		#N/A	14			A-104				0	0	5.450		0		
A-106	1972	1	outx	-771		96		#N/A	14			PCOND				0	0	5.450		0		
A-106	1972	1	STAT		96	96	96	#N/A	14	P						0	0	5.450		0		
A-106	1972	2	rec	238		334		#N/A	14		AY-101	AY-101				0	0	5.450		1		
A-106	1972	2	rec	50		384		#N/A	14		AY-102	AY-102				0	0	5.450		0		
A-106	1972	2	outx	-237		147		#N/A	14			PCOND				0	0	5.450		0		
A-106	1972	2	outx	-77		70		#N/A	14	SL	SRR	SRR	15 AR at C-106			0	0	5.450		0		
A-106	1972	2	STAT		70	70	19	#N/A	14	P				Sluicing comp. June 1972		0	0	5.450		0		
A-106	1972	3	rec	560		630		#N/A	14		AY-101	AY-101				0	0	5.450		1		
A-106	1972	3	rec	34		664		#N/A	14		AY-102	AY-102				0	0	5.450		0		
A-106	1972	3	rec	81		745		#N/A	14			A-102				0	0	5.450		0		
A-106	1972	3	rec	61		806		#N/A	14			AX-104				0	0	5.450		0		
A-106	1972	3	outx	-699		107		#N/A	14			PCOND				0	0	5.450		0		
A-106	1972	3	STAT		107	107	22	#N/A	14	P						0	0	5.450		0		
A-106	1972	4	rec	16		123		#N/A	14		AY-102	AY-102				0	0	5.450		1		
A-106	1972	4	rec	134		257		#N/A	14			AX-103				0	0	5.450		0		
A-106	1972	4	rec	33		290		#N/A	14			AX-104				0	0	5.450		0		
A-106	1972	4	send	-19		271		#N/A	14			AY-101				0	0	5.450		0		
A-106	1972	4	outx	-205		66		#N/A	14			PCOND				0	0	5.450		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1972	4	STAT		66	66	11	#N/A	14	P						0	0	5.450		1		
A-106	1973	1	rec	54		120		#N/A	14			AX-102				0	0	5.450		0		
A-106	1973	1	rec	46		166		#N/A	14			AX-104				0	0	5.450		0		
A-106	1973	1	send	-62		104		#N/A	14			AX-103				0	0	5.450		0		
A-106	1973	1	send	-13		91		#N/A	14			AY-101				0	0	5.450		0		
A-106	1973	1	send	-18		73		#N/A	14			AY-102				0	0	5.450		0		
A-106	1973	1	STAT		99	99	11	26	40	P						0	0	5.450		0		
A-106	1973	2	rec	34		133		#N/A	40			AX-103		Sluicing comp. June 1972		0	0	5.450		1		
A-106	1973	2	rec	22		155		#N/A	40			AX-104				0	0	5.450		0		
A-106	1973	2	outx	-104		51		#N/A	40			PCOND				0	0	5.450		0		
A-106	1973	2	STAT		51	51	11	#N/A	40	P						0	0	5.450		0		
A-106	1973	3	rec	44		95		#N/A	40			A-104				0	0	5.450		1		
A-106	1973	3	STAT		69	69	11	-26	14	P						0	0	5.450		0		
A-106	1973	4	rec	61		130		#N/A	14		A-101	A-101				0	0	5.450		1		
A-106	1973	4	rec	27		157		#N/A	14			A-104				0	0	5.450		0		
A-106	1973	4	outx	-109		48		#N/A	14			PCOND				0	0	5.450		0		
A-106	1973	4	STAT		48	48	6	#N/A	14	H2O						0	0	5.450		0		
A-106	1974	1	XIN	138		186		#N/A	14	SRR		SRR				0	0	5.450		1		
A-106	1974	1	SEND	-23		163		#N/A	14	SU		A-104				0.02944162	4.0629	9.513	SRR	4	O	ARH-CD-133A-9
																0	0	9.513		4	O	ARH-CD-133A-9
A-106	1974	1	STAT		N/A	163	0	#N/A	14	B			*206 TO N/A PHASING ERROR	138M from B Plant,23M to 104		0	0	9.513		1		
A-106	1974	2	XIN	7		170		#N/A	14	AR		AR	Omis.		Omission	0.160305	1.1221	10.635	AR	3	V	ARH-CD-133B-9
A-106	1974	2	XIN	387		557		#N/A	14	SRR		SRR				0.02944162	11.394	22.029	SRR	4	O	ARH-CD-133B-9
A-106	1974	2	STAT		N/A	557	0	#N/A	14	B			*686 TO N/A PHASING ERROR	387M from B Plant,7M from AR Vault		0	0	22.029		1		
A-106	1974	3	XIN	407		964		#N/A	14	SRR		SRR				0.02944162	11.983	34.012	SRR	1		
A-106	1974	3	REC	23		987		#N/A	14	SL	A-104	A-104				0	0	34.012		1		
A-106	1974	3	STAT		987	987	12	#N/A	14	B				Sluicing comp. in Jan. 1974, 407M from B Plant, 11M from AR Vault		0	0	34.012		1		
A-106	1974	4	SEND	-276		711		#N/A	14	SU		A-102				0	0	34.012		4	O	ARH-CD-133D-9
A-106	1974	4	REC	32		743		#N/A	14	SL	A-104	A-104				0	0	34.012		1		
A-106	1974	4	STAT		751	751	11	8	22	B				276M to 102-A		0	0	34.012		1		
A-106	1975	1	rec	63		814		#N/A	22			A-104	historical use of tank rule			0	0	34.012		0		
A-106	1975	1	STAT		814	814	11	#N/A	22	B						0	0	34.012		1		
A-106	1975	2	XIN	7		821		#N/A	22	WTR		WTR	Omis. REC B-302		Omission	0	0	34.012		3	V	ARH-CD-336B-9
A-106	1975	2	XIN	9		830		#N/A	22	WTR		WTR	Omis. REC A08		Omission	0	0	34.012		3	V	ARH-CD-336B-9
A-106	1975	2	STAT		842	842	11	12	34	B				7M from 302-B, 9M from A08 174M to 103-A				34.012		1		
A-106	1975	3	XIN	90		932		#N/A	34	AR		AR	Omis.		Omission	0.160305	14.427	48.440	AR	3	V	ARH-CD-336C-9
A-106	1975	3	XIN	53		985		#N/A	34	SRR		SRR				0.02944162	1.5604	50.000	SRR	4	O	ARH-CD-336C-9
A-106	1975	3	XIN	2		987		#N/A	34	WTR		WTR				0	0	50.000		4	O	ARH-CD-336C-9
A-106	1975	3	SEND	-318		669		#N/A	34	SU		A-101				0	0	50.000		4	O	ARH-CD-336C-9
A-106	1975	3	SEND	-174		495		#N/A	34	SU		A-103	OC qtr2 to qtr3		Shows 3rd Qtr	0	0	50.000		3	M/V	ARH-CD-336C-9
A-106	1975	3	REC	168		663		#N/A	34		A-103	A-103			Omission	0	0	50.000		3	V	ARH-CD-336C-9
A-106	1975	3	STAT		663	663	11	#N/A	34	B				Sluicing comp. Jan. 1974;; 53M from B Plant, 90M from AR vault, 2M H20; 168M from 103-A; 318 to 101-A		0	0	50.000		1		
A-106	1975	4	rec	154		817		#N/A	34		A-101	A-101				0	0	50.000		0		
A-106	1975	4	REC	11		828		#N/A	34	SL	A-101	A-101				0	0	50.000		1		
A-106	1975	4	STAT		817	817	11	-11	23	B				Pumping to & receiving from 101-A for sluicing		0	0	50.000		1		
A-106	1976	1	SEND	-155		662		#N/A	23			A-101	*+172 to		Omission	0	0	50.000		3	V	ARH-CD-702A-9
A-106	1976	1	REC	163		825		#N/A	23	SU	A-102	A-102				0	0	50.000		4	O	ARH-CD-702A-9
A-106	1976	1	REC	16		841		#N/A	23	SL	A-102	A-102				0	0	50.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1976	1	STAT		820	820	91	-21	2	B				Pumping to & receiving from 101-A for sluicing 172m to 101-A		0	0	50.000		1		
A-106	1976	2	REC	13		833		#N/A	2	SU	A-103	A-103				0	0	50.000		4	O	ARH-CD-702B-9
A-106	1976	2	STAT		N/A	833	91	#N/A	2	B			quest stat? 872 to N/A	13M from 103-A		0	0	50.000		1		
A-106	1976	3	STAT		822	822	91	-11	-9	EVAP				In farm sluicing		0	0	50.000		1		
A-106	1976	4	rec	149		971		#N/A	-9		A-102	A-102				0	0	50.000		0		
A-106	1976	4	REC	8		979		#N/A	-9	SL	A-103	A-103				0	0	50.000		1		
A-106	1976	4	STAT		979	979	102	#N/A	-9	EVAP						0	0	50.000		1		
A-106	1977	1	send	-30		949		#N/A	-9			A-102				0	0	50.000		0		
A-106	1977	1	STAT		949	949	102	#N/A	-9	EVAP				Sluice mixed		0	0	50.000		1		
A-106	1977	2	send	-388		561		#N/A	-9			SY-102				0	0	50.000		0		
A-106	1977	2	STAT		561	561	102	#N/A	-9	EVAP						0	0	50.000		1		
A-106	1977	3	send	-432		129		#N/A	-9			SY-101				0	0	50.000		0		
A-106	1977	3	STAT		129	129	80	#N/A	-9	EVAP				Being sluiced, sluice mix'd sludge		0	0	50.000		1		
A-106	1977	4	rec	0		129		#N/A	-9			A-102				0	0	50.000		0		
A-106	1977	4	send	0		129		#N/A	-9			C-105				0	0	50.000		0		
A-106	1977	4	send	-13		116		#N/A	-9			A-102				0	0	50.000		0		
A-106	1977	4	STAT		116	116	52	#N/A	-9	EVAP						0	0	50.000		1		
A-106	1978	1	rec	46		162		#N/A	-9		A-102	A-102				0	0	50.000		0		
A-106	1978	1	STAT		162	162	52	#N/A	-9	EVAP						0	0	50.000		1		
A-106	1978	2	send	-79		83		#N/A	-9			A-102				0	0	50.000		0		
A-106	1978	2	STAT		83	83	50	#N/A	-9	NCPLX				New Solids Level 4/30/78 New Photo 2/22/78		0	0	50.000		1		
A-106	1978	3	send	-17		66		#N/A	-9			C-105				0	0	50.000		0		
A-106	1978	3	send	-11		55		#N/A	-9			A-102				0	0	50.000		0		
A-106	1978	3	STAT		72	72	50	17	8					Sluice Mxd. Sludge		0	0	50.000		1		
A-106	1978	4	send	-16		56		#N/A	8			C-105				0	0	50.000		0		
A-106	1978	4	STAT		72	72	50	16	24	NCPLX						0	0	50.000		1		
A-106	1979	1	rec	55		127		#N/A	24		A-102	A-102				0	0	50.000		0		
A-106	1979	1	STAT		127	127	50	#N/A	24	NCPLX						0	0	50.000		1		
A-106	1979	2	rec	13		140		#N/A	24		A-102	A-102				0	0	50.000		0		
A-106	1979	2	STAT		140	140	50	#N/A	24							0	0	50.000		1		
A-106	1979	3	STAT		140	140	50	#N/A	24	NCPLX				New Photo 5/15/79		0	0	50.000		1		
A-106	1979	4	REC	525		665		#N/A	24	SU	A-102	A-102				0	0	50.000		1		
A-106	1979	4	SEND	-533		132		#N/A	24	SU		A-102	*+521 to			0	0	50.000		1		
A-106	1979	4	REC	525		657		#N/A	24	SU	A-101	A-101				0	0	50.000		1		
A-106	1979	4	REC	0		657		#N/A	24	SU	A-102	A-102	*+777 to 0			0	0	50.000		1		
A-106	1979	4	STAT		657	657	50	#N/A	24	CCPLX						0	0	50.000		1		
A-106	1980	1	rec	6		663		#N/A	24		A-102	A-102				0	0	50.000		0		
A-106	1980	1	STAT		663	663	50	#N/A	24	CCPLX						0	0	50.000		1		
A-106	1980	2	rec	2		665	50	#N/A	24		A-102	A-102				0	0	50.000		0		
A-106	1980	2	STAT		665	665	96	#N/A	24	CCPLX				New Solids Level 8/23/79		0	0	50.000		1		
A-106	1980	3	SEND	-541		124		#N/A	24	SU		AW-106				0	0	50.000		1		
A-106	1980	3	rec	4		128		#N/A	24	SU	A-102	A-102	*-538 to			0	0	50.000		0		
A-106	1980	3	STAT		128	128	94	#N/A	24					Inactive - New Solids Level 8/14/80 - New Photo 8/6/80.		0	0	50.000		1		
A-106	1980	4	STAT		128	128	94	#N/A	24	CCPLX						0	0	50.000		1		
A-106	1993	2	STAT		125	125	125	-3	21	CP						0	0	50.000		1		
A-106	1993	4	STAT		125	125	125	#N/A	21							0	0	50.000		1		
A-106	1994	1	STAT		125	125	125	#N/A	21							0	0	50.000		1		
A-106	2000															0	0	50.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-101	1900																					
AX-101	1965	1	XIN	263		263		#N/A	0	FP		P2				0.0330033	8.6799	8.68	P2	2		
AX-101	1965	1	XIN	91		354		#N/A	0	OWW		OWW2	Omis.		Omission	0	0	8.68		3	V	HWN-1991-26
AX-101	1965	1	REC	491		845		#N/A	0		A-103	A-103			Omission	0	0	8.68		4	V	HWN-1991-26
AX-101	1965	1	STAT		847	847	0	2	2					6 months report, rec'd 491M from 103-A; 93M 0WW and 263M FP		0	0	8.68		1		
AX-101	1965	2	REC	263		1110		#N/A	2	SU	B-112	B-112				0	0	8.68		4	O	HWN-1991-30
AX-101	1965	2	STAT		N/A	1110		#N/A	2								0	8.68		1		
AX-101	1965	3	send	-262		848		#N/A	2			A-102				0	0	8.68		0		
AX-101	1965	3	REC	137		985		#N/A	2	SU	B-112	B-112				0	0	8.68		4	O	HWN-1991-30
AX-101	1965	3	SEND	-339		646		#N/A	2	SU		AX-103				0	0	8.68		4	O	HWN-1991-30
AX-101	1965	3	STAT		646	646	0	#N/A	2	FP				138M from 112-B;; 339M to 103-								
AX-101	1965	4	REC	207		853		#N/A	2	SU	B-112	B-112				0	0	8.68		1		
AX-101	1965	4	SEND	-394		459		#N/A	2	SU		AX-103				0	0	8.68		4	O	RL-SEP-923-4
AX-101	1965	4	STAT		459	459	0	#N/A	2	FP				207M from 112-B;; 394M to 103-		0	0	8.68		4	O	RL-SEP-923-8
AX-101	1966	1	STAT		490	490	0	31	33	FP						0	0	8.68		1		
AX-101	1966	2	XIN	367		857		#N/A	33	OWW		OWW2				0	0	8.68		1		
AX-101	1966	2	send	-103		754		#N/A	33			A-102				0	0	8.68		4	O	ISO-404-8
AX-101	1966	2	REC	66		820		#N/A	33	SU	A-103	A-103				0	0	8.68		0		
AX-101	1966	2	STAT		820	820	0	#N/A	33	FP			XIN & REC total 433	Rec'd 433M from 103-A; 101 AX & 0WW		0	0	8.68		4	O	ISO-404-8
AX-101	1966	3	XIN	170		990		#N/A	33	OWW		OWW2				0	0	8.68		1		
AX-101	1966	3	STAT		990	990	0	#N/A	33	FP				Rec'd 170M		0	0	8.68		4	O	ISO=538-8
AX-101	1966	4	XIN	27		1017		#N/A	33	OWW		OWW2				0	0	8.68		1		
AX-101	1966	4	SEND	-295		722		#N/A	33			AX-102				0	0	8.68		4	O	ISO-674-8
AX-101	1966	4	OUTX	-68		654		#N/A	33	COND	CRIB?	PCOND	Omis.		Omission	0	0	8.68		3	V	ISO-674-8
															Omission	0	0	8.68		3	V	ISO-674-8
AX-101	1966	4	STAT		682	682	0	28	61	FP				Equipped with steam coil,rec' 27M 0WW;; 68M boiled off								
AX-101	1967	1	XIN	455		1137		#N/A	61	OWW		OWW2	OC 150 to 455			0	0	8.68		1		
AX-101	1967	1	send	-305		832		#N/A	61			A-102			Shows 455 not 150	0	0	8.68		3	V	ISO-806-8
AX-101	1967	1	REC	305		1137		#N/A	61	SU	AX-102	AX-102				0	0	8.68		0		
AX-101	1967	1	OUTX	-463		674		#N/A	61	COND	CRIB?	PCOND	Omis.			0	0	8.68		4	O	ISO-806-8
AX-101	1967	1	STAT		674	674	0	#N/A	61	FP				Rec'd 455M boiled off 463M	Omission	0	0	8.68		3	V	ISO-806-8
AX-101	1967	2	XIN	470		1144		#N/A	61	OWW		OWW2	OC 204 to 470			0	0	8.68		1		
AX-101	1967	2	send	-226		918		#N/A	61			A-102			Shows 470 not 204	0	0	8.68		3	V	ISO-967-8
AX-101	1967	2	REC	226		1144		#N/A	61		AX-102	AX-102	OC report 226 and 266			0	0	8.68		0		
AX-101	1967	2	OUTX	-472		672		#N/A	61	COND	CRIB?	PCOND	Omis.		Omission	0	0	8.68		3	V	ISO-967-8
AX-101	1967	2	STAT		672	672	0	#N/A	61	P				Rec 'd 470M;; boiled off 472M	Omission	0	0	8.68		3	V	ISO-967-8
AX-101	1967	3	XIN	131		803		#N/A	61	OWW		OWW2				0	0	8.68		1		
AX-101	1967	3	send	-410		393		#N/A	61			A-102				0	0	8.68		4	O	ARH-95-9
AX-101	1967	3	REC	459		852		#N/A	61	SU	AX-102	AX-102				0	0	8.68		0		
AX-101	1967	3	REC	360		1212		#N/A	61	SU	AX-102	AX-102				0	0	8.68		1		
AX-101	1967	3	OUTX	-497		715		#N/A	61	COND	CRIB?	PCOND	Omis.			0	0	8.68		4	O	ARH-95-9
AX-101	1967	3	outx	-49		666		#N/A	61	COND	CRIB?	PCOND	LC added as per AND comment		Omission	0	0	8.68		2	V	ARH-95-9
AX-101	1967	3	STAT		666	666	0	#N/A	61	P,OWW			XIN & REC total 491	Rec'd 491M 0WW: Boiled off 49		0	0	8.68		1		
AX-101	1967	4	XIN	149		815		#N/A	61	OWW		OWW2				0	0	8.68		1		
AX-101	1967	4	rec	704		1519		#N/A	61			A-102			Omission	0	0	8.68		3	V	ARH-326-9
AX-101	1967	4	SEND	-459		1060		#N/A	61	SU		AX-102				0	0	8.68		0		
AX-101	1967	4	OUTX	-317		743		#N/A	61	COND	CRIB?	PCOND	Omis., AND reports --3 pos no. left out.		Omission	0	0	8.68		2		
																0	0	8.68		2	V	ARH-326-9

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-101	1967	4	STAT		743	743	0	#N/A	61	P				Rec'd 149M 0WW;; boiled off 3?		0	0	8.68		1		
AX-101	1968	1	XIN	128		871		#N/A	61	B		B				0	0	8.68		3	O	ARH-534-9
AX-101	1968	1	XIN	128		999		#N/A	61	B		B				0	0	8.68		1		
AX-101	1968	1	XIN	128		1127		#N/A	61	B		B				0	0	8.68		1		
AX-101	1968	1	send	-288		839		#N/A	61			A-102				0	0	8.68		0		
AX-101	1968	1	STAT		839	839	0	#N/A	61				XIN total 384	Rec'd 384M from cell 25, B Plant--receiving B Plant waste--equipped for boiling waste		0	0	8.68		1		
AX-101	1968	2	XIN	275		1114		#N/A	61	B		B	OC 271 to 275			0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	274		1388		#N/A	61	B		B			Combined total is 823	0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	274		1662		#N/A	61	B		B			Combined total is 823	0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	14		1676		#N/A	61	P		P2			Combined total is 823	0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	13		1689		#N/A	61	P		P2				0.0330033	0.462	9.14	P2	4	O	ARH-721-9
AX-101	1968	2	XIN	13		1702		#N/A	61	P		P2				0.0330033	0.429	9.57	P2	4	O	ARH-721-9
AX-101	1968	2	XIN	62		1764		#N/A	61	PL		PL1				0.0330033	0.429	10.00	P2	2		
AX-101	1968	2	send	-925		839		#N/A	61			A-102				0	0	10.00		4	O	ARH-721-9
AX-101	1968	2	STAT		839	839	0	#N/A	61	B			XIN total 40 & 823	Rec'd 40MF-16, 62M F-18, 823B		0	0	10.00		0		
AX-101	1968	3	XIN	185		1024		#N/A	61	B		B				0	0	10.00		1		
AX-101	1968	3	XIN	186		1210		#N/A	61	B		B				0	0	10.00		4	O	ARH-871-9
AX-101	1968	3	XIN	186		1396		#N/A	61	B		B				0	0	10.00		4	O	ARH-871-9
AX-101	1968	3	XIN	156		1552		#N/A	61	PL		PL1				0	0	10.00		2		
AX-101	1968	3	send	-721		831		#N/A	61			A-102				0	0	10.00		4	O	ARH-871-9
AX-101	1968	3	STAT		831	831	0	#N/A	61	B			XIN total 557	156 from 202-A' 557 from 221		0	0	10.00		0		
AX-101	1968	4	XIN	324		1155		#N/A	61	B		B				0	0	10.00		1		
AX-101	1968	4	XIN	325		1480		#N/A	61	B		B				0	0	10.00		1		
AX-101	1968	4	XIN	325		1805		#N/A	61	B		B				0	0	10.00		1		
AX-101	1968	4	XIN	84		1889		#N/A	61	PL		PL1				0	0	10.00		1		
AX-101	1968	4	send	-1056		833		#N/A	61			A-102				0	0	10.00		4	O	ARH-1061-10
AX-101	1968	4	STAT		833	833	41	#N/A	61	B				84M from Purex (F-18 & R 8)		0	0	10.00		0		
AX-101	1969	1	XIN	98		931		#N/A	61	B		B				0	0	10.00		1		
AX-101	1969	1	XIN	98		1029		#N/A	61	B		B			(a) Combined Total is Correct	0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	XIN	98		1127		#N/A	61	B		B			(a) Combined Total is Correct	0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	XIN	84		1211		#N/A	61	PL		PL1			(a) Combined Total is Correct	0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	send	-226		985		#N/A	61			A-102				0	0	10.00		0		
AX-101	1969	1	STAT		985	985	39	#N/A	61	B			XIN total 294	294M from 221-B; 84 from 202- removed from service as prima boiling waste receiver		0	0	10.00		1		
AX-101	1969	2	XIN	3		988		#N/A	61	PL		PL1				0	0	10.00		4	O	ARH-1200B-10
AX-101	1969	2	STAT		985	985	25	-3	58	B				3M from Purex		0	0	10.00		1		
AX-101	1969	3	STAT		990	990	26	5	63	B						0	0	10.00		1		
AX-101	1969	4	STAT		985	985	30	-5	58	B						0	0	10.00		1		
AX-101	1970	1	STAT		976	976	41	-9	49	B						0	0	10.00		1		
AX-101	1970	2	STAT		987	987	69	11	60	B						0	0	10.00		1		
AX-101	1970	3	STAT		985	985	69	-2	58	B						0	0	10.00		1		
AX-101	1970	4	STAT		989	989	69	4	62	B						0	0	10.00		1		
AX-101	1971	1	STAT		985	985	56	-4	58	B						0	0	10.00		1		
AX-101	1971	2	STAT		990	990	56	5	63	B						0	0	10.00		1		
AX-101	1971	3	STAT		990	990	56	#N/A	63	B						0	0	10.00		1		
AX-101	1971	4	STAT		990	990	56	#N/A	63	B						0	0	10.00		1		
AX-101	1972	1	STAT		987	987	56	-3	60	B						0	0	10.00		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-101	1972	2	STAT		984	984	56	-3	57	B						0	0	10.00		1		
AX-101	1972	3	STAT		976	976	56	-8	49	B						0	0	10.00		1		
AX-101	1972	4	SEND	-832		144		#N/A	49	SU		AX-103				0	0	10.00		4	O	ARH-2456D-9
AX-101	1972	4	STAT		111	111	58	-33	16	B				832M to 103-AX		0	0	10.00		1		
AX-101	1973	1	STAT		110	110	58	-1	15	B						0	0	10.00		1		
AX-101	1973	2	REC	525		635		#N/A	15	SU	A-104	A-104				0	0	10.00		4	O	ARH-2794B-9
AX-101	1973	2	SEND	-510		125		#N/A	15	SU		AX-103				0	0	10.00		4	O	ARH-2794B-9
AX-101	1973	2	STAT		111	111	58	-14	1	PSS				525M from 104-A;; 510 to 103-A		0	0	10.00		1		
AX-101	1973	3	STAT		132	132	58	21	22	PSS						0	0	10.00		1		
AX-101	1973	4	REC	217		349		#N/A	22		A-104	A-104			Omission	0	0	10.00		3	V	ARH-2794D-9
AX-101	1973	4	STAT		329	329	77	-20	2	PSS				217M from 104-A		0	0	10.00		1		
AX-101	1974	1	REC	643		972		#N/A	2	SU	A-104	A-104				0	0	10.00		4	O	ARH-133A-9/ARH-CD-133A-9 SEND
AX-101	1974	1	SEND	-173		799		#N/A	2	SU		AX-103				0	0	10.00		4	O	ARH-CD-133A-9/ARH-133A-9 SEND
AX-101	1974	1	STAT		796	796	77	-3	-1	PSS				643M from 104-A;; 173M to 103-		0	0	10.00		1		
AX-101	1974	2	SEND	-98		698		#N/A	-1	SU		AX-103				0	0	10.00		4	O	ARH-CD-133B-9
AX-101	1974	2	STAT		714	714	77	16	15	PSS				98M to 103-AX		0	0	10.00		1		
AX-101	1974	3	XIN	20		734		#N/A	15	WTR		WTR				0	0	10.00		1		
AX-101	1974	3	REC	46		780		#N/A	15	SU	A-104	A-104				0	0	10.00		2		
AX-101	1974	3	STAT		784	784	77	4	19	PSS				20 Water;; 46M from 104-A		0	0	10.00		2		
AX-101	1974	4	STAT		787	787	69	3	22	PSS				* Leak detection dry wells installed: 11-01-01, 11-01-02, 11-01-09, 11-01-11		0	0	10.00		1		
AX-101	1975	1	SEND	-278		509		#N/A	22	SU		AX-103				0	0	10.00		4	O	ARH-CD-336A-9
AX-101	1975	1	STAT		495	495	69	-14	8	PSS				278M to 103-AX ** Leak detection dry wells installed 11-01-04, 11-01-05, 11-01-07		0	0	10.00		1		
AX-101	1975	2	SEND	-128		367		#N/A	8	SU		A-103				0	0	10.00		4	O	ARH-CD-336B-9
AX-101	1975	2	REC	139		506		#N/A	8	SU	AX-102	AX-102				0	0	10.00		4	O	ARH-CD-336B-9
AX-101	1975	2	SEND	-188		318		#N/A	8	SU		AX-103				0	0	10.00		4	O	ARH-CD-336B-9
AX-101	1975	2	STAT		330	330	69	12	20	PSS				139M from 102-AX; 188M to 103-AX; 128M to 103-A		0	0	10.00		1		
AX-101	1975	3	XIN	6		336		#N/A	20	SRR		SRR				0.01485149	0.0891	10.09	SRR	1		
AX-101	1975	3	OUTX	-259		77		#N/A	20	SU	CSR	CSR				0	0	10.09		4	O	ARH-CD-336C-9
AX-101	1975	3	outx	-8		69		#N/A	20	SL	SRR	SRR	2 AR at C-105			0	0	10.09		0		
AX-101	1975	3	STAT		74	74	61	5	25	H2O				Sluicing; 259M to AR vault		0	0	10.09		1		
AX-101	1975	4	outx	-16		58		#N/A	25	SL	SRR	SRR	3 AR at C-105			0	0	10.09		0		
AX-101	1975	4	STAT		80	80	45	22	47	H2O						0	0	10.09		1		
AX-101	1976	1	XIN	140		220		#N/A	47	SRR		SRR				0.01485149	2.0792	12.17	SRR	1		
AX-101	1976	1	send	-155		65		#N/A	47			AX-103				0	0	12.17		0		
AX-101	1976	1	outx	-37		28		#N/A	47	SL	SRR	SRR	7 AR at C-105			0	0	12.17		0		
AX-101	1976	1	STAT		28	28	8	#N/A	47	H2O						0	0	12.17		1		
AX-101	1976	2	XIN	56		84		#N/A	47	SRR		SRR				0.01485149	0.8317	13.00	SRR	1		
AX-101	1976	2	send	-68		16		#N/A	47			AX-103				0	0	13.00		0		
AX-101	1976	2	SEND	-4		12		#N/A	47	SU		AX-103				0	0	13.00		4	O	ARH-CD-702B-9
AX-101	1976	2	outx	-4		8		#N/A	47	SL	SRR	SRR	1 AR at C-105			0	0	13.00		0		
AX-101	1976	2	STAT		8	8	4	#N/A	47	H2O				Sluicing completed in Feb 76;; 4M to 103-AX		0	0	13.00		1		
AX-101	1976	3	STAT		3	3	3	-5	42	H2O						0	0	13.00		1		
AX-101	1976	4	rec	63		66		#N/A	42		A-102	A-102				0	0	13.00		0		
AX-101	1976	4	STAT		66	66	3	#N/A	42	EVAP						0	0	13.00		1		
AX-101	1977	1	rec	220		286		#N/A	42		A-102	A-102				0	0	13.00		0		
AX-101	1977	1	STAT		286	286	3	#N/A	42	EVAP				Salt & slurry receiver		0	0	13.00		1		
AX-101	1977	2	rec	674		960		#N/A	42		A-102	A-102				0	0	13.00		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-101	1977	2	STAT		960	960	184	#N/A	42	RESD				Resid. liquor, slurry receiv		0	0	13.00		1		
AX-101	1977	3	STAT		954	954	578	-6	36	RESD						0	0	13.00		1		
AX-101	1977	4	STAT		963	963	627	9	45	RESD						0	0	13.00		1		
AX-101	1978	1	STAT		963	963	627	#N/A	45					Active-HDRL		0	0	13.00		1		
AX-101	1978	2	STAT		963	963	627	#N/A	45	DSSF						0	0	13.00		1		
AX-101	1978	3	send	-240		723		#N/A	45			A-102				0	0	13.00		1		
AX-101	1978	3	STAT		723	723	627	#N/A	45					Photo 9/5/78		0	0	13.00		0		
AX-101	1978	4	STAT		723	723	627	#N/A	45							0	0	13.00		1		
AX-101	1979	1	STAT		723	723	627	#N/A	45							0	0	13.00		1		
AX-101	1979	2	STAT		723	723	627	#N/A	45							0	0	13.00		1		
AX-101	1979	3	STAT		723	723	627	#N/A	45	DSSF						0	0	13.00		1		
AX-101	1979	4	SEND	-577		146		#N/A	45	SU		A-102	"+369 to			0	0	13.00		1		
AX-101	1979	4	REC	481		627		#N/A	45	SU	A-102	A-102				0	0	13.00		1		
AX-101	1979	4	STAT		627	627	627	#N/A	45	DSSF						0	0	13.00		1		
AX-101	1980	1	STAT		616	616	600	-11	34	NCPLX				New Photo 2/25/80		0	0	13.00		1		
AX-101	1980	2	SEND	-366		250		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	2	rec	355		605		#N/A	34		A-102	A-102				0	0	13.00		0		
AX-101	1980	2	STAT		605	605	600	#N/A	34	CPLX						0	0	13.00		1		
AX-101	1980	3	SEND	-381		224		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	3	rec	1534		1759		#N/A	34	SU	A-102	A-102	"-124 to			0	0	13.00		0		
AX-101	1980	3	SEND	-366		1392		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	3	SEND	-360		1032		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	3	SEND	-226		806		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	3	SEND	-107		699		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	3	SEND	-8		691		#N/A	34	SU		A-102				0	0	13.00		1		
AX-101	1980	3	REC	348		1039		#N/A	34	SU	A-103	A-103				0	0	13.00		1		
AX-101	1980	3	SEND	-208		831		#N/A	34	SU		AZ-101				0	0	13.00		1		
AX-101	1980	3	STAT		831	831	289	#N/A	34	DSSF				Adjustment in Salt Cake due to pumping 101-AX to 102-A		0	0	13.00		1		
AX-101	1980	4	SEND	-295		536		#N/A	34	SU		AW-103				0	0	13.00		1		
AX-101	1980	4	SEND	-162		374		#N/A	34	SU		AW-103				0	0	13.00		1		
AX-101	1980	4	SEND	-129		245		#N/A	34	SU		AW-103				0	0	13.00		1		
AX-101	1980	4	SEND	-110		135		#N/A	34	SU		AW-103				0	0	13.00		1		
AX-101	1980	4	SEND	-96		39		#N/A	34	SU		AW-103				0	0	13.00		1		
AX-101	1980	4	rec	723		762		#N/A	34		A-102	A-102				0	0	13.00		0		
AX-101	1980	4	STAT		762	762	525	#N/A	34	DSSF				New Solids Level 11/3/80 Inactive		0	0	13.00		1		
AX-101	1987	4	send	-14		748		#N/A	34	swliq		AN-101				0	0	13.00		0		
AX-101	1993	2	STAT		748	748	748	#N/A	34	DSSF						0	0	13.00		1		
AX-101	1993	4	STAT		748	748	748	#N/A	34							0	0	13.00		1		
AX-101	1994	1	STAT		748	748	748	#N/A	34							0	0	13.00		1		
AX-101	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-102	1900																					
AX-102	1965	1	STAT		N/A	0		#N/A	0					6 months report			0	0.00		1		
AX-102	1965	3	XIN	179		179		#N/A	0	WTR		WTR				0	0	0.00		3	O	HWN-1991-31
AX-102	1965	3	STAT		179	179	0	#N/A	0	P						0	0	0.00		1		
AX-102	1965	4	XIN	184		363		#N/A	0	WTR		WTR				0	0	0.00		3	O	HWN-1991-31
AX-102	1965	4	send	-179		184		#N/A	0			A-102				0	0	0.00		0		
AX-102	1965	4	STAT		184	184	0	#N/A	0							0	0	0.00		1		
AX-102	1966	1	STAT		184	184	0	#N/A	0							0	0	0.00		1		
AX-102	1966	2	STAT		184	184	0	#N/A	0	P						0	0	0.00		1		
AX-102	1966	3	XIN	146		330		#N/A	0	OWW		OWW2				0	0	0.00		4	O	ISO-538-8
AX-102	1966	3	STAT		330	330	0	#N/A	0	P				Rec'd 108M 0WW		0	0	0.00		1		
AX-102	1966	4	XIN	258		588		#N/A	0	OWW		OWW2				0	0	0.00		4	O	ISO-674-8
AX-102	1966	4	REC	295		883		#N/A	0		AX-101	AX-101			Omission	0	0	0.00		3	V	ISO-674-8
AX-102	1966	4	STAT		883	883	0	#N/A	0	P				Rec'd 233M 0WW;; 295M from 101-AX		0	0	0.00		1		
AX-102	1967	1	SEND	-305		578		#N/A	0	SU		AX-101				0	0	0.00		4	O	ISO-806-8
AX-102	1967	1	STAT		578	578	0	#N/A	0	P				305M to 101-AX		0	0	0.00		1		
AX-102	1967	2	XIN	47		625		#N/A	0	OWW		OWW2				0	0	0.00		4	O	ISO-967-8
AX-102	1967	2	send	-124		501		#N/A	0			A-102				0	0	0.00		0		
AX-102	1967	2	SEND	-226		275		#N/A	0			AX-101	OC report 226 and 266		Omission	0	0	0.00		3	V	ISO-967-8
AX-102	1967	2	REC	84		359		#N/A	0		A-103	A-103			Omission	0	0	0.00		3	V	ISO-967-8
AX-102	1967	2	STAT		359	359	0	#N/A	0	P				Rec'd 47M 0WW;; 266M to 101-AX		0	0	0.00		1		
AX-102	1967	3	XIN	40		399		#N/A	0	OWW		OWW2				0	0	0.00		4	O	ARH-95-9
AX-102	1967	3	rec	555		954		#N/A	0			A-102				0	0	0.00		0		
AX-102	1967	3	SEND	-459		495		#N/A	0	SU		AX-101				0	0	0.00		1		
AX-102	1967	3	SEND	-360		135		#N/A	0	SU		AX-101				0	0	0.00		4	O	ARH-95-9
AX-102	1967	3	STAT		135	135	0	#N/A	0	P				Rec'd 40M 0WW;; 360M to 101-AX		0	0	0.00		1		
AX-102	1967	4	REC	459		594		#N/A	0	SU	AX-101	AX-101				0	0	0.00		2		
AX-102	1967	4	STAT		594	594	0	#N/A	0	P,OWW						0	0	0.00		1		
AX-102	1968	1	rec	42		636		#N/A	0			A-102				0	0	0.00		0		
AX-102	1968	1	REC	778		1414		#N/A	0	SU	A-103	A-103				0	0	0.00		4	O	ARH-534-9
AX-102	1968	1	SEND	-25		1389		#N/A	0	SU		C-102				0	0	0.00		3	O	ARH-534-9
AX-102	1968	1	SEND	-195		1194		#N/A	0	SU		C-105				0	0	0.00		4	O	ARH-534-9
AX-102	1968	1	SEND	-546		648		#N/A	0	SU		TY-103				0	0	0.00		4	O	ARH-534-8
AX-102	1968	1	STAT		648	648	0	#N/A	0	P				Rec'd 469M 0WW;; rec'd 778M from Tk105-A;; 195M to 105-C as PSN feed for B Plant-- back up tank		0	0	0.00		1		
AX-102	1968	2	REC	560		1208		#N/A	0	SU	A-103	A-103				0	0	0.00		4	O	ARH-721-9
AX-102	1968	2	SEND	-264		944		#N/A	0	SU		C-105	OC 257 to 264		Shows 264 not 257	0	0	0.00		3	V	ARH-721-5
AX-102	1968	2	STAT		964	964	0	20	20	P				257M to 105-C;; 560 from 103-A		0	0	0.00		1		
AX-102	1968	3	SEND	-255		709		#N/A	20	SU		C-105	OC 260 to 255		Shows 255 not 260	0	0	0.00		4	V	ARH-871-5
AX-102	1968	3	STAT		704	704	0	-5	15	P				255M to 105-C;; contains supernatant heel dilu's from 105-A that currently is the: column feed		0	0	0.00		1		
AX-102	1968	4	SEND	-410		294		#N/A	15	SU		C-105				0	0	0.00		4	O	ARH-1061-5
AX-102	1968	4	STAT		294	294	14	#N/A	15	P				410M to 105-C (spare)		0	0	0.00		1		
AX-102	1969	1	xin	967		1261		#N/A	15			B				0.00113688	1.0994	1.10	B	0		
AX-102	1969	1	SEND	-334		927		#N/A	15	SU		C-105				0	0	1.10		4	O	ARH-1200A-5
AX-102	1969	1	SEND	-264		663		#N/A	15			C-105			Omission	0	0	1.10		2	V	ARH-1200A-10
AX-102	1969	1	STAT		663	663	0	#N/A	15	B				Flushed & preheated for service;; 264M (plus flushes) to 105-C		0	0	1.10		1		
AX-102	1969	2	XIN	289		952		#N/A	15	B		B				0.00113688	0.3286	1.43	B	4	O	ARH-1200B-10

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-102	1969	2	XIN	289		1241		#N/A	15	B		B				0.00113688	0.3286	1.76	B	2		
AX-102	1969	2	XIN	289		1530		#N/A	15	B		B				0.00113688	0.3286	2.09	B	2		
AX-102	1969	2	XIN	43		1573		#N/A	15	PL		PL1				0.01282051	0.5513	2.64	PL1	4	O	ARH-1200B-10
AX-102	1969	2	send	-753		820		#N/A	15			A-106				0	0	2.64		0		
AX-102	1969	2	STAT		820	820	17	#N/A	15	B			XIN total 867	867M from B Plant; 43M from Purex; current high level waste receiver		0	0	2.64		1		
AX-102	1969	3	send	-475		345		#N/A	15			A-106				0	0	2.64		0		
AX-102	1969	3	XIN	171		516		#N/A	15	B		B				0.00113688	0.1944	2.83	B	3	O	ARH-1200C-10
AX-102	1969	3	XIN	172		688		#N/A	15	B		B				0.00113688	0.1955	3.03	B	3	O	ARH-1200C-10
AX-102	1969	3	XIN	172		860		#N/A	15	B		B				0.00113688	0.1955	3.22	B	1		
AX-102	1969	3	XIN	35		895		#N/A	15	PL		PL1				0.01282051	0.4487	3.67	PL1	3	O	ARH-1200C-10
AX-102	1969	3	STAT		895	895	19	#N/A	15	B				515M from B Plant;; 33M from Purex current high level waste receiver		0	0	3.67		1		
AX-102	1969	4	XIN	332		1227		#N/A	15	B		B				0.00113688	0.3774	4.05	B	4	O	ARH-1200D-10
AX-102	1969	4	XIN	333		1560		#N/A	15	B		B				0.00113688	0.3786	4.43	B	4	O	ARH-1200D-10
AX-102	1969	4	XIN	333		1893		#N/A	15	B		B				0.00113688	0.3786	4.81	B	2		
AX-102	1969	4	send	-1035		858		#N/A	15			A-106				0	0	4.81		0		
AX-102	1969	4	STAT		858	858	10	#N/A	15	B			XIN total 998	998M from B Plant; current high level waste receiver		0	0	4.81		1		
AX-102	1970	1	XIN	190		1048		#N/A	15	B		B				0.00113688	0.216	5.02	B	4	O	ARH-1666A-10
AX-102	1970	1	XIN	189		1237		#N/A	15	B		B				0.00113688	0.2149	5.24	B	4	O	ARH-1666A-10
AX-102	1970	1	XIN	189		1426		#N/A	15	B		B				0.00113688	0.2149	5.45	B	2		
AX-102	1970	1	send	-546		880		#N/A	15			A-106				0	0	5.45		0		
AX-102	1970	1	STAT		880	880	12	#N/A	15	B			XIN total 568	568M from B Plant current high level waste receiver		0	0	5.45		1		
AX-102	1970	2	XIN	146		1026		#N/A	15	B		B				0.00113688	0.166	5.62	B	4	O	ARH-1666B-10
AX-102	1970	2	XIN	145		1171		#N/A	15	B		B				0.00113688	0.1648	5.78	B	4	O	ARH-1666B-10
AX-102	1970	2	XIN	145		1316		#N/A	15	B		B				0.00113688	0.1648	5.95	B	2		
AX-102	1970	2	send	-370		946		#N/A	15			A-106				0	0	5.95		0		
AX-102	1970	2	STAT		946	946	17	#N/A	15	B			XIN total 436	436M from B Plant, current high level waste receiver		0	0	5.95		1		
AX-102	1970	3	XIN	7		953		#N/A	15	B		B				0.00113688	0.008	5.95	B	4	O	ARH-1666C-10
AX-102	1970	3	XIN	7		960		#N/A	15	B		B				0.00113688	0.008	5.96	B	2		
AX-102	1970	3	XIN	6		966		#N/A	15	B		B				0.00113688	0.0068	5.97	B	4	O	ARH-1666C-10
AX-102	1970	3	STAT		954	954	11	-12	3	B			XIN total 20	20M from B Plant, current high level waste receiver		0	0	5.97		1		
AX-102	1970	4	XIN	3		957		#N/A	3	B		B				0.00113688	0.0034	5.97	B	4	O	ARH-1666D-10
AX-102	1970	4	XIN	2		959		#N/A	3	B		B				0.00113688	0.0023	5.97	B	4	O	ARH-1666D-10
AX-102	1970	4	XIN	2		961		#N/A	3	B		B				0.00113688	0.0023	5.98	B	2		
AX-102	1970	4	STAT		954	954	28	-7	-4	B			XIN total 7	7M from B Plant, current high level waste receiver		0	0	5.98		1		
AX-102	1971	1	XIN	4		958		#N/A	-4	B		B				0.00113688	0.0045	5.98	B	3	O	ARH-2074A-10
AX-102	1971	1	XIN	5		963		#N/A	-4	B		B				0.00113688	0.0057	5.99	B	3	O	ARH-2074A-10
AX-102	1971	1	XIN	5		968		#N/A	-4	B		B				0.00113688	0.0057	5.99	B	1		
AX-102	1971	1	STAT		954	954	38	-14	-18	B						0	0	5.99		1		
AX-102	1971	2	XIN	15		969		#N/A	-18	AR		AR	Omis.		Omission	0	0	5.99		3	V	ARH-2074B-10
AX-102	1971	2	STAT		954	954	32	-15	-33	B				15 from AR vault		0	0	5.99		1		
AX-102	1971	3	STAT		963	963	38	9	-24	B						0	0	5.99		1		
AX-102	1971	4	STAT		960	960	38	-3	-27	B						0	0	5.99		1		
AX-102	1972	1	STAT		953	953	38	-7	-34	B						0	0	5.99		1		
AX-102	1972	2	STAT		957	957	50	4	-30	B						0	0	5.99		1		
AX-102	1972	3	STAT		952	952	63	-5	-35	B						0	0	5.99		1		
AX-102	1972	4	STAT		954	954	47	2	-33	B						0	0	5.99		1		
AX-102	1973	1	send	-54		900		#N/A	-33			A-106				0	0	5.99		0		
AX-102	1973	1	SEND	-787		113		#N/A	-33	SU		AX-103				0	0	5.99		4	O	ARH-2794A-9
AX-102	1973	1	STAT		113	113	50	#N/A	-33	B				787M to 103-AX		0	0	5.99		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-102	1973	2	STAT		113	113	50	#N/A	-33	B						0	0	5.99		1		
AX-102	1973	3	STAT		126	126	50	13	-20	B						0	0	5.99		1		
AX-102	1973	4	STAT		129	129	50	3	-17	B						0	0	5.99		1		
AX-102	1974	1	STAT		132	132	50	3	-14	B						0	0	5.99		1		
AX-102	1974	2	STAT		151	151	50	19	5	B						0	0	5.99		1		
AX-102	1974	3	REC	47		198		#N/A	5	SU	A-104	A-104				0	0	5.99		1		
AX-102	1974	3	rec	40		238		#N/A	5		AX-103	AX-103				0	0	5.99		1		
AX-102	1974	3	STAT		238	238	50	#N/A	5	B						0	0	5.99		0		
AX-102	1974	4	rec	76		314		#N/A	5		AX-103	AX-103		17 Water;; 47M from 104-A		0	0	5.99		1		
AX-102	1974	4	STAT		314	314	50	#N/A	5	B						0	0	5.99		0		
AX-102	1975	1	rec	35		349		#N/A	5		AX-103	AX-103				0	0	5.99		1		
AX-102	1975	1	STAT		349	349	50	#N/A	5	B						0	0	5.99		0		
AX-102	1975	2	SEND	-139		210		#N/A	5	SU		AX-101				0	0	5.99		1		
AX-102	1975	2	SEND	-158		52		#N/A	5	SU		AX-103				0	0	5.99		4	O	ARH-CD-336B-9
																0	0	5.99		4	O	ARH-CD-336B-9
AX-102	1975	2	STAT		50	50	50	-2	3					139M to 101-AX;; 158M to 103- * Leak detection dry wells installed: 10-02-01, 10-02-04, 10-02-05, 10-02-07, 10-02-08, 10-02-10, 10-02-11, 10-02-12, 10-02-22								
AX-102	1975	3	XIN	19		69		#N/A	3	AR		AR	Omis.			0	0	5.99		1		
AX-102	1975	3	XIN	6		75		#N/A	3	B	B PLAN	B	Omis.		Omission	0	0	5.99		3	V	ARH-CD-336C-9
AX-102	1975	3	XIN	46		121		#N/A	3	WTR		WTR	Omis. REC 417 TANK		Omission	0.00113688	0.0068	6.00	B	3	V	ARH-CD-336C-9
AX-102	1975	3	send	-44		77		#N/A	3			AX-103			Omission	0	0	6.00		3	V	ARH-CD-336C-9
																0	0	6.00		0		
AX-102	1975	3	STAT		77	77	50	#N/A	3	B				6 from B plant; 46M from 417 TK; 19M from AR Vault sluicing								
AX-102	1975	4	outx	-3		74		#N/A	3	SL	SRR	SRR	1 AR at C-105			0	0	6.00		1		
AX-102	1975	4	STAT		66	66	47	-8	-5	H2O						0	0	6.00		0		
AX-102	1976	1	XIN	140		206		#N/A	-5	WTR	B PLAN	WTR	omis. sluicing			0	0	6.00		1		
AX-102	1976	1	rec	67		273		#N/A	-5		AX-103	AX-103			Omission	0	0	6.00		3	V	ARH-702A-9
AX-102	1976	1	outx	-25		248		#N/A	-5	SL	SRR	SRR	5 AR at C-105			0	0	6.00		0		
AX-102	1976	1	STAT		248	248	22	#N/A	-5	H2O						0	0	6.00		0		
AX-102	1976	2	XIN	56		304		#N/A	-5	WTR	B PLAN	WTR	omis. sluicing	sluicing 140M from B Plant		0	0	6.00		1		
AX-102	1976	2	rec	284		588		#N/A	-5		AX-103	AX-103			Omission	0	0	6.00		3	V	ARH-702B-9
AX-102	1976	2	outx	-5		583		#N/A	-5	SL	SRR	SRR	1 AR at C-105			0	0	6.00		0		
AX-102	1976	2	STAT		583	583	17	#N/A	-5	H2O						0	0	6.00		0		
AX-102	1976	3	rec	184		767		#N/A	-5		AX-103	AX-103		56M from B Plant sluicing		0	0	6.00		1		
AX-102	1976	3	STAT		767	767	17	#N/A	-5	EVAP						0	0	6.00		0		
AX-102	1976	4	send	-695		72		#N/A	-5			A-102		B Plant Waste Recovery		0	0	6.00		1		
AX-102	1976	4	STAT		72	72	19	#N/A	-5	EVAP						0	0	6.00		0		
AX-102	1977	1	send	-53		19		#N/A	-5			A-102				0	0	6.00		1		
AX-102	1977	1	outx	-8		11		#N/A	-5	SL	SRR	SRR	2 AR at C-105			0	0	6.00		0		
AX-102	1977	1	STAT		11	11	11	#N/A	-5	EVAP						0	0	6.00		0		
AX-102	1977	2	send	-5		6		#N/A	-5			A-102		Sr. sludge sluicing complete		0	0	6.00		1		
AX-102	1977	2	STAT		6	6	6	#N/A	-5	EVAP						0	0	6.00		0		
AX-102	1977	3	rec	24		30		#N/A	-5		A-102	A-102				0	0	6.00		1		
AX-102	1977	3	STAT		30	30	6	#N/A	-5	RESD						0	0	6.00		0		
AX-102	1977	4	send	-2		28		#N/A	-5			A-102		Resid. liquor, slurry receive		0	0	6.00		1		
AX-102	1977	4	STAT		28	28	6	#N/A	-5	RESD						0	0	6.00		0		
AX-102	1978	1	STAT		28	28	6	#N/A	-5	HDRL						0	0	6.00		1		
AX-102	1978	2	rec	928		956		#N/A	-5		A-102	A-102				0	0	6.00		1		
AX-102	1978	2	SEND	-762		194		#N/A	-5	SU		AZ-102				0	0	6.00		0		
AX-102	1978	2	SEND	-45		149		#N/A	-5	SU		AZ-102				0	0	6.00		1		
																0	0	6.00		1		
AX-102	1978	2	STAT		149	149	6	#N/A	-5	CCPLX				*Leak Detection Dry Well 11-02-01								
AX-102	1978	3	send	-121		28		#N/A	-5			A-102				0	0	6.00		1		
AX-102	1978	3	REC	108		136		#N/A	-5	SU	C-104	C-104				0	0	6.00		0		
																0	0	6.00		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-102	1978	3	SEND	-21		115		#N/A	-5	SU		AZ-102				0	0	6.00		1		
AX-102	1978	3	SEND	-14		101		#N/A	-5	SU		AZ-102				0	0	6.00		1		
AX-102	1978	3	SEND	-7		94		#N/A	-5	SU		AZ-102				0	0	6.00		1		
AX-102	1978	3	STAT		94	94	6	#N/A	-5	CCPLX						0	0	6.00		1		
AX-102	1978	4	send	-3		91		#N/A	-5			A-102				0	0	6.00		0		
AX-102	1978	4	STAT		91	91	6	#N/A	-5	CCPLX						0	0	6.00		1		
AX-102	1979	1	rec	14		105		#N/A	-5		A-102	A-102				0	0	6.00		0		
AX-102	1979	1	STAT		105	105	6	#N/A	-5	CCPLX				New Photo 2/26/79		0	0	6.00		1		
AX-102	1979	2	REC	63		168		#N/A	-5	SU	C-105	C-105				0	0	6.00		1		
AX-102	1979	2	STAT		168	168	39	#N/A	-5	CCPLX				New Solids Level Ajd. 5/21/79		0	0	6.00		1		
AX-102	1979	3	REC	220		388		#N/A	-5	SU	A-102	A-102	*+108 to			0	0	6.00		1		
AX-102	1979	3	STAT		388	388	39	#N/A	-5	CPLX						0	0	6.00		1		
AX-102	1979	4	rec	151		539		#N/A	-5		A-102	A-102				0	0	6.00		0		
AX-102	1979	4	STAT		539	539	39	#N/A	-5	CPLX						0	0	6.00		1		
AX-102	1980	1	rec	201		740		#N/A	-5		A-102	A-102				0	0	6.00		0		
AX-102	1980	1	STAT		740	740	39	#N/A	-5	CPLX						0	0	6.00		1		
AX-102	1980	2	REC	507		1247		#N/A	-5	SU	A-102	A-102	*+250 to			0	0	6.00		1		
AX-102	1980	2	SEND	-401		846		#N/A	-5	SU		A-102				0	0	6.00		1		
AX-102	1980	2	SEND	-380		466		#N/A	-5	SU		A-102				0	0	6.00		1		
AX-102	1980	2	SEND	-261		205		#N/A	-5	SU		A-102				0	0	6.00		1		
AX-102	1980	2	REC	150		355		#N/A	-5	SU	A-102	A-102				0	0	6.00		1		
AX-102	1980	2	SEND	-268		87		#N/A	-5	SU		AY-101				0	0	6.00		1		
AX-102	1980	2	STAT		87	87	39	#N/A	-5	CPLX						0	0	6.00		1		
AX-102	1980	3	rec	139		226		#N/A	-5		A-102	A-102				0	0	6.00		0		
AX-102	1980	3	SEND	-172		54		#N/A	-5	SU		AY-101				0	0	6.00		1		
AX-102	1980	3	STAT		54	54	29	#N/A	-5					Inactive-New Solids 9/8/80		0	0	6.00		1		
AX-102	1980	4	STAT		54	54	29	#N/A	-5	CCPLX						0	0	6.00		1		
AX-102	1983	2	send	-15		39		#N/A	-5	swliq		AN-101				0	0	6.00		0		
AX-102	1993	2	STAT		39	39	36	#N/A	-5	CC						0	0	6.00		1		
AX-102	1993	4	STAT		39	39	36	#N/A	-5							0	0	6.00		1		
AX-102	1994	1	STAT		39	39	36	#N/A	-5							0	0	6.00		1		
AX-102	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	C/A	Document/Pg #
AX-103	1900																					
AX-103	1965	1	XIN	100		100		#N/A	0	IWW		P2				0.005905	0.5905	0.59	P2	2		
AX-103	1965	1	XIN	99		199		#N/A	0	IWW		P2				0.005905	0.5846	1.18	P2	2		
AX-103	1965	1	XIN	99		298		#N/A	0	IWW		P2				0.005905	0.5846	1.76	P2	2		
AX-103	1965	1	XIN	66		364		#N/A	0	OWW		OWW2										
AX-103	1965	1	rec	480		844		#N/A	0			A-102				0	0	1.76		2		
																0	0	1.76		0		
AX-103	1965	1	STAT		844	844	0	#N/A	0				XIN from qrt 1 & 2 total 596	6 months report;; rec'd 596M IWW; 66M 0WW, receiving at end of period		0	0	1.76		1		
AX-103	1965	2	XIN	100		944		#N/A	0	IWW		P2			These total 662	0.005905	0.5905	2.35	P2	3	V	HWN-1991-32
AX-103	1965	2	XIN	99		1043		#N/A	0	IWW		P2			These total 662	0.005905	0.5846	2.93	P2	3	V	HWN-1991-32
AX-103	1965	2	XIN	99		1142		#N/A	0	IWW		P2			These total 662	0.005905	0.5846	3.52	P2	3	V	HWN-1991-32
AX-103	1965	2	STAT		N/A	1142		#N/A	0								0	3.52		1		
AX-103	1965	3	XIN	160		1302		#N/A	0	OWW		OWW2			These total 883	0	0	3.52		3	V	HWN-1991-32
AX-103	1965	3	XIN	112		1414		#N/A	0	IWW		P2	OC 112 to 501, LC 501 to 112		These total 883	0.005905	0.6613	4.18	P2	3	V	HWN-1991-32
AX-103	1965	3	XIN	111		1525		#N/A	0	IWW		P2			These total 883	0.005905	0.6554	4.84	P2	3	V	HWN-1991-32
AX-103	1965	3	XIN	111		1636		#N/A	0	IWW		P2			These total 883	0.005905	0.6554	5.49	P2	3	V	HWN-1991-32
AX-103	1965	3	send	-1059		577		#N/A	0			A-102				0	0	5.49		0		
AX-103	1965	3	REC	339		916		#N/A	0	SU	AX-101	AX-101				0	0	5.49		4	O	HWN-1991-30
AX-103	1965	3	STAT		916	916	0	#N/A	0	P			XIN total 334	Rec'd 334MIWW; 160M 0WW & 339M from 101-AX		0	0	5.49		1		
AX-103	1965	4	XIN	282		1198		#N/A	0	OWW		OWW2			These total 1036	0	0	5.49		3	V	HWN-1991-32
AX-103	1965	4	XIN	154		1352		#N/A	0	IWW		P2	OC 120 to 154		These total 1036	0.005905	0.9093	6.40	P2	2	V	HWN-1991-32
AX-103	1965	4	XIN	360		1712		#N/A	0	IWW		P2			These total 1036	0.005905	2.1257	8.53	P2	3	V	HWN-1991-32
AX-103	1965	4	XIN	120		1832		#N/A	0	IWW		P2			These total 1036	0.005905	0.7086	9.23	P2	2	V	HWN-1991-32
AX-103	1965	4	XIN	120		1952		#N/A	0	IWW		P2			These total 1036	0.005905	0.7086	9.94	P2	2	V	HWN-1991-32
AX-103	1965	4	send	-1463		489		#N/A	0			A-102				0	0	9.94		0		
AX-103	1965	4	REC	394		883		#N/A	0	SU	AX-101	AX-101				0	0	9.94		4	O	RL-SEP-923-8
AX-103	1965	4	STAT		883	883	0	#N/A	0	P				Rec'd 360M IWW;282M 0WW: 394 from 101-AX		0	0	9.94		1		
AX-103	1966	1	XIN	251		1134		#N/A	0	OWW		OWW2				0	0	9.94		4	O	ISO-226-8
AX-103	1966	1	XIN	0		1134		#N/A	0	IWW		P2	LC dup trans 126 to 0			0	0	9.94		1		
AX-103	1966	1	XIN	376		1510		#N/A	0	IWW		P2				0.005905	2.2202	12.16	P2	4	O	ISO-226-8
AX-103	1966	1	XIN	0		1510		#N/A	0	IWW		P2	LC dup trans 125 to 0			0	0	12.16		1		
AX-103	1966	1	XIN	0		1510		#N/A	0	IWW		P2	LC dup trans 125 to 0			0	0	12.16		1		
AX-103	1966	1	send	-622		888		#N/A	0			A-102				0	0	12.16		0		
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 126 to 0				0	12.16		1		
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	12.16		1		
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	12.16		1		
AX-103	1966	1	STAT		888	888	0	#N/A	0	P				Rec'd 376M IWW;; 251M 0WW		0	0	12.16		1		
AX-103	1966	2	XIN	58		946		#N/A	0	OWW		OWW2				0	0	12.16		4	O	ISO-404-8
AX-103	1966	2	XIN	103		1049		#N/A	0	IWW		P2				0.005905	0.6082	12.77	P2	4	O	ISO-404-8
AX-103	1966	2	XIN	104		1153		#N/A	0	IWW		P2				0.005905	0.6141	13.39	P2	4	O	ISO-404-8
AX-103	1966	2	XIN	104		1257		#N/A	0	IWW		P2				0.005905	0.6141	14.00	P2	1		
AX-103	1966	2	send	-261		996		#N/A	0			A-102				0	0	14.00		0		
AX-103	1966	2	STAT		996	996	0	#N/A	0	P			XIN total 311	Rec'd 311M IWW & 58M 0WW		0	0	14.00		1		
AX-103	1966	3	STAT		987	987	0	-9	-9	P						0	0	14.00		1		
AX-103	1966	4	STAT		985	985	0	-2	-11	P						0	0	14.00		1		
AX-103	1967	1	STAT		967	967	0	-18	-29	P						0	0	14.00		1		
AX-103	1967	2	send	-50		917		#N/A	-29			A-102				0	0	14.00		0		
AX-103	1967	2	STAT		917	917	0	#N/A	-29	P						0	0	14.00		1		
AX-103	1967	3	STAT		908	908	14	-9	-38	P						0	0	14.00		1		
AX-103	1967	4	XIN	98		1006		#N/A	-38	OWW		OWW2				0	0	14.00		4	O	ARH-326-9
AX-103	1967	4	send	-60		946		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1967	4	STAT		946	946	14	#N/A	-38	P				Rec'd 98M 0WW		0	0	14.00		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-103	1968	1	XIN	118		1064		#N/A	-38	OWW		OWW3				0	0	14.00		4	O	ARH-534-9
AX-103	1968	1	send	-79		985		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	1	STAT		985	985	14	#N/A	-38	P				Equipped for boiling waste;; rec'd 118M OWW		0	0	14.00		1		
AX-103	1968	2	XIN	10		995		#N/A	-38	BL		BL				0	0	14.00		1		
AX-103	1968	2	XIN	25		1020		#N/A	-38	OWW		OWW3				0	0	14.00		4	O	AEH-721-9
AX-103	1968	2	XIN	1		1021		#N/A	-38	PL		PL1				0	0	14.00		1		
AX-103	1968	2	XIN	89		1110		#N/A	-38	PL		PL1				0	0	14.00		4	O	AEH-721-9
AX-103	1968	2	send	-134		976		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	2	STAT		976	976	14	#N/A	-38	P				Rec'd 89M F-18 & 25M 0WW		0	0	14.00		1		
AX-103	1968	3	XIN	4		980		#N/A	-38	PL		PL1				0	0	14.00		4	O	ARH-871-9
AX-103	1968	3	send	-48		932		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	3	STAT		932	932	14	#N/A	-38	P				4 from 202-A		0	0	14.00		1		
AX-103	1968	4	XIN	58		990		#N/A	-38	PL		PL1				0	0	14.00		4	O	ARH-1061-10
AX-103	1968	4	send	-44		946		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	4	STAT		946	946	77	#N/A	-38	P				58M from Purex (F-18 & R-8)		0	0	14.00		1		
AX-103	1969	1	XIN	4		950		#N/A	-38	B		B				0	0	14.00		4	O	ARH-1200A-10
AX-103	1969	1	XIN	4		954		#N/A	-38	B		B				0	0	14.00		2		
AX-103	1969	1	XIN	3		957		#N/A	-38	B		B				0	0	14.00		4	O	ARH-1200A-10
AX-103	1969	1	XIN	45		1002		#N/A	-38	PL		PL1				0	0	14.00		4	O	ARH-1200A-10
AX-103	1969	1	send	-28		974		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1969	1	STAT		974	974	83	#N/A	-38	P				11M from 221-B;; 45M from 202-A		0	0	14.00		1		
AX-103	1969	2	rec	26		1000		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1969	2	STAT		1000	1000	76	#N/A	-38	P						0	0	14.00		1		
AX-103	1969	3	send	-14		986		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1969	3	STAT		986	986	83	#N/A	-38	P						0	0	14.00		1		
AX-103	1969	4	send	-21		965		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1969	4	STAT		965	965	83	#N/A	-38	P						0	0	14.00		1		
AX-103	1970	1	rec	20		985		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1970	1	STAT		985	985	80	#N/A	-38	P						0	0	14.00		1		
AX-103	1970	2	STAT		986	986	83	1	-37	P						0	0	14.00		1		
AX-103	1970	3	STAT		971	971	69	-15	-52							0	0	14.00		1		
AX-103	1970	4	STAT		971	971	69	#N/A	-52	P						0	0	14.00		1		
AX-103	1971	1	STAT		974	974	66	3	-49							0	0	14.00		1		
AX-103	1971	2	STAT		974	974	66	#N/A	-49							0	0	14.00		1		
AX-103	1971	3	STAT		974	974	66	#N/A	-49	P						0	0	14.00		1		
AX-103	1971	4	STAT		971	971	66	-3	-52	P						0	0	14.00		1		
AX-103	1972	1	STAT		976	976	66	5	-47	P						0	0	14.00		1		
AX-103	1972	2	STAT		976	976	66	#N/A	-47	P						0	0	14.00		1		
AX-103	1972	3	REC	678		1654		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		1		
AX-103	1972	3	SEND	-969		685		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2456C-9
AX-103	1972	3	STAT		685	685	66	#N/A	-47	P				678M from 104-AX;; 969M to 105-C		0	0	14.00		4	O	ARH-2456C-4
AX-103	1972	4	XIN	3		688		#N/A	-47	B		B				0	0	14.00		1		
AX-103	1972	4	send	-134		554		#N/A	-47			A-106				0	0	14.00		4	O	ARH-2456D-9
AX-103	1972	4	REC	832		1386		#N/A	-47	SU	AX-101	AX-101				0	0	14.00		0		
AX-103	1972	4	REC	102		1488		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2456D-9
AX-103	1972	4	SEND	-921		567		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2456D-9
AX-103	1972	4	STAT		567	567	69	#N/A	-47	P				3 From B Plant;; 832 from 101-AX;; 102 from 104-AX 921M to 105-C		0	0	14.00		4	O	ARH-2456D-4
AX-103	1973	1	rec	62		629		#N/A	-47			A-106				0	0	14.00		1		
AX-103	1973	1	REC	787		1416		#N/A	-47	SU	AX-102	AX-102				0	0	14.00		0		
AX-103	1973	1	REC	82		1498		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2794A-9
AX-103	1973	1	SEND	-844		654		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2794A-9
AX-103	1973	1	STAT		654	654	69	#N/A	-47	PSS				787M from 102-AX;; 82M from 104-AX;; 844 to 104-C		0	0	14.00		4	O	ARH-2794A-4

Tank_h	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-103	1973	2	send	-34		620		#N/A	-47			A-106				0	0	14.00		0		
AX-103	1973	2	REC	510		1130		#N/A	-47	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-2794B-9
AX-103	1973	2	REC	694		1824		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2794B-9
AX-103	1973	2	SEND	-1266		558		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2794B-4
AX-103	1973	2	STAT		558	558	69	#N/A	-47	PSS				510M from 101-AX;; 694 from 104-AX, 1266 M to 105-C		0	0	14.00		1		
AX-103	1973	3	STAT		556	556	69	-2	-49	PSS						0	0	14.00		1		
AX-103	1973	4	STAT		575	575	69	19	-30	PSS						0	0	14.00		1		
AX-103	1974	1	rec	14		589		#N/A	-30		AY-102	AY-102				0	0	14.00		0		
AX-103	1974	1	rec	19		608		#N/A	-30			A-104				0	0	14.00		0		
AX-103	1974	1	REC	173		781		#N/A	-30	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-133A-9/ARH-133A-9 SEND
AX-103	1974	1	SEND	-1		780		#N/A	-30	SU		C-104				0	0	14.00		4	O	ARH-CD-133A-4
AX-103	1974	1	SEND	-219		561		#N/A	-30	SU		C-105				0	0	14.00		4	O	ARH-CD-133A-4
AX-103	1974	1	send	-41		520		#N/A	-30			A-102				0	0	14.00		0		
AX-103	1974	1	STAT		568	568	69	48	18	PSS				173M from 101-AX;; 219M to 105-C, 1 to 104-C		0	0	14.00		1		
AX-103	1974	2	rec	35		603		#N/A	18			A-104				0	0	14.00		0		
AX-103	1974	2	REC	98		701		#N/A	18	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-133B-9
AX-103	1974	2	STAT		653	653	69	-48	-30	PSS				98M from 101-AX		0	0	14.00		1		
AX-103	1974	3	rec	148		801		#N/A	-30			A-104				0	0	14.00		0		
AX-103	1974	3	send	-40		761		#N/A	-30			AX-102				0	0	14.00		0		
AX-103	1974	3	REC	221		982		#N/A	-30	SU	C-106	C-106				0	0	14.00		4	O	ARH-CD-133C-4
AX-103	1974	3	send	-60		922		#N/A	-30			AX-104				0	0	14.00		0		
AX-103	1974	3	send	-44		878		#N/A	-30			A-102				0	0	14.00		0		
AX-103	1974	3	STAT		870	870	72	-8	-38	PSS				221M from 106-C		0	0	14.00		1		
AX-103	1974	4	rec	12		882		#N/A	-38		AY-101	AY-101				0	0	14.00		0		
AX-103	1974	4	rec	261		1143		#N/A	-38			A-103				0	0	14.00		0		
AX-103	1974	4	rec	554		1697		#N/A	-38			A-104				0	0	14.00		0		
AX-103	1974	4	rec	31		1728		#N/A	-38			AX-104				0	0	14.00		0		
AX-103	1974	4	send	-76		1652		#N/A	-38			AX-102				0	0	14.00		0		
AX-103	1974	4	SEND	-59		1593		#N/A	-38	SU		C-105				0	0	14.00		4	O	ARH-CD-133D-4
AX-103	1974	4	send	-70		1523		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1974	4	outx	-701		822		#N/A	-38			PCOND				0	0	14.00		0		
AX-103	1974	4	STAT		822	822	88	#N/A	-38	PSS				59M to 105-C * Leak detection dry well 11-03-12 drilled.		0	0	14.00		1		
AX-103	1975	1	XIN	7		829		#N/A	-38	WTR		WTR	Omis. REC 417 TANK		Omission	0	0	14.00		3	V	ARH-CD-336A-9
AX-103	1975	1	rec	187		1016		#N/A	-38			A-104				0	0	14.00		0		
AX-103	1975	1	rec	42		1058		#N/A	-38			AX-104				0	0	14.00		0		
AX-103	1975	1	send	-35		1023		#N/A	-38			AX-102				0	0	14.00		0		
AX-103	1975	1	REC	278		1301		#N/A	-38	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-336A-9
AX-103	1975	1	SEND	-127		1174		#N/A	-38	SU		C-105				0	0	14.00		4	O	ARH-CD-336A-4
AX-103	1975	1	outx	-187		987		#N/A	-38			PCOND				0	0	14.00		0		
AX-103	1975	1	STAT		987	987	88	#N/A	-38	PSS				278M from 101-AX;; 7M from 41' 127M to 105-C ** Leak detection dry wells drilled: 11-03-02, 11-03-05, 11-03-07, 11-03-09, 11-03-10		0	0	14.00		1		
AX-103	1975	2	XIN	18		1005		#N/A	-38	WTR		WTR	Omis. REC 417 TANK		Omission	0	0	14.00		2	V	ARH-CD-336B-9
AX-103	1975	2	rec	17		1022		#N/A	-38		AY-101	AY-101				0	0	14.00		0		
AX-103	1975	2	rec	46		1068		#N/A	-38			AX-104				0	0	14.00		0		
AX-103	1975	2	REC	188		1256		#N/A	-38	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-336B-9
AX-103	1975	2	REC	158		1414		#N/A	-38	SU	AX-102	AX-102				0	0	14.00		4	O	ARH-CD-336B-9
AX-103	1975	2	SEND	-525		889		#N/A	-38			C-105			Omission	0	0	14.00		3	V	ARH-CD-336B-4
AX-103	1975	2	outx	-61		828		#N/A	-38			PCOND				0	0	14.00		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-103	1975	2	STAT		828	828	88	#N/A	-38	PSS						0	0	14.00		1		
AX-103	1975	3	XIN	342		1170		#N/A	-38	AR		AR	Omis.		Omission	0	0	14.00		3	V	ARH-CD-336C-9
AX-103	1975	3	rec	44		1214		#N/A	-38			AX-102				0	0	14.00		0		
AX-103	1975	3	rec	58		1272		#N/A	-38			AX-104				0	0	14.00		0		
AX-103	1975	3	SEND	-544		728		#N/A	-38	SU		C-105				0	0	14.00		4	O	ARH-CD-336C-4
AX-103	1975	3	outx	-106		622		#N/A	-38			PCOND				0	0	14.00		0		
AX-103	1975	3	STAT		622	622	88	#N/A	-38	PSS				342 from AR vault;; 544M to 1?		0	0	14.00		1		
AX-103	1975	4	XIN	51		673		#N/A	-38	AR		AR	Omis.		Omission	0	0	14.00		3	V	ARH-CD-336D-9
AX-103	1975	4	XIN	6		679		#N/A	-38	WTR		WTR	Omis. REC CT AX-152		Omission	0	0	14.00		3	V	ARH-CD-336D-9
AX-103	1975	4	rec	39		718		#N/A	-38			AX-104				0	0	14.00		0		
AX-103	1975	4	SEND	-490		228		#N/A	-38	SU		C-105				0	0	14.00		4	O	ARH-CD-336D-4
AX-103	1975	4	outx	-55		173		#N/A	-38			PCOND				0	0	14.00		0		
AX-103	1975	4	STAT		173	173	88	#N/A	-38	PSS				51M from AR Vault;; 6M from 152-AX C.T. 490M to 105-C		0	0	14.00		1		
AX-103	1976	1	rec	172		345		#N/A	-38		AY-102	AY-102				0	0	14.00		0		
AX-103	1976	1	rec	155		500		#N/A	-38			AX-101				0	0	14.00		0		
AX-103	1976	1	send	-67		433		#N/A	-38			AX-102				0	0	14.00		0		
AX-103	1976	1	SEND	-29		404		#N/A	-38	SU		AX-104				0	0	14.00		4	O	ARH-CD-702A-9
AX-103	1976	1	send	-28		376		#N/A	-38			AZ-102				0	0	14.00		0		
AX-103	1976	1	SEND	-36		340		#N/A	-38	SU		C-105				0	0	14.00		4	O	ARH-CD-702A-4
AX-103	1976	1	send	-155		185		#N/A	-38			A-103				0	0	14.00		0		
AX-103	1976	1	outx	-98		87		#N/A	-38			PCOND				0	0	14.00		0		
AX-103	1976	1	STAT		88	88	88	1	-37					36M to 105-C; 29M to 104-AX		0	0	14.00		1		
AX-103	1976	2	xin	187		275		#N/A	-37			WTR				0	0	14.00		0		
AX-103	1976	2	rec	68		343		#N/A	-37			AX-101				0	0	14.00		0		
AX-103	1976	2	rec	27		370		#N/A	-37			AX-104				0	0	14.00		0		
AX-103	1976	2	send	-284		86		#N/A	-37			AX-102				0	0	14.00		0		
AX-103	1976	2	REC	4		90		#N/A	-37	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-702B-9
AX-103	1976	2	outx	-18		72		#N/A	-37	SL	SRR	SRR	4 AR at C-105			0	0	14.00		0		
AX-103	1976	2	STAT		72	72	70	#N/A	-37	H2O				4M from 103-AX Sluicing		0	0	14.00		1		
AX-103	1976	3	xin	515		587		#N/A	-37			WTR				0	0	14.00		0		
AX-103	1976	3	send	-151		436		#N/A	-37			A-101				0	0	14.00		0		
AX-103	1976	3	rec	64		500		#N/A	-37			AX-104				0	0	14.00		0		
AX-103	1976	3	send	-184		316		#N/A	-37			AX-102				0	0	14.00		0		
AX-103	1976	3	send	-77		239		#N/A	-37			AZ-102				0	0	14.00		0		
AX-103	1976	3	send	-134		105		#N/A	-37			C-105	pullfromAX-103, C-105 is short			0	0	14.00		0		
AX-103	1976	3	outx	-53		52		#N/A	-37	SL	SRR	SRR	11 AR at C-105			0	0	14.00		0		
AX-103	1976	3	STAT		52	52	17	#N/A	-37	EVAP				Sluicing		0	0	14.00		1		
AX-103	1976	4	STAT		17	17	6	-35	-72	EVAP						0	0	14.00		1		
AX-103	1977	1	STAT		11	11	11	-6	-78	EVAP						0	0	14.00		1		
AX-103	1977	2	STAT		6	6	6	-5	-83	EVAP						0	0	14.00		1		
AX-103	1977	3	outx	-6		0		#N/A	-83	SL	SRR	SRR	2 AR at C-105			0	0	14.00		0		
AX-103	1977	3	STAT		25	25	6	25	-58	EVAP				Sluicing sr. sludge		0	0	14.00		1		
AX-103	1977	4	STAT		17	17	6	-8	-66	EVAP						0	0	14.00		1		
AX-103	1978	1	STAT		39	39	6	22	-44	CC				New Solids Level 1/19/78 Active-Being Sluiced Wait Sluice Eval.		0	0	14.00		1		
AX-103	1978	2	STAT		28	28	6	-11	-55	NCPLX				Sluicing Complete		0	0	14.00		1		
AX-103	1978	3	STAT		33	33	6	5	-50	NCPLX				Salt Well Installed		0	0	14.00		1		
AX-103	1978	4	STAT		44	44	6	11	-39	NCPLX						0	0	14.00		1		
AX-103	1979	1	rec	966		1010		#N/A	-39	SU	A-102	A-102	*-409 to			0	0	14.00		0		
AX-103	1979	1	SEND	-287		723		#N/A	-39	SU	"	A-102				0	0	14.00		1		
AX-103	1979	1	SEND	-176		547		#N/A	-39	SU		A-102				0	0	14.00		1		
AX-103	1979	1	STAT		547	547	6	#N/A	-39	CPLX						0	0	14.00		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-103	1979	2	STAT		545	545	6	-2	-41	CCPLX				New Solids Level 5/21/79 New Photo 4/11/79		0	0	14.00		1		
AX-103	1979	3	rec	343		888		#N/A	-41		A-102	A-102				0	0	14.00		0		
AX-103	1979	3	STAT		888	888	6	#N/A	-41	PSSF						0	0	14.00		1		
AX-103	1979	4	REC	0		888		#N/A	-41	SU	A-102	A-102	*+545 to				0	14.00		1		
AX-103	1979	4	STAT		888	888	6	#N/A	-41	DSSF						0	0	14.00		1		
AX-103	1980	1	STAT		891	891	6	3	-38	DSSF				Slurry Receiver		0	0	14.00		1		
AX-103	1980	2	rec	25		916		#N/A	-38		A-102	A-102				0	0	14.00		1		
AX-103	1980	2	REC	28		944		#N/A	-38	SU	AZ-101	AZ-101				0	0	14.00		0		
AX-103	1980	2	STAT		944	944	10	#N/A	-38	DSSF				New Solids 6/30/80 Lag storage-New Photo 4/21/80		0	0	14.00		1		
AX-103	1980	3	SEND	-255		689		#N/A	-38	SU		A-102				0	0	14.00		1		
AX-103	1980	3	SEND	-176		513		#N/A	-38	SU		A-102				0	0	14.00		1		
AX-103	1980	3	SEND	-13		500		#N/A	-38	SU		A-102				0	0	14.00		1		
AX-103	1980	3	rec	379		879		#N/A	-38		A-102	A-102				0	0	14.00		1		
AX-103	1980	3	STAT		879	879	0	#N/A	-38	NCPLX						0	0	14.00		0		
AX-103	1980	4	send	-758		121		#N/A	-38			A-102				0	0	14.00		1		
AX-103	1980	4	STAT		121	121	121	#N/A	-38	NCPLX				Inactive-New Solids Level 10-8-80		0	0	14.00		0		
AX-103	1987	2	send	-9		112		#N/A	-38	swliq		AN-101				0	0	14.00		1		
AX-103	1993	2	STAT		112	112	112	#N/A	-38	CC						0	0	14.00		0		
AX-103	1993	4	STAT		112	112	112	#N/A	-38							0	0	14.00		1		
AX-103	1994	1	STAT		112	112	112	#N/A	-38							0	0	14.00		1		
AX-103	2000															0	0	14.00		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-104	1900																					
AX-104	1965	1	STAT		N/A	0		#N/A	0					Back-up tank in event of tank failure 6 months report			0	0.00		1		
AX-104	1965	3	XIN	344		344		#N/A	0	WTR		WTR				0	0	0.00		3	O	HWN-1991-33
AX-104	1965	3	STAT		344	344	0	#N/A	0	P				Back-up tank		0	0	0.00		1		
AX-104	1965	4	XIN	355		699		#N/A	0	WTR		WTR				0	0	0.00		3	O	HWN-1991-33
AX-104	1965	4	send	-344		355		#N/A	0			A-102				0	0	0.00		0		
AX-104	1965	4	STAT		355	355	0	#N/A	0							0	0	0.00		1		
AX-104	1966	1	STAT		355	355	0	#N/A	0	P				Back-up tank		0	0	0.00		1		
AX-104	1966	2	rec	45		400		#N/A	0			A-102				0	0	0.00		1		
AX-104	1966	2	STAT		400	400	0	#N/A	0	P						0	0	0.00		0		
AX-104	1966	3	XIN	24		424		#N/A	0	P		P2				0	0	0.00		1		
AX-104	1966	3	XIN	25		449		#N/A	0	P		P2				0.0035229	0.0845	0.08	P2	4	O	ISO-538-8
AX-104	1966	3	XIN	25		474		#N/A	0	P		P2				0.0035229	0.0881	0.17	P2	4	O	ISO-538-8
AX-104	1966	3	rec	288		762		#N/A	0			A-102				0.0035229	0.0881	0.26	P2	2		
AX-104	1966	3	STAT		762	762	0	#N/A	0	P			XIN total 74	Rec'd 74M		0	0	0.26		0		
AX-104	1966	4	XIN	130		892		#N/A	0	P		P2				0	0	0.26		1		
AX-104	1966	4	XIN	129		1021		#N/A	0	P		P2				0.0035229	0.458	0.72	P2	4	O	ISO-674-8
AX-104	1966	4	XIN	129		1150		#N/A	0	P		P2				0.0035229	0.4545	1.17	P2	4	O	ISO-674-8
AX-104	1966	4	send	-264		886		#N/A	0			A-102				0.0035229	0.4545	1.63	P2	2		
AX-104	1966	4	STAT		886	886	0	#N/A	0	P			XIN total 386	Rec'd 388M		0	0	1.63		0		
AX-104	1967	1	XIN	85		971		#N/A	0	P		P2				0	0	1.63		1		
AX-104	1967	1	XIN	86		1057		#N/A	0	P		P2				0.0035229	0.2994	1.93	P2	4	O	ISO-806-8
AX-104	1967	1	XIN	86		1143		#N/A	0	P		P2				0.0035229	0.303	2.23	P2	4	O	ISO-806-8
AX-104	1967	1	send	-271		872		#N/A	0			A-102				0.0035229	0.303	2.53	P2	2		
AX-104	1967	1	STAT		872	872	0	#N/A	0	P			XIN total 257	Rec'd 257M		0	0	2.53		0		
AX-104	1967	2	XIN	155		1027		#N/A	0	P		P2				0	0	2.53		1		
AX-104	1967	2	XIN	155		1182		#N/A	0	P		P2				0.0035229	0.546	3.08	P2	4	O	ISO-967-8
AX-104	1967	2	XIN	155		1337		#N/A	0	P		P2				0.0035229	0.546	3.63	P2	2		
AX-104	1967	2	send	-465		872		#N/A	0			A-102				0.0035229	0.546	4.17	P2	2		
AX-104	1967	2	STAT		872	872	0	#N/A	0	P			XIN total 465	Rec'd 465M		0	0	4.17		0		
AX-104	1967	3	XIN	148		1020		#N/A	0	IWW		P2				0	0	4.17		1		
AX-104	1967	3	XIN	149		1169		#N/A	0	IWW		P2				0.0035229	0.5214	4.69	P2	4	O	ARH-95-9
AX-104	1967	3	XIN	149		1318		#N/A	0	IWW		P2				0.0035229	0.5249	5.22	P2	4	O	ARH-95-9
AX-104	1967	3	send	-449		869		#N/A	0			A-102				0.0035229	0.5249	5.74	P2	2		
AX-104	1967	3	STAT		869	869	0	#N/A	0				XIN total 446	Rec'd 446M IWW & sumps		0	0	5.74		0		
AX-104	1967	4	XIN	113		982		#N/A	0	IWW		P2				0	0	5.74		1		
AX-104	1967	4	XIN	113		1095		#N/A	0	IWW		P2				0.0035229	0.3981	6.14	P2	4	O	ARH-326-9
AX-104	1967	4	XIN	113		1208		#N/A	0	IWW		P2				0.0035229	0.3981	6.54	P2	2		
AX-104	1967	4	send	-339		869		#N/A	0			A-102				0.0035229	0.3981	6.94	P2	2		
AX-104	1967	4	STAT		869	869	0	#N/A	0	P			XIN total 339	Rec'd 339M IWW & sumps		0	0	6.94		0		
AX-104	1968	1	XIN	235		1104		#N/A	0	OWW		OWW3				0	0	6.94		1		
AX-104	1968	1	send	-152		952		#N/A	0			A-102				0	0	6.94		4	O	ARH-534-9
AX-104	1968	1	STAT		952	952	0	#N/A	0	P				Receives Purex waste except 36M PAW which was received in AR vault--rec'd 235M IWW--equipped for boiling waste		0	0	6.94		0		
AX-104	1968	2	XIN	4		956		#N/A	0	B		B				0	0	6.94		1		
AX-104	1968	2	XIN	4		960		#N/A	0	B		B				0	0	6.94		1		
AX-104	1968	2	XIN	4		964		#N/A	0	B		B				0	0	6.94		1		
AX-104	1968	2	XIN	2		966		#N/A	0	OWW		OWW3				0	0	6.94		1		
AX-104	1968	2	XIN	6		972		#N/A	0	P		P2				0	0	6.94		4	O	ARH-721-9
AX-104	1968	2	XIN	6		978		#N/A	0	P		P2				0.0035229	0.0211	6.96	P2	4	O	ARH-721-9
AX-104	1968	2	XIN	6		984		#N/A	0	P		P2				0.0035229	0.0211	6.98	P2	2		
AX-104	1968	2	XIN	88		1072		#N/A	0	PL		PL1				0.0035229	0.0211	7.00	P2	2		
AX-104	1968	2	send	-93		979		#N/A	0			A-102				0	0	7.00		4	O	ARH-721-9
																0	0	7.00		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-104	1968	2	STAT		979	979	0	#N/A	0	P			XIN total 18	Rec'd 88M F-18;18M from F-16, 2M 0WW		0	0	7.00		1		
AX-104	1968	3	STAT		985	985	0	6	6	P						0	0	7.00		1		
AX-104	1968	4	STAT		979	979	10	-6	0	P						0	0	7.00		1		
AX-104	1969	1	XIN	13		992		#N/A	0	B		B				0	0	7.00		1		
AX-104	1969	1	XIN	12		1004		#N/A	0	B		B				0	0	7.00		4	O	ARH-1200A-10
AX-104	1969	1	XIN	12		1016		#N/A	0	B		B				0	0	7.00		4	O	ARH-1200A-10
AX-104	1969	1	XIN	37		1053		#N/A	0	PL		PL1				0	0	7.00		2		
AX-104	1969	1	send	-96		957		#N/A	0			A-102				0	0	7.00		4	O	ARH-1200A-10
																0	0	7.00		0		
AX-104	1969	1	STAT		957	957	8	#N/A	0	P			XIN total 37	37M from 221-B; 37M from 202-								
AX-104	1969	2	XIN	3		960		#N/A	0	PL		PL1				0	0	7.00		1		
AX-104	1969	2	STAT		953	953	8	-7	-7	P						0	0	7.00		4	O	ARH-1200B-10
AX-104	1969	3	STAT		964	964	11	11	4	P				3M from Purex		0	0	7.00		1		
AX-104	1969	4	STAT		987	987	27	23	27	P						0	0	7.00		1		
AX-104	1970	1	XIN	198		1185		#N/A	27	WTR		WTR				0	0	7.00		1		
AX-104	1970	1	SEND	-198		987		#N/A	27	SU		A-101				0	0	7.00		4	O	ARH-1666A-10
																0	0	7.00		4	O	ARH-1666A-10
AX-104	1970	1	STAT		998	998	58	11	38	P				198M to 101-A;; Rec'd 198M H20								
AX-104	1970	2	XIN	195		1193		#N/A	38	WTR		WTR				0	0	7.00		1		
AX-104	1970	2	SEND	-198		995		#N/A	38	SU		A-101				0	0	7.00		4	O	ARH-1666B-10
																0	0	7.00		4	O	ARH-1666B-10
AX-104	1970	2	STAT		998	998	48	3	41	P				198M to 101-A;;Rec'd 195M H20								
AX-104	1970	3	STAT		1000	1000	44	2	43	P						0	0	7.00		1		
AX-104	1970	4	STAT		1000	1000	52	#N/A	43	P						0	0	7.00		1		
AX-104	1971	1	STAT		1001	1001	47	1	44							0	0	7.00		1		
AX-104	1971	2	STAT		1001	1001	47	#N/A	44	P						0	0	7.00		1		
AX-104	1971	3	STAT		989	989	47	-12	32	P						0	0	7.00		1		
AX-104	1971	4	STAT		990	990	47	1	33	P						0	0	7.00		1		
AX-104	1972	1	STAT		984	984	47	-6	27							0	0	7.00		1		
AX-104	1972	2	STAT		984	984	47	#N/A	27	P						0	0	7.00		1		
AX-104	1972	3	send	-61		923		#N/A	27			A-106				0	0	7.00		1		
AX-104	1972	3	SEND	-678		245		#N/A	27	SU		AX-103				0	0	7.00		0		
																0	0	7.00		4	O	ARH-2456C-9
AX-104	1972	3	STAT		245	245	47	#N/A	27	P				678M from 104-AX;; 969M to 105								
AX-104	1972	4	send	-33		212		#N/A	27			A-106				0	0	7.00		1		
AX-104	1972	4	SEND	-102		110		#N/A	27	SU		AX-103				0	0	7.00		0		
																0	0	7.00		4	O	ARH-2456D-9
AX-104	1972	4	REC	567		677		#N/A	27	SU	A-104	A-104	OC A-103 to A-104		Shows XFER from A-104, Omission	0	0	7.00		3	M/V	ARH-2456D-9
AX-104	1972	4	STAT		677	677	55	#N/A	27	P				567M from 104-A;; 102 to 103-A								
AX-104	1973	1	send	-46		631		#N/A	27			A-106				0	0	7.00		1		
AX-104	1973	1	SEND	-82		549		#N/A	27	SU		AX-103				0	0	7.00		0		
AX-104	1973	1	REC	276		825		#N/A	27	SU	A-104	A-104				0	0	7.00		4	O	ARH-2794A-9
																0	0	7.00		4	O	ARH-2794A-9
AX-104	1973	1	STAT		825	825	55	#N/A	27	PSS				276M from 104-A;; 82 to 103-AX								
AX-104	1973	2	send	-22		803		#N/A	27			A-106				0	0	7.00		1		
AX-104	1973	2	SEND	-694		109		#N/A	27	SU		AX-103				0	0	7.00		0		
AX-104	1973	2	STAT		109	109	55	#N/A	27	PSS						0	0	7.00		4	O	ARH-2794B-9
AX-104	1973	3	STAT		105	105	55	-4	23	PSS				694M to 103-AX		0	0	7.00		1		
AX-104	1973	4	STAT		126	126	44	21	44	PSS						0	0	7.00		1		
AX-104	1974	1	STAT		114	114	44	-12	32	PSS						0	0	7.00		1		
AX-104	1974	2	STAT		111	111	44	-3	29	PSS						0	0	7.00		1		
AX-104	1974	3	XIN	146		257		#N/A	29	WTR		WTR				0	0	7.00		1		
AX-104	1974	3	REC	446		703		#N/A	29	SU	A-104	A-104				0	0	7.00		1		
AX-104	1974	3	rec	60		763		#N/A	29		AX-103	AX-103				0	0	7.00		2		
																0	0	7.00		0		
AX-104	1974	3	STAT		763	763	44	#N/A	29	PSS				146 water;; 446M from 104-A								

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-104	1974	4	send	-31		732		#N/A	29			AX-103				0	0	7.00		0		
AX-104	1974	4	STAT		732	732	47	#N/A	29	PSS				*Leak detection dry well 11-04-01 drilled		0	0	7.00		1		
AX-104	1975	1	send	-42		690		#N/A	29			AX-103				0	0	7.00		0		
AX-104	1975	1	STAT		690	690	47	#N/A	29	PSS				**Leak detection dry wells drilled: 11-04-05, 11-04-07, 11-04-08, 11-04-10, 11-04-11								
AX-104	1975	2	send	-46		644		#N/A	29			AX-103				0	0	7.00		1		
AX-104	1975	2	STAT		644	644	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1975	3	send	-58		586		#N/A	29			AX-103				0	0	7.00		1		
AX-104	1975	3	STAT		586	586	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1975	4	send	-39		547		#N/A	29			AX-103				0	0	7.00		1		
AX-104	1975	4	STAT		547	547	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1976	1	XIN	9		556		#N/A	29	AR		AR	Omis.			0	0	7.00		1		
AX-104	1976	1	REC	29		585		#N/A	29	SU	AX-103	AX-103			Omission	0	0	7.00		3	V	ARH-CD-702A-9
AX-104	1976	1	SEND	-234		351		#N/A	29	SU		C-105				0	0	7.00		4	O	ARH-CD-702A-9
AX-104	1976	1	STAT		352	352	44	1	30	PSS						0	0	7.00		4	O	ARH-CD-702A-4
AX-104	1976	2	send	-27		325		#N/A	30			AX-103		234M to 105-C;; 29M from 103-A 9 from 002-AR		0	0	7.00		1		
AX-104	1976	2	STAT		325	325	44	#N/A	30	PSS						0	0	7.00		0		
AX-104	1976	3	send	-64		261		#N/A	30			AX-103				0	0	7.00		1		
AX-104	1976	3	STAT		261	261	47	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1976	4	rec	528		789		#N/A	30		A-102	A-102		Cs feed to be sluiced		0	0	7.00		1		
AX-104	1976	4	STAT		789	789	47	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	1	send	-618		171		#N/A	30			A-102				0	0	7.00		1		
AX-104	1977	1	STAT		171	171	55	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	2	send	-110		61		#N/A	30			A-102				0	0	7.00		1		
AX-104	1977	2	STAT		61	61	22	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	3	send	-44		17		#N/A	30			A-102				0	0	7.00		1		
AX-104	1977	3	STAT		17	17	11	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	4	STAT		25	25	3	8	38	EVAP				Sluiced-waiting photo eval		0	0	7.00		1		
AX-104	1978	1	STAT		22	22	8	-3	35	EVAP						0	0	7.00		1		
AX-104	1978	2	STAT		11	11	3	-11	24	NCPLX				Active-Being sluiced * Leak Detection Dry Well 11-04-19 Drilled								
AX-104	1978	3	STAT		3	3	3	-8	16					Questionable integrity sluicing complete - New solids evel 5/23/78		0	0	7.00		1		
AX-104	1978	4	STAT		3	3	3	#N/A	16	NCPLX				Inactive - Primary stabilized - New photo 5/8/78		0	0	7.00		1		
AX-104	1979	1	STAT		6	6	3	3	19							0	0	7.00		1		
AX-104	1979	2	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1979	3	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1979	4	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	1	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	2	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	3	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	4	STAT		6	6	3	#N/A	19	NCPLX						0	0	7.00		1		
AX-104	1993	2	STAT		7	7	7	1	20	NCPLX						0	0	7.00		1		
AX-104	1993	4	STAT		7	7	7	#N/A	20							0	0	7.00		1		
AX-104	1994	1	STAT		7	7	7	#N/A	20							0	0	7.00		1		
AX-104	2000															0	0	7.00		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-101	1900																					
B-101	1945	2	CSEND	0		0		#N/A	0	SET	B-102											
B-101	1945	2	XIN	127		127		#N/A	0	MW		MW1					0	0.000		1		
B-101	1945	2	XIN	42		169		#N/A	0	MW		MW1				0.00188679	0.2396	0.240	MW1	1		
																0.00188679	0.0792	0.319	MW1	1		
B-101	1945	2	STAT		169	169	0	#N/A	0	MW				First used May 1945 (1st in Cascade)								
B-101	1945	3	XIN	95		264		#N/A	0	MW		MW1				0	0	0.319		1		
B-101	1945	3	XIN	113		377		#N/A	0	MW		MW1				0.00188679	0.1792	0.498	MW1	1		
B-101	1945	3	XIN	137		514		#N/A	0	MW		MW1				0.00188679	0.2132	0.711	MW1	1		
B-101	1945	3	STAT		514	514	0	#N/A	0	MW						0.00188679	0.2585	0.970	MW1	1		
B-101	1945	4	XIN	195		709		#N/A	0	MW		MW1				0	0	0.970		1		
B-101	1945	4	send	-179		530		#N/A	0	cas		B-102				0.00188679	0.3679	1.338	MW1	1		
B-101	1945	4	XIN	232		762		#N/A	0	MW		MW1				0	0	1.338		0		
B-101	1945	4	send	-232		530		#N/A	0	cas		B-102				0.00188679	0.4377	1.775	MW1	1		
B-101	1945	4	XIN	185		715		#N/A	0	MW		MW1				0	0	1.775		0		
B-101	1945	4	send	-185		530		#N/A	0	cas		B-102				0.00188679	0.3491	2.125	MW1	1		
B-101	1945	4	STAT		530	530	0	#N/A	0							0	0	2.125		0		
B-101	1946	1	XIN	189		719		#N/A	0	MW		MW1		Filled in Oct. 1945		0	0	2.125		1		
B-101	1946	1	send	-189		530		#N/A	0	cas		B-102				0.00188679	0.3566	2.481	MW1	1		
B-101	1946	1	XIN	186		716		#N/A	0	MW		MW1				0	0	2.481		0		
B-101	1946	1	send	-186		530		#N/A	0	cas		B-102				0.00188679	0.3509	2.832	MW1	1		
B-101	1946	1	XIN	89		619		#N/A	0	MW		MW1				0	0	2.832		0		
B-101	1946	1	send	-89		530		#N/A	0	cas		B-102				0.00188679	0.1679	3.000	MW1	1		
B-101	1946	1	STAT		530	530	0	#N/A	0							0	0	3.000		0		
B-101	1946	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1946	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1946	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1947	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1947	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1947	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1947	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1948	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1948	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1948	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1948	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1949	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1949	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1949	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1949	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1950	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1950	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1950	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1950	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1951	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1951	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1951	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1951	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1952	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1952	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1952	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-101	1952	4	STAT		530	530	0	#N/A	0	MW						0	0	3.000		1		
B-101	1953	1	SEND	-530		0		#N/A	0	SL		B-103				0	0	3.000		1		
B-101	1953	1	STAT		0	0	0	#N/A	0	MW			and & jung used1291, sluicing op see B-103	288 removed thru BR 1032 Now processing for feed to TBP plant		0	0	3.000		1		
B-101	1953	2	STAT		N/A	0		#N/A	0					Small sludge heel. Less than 1" of water			0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-101	1953	3	STAT		0	0	0	#N/A	0					Small sludge heel. Less than 1" or water		0	0	3.000		1		
B-101	1953	4	REC	223		223		#N/A	0	SU	B-105	B-105				0	0	3.000		1		
B-101	1953	4	STAT		223	223	0	#N/A	0	EB				Finished slucing 12-28-53.Rec'd from 105-B		0	0	3.000		1		
B-101	1954	1	REC	304		527		#N/A	0	SU	B-105	B-105				0	0	3.000		1		
B-101	1954	1	STAT		527	527	0	#N/A	0					Rec'd from 105-B		0	0	3.000		1		
B-101	1954	2	STAT		527	527	0	#N/A	0							0	0	3.000		1		
B-101	1954	3	STAT		527	527	0	#N/A	0							0	0	3.000		1		
B-101	1954	4	STAT		527	527	0	#N/A	0							0	0	3.000		1		
B-101	1955	1	STAT		527	527	0	#N/A	0							0	0	3.000		1		
B-101	1955	2	STAT		527	527	0	#N/A	0							0	0	3.000		1		
B-101	1955	3	STAT		527	527	0	#N/A	0							0	0	3.000		1		
B-101	1955	4	outx	-524		3		#N/A	0			BEVAP				0	0	3.000	BEVA	0		
B-101	1955	4	xin	524		527		#N/A	0			BSltCk				0.162214	85	88.000	BSltCl	0		
B-101	1955	4	STAT		527	527	0	#N/A	0							0	0	88.000		1		
B-101	1956	1	STAT		527	527	0	#N/A	0							0	0	88.000		1		
B-101	1956	2	STAT		527	527	0	#N/A	0							0	0	88.000		1		
B-101	1956	3	STAT		527	527	0	#N/A	0							0	0	88.000		1		
B-101	1956	4	STAT		527	527	0	#N/A	0	EB						0	0	88.000		1		
B-101	1957	1	STAT		538	538	0	11	11	EB						0	0	88.000		1		
B-101	1957	2	STAT		541	541	106	3	14					Latest electrode reading		0	0	88.000		1		
B-101	1957	3	OUTX	-202		339		#N/A	14	T19	C-109	TFeCN	OC (223,292) to (202,271) in (B-101,B-103)	Latest electrode reading	Total 473 B-101 B-103	0	0	88.000		2	V	N-54-293
B-101	1957	3	STAT		318	318	315	-21	-7	EB				223 Scavenged		0	0	88.000		1		
B-101	1957	4	STAT		318	318	315	#N/A	-7							0	0	88.000		1		
B-101	1958	1	STAT		318	318	315	#N/A	-7	EB				CW (782 TU)		0	0	88.000		1		
B-101	1958	2	STAT		321	321	315	3	-4					CW (771 TU)		0	0	88.000		1		
B-101	1958	3	STAT		321	321	315	#N/A	-4					CW (913 TU)		0	0	88.000		1		
B-101	1958	4	STAT		321	321	315	#N/A	-4					CW (913 TU)		0	0	88.000		1		
B-101	1959	1	STAT		321	321	315	#N/A	-4	EB				CW (913 TU)		0	0	88.000		1		
B-101	1959	2	STAT		313	313	313	-8	-12					CW (948 TU)		0	0	88.000		1		
B-101	1959	3	STAT		313	313	313	#N/A	-12	EB				CW (948 TU)		0	0	88.000		1		
B-101	1959	4	STAT		316	316	315	3	-9					CW (935 TU)		0	0	88.000		1		
B-101	1960	1	STAT		316	316	315	#N/A	-9	EB				CW		0	0	88.000		1		
B-101	1960	2	XIN	87		403		#N/A	-9	WTR		WTR	OC 85 to 87		Shows 87 not 85	0	0	88.000		3	V	HW-66167-4
B-101	1960	2	STAT		403	403	315	#N/A	-9					87 water leaked into pipe incase- ment which drained to 101-B		0	0	88.000		1		
B-101	1960	3	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1960	4	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1961	1	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1961	2	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1961	3	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1961	4	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1962	1	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1962	2	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1962	3	STAT		403	403	315	#N/A	-9							0	0	88.000		1		
B-101	1962	4	STAT		403	403	315	#N/A	-9	EB						0	0	88.000		1		
B-101	1963	1	STAT		N/A	403		#N/A	-9								0	88.000		1		
B-101	1963	2	STAT		403	403	202	#N/A	-9	EB						0	0	88.000		1		
B-101	1963	3	REC	86		489		#N/A	-9	SU	C-102	C-102				0	0	88.000		1		
B-101	1963	3	REC	17		506		#N/A	-9	SU	C-103	C-103				0	0	88.000		1		
B-101	1963	3	REC	101		607		#N/A	-9	SU	C-106	C-106				0	0	88.000		1		
B-101	1963	3	send	-77		530		#N/A	-9	cas		B-102				0	0	88.000		0		
B-101	1963	3	REC	0		530		#N/A	-9	SU	C-101	C-101	OC 122 to 0, not xfered from C-101		Shows CW not from C-101		0	88.000		3	V	HW-80379-4
B-101	1963	3	STAT		N/A	530		#N/A	-9								0	88.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-101	1963	4	REC	125		655		#N/A	-9	SU	C-102	C-102				0	0	88.000		1		
B-101	1963	4	send	-125		530		#N/A	-9	cas		B-102				0	0	88.000		0		
B-101	1963	4	STAT		525	525	202	-5	-14	CW				Rec'd 122 CW		0	0	88.000		1		
B-101	1964	1	STAT		525	525	202	#N/A	-14	CW						0	0	88.000		1		
B-101	1964	2	STAT		525	525	202	#N/A	-14	CW						0	0	88.000		1		
B-101	1964	3	STAT		525	525	202	#N/A	-14	CW						0	0	88.000		1		
B-101	1964	4	STAT		525	525	202	#N/A	-14	EB,CW						0	0	88.000		1		
B-101	1965	1	STAT		N/A	525		#N/A	-14								0	88.000		1		
B-101	1965	2	STAT		527	527	161	2	-12	CW				Data report covered 6 months		0	0	88.000		1		
B-101	1965	3	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1965	4	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1966	1	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1966	2	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1966	3	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1966	4	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1967	1	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1967	2	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1967	3	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1967	4	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1968	1	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1968	2	STAT		527	527	161	#N/A	-12	CW						0	0	88.000		1		
B-101	1968	3	STAT		527	527	161	#N/A	-12	EB,CW						0	0	88.000		1		
B-101	1968	4	STAT		528	528	161	1	-11	EB,CW						0	0	88.000		1		
B-101	1969	1	SEND	-373		155		#N/A	-11			BY-103				0	0	88.000		1		
B-101	1969	1	STAT		151	151	151	-4	-15						Omission	0	0	88.000		3	V	ARH-1200A-5
B-101	1969	2	XIN	205		356		#N/A	-15	B		B		373 to 103-BY		0	0	88.000		1		
B-101	1969	2	STAT		356	356	151	#N/A	-15	EB				205 from B Plant		0.00497512	1.0199	89.020	B	4	O	ARH-1200B-5
B-101	1969	3	XIN	122		478		#N/A	-15	B		B				0	0	89.020		1		
B-101	1969	3	XIN	14		492		#N/A	-15	WTR		WTR	Omis. REC B-302		Omission	0.00497512	0.607	89.627	B	4	O	ARH-1200C-5
B-101	1969	3	SEND	-202		290		#N/A	-15	SU		B-102				0	0	89.627		3	V	ARH-1200C-5
B-101	1969	3	STAT		290	290	151	#N/A	-15	BLEB				122 from B Plant, 14 from 302-B CT, 202 to 102-B		0	0	89.627		4	O	ARH-1000C-5
B-101	1969	4	XIN	213		503		#N/A	-15	B		B				0.00497512	1.0597	90.687	B	1		
B-101	1969	4	SEND	-285		218		#N/A	-15	SU		B-102				0	0	90.687		4	O	ARH-1200D-5
B-101	1969	4	STAT		220	220	151	2	-13	BLEB				213 from B Plant, 285 to 102-B		0	0	90.687		4	O	ARH-1000D-5
B-101	1970	1	XIN	129		349		#N/A	-13	B		B				0	0	90.687		1		
B-101	1970	1	STAT		349	349	151	#N/A	-13	BLEB				129 from B Plant		0.00497512	0.6418	91.328	B	4	O	ARH-1666A-5
B-101	1970	2	XIN	336		685		#N/A	-13	B		B				0	0	91.328		1		
B-101	1970	2	SEND	-281		404		#N/A	-13	SU		BX-103				0.00497512	1.6716	93.000	B	4	O	ARH-1666B-5
B-101	1970	2	STAT		403	403	150	-1	-14	BLEB				336 from B Plant, 281 to 103-BX		0	0	93.000		4	O	ARH-1666B-5
B-101	1970	3	XIN	388		791		#N/A	-14	BL		BL	OC qtr2 to qtr3		Shows 3rd Qtr	0	0	93.000		1		
B-101	1970	3	SEND	-437		354		#N/A	-14	SU		BX-101	OC qtr2 to qtr3		3rd Qtr	0.004969	1.928	94.928	BL	3	V	ARH-1666C-5
B-101	1970	3	STAT		355	355	106	1	-13	BLEB				388 from B Plant, 437 to 101-BX		0	0	94.928		3	M/V	ARH-1666C-5
B-101	1970	4	XIN	591		946		#N/A	-13	BL		BL	OC 71q1 to 70q4		Shows 4th Qtr 1970	0	0	94.928		1		
B-101	1970	4	SEND	-448		498		#N/A	-13	SU		BX-101	OC 71q1 to 70q4		4th Qtr 1970	0.004969	2.9366	97.865	BL	3	V	ARH-1666D-5
B-101	1970	4	STAT		497	497	103	-1	-14	BLEB				591 from B Plant, 448 to 101-BX		0	0	97.865		3	M/V	ARH-1666D-5
B-101	1971	1	XIN	469		966		#N/A	-14	BL		BL				0	0	97.865		1		
B-101	1971	1	SEND	-529		437		#N/A	-14	SU		BX-101				0.004969	2.3304	100.195	BL	4	O	ARH-2074A-5
B-101	1971	1	STAT		436	436	103	-1	-15	BLEB				469 from B Plant, 529 to 101-BX		0	0	100.195		4	O	ARH-2074A-5
B-101	1971	2	XIN	277		713		#N/A	-15	BL		BL				0	0	100.195		1		
B-101	1971	2	SEND	-454		259		#N/A	-15	SU		BX-101				0.004969	1.3764	101.571	BL	4	O	ARH-2074B-5
																0	0	101.571		4	O	ARH-2074B-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-101	1971	2	STAT		259	259	103	#N/A	-15	BLEB				277 from B Plant, 454 to 101-BX		0	0	101.571		1		
B-101	1971	3	XIN	226		485		#N/A	-15	BL		BL				0.004969	1.123	102.694	BL	4	O	ARH-2074C-5
B-101	1971	3	XIN	19		504		#N/A	-15	WTR		WTR	Omis. REC BXR-002		Omission	0	0	102.694		3	V	ARH-2074C-5
B-101	1971	3	STAT		502	502	103	-2	-17	BLEB				226 from B Plant, 19 from 002-BXR		0	0	102.694		1		
B-101	1971	4	XIN	157		659		#N/A	-17	BL		BL				0.004969	0.7801	103.475	BL	4	O	ARH-2074D-5
B-101	1971	4	SEND	-190		469		#N/A	-17	SU		BX-101				0	0	103.475		4	O	ARH-2074D-5
B-101	1971	4	STAT		469	469	103	#N/A	-17	BLEB				157 from B Plant, 190 to 101-BX		0	0	103.475		1		
B-101	1972	1	XIN	256		725		#N/A	-17	BL		BL				0.004969	1.272	104.747	BL	4	O	ARH-2456A-4
B-101	1972	1	XIN	4		729		#N/A	-17	WTR		WTR				0	0	104.747		4	O	ARH-2456A-4
B-101	1972	1	SEND	-15		714		#N/A	-17	SU		B-102				0	0	104.747		4	O	ARH-2456A-4
B-101	1972	1	SEND	-208		506		#N/A	-17	SU		BX-101				0	0	104.747		4	O	ARH-2456A-4
B-101	1972	1	STAT		508	506	103	2	-15	BLEB				256 from B Plant, 4 water, 15 to 102-A, 208 to 101-BX		0	0	104.747		1		
B-101	1972	2	XIN	444		952		#N/A	-15	BL		BL				0.004969	2.2062	106.953	BL	4	O	ARH-2456B-4
B-101	1972	2	SEND	-520		432		#N/A	-15	SU		BX-101	OC 530 to 520		Shows 520 not 530	0	0	106.953		3	V	ARH-2456B-4
B-101	1972	2	STAT		433	433	103	1	-14	BLEB				444 from B Plant, 520 to 101-BX		0	0	106.953		1		
B-101	1972	3	XIN	324		757		#N/A	-14	BL		BL				0.004969	1.6099	108.563	BL	4	O	ARH-2456C-4
B-101	1972	3	SEND	-254		503		#N/A	-14	SU		BX-101				0	0	108.563		4	O	ARH-2456C-4
B-101	1972	3	STAT		502	502	109	-1	-15	BLEB				324 from B Plant, 254 to 101-BX		0	0	108.563		1		
B-101	1972	4	XIN	425		927		#N/A	-15	BL		BL				0.004969	2.1118	110.675	BL	4	O	ARH-2456D-4
B-101	1972	4	SEND	-199		728		#N/A	-15	SU		BX-104				0	0	110.675		4	O	ARH-2456D-5
B-101	1972	4	SEND	-192		536		#N/A	-15	SU		BX-101				0	0	110.675		4	O	ARH-2456D-4
B-101	1972	4	STAT		535	535	109	-1	-16	BLEB				425 from B Plant, 192 to 101-BX, 199 to 104-BX		0	0	110.675		1		
B-101	1973	1	XIN	468		1003		#N/A	-16	BL		BL				0.004969	2.3255	113.000	BL	4	O	ARH-2794A-4
B-101	1973	1	SEND	-4		999		#N/A	-16	SU		B-102				0	0	113.000		4	O	ARH-2794A-4
B-101	1973	1	SEND	-484		515		#N/A	-16	SU		BX-104				0	0	113.000		4	O	ARH-2794A-4
B-101	1973	1	STAT		514	514	109	-1	-17	BLEB				468 from B Plant, 4 to 102-B, 484 to 104-BX *Dry Well 20-01-03 drilled.		0	0	113.000		1		
B-101	1973	2	STAT		513	513	109	-1	-18	BLEB				Has an exhauster, New tape		0	0	113.000		1		
B-101	1973	3	STAT		512	512	109	-1	-19	BLEB						0	0	113.000		1		
B-101	1973	4	STAT		511	511	109	-1	-20	BLEB						0	0	113.000		1		
B-101	1974	1	STAT		509	509	109	-2	-22	BLEB				**Dry Wells 20-01-01, 20-01-05, 20-01-07, and 20-01-11 were drilled.		0	0	113.000		1		
B-101	1974	2	SEND	-64		445		#N/A	-22	SU		BX-106				0	0	113.000		4	O	ARH-CD-133B-4
B-101	1974	2	STAT		440	440	109	-5	-27	BLEB				64 to 106-BX		0	0	113.000		1		
B-101	1974	3	rec	72		512		#N/A	-27		BY-112	BY-112				0	0	113.000		0		
B-101	1974	3	STAT		512	512	109	#N/A	-27				and stats at 432			0	0	113.000		1		
B-101	1974	4	SEND	-89		423		#N/A	-27	SU		BX-103				0	0	113.000		4	O	ARH-CD-133D-4
B-101	1974	4	send	-89		334		#N/A	-27			BY-112				0	0	113.000		0		
B-101	1974	4	STAT		334	334	136	#N/A	-27	BLEB				Removed from Service, 89 to 103-BX		0	0	113.000		1		
B-101	1975	1	SEND	-201		133		#N/A	-27			BX-103			Omission	0	0	113.000		3	V	ARH-CD-336A-5
B-101	1975	1	STAT		136	136	136	3	-24					Removed from Service ***Dry Wells 20-01-05 and 20-01-06 were drilled.		0	0	113.000		1		
B-101	1975	2	SEND	-1		135		#N/A	-24			B-102			Omission	0	0	113.000		3	V	ARH-CD-336B-4
B-101	1975	2	STAT		136	136	136	1	-23					Removed from Service		0	0	113.000		1		
B-101	1975	3	STAT		136	136	136	#N/A	-23					Removed from Service		0	0	113.000		1		
B-101	1975	4	STAT		136	136	136	#N/A	-23					Removed from Service		0	0	113.000		1		
B-101	1976	1	send	-33		103		#N/A	-23			BY-112				0	0	113.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
B-101	1976	1	STAT		103	103	103	#N/A	-23					Removed from Service		0	0	113.000		1		
B-101	1976	2	STAT		103	103	103	#N/A	-23					Removed from Service		0	0	113.000		1		
B-101	1976	3	STAT		103	103	103	#N/A	-23					Inactive		0	0	113.000		1		
B-101	1976	4	STAT		103	103	103	#N/A	-23					Salt Well Comp.		0	0	113.000		1		
B-101	1977	1	STAT		103	103	103	#N/A	-23					Questionable Integrity-Isolated and Stabilized		0	0	113.000		1		
B-101	1977	2	STAT		103	103	103	#N/A	-23					Inactive		0	0	113.000		1		
B-101	1977	3	STAT		103	103	103	#N/A	-23					Inactive Current Phase I complete		0	0	113.000		1		
B-101	1977	4	STAT		103	103	103	#N/A	-23					Inactive Current Phase I complete		0	0	113.000		1		
B-101	1978	1	STAT		103	103	103	#N/A	-23					Inactive		0	0	113.000		1		
B-101	1978	2	STAT		103	103	103	#N/A	-23					Primary Stabilized		0	0	113.000		1		
B-101	1978	3	STAT		103	103	103	#N/A	-23					P-10 Pmp. removed		0	0	113.000		1		
B-101	1978	4	STAT		103	103	103	#N/A	-23	BLEB?						0	0	113.000		1		
B-101	1979	1	STAT		103	103	103	#N/A	-23							0	0	113.000		1		
B-101	1979	2	STAT		103	103	103	#N/A	-23					Questionable Integrity		0	0	113.000		1		
B-101	1979	3	STAT		103	103	103	#N/A	-23							0	0	113.000		1		
B-101	1979	4	STAT		103	103	103	#N/A	-23							0	0	113.000		1		
B-101	1980	1	STAT		103	103	103	#N/A	-23							0	0	113.000		1		
B-101	1980	2	STAT		103	103	103	#N/A	-23	BLEB?						0	0	113.000		1		
B-101	1980	3	STAT		103	103	103	#N/A	-23							0	0	113.000		1		
B-101	1980	4	STAT		103	103	103	#N/A	-23	BLEB						0	0	113.000		1		
B-101	1993	2	STAT		113	113	113	10	-13	NCPLX						0	0	113.000		1		
B-101	1993	4	STAT		113	113	113	#N/A	-13							0	0	113.000		1		
B-101	1994	1	STAT		113	113	113	#N/A	-13							0	0	113.000		1		
B-101	2000															0	0	113.000		J		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
B-102	1900																					
B-102	1945	2	CREC	0		0		#N/A	0	SET	B-101						0	0.000		1		
B-102	1945	2	CSEND	0		0		#N/A	0	SET	B-103						0	0.000		1		
B-102	1945	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-102	1945	3	STAT		0	0	0	#N/A	0							0	0	0.000		1		
B-102	1945	4	rec	179		179		#N/A	0	cas	B-101	B-101				0.00283019	0.5066	0.507	MW1	0		
B-102	1945	4	rec	232		411		#N/A	0	cas	B-101	B-101				0.00283019	0.6566	1.163	MW1	0		
B-102	1945	4	rec	185		596		#N/A	0	cas	B-101	B-101				0.00283019	0.5236	1.687	MW1	0		
B-102	1945	4	send	-66		530		#N/A	0	cas		B-103				0	0	1.687		0		
B-102	1945	4	STAT		530	530	0	#N/A	0					First used Oct. 1945. Filled Dec 1945		0	0	1.687		1		
B-102	1946	1	rec	189		719		#N/A	0	cas	B-101	B-101				0.00283019	0.5349	2.222	MW1	0		
B-102	1946	1	send	-189		530		#N/A	0	cas		B-103				0	0	2.222		0		
B-102	1946	1	rec	186		716		#N/A	0	cas	B-101	B-101				0.00283019	0.5264	2.748	MW1	0		
B-102	1946	1	send	-186		530		#N/A	0	cas		B-103				0	0	2.748		0		
B-102	1946	1	rec	89		619		#N/A	0	cas	B-101	B-101				0.00283019	0.2519	3.000	MW1	0		
B-102	1946	1	send	-89		530		#N/A	0	cas		B-103				0	0	3.000		0		
B-102	1946	1	STAT		530	530	0	#N/A	0					(2nd in Cascade)		0	0	3.000		1		
B-102	1946	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1946	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1946	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1947	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1947	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1947	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1947	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1948	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1948	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1948	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1948	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1949	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1949	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1949	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1949	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1950	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1950	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1950	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1950	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1951	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1951	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1951	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1951	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1952	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1952	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1952	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1952	4	STAT		530	530	0	#N/A	0	MW						0	0	3.000		1		
B-102	1953	1	SEND	-530		0		#N/A	0	SL		B-103				0	0	3.000		1		
B-102	1953	1	STAT		0	0	0	#N/A	0	MW			and & jung used1291, sluicing op see B-103	226M gals. removed thru BR1032 Now processing for feed to TBP plant		0	0	3.000		1		
B-102	1953	2	STAT		N/A	0		#N/A	0					Small sludge heel. No liquid			0	3.000		1		
B-102	1953	3	STAT		0	0	0	#N/A	0	MW				Small sludge heel. No liquid		0	0	3.000		1		
B-102	1953	4	REC	530		530		#N/A	0	SU	B-105	B-105				0	0	3.000		1		
B-102	1953	4	STAT		530	530	0	#N/A	0	EB				Received bottoms from 105-B		0	0	3.000		1		
B-102	1954	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1954	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1954	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1954	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-102	1955	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1955	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1955	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
B-102	1955	4	outx	-527		3		#N/A	0			BEVAP				0	0	3.000	BEVA	0		
B-102	1955	4	xin	527		530		#N/A	0			BSltCk				0.045541	24	27.000	BSltCl	0		
B-102	1955	4	STAT		530	530	0	#N/A	0							0	0	27.000		1		
B-102	1956	1	STAT		530	530	0	#N/A	0							0	0	27.000		1		
B-102	1956	2	STAT		530	530	0	#N/A	0							0	0	27.000		1		
B-102	1956	3	STAT		530	530	0	#N/A	0							0	0	27.000		1		
B-102	1956	4	STAT		530	530	0	#N/A	0	EB						0	0	27.000		1		
B-102	1957	1	STAT		502	502	0	-28	-28							0	0	27.000		1		
B-102	1957	2	STAT		502	502	0	#N/A	-28	EB				Latest electrode reading		0	0	27.000		1		
B-102	1957	3	OUTX	-446		56		#N/A	-28	T20	C-112	TFeCN	AND reports 423			0	0	27.000		1		
B-102	1957	3	STAT		84	84	0	28	0	EB				423 Scavenged.		0	0	27.000		3	O	N-54-294
B-102	1957	4	XIN	44		128		#N/A	0	WTR		WTR				0	0	27.000		1		
B-102	1957	4	STAT		114	114	84	-14	-14							0	0	27.000		1		
B-102	1958	1	STAT		114	114	84	#N/A	-14					New electrode reading		0	0	27.000		1		
B-102	1958	2	STAT		114	114	84	#N/A	-14					CW (1535 TU)		0	0	27.000		1		
B-102	1958	3	STAT		114	114	84	#N/A	-14					CW (1535 TU)		0	0	27.000		1		
B-102	1958	4	STAT		114	114	84	#N/A	-14					CW (1817 TU)		0	0	27.000		1		
B-102	1959	1	STAT		114	114	84	#N/A	-14	EB				CW (1817 TU)		0	0	27.000		1		
B-102	1959	2	STAT		120	120	84	6	-8					CW (1817 TU)		0	0	27.000		1		
B-102	1959	3	STAT		120	120	84	#N/A	-8					New Electrode		0	0	27.000		1		
B-102	1959	4	STAT		120	120	84	#N/A	-8							0	0	27.000		1		
B-102	1960	1	STAT		120	120	84	#N/A	-8							0	0	27.000		1		
B-102	1960	2	STAT		120	120	84	#N/A	-8							0	0	27.000		1		
B-102	1960	3	STAT		120	120	84	#N/A	-8							0	0	27.000		1		
B-102	1960	4	STAT		120	120	84	#N/A	-8							0	0	27.000		1		
B-102	1961	1	STAT		120	120	84	#N/A	-8							0	0	27.000		1		
B-102	1961	2	STAT		120	120	84	#N/A	-8	EB						0	0	27.000		1		
B-102	1961	3	STAT		N/A	120		#N/A	-8							0	0	27.000		1		
B-102	1961	4	STAT		125	125	84	5	-3	EB							0	27.000		1		
B-102	1962	1	STAT		N/A	125		#N/A	-3					New electrode		0	0	27.000		1		
B-102	1962	2	STAT		123	123	84	-2	-5								0	27.000		1		
B-102	1962	3	STAT		123	123	84	#N/A	-5					Latest electrode reading		0	0	27.000		1		
B-102	1962	4	STAT		123	123	84	#N/A	-5	EB						0	0	27.000		1		
B-102	1963	1	REC	154		277		#N/A	-5	SU	C-102	C-102				0	0	27.000		1		
B-102	1963	1	STAT		N/A	277		#N/A	-5							0	0	27.000		4	O	HW-78279-4
B-102	1963	2	REC	217		494		#N/A	-5	SU	C-102	C-102					0	27.000		1		
B-102	1963	2	STAT		494	494	40	#N/A	-5	EB,CW			REC total 371	371 from 102-C		0	0	27.000		3	O	HW-78279-4
B-102	1963	3	XIN	48		542		#N/A	-5	CWP		CWP2	Omis.			0	0	27.000		1		
B-102	1963	3	rec	77		619		#N/A	-5	cas	B-101	B-101			Omission	0.02083333	1	28.000	CWP2	3	V	HW-80379-4
B-102	1963	3	send	-89		530		#N/A	-5	cas		B-103				0	0	28.000		0		
B-102	1963	3	STAT		N/A	530		#N/A	-5							0	0	28.000		0		
B-102	1963	4	rec	125		655		#N/A	-5	cas	B-101	B-101						0	28.000		1		
B-102	1963	4	send	-125		530		#N/A	-5	cas		B-103				0	0	28.000		0		
B-102	1963	4	STAT		542	542	40	12	7	CW						0	0	28.000		0		
B-102	1964	1	STAT		542	542	40	#N/A	7	CW				48 CW		0	0	28.000		1		
B-102	1964	2	STAT		542	542	40	#N/A	7	EB,CW						0	0	28.000		1		
B-102	1964	3	STAT		N/A	542		#N/A	7							0	0	28.000		1		
B-102	1964	4	STAT		535	535	40	-7	0	EB,CW								0	28.000		1		
B-102	1965	1	STAT		N/A	535		#N/A	0					New electrode (Reading Confirmed)		0	0	28.000		1		
B-102	1965	2	STAT		532	532	24	-3	-3	CW								0	28.000		1		
B-102	1965	3	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1965	4	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1966	1	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1966	2	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-102	1966	3	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1966	4	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1967	1	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1967	2	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1967	3	STAT		532	532	24	#N/A	-3	CW						0	0	28.000		1		
B-102	1967	4	STAT		532	532	24	#N/A	-3	EB,CW						0	0	28.000		1		
B-102	1968	1	STAT		531	531	24	-1	-4	EB,CW						0	0	28.000		1		
B-102	1968	2	STAT		534	534	24	3	-1	CW						0	0	28.000		1		
B-102	1968	3	STAT		534	534	24	#N/A	-1	CW						0	0	28.000		1		
B-102	1968	4	STAT		534	534	24	#N/A	-1	EB,CW						0	0	28.000		1		
B-102	1969	1	SEND	-506		28		#N/A	-1	SU		BY-103										ARH-1200A-6/ARH-1000A-5 SEND
B-102	1969	1	STAT		26	26	24	-2	-3	EB						0	0	28.000		4	O	
B-102	1969	2	STAT		25	25	24	-1	-4	EB				506 to 103-BY		0	0	28.000		1		
B-102	1969	3	REC	202		227		#N/A	-4	SU	B-101	B-101				0	0	28.000		1		
B-102	1969	3	STAT		228	228	24	1	-3	BLEB						0	0	28.000		4	O	ARH-1000C-5
B-102	1969	4	REC	285		513		#N/A	-3	SU	B-101	B-101		202 from 101-B		0	0	28.000		1		
B-102	1969	4	STAT		513	513	24	#N/A	-3	BLEB						0	0	28.000		4	O	ARH-1000D-5
B-102	1970	1	STAT		514	514	24	1	-2	BLEB				285 from 101-B		0	0	28.000		1		
B-102	1970	2	SEND	-415		99		#N/A	-2	SU		C-103				0	0	28.000		1		
B-102	1970	2	STAT		98	98	55	-1	-3	BLEB						0	0	28.000		4	O	ARH-1666B-5
B-102	1970	3	REC	179		277		#N/A	-3	SU	BX-104	BX-104		415 to 103-C		0	0	28.000		1		
B-102	1970	3	STAT		272	272	55	-5	-8	BL,IX						0	0	28.000		4	O	ARH-1666C-5
B-102	1970	4	STAT		271	271	55	-1	-9	BL,IX				179 from 104-BX		0	0	28.000		1		
B-102	1971	1	STAT		277	277	55	6	-3	IX						0	0	28.000		1		
B-102	1971	2	STAT		277	277	55	#N/A	-3	BL,IX				*Dry well 20-02-11 drilled.		0	0	28.000		1		
B-102	1971	3	REC	223		500		#N/A	-3	SU	B-110	B-110				0	0	28.000		1		
B-102	1971	3	STAT		499	499	55	-1	-4	BL,IX						0	0	28.000		4	O	ARH-2074C-5
B-102	1971	4	SEND	-419		80		#N/A	-4	SU		TX-101		223 From 110-B		0	0	28.000		1		
B-102	1971	4	STAT		81	81	55	1	-3	BL,IX						0	0	28.000		4	O	ARH-2074D-5
B-102	1972	1	REC	15		96		#N/A	-3	SU	B-101	B-101		419 to 101-TX		0	0	28.000		1		
B-102	1972	1	STAT		95	95	34	-1	-4	BL,IX						0	0	28.000		4	O	ARH-2456A-4
B-102	1972	2	XIN	35		130		#N/A	-4	WTR		WTR	Omis. REC PIT FLUSH	15 from 101-B * Dry Wells 20-02-03, 20-02-05, 20-02-07, 20-02-09 were drilled.		0	0	28.000		1		
B-102	1972	2	REC	6		136		#N/A	-4	SU	B-104	B-104			Omission	0	0	28.000		3	V	ARH-2456B-4
B-102	1972	2	REC	30		166		#N/A	-4	SU	B-105	B-105				0	0	28.000		4	O	ARH-2456B-4
B-102	1972	2	REC	18		184		#N/A	-4	SU	B-107	B-107				0	0	28.000		4	O	ARH-2456B-4
B-102	1972	2	STAT		186	186	34	2	-2	EB,BL,IX						0	0	28.000		4	O	ARH-2456B-4
B-102	1972	3	REC	102		288		#N/A	-2	SU	B-105	B-105		6 from 104-B, 30 from 105-B,18 from 107-B, 35 pit flushes		0	0	28.000		1		
B-102	1972	3	REC	24		312		#N/A	-2	SU	B-110	B-110				0	0	28.000		4	O	ARH-2456C-4
B-102	1972	3	STAT		310	310	33	-2	-4	EB,BL,IX						0	0	28.000		4	O	ARH-2456C-4
B-102	1972	4	REC	69		379		#N/A	-4	SU	B-105	B-105		102 from 105-B, 24 from 110-B		0	0	28.000		1		
B-102	1972	4	REC	14		393		#N/A	-4	SU	B-110	B-110				0	0	28.000		4	O	ARH-2456D-4
B-102	1972	4	STAT		395	395	33	2	-2	EB,BL,IX						0	0	28.000		4	O	ARH-2456D-4
B-102	1973	1	REC	4		399		#N/A	-2	SU	B-101	B-101		69 from 105-B, 14 from 110-B		0	0	28.000		1		
B-102	1973	1	REC	75		474		#N/A	-2		B-105	B-105				0	0	28.000		4	O	ARH-2794A-4
B-102	1973	1	REC	2		476		#N/A	-2		B-107	B-107			Omission	0	0	28.000		3	V	ARH-2794A-4
B-102	1973	1	REC	3		479		#N/A	-2	SU	B-110	B-110			Omission	0	0	28.000		3	V	ARH-2794A-4
B-102	1973	1	STAT		485	485	33	6	4	EB,BL,IX						0	0	28.000		4	O	ARH-2794A-4
B-102	1973	2	REC	3		488		#N/A	4	SU	B-105	B-105		4 from 101-B, 75 from 105-B,2 from 107-B, 3 from 110-B		0	0	28.000		1		
B-102	1973	2	REC	1		489		#N/A	4	SU	B-107	B-107				0	0	28.000		4	O	ARH-2794B-4
																0	0	28.000		4	O	ARH-2794B-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-102	1973	2	REC	3		492		#N/A	4	SU	B-110	B-110				0	0	28.000		4	O	ARH-2794B-4
B-102	1973	2	STAT		492	492	33	#N/A	4	EB,BL,IX				3 from 105-B, 1 from 107-B, 3 from 110-B, New tape		0	0	28.000		1		
B-102	1973	3	STAT		493	493	33	1	5	EB,BL,IX						0	0	28.000		1		
B-102	1973	4	STAT		497	497	33	4	9	BL,IX						0	0	28.000		1		
B-102	1974	1	STAT		497	497	33	#N/A	9	EB,BL,IX						0	0	28.000		1		
B-102	1974	2	REC	4		501		#N/A	9		B-107	B-107				0	0	28.000		1		
B-102	1974	2	REC	8		509		#N/A	9		B-110	B-110	Omis.		Omission	0	0	28.000		3	V	ARH-2794B-4/ARH-CD-133B-4 SEND
B-102	1974	2	STAT		511	511	33	2	11	EB,BL,IX					Omission	0	0	28.000		3	V	ARH-2794B-4/ARH-CD-133B-4 SEND
B-102	1974	3	REC	6		517		#N/A	11	SU	B-107	B-107		4 from 107-B, 8 from 110-B		0	0	28.000		1		
B-102	1974	3	REC	15		532		#N/A	11		B-110	B-110	Omis B-101 to B-102			0	0	28.000		4	O	ARH-CD-133C-4
B-102	1974	3	SEND	-19		513		#N/A	11	SU		B-103			Omission	0	0	28.000		3	V	ARH-2794C-4/ARH-CD-133B-4 SEND
B-102	1974	3	SEND	-63		450		#N/A	11	SU		B-106				0	0	28.000		4	O	ARH-CD-133C-4
B-102	1974	3	STAT		452	452	33	2	13	EB,BL,IX				6 from 107-B, 15 from 110-B, 19 to 103-B, 63 to 106-B		0	0	28.000		4	O	ARH-CD-133C-4
B-102	1974	4	REC	5		457		#N/A	13	SU	B-107	B-107				0	0	28.000		1		
B-102	1974	4	REC	7		464		#N/A	13	SU	B-110	B-110				0	0	28.000		4	O	ARH-CD-133D-4
B-102	1974	4	STAT		462	462	35	-2	11	EB,BL,IX						0	0	28.000		4	O	ARH-CD-133D-4
B-102	1975	1	REC	1		463		#N/A	11	SU	B-107	B-107		5 from 107-B, 7 from 110-B		0	0	28.000		1		
B-102	1975	1	REC	2		465		#N/A	11	SU	B-110	B-110				0	0	28.000		4	O	ARH-CD-336A-4
B-102	1975	1	STAT		469	469	35	4	15	EB,BL,IX						0	0	28.000		4	O	ARH-CD-336A-4
B-102	1975	2	REC	1		470		#N/A	15		B-101	B-101		1 from 107-B, 2 from 110-B		0	0	28.000		1		
B-102	1975	2	REC	3		473		#N/A	15	SU	B-107	B-107			Omission	0	0	28.000		3	V	ARH-CD-336B-4
B-102	1975	2	REC	3		476		#N/A	15	SU	B-110	B-110				0	0	28.000		4	O	ARH-CD-336B-4
B-102	1975	2	SEND	-279		197		#N/A	15	SU		SX-106				0	0	28.000		4	O	ARH-CD-336B-4
B-102	1975	2	STAT		200	200	35	3	18	EB,BL						0	0	28.000		4	O	ARH-CD-336B-4
B-102	1975	3	REC	3		203		#N/A	18		B-107	B-107		Interstitial Liquid storage. 1 from 101-B, 3 from 107-B, 3 from 110-B, 279 to 106-Sx.		0	0	28.000		1		
B-102	1975	3	REC	5		208		#N/A	18	SU	B-110	B-110			Omission	0	0	28.000		3	V	ARH-CD-336C-4
B-102	1975	3	STAT		208	208	35	#N/A	18	EB,BL,IX						0	0	28.000		4	O	ARH-CD-336C-4
B-102	1975	4	REC	3		211		#N/A	18		B-107	B-107	LC q3 to q4	Interstitial Liquid Storage 3 M from 107-B		0	0	28.000		1		
B-102	1975	4	REC	5		216		#N/A	18	SU	B-110	B-110			Omission	0	0	28.000		3	V	ARH-CD-336D-4
B-102	1975	4	STAT		219	219	35	3	21	EB,BL,IX						0	0	28.000		4	O	ARH-CD-336C-4
B-102	1976	1	REC	2		221		#N/A	21	SU	B-110	B-110		Interstitial Liquor Storage 3 M 107-B 5 M from 101-B		0	0	28.000		1		
B-102	1976	1	SEND	-179		42		#N/A	21	SU		B-103				0	0	28.000		4	O	ARH-CD-702A-4
B-102	1976	1	STAT		43	43	35	1	22	EB,BL,IX						0	0	28.000		4	O	ARH-CD-702A-4
B-102	1976	2	REC	1		44		#N/A	22		B-107	B-107		Interstitial Liquor Storage 179 M to 103-B 2 M from 110-B		0	0	28.000		1		
B-102	1976	2	REC	1		45		#N/A	22	SU	B-110	B-110			Omission	0	0	28.000		3	V	ARH-CD-702B-4
B-102	1976	2	STAT		48	48	35	3	25	EB,BL,IX						0	0	28.000		4	O	ARH-CD-702B-4
B-102	1976	3	STAT		59	59	35	11	36	EFD				1 from 107-B, 1 from 110-B		0	0	28.000		1		
B-102	1976	4	STAT		68	68	51	9	45	EFD				Interstitial Liquor Storage		0	0	28.000		1		
B-102	1977	1	STAT		73	73	40	5	50	EFD				Interstitial Liquor Storage		0	0	28.000		1		
B-102	1977	2	STAT		79	79	40	6	56	EFD				Interstitial Liquor Storage		0	0	28.000		1		
B-102	1977	3	send	-36		43		#N/A	56			A-102		Interstitial Liquor Storage		0	0	28.000		1		
B-102	1977	3	STAT		43	43	40	#N/A	56	EFD						0	0	28.000		0		
B-102	1977	4	STAT		48	48	40	5	61	EFD				Salt Well Recovery		0	0	28.000		1		
B-102	1978	1	STAT		51	51	40	3	64	DILFD				Salt Well Recovery		0	0	28.000		1		
B-102	1978	2	STAT		54	54	37	3	67					Evap. Feed Receiver		0	0	28.000		1		
B-102	1978	3	STAT		54	54	37	#N/A	67					Salt Well Receiver		0	0	28.000		1		
B-102	1978	4	STAT		54	54	37	#N/A	67	NCPLX				Solid Level Adj.9/30/78		0	0	28.000		1		
														Inactive		0	0	28.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	C/A	Document/Pg #
B-102	1979	1	STAT		51	51	37	-3	64							0	0	28.000		1		
B-102	1979	2	STAT		51	51	37	#N/A	64							0	0	28.000		1		
B-102	1979	3	STAT		51	51	37	#N/A	64							0	0	28.000		1		
B-102	1979	4	STAT		51	51	37	#N/A	64							0	0	28.000		1		
B-102	1980	1	STAT		51	51	37	#N/A	64							0	0	28.000		1		
B-102	1980	2	STAT		51	51	37	#N/A	64							0	0	28.000		1		
B-102	1980	3	STAT		51	51	37	#N/A	64					New Photo 4/3/80		0	0	28.000		1		
B-102	1980	4	STAT		51	51	37	#N/A	64	NCPLX						0	0	28.000		1		
B-102	1984	3	send	-17		34		#N/A	64	swliq		AN-103				0	0	28.000		1		
B-102	1993	2	STAT		32	32	28	-2	62	NCPLX						0	0	28.000		0		
B-102	1993	4	STAT		32	32	28	#N/A	62							0	0	28.000		1		
B-102	1994	1	STAT		32	32	28	#N/A	62							0	0	28.000		1		
B-102	2000															0	0	28.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-103	1900																					
B-103	1945	2	CREC	0		0		#N/A	0	SET	B-102						0	0.000		1		
B-103	1945	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-103	1945	3	STAT		0	0	0	#N/A	0								0	0.000		1		
B-103	1945	4	rec	66		66		#N/A	0	cas	B-102	B-102				0.00188679	0.1245	0.125	MW1	0		
B-103	1945	4	STAT		66	66	0	#N/A	0	MW				First used Dec. 1945, Last in Cascade.								
B-103	1946	1	rec	189		255		#N/A	0	cas	B-102	B-102				0	0	0.125		1		
B-103	1946	1	rec	186		441		#N/A	0	cas	B-102	B-102				0.00188679	0.3566	0.481	MW1	0		
B-103	1946	1	rec	89		530		#N/A	0	cas	B-102	B-102				0.00188679	0.3509	0.832	MW1	0		
B-103	1946	1	STAT		530	530	0	#N/A	0							0.00188679	0.1679	1.000	MW1	0		
B-103	1946	2	STAT		530	530	0	#N/A	0					Filled in March 1946		0	0	1.000		1		
B-103	1946	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1946	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1947	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1947	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1947	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1947	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1948	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1948	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1948	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1948	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1949	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1949	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1949	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1949	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1950	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1950	2	STAT		530	530	0	#N/A	0	MW						0	0	1.000		1		
B-103	1950	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1950	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1951	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1951	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1951	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
B-103	1951	4	STAT		530	530	0	#N/A	0	MW			fj stats a t519			0	0	1.000		1		
B-103	1952	1	STAT		530	530	0	#N/A	0	MW						0	0	1.000		1		
B-103	1952	2	STAT		519	519	0	-11	-11							0	0	1.000		1		
B-103	1952	3	STAT		519	519	0	#N/A	-11							0	0	1.000		1		
B-103	1952	4	STAT		519	519	0	#N/A	-11	MW						0	0	1.000		1		
B-103	1953	1	send	-128		391		#N/A	-11			BY-109				0	0	1.000		0		
B-103	1953	1	REC	530		921		#N/A	-11	SL	B-101	B-101				0.00188679	1	2.000	MW1	1		
B-103	1953	1	REC	530		1451		#N/A	-11	SL	B-102	B-102				0.00188679	1	3.000	MW1	1		
B-103	1953	1	REC	70		1521		#N/A	-11	SU	BY-102	BY-102				0	0	3.000		1		
B-103	1953	1	OUTX	-230		1291		#N/A	-11	SL	UR	UR				0	0	3.000		1		
B-103	1953	1	STAT		1291	1291	0	#N/A	-11	MW				Now processing for feed to TBP Plant. 288 removed thru BR 1032		0	0	3.000		1		
B-103	1953	2	xin	487		1778		#N/A	-11			WTR				0	0	3.000		0		
B-103	1953	2	OUTX	-470		1308		#N/A	-11	SL	UR	UR				0	0	3.000		1		
B-103	1953	2	OUTX	-507		801		#N/A	-11	SL	UR	UR				0	0	3.000		1		
B-103	1953	2	OUTX	-442		359		#N/A	-11	SL	UR	UR				0	0	3.000		1		
B-103	1953	2	STAT		359	359	0	#N/A	-11	MW				Supernatant		0	0	3.000		1		
B-103	1953	3	outx	-32		327		#N/A	-11			UR				0	0	3.000		0		
B-103	1953	3	STAT		327	327	0	#N/A	-11	MW						0	0	3.000		1		
B-103	1953	4	outx	-315		12		#N/A	-11			UR				0	0	3.000		0		
B-103	1953	4	STAT		12	12	0	#N/A	-11	MW				Trans. to 102-BY. Contains H20 used in sluicing		0	0	3.000		1		
B-103	1954	1	REC	284		296		#N/A	-11	SU	B-105	B-105				0	0	3.000		1		
B-103	1954	1	REC	258		554		#N/A	-11	SU	B-105	B-105				0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
B-103	1954	1	STAT		554	554	0	#N/A	-11					Rec'd from 105-B		0	0	3.000		1		
B-103	1954	2	STAT		554	554	0	#N/A	-11							0	0	3.000		1		
B-103	1954	3	STAT		554	554	0	#N/A	-11							0	0	3.000		1		
B-103	1954	4	STAT		554	554	0	#N/A	-11							0	0	3.000		1		
B-103	1955	1	STAT		554	554	0	#N/A	-11							0	0	3.000		1		
B-103	1955	2	STAT		554	554	0	#N/A	-11							0	0	3.000		1		
B-103	1955	3	STAT		554	554	0	#N/A	-11							0	0	3.000		1		
B-103	1955	4	outx	-551		3		#N/A	-11			BEVAP				0	0	3.000	BEVA	0		
B-103	1955	4	xin	551		554		#N/A	-11			BSltCk				0.101633	56	59.000	BSltCl	0		
B-103	1955	4	STAT		554	554	0	#N/A	-11							0	0	59.000		1		
B-103	1956	1	STAT		554	554	0	#N/A	-11							0	0	59.000		1		
B-103	1956	2	STAT		554	554	0	#N/A	-11							0	0	59.000		1		
B-103	1956	3	STAT		554	554	0	#N/A	-11							0	0	59.000		1		
B-103	1956	4	STAT		554	554	0	#N/A	-11							0	0	59.000		1		
B-103	1957	1	STAT		554	554	0	#N/A	-11	EB				Latest electrode reading		0	0	59.000		1		
B-103	1957	2	SEND	-71		483		#N/A	-11	SU		B-106			Shows 71 not 17	0	0	59.000		3	V	HW-50617-4
B-103	1957	2	STAT		530	530	0	47	36	EB				Latest electrode reading. 71 to 1068		0	0	59.000		1		
B-103	1957	3	OUTX	-271		259		#N/A	36	T19	C-109	TFeCN	OC (223,292) to (202,271) in (B-101,B-103)		Total 473 for B-101 B-103	0	0	59.000		2	V	N-54-293
B-103	1957	3	STAT		230	230	227	-29	7	EB				Latest electrode reading. 292 scavenged.		0	0	59.000		1		
B-103	1957	4	STAT		235	235	227	5	12					Latest electrode reading		0	0	59.000		1		
B-103	1958	1	STAT		235	235	227	#N/A	12	EB				CW (1089TU)		0	0	59.000		1		
B-103	1958	2	STAT		238	238	227	3	15					CW (1077TU), Latest electrode reading		0	0	59.000		1		
B-103	1958	3	STAT		238	238	227	#N/A	15					CW (1275TU)		0	0	59.000		1		
B-103	1958	4	STAT		238	238	227	#N/A	15					CW (1275TU)		0	0	59.000		1		
B-103	1959	1	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1959	2	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1959	3	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1959	4	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1960	1	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1960	2	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1960	3	STAT		238	238	227	#N/A	15							0	0	59.000		1		
B-103	1960	4	STAT		238	238	227	#N/A	15	EB						0	0	59.000		1		
B-103	1961	1	STAT		N/A	238		#N/A	15								0	59.000		1		
B-103	1961	2	STAT		241	241	227	3	18							0	0	59.000		1		
B-103	1961	3	STAT		241	241	227	#N/A	18							0	0	59.000		1		
B-103	1961	4	STAT		241	241	227	#N/A	18	EB						0	0	59.000		1		
B-103	1962	1	outx	-16		225		#N/A	18	ADJ	CORR	COND				0	0	59.000		0		
B-103	1962	1	STAT		N/A	225		#N/A	18								0	59.000		1		
B-103	1962	2	STAT		222	222	222	-3	15	EB				New Electrode		0	0	59.000		1		
B-103	1962	3	STAT		222	222	222	#N/A	15	EB						0	0	59.000		1		
B-103	1962	4	STAT		222	222	220	#N/A	15	EB						0	0	59.000		1		
B-103	1963	1	STAT		222	222	220	#N/A	15	EB						0	0	59.000		1		
B-103	1963	2	STAT		222	222	59	#N/A	15	EB						0	0	59.000		1		
B-103	1963	3	XIN	281		503		#N/A	15	CWP		CWP2	Omls.		Omission	0	0	59.000		3	V	HW-80379-4
B-103	1963	3	rec	89		592		#N/A	15	cas	B-102	B-102				0	0	59.000		0		
B-103	1963	3	STAT		N/A	592		#N/A	15								0	59.000		1		
B-103	1963	4	rec	125		717		#N/A	15	cas	B-102	B-102				0	0	59.000		0		
B-103	1963	4	send	-214		503		#N/A	15			A-102	stuicinginput			0	0	59.000		0		
B-103	1963	4	STAT		503	503	59	#N/A	15	EB,CW				281 CW		0	0	59.000		1		
B-103	1964	1	STAT		N/A	503		#N/A	15								0	59.000		1		
B-103	1964	2	XIN	33		536		#N/A	15	CWP		CWP2				0	0	59.000		4	O	HW-83308-4
B-103	1964	2	STAT		536	536	59	#N/A	15	EB,CW				33 CW		0	0	59.000		1		
B-103	1964	3	STAT		N/A	536		#N/A	15								0	59.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-103	1964	4	STAT		552	552	59	16	31	EB,CW				New electrode (Read. confirmed)		0	0	59.000		1		
B-103	1965	1	STAT		N/A	552		#N/A	31								0	59.000		1		
B-103	1965	2	STAT		560	560	59	8	39	CW				New electrode		0	0	59.000		1		
B-103	1965	3	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1965	4	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1966	1	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1966	2	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1966	3	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1966	4	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1967	1	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1967	2	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1967	3	STAT		560	560	59	#N/A	39	CW						0	0	59.000		1		
B-103	1967	4	STAT		560	560	59	#N/A	39	EB,CW						0	0	59.000		1		
B-103	1968	1	STAT		558	558	59	-2	37	CW						0	0	59.000		1		
B-103	1968	2	STAT		558	558	59	#N/A	37	EB,CW						0	0	59.000		1		
B-103	1968	3	STAT		559	559	59	1	38	EB,CW						0	0	59.000		1		
B-103	1968	4	STAT		560	560	59	1	39	EB,CW						0	0	59.000		1		
B-103	1969	1	REC	212		772		#N/A	39	SU	B-108	B-108				0	0	59.000		4	O	ARH01200A-5
B-103	1969	1	SEND	-706		66		#N/A	39	SU		BY-103				0	0	59.000		4	O	ARH-1200A-6
B-103	1969	1	STAT		66	66	59	#N/A	39	EB				212 From 108-B, 706 to 103-BY		0	0	59.000		1		
B-103	1969	2	XIN	33		99		#N/A	39	FLSH		WTR	OC 0 to 33		Shows 33 not 0	0	0	59.000		3	V	ARH01200B-5
B-103	1969	2	REC	124		223		#N/A	39	SU	B-104	B-104				0	0	59.000		4	O	ARH01200B-5
B-103	1969	2	REC	207		430		#N/A	39	SU	B-108	B-108				0	0	59.000		4	O	ARH01200B-5
B-103	1969	2	REC	597		1027		#N/A	39	SU	B-112	B-112				0	0	59.000		4	O	ARH01200B-5
B-103	1969	2	REC	1556		2583		#N/A	39	SU	BX-103	BX-103				0	0	59.000		4	O	ARH01200B-5
B-103	1969	2	SEND	-2425		158		#N/A	39	SU		BY-103				0	0	59.000		4	O	ARH-1200B-6
B-103	1969	2	STAT		158	158	59	#N/A	39	CW,OWW				124 from 104B, 207 From 108 B, 597 from 112-B, 33 flushes, 1556 from 103-BX, 2425 to 103-BY		0	0	59.000		1		
B-103	1969	3	REC	206		364		#N/A	39	SU	B-106	B-106				0	0	59.000		4	O	ARH01200C-5
B-103	1969	3	REC	327		691		#N/A	39	SU	B-107	B-107				0	0	59.000		4	O	ARH01200C-5
B-103	1969	3	REC	393		1084		#N/A	39	SU	B-109	B-109				0	0	59.000		4	O	ARH01200C-5
B-103	1969	3	REC	339		1423		#N/A	39	SU	B-112	B-112	OC 329 to 339		Shows 339 not 329	0	0	59.000		3	V	ARH01200C-5
B-103	1969	3	REC	724		2147		#N/A	39	SU	BX-103	BX-103				0	0	59.000		4	O	ARH01200C-5
B-103	1969	3	SEND	-2095		52		#N/A	39	SU		BY-103				0	0	59.000		4	O	ARH-1200C-6
B-103	1969	3	STAT		55	55	55	3	42					206 from 106-B, 327 from 107-B 393 from 109-B, 339 from 112-B 724 form 103-BX, 2095 to 103-BY		0	0	59.000		1		
B-103	1969	4	STAT		55	55	55	#N/A	42							0	0	59.000		1		
B-103	1970	1	REC	208		263		#N/A	42	SU	B-111	B-111				0	0	59.000		4	O	ARH-1666A-5
B-103	1970	1	REC	0		263		#N/A	42	SU	B-110	B-110	"+208 to				0	59.000		1		
B-103	1970	1	STAT		263	263	55	#N/A	42	IX				208 from 111-B		0	0	59.000		1		
B-103	1970	2	REC	279		542		#N/A	42	SU	B-111	B-111				0	0	59.000		4	O	ARH-1666B-5
B-103	1970	2	REC	0		542		#N/A	42	SU	B-110	B-110	"+279 to				0	59.000		1		
B-103	1970	2	STAT		541	541	55	-1	41					279 from 111-B		0	0	59.000		1		
B-103	1970	3	STAT		541	541	55	#N/A	41							0	0	59.000		1		
B-103	1970	4	STAT		541	541	55	#N/A	41							0	0	59.000		1		
B-103	1971	1	STAT		541	541	55	#N/A	41	IX						0	0	59.000		1		
B-103	1971	2	STAT		540	540	59	-1	40	IX						0	0	59.000		1		
B-103	1971	3	STAT		539	539	59	-1	39	IX						0	0	59.000		1		
B-103	1971	4	REC	490		1029		#N/A	39	SU	B-112	B-112				0	0	59.000		4	O	ARH-2074D-5
B-103	1971	4	SEND	-824		205		#N/A	39	SU		TX-101				0	0	59.000		4	O	ARH-2074D-5
B-103	1971	4	STAT		206	206	20	1	40	BL,IX				490 from 112-B, 824 to 101-TX		0	0	59.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-103	1972	1	REC	417		623		#N/A	40	SU	B-108	B-108				0	0	59.000		4	O	ARH-2456A-4
B-103	1972	1	REC	333		956		#N/A	40	SU	B-109	B-109				0	0	59.000		4	O	ARH-2456A-4
B-103	1972	1	REC	239		1195		#N/A	40	SU	B-111	B-111				0	0	59.000		3	O	ARH-2456A-4
B-103	1972	1	SEND	-326		869		#N/A	40	SU		BY-109				0	0	59.000		4	O	ARH-2456A-4
B-103	1972	1	SEND	-264		605		#N/A	40	SU		C-105				0	0	59.000		3	O	ARH-2456A-4
B-103	1972	1	SEND	-553		52		#N/A	40	SU		TX-101				0	0	59.000		4	O	ARH-2456A-4
B-103	1972	1	REC	0		52		#N/A	40	SU	B-110	B-110	*+239 to				0	59.000		1		
B-103	1972	1	STAT		52	52	52	#N/A	40					417 From 108-B, 333 From 109-B, 239 from 111-B, 326 to 109-BY, 264 to 105-C, 553 to 101-TX *Dry Wells 20-03-02, 20-03-03, 20-03-06, 20-03-09, 20-03-11 drilled.		0	0	59.000		1		
B-103	1972	2	XIN	7		59		#N/A	40	FLSH		WTR	OC 0 to 7		Shows 7 not 0	0	0	59.000		3	V	ARH-2456B-4
B-103	1972	2	STAT		59	59	52	#N/A	40	H2O				7 pit flushes		0	0	59.000		1		
B-103	1972	3	XIN	9		68		#N/A	40	FLSH		WTR	AC 0 to 9			0	0	59.000		1		
B-103	1972	3	STAT		68	68	52	#N/A	40	H2O				9 pit flushes		0	0	59.000		1		
B-103	1972	4	STAT		87	87	52	19	59					New tape		0	0	59.000		1		
B-103	1973	1	STAT		87	87	52	#N/A	59	H2O						0	0	59.000		1		
B-103	1973	2	REC	184		271		#N/A	59	SU	BX-104	BX-104				0	0	59.000		4	O	ARH-2794B-4
B-103	1973	2	STAT		270	270	52	-1	58	IX				184 from 104-BX		0	0	59.000		1		
B-103	1973	3	STAT		251	251	52	-19	39	IX				New tape		0	0	59.000		1		
B-103	1973	4	REC	307		558		#N/A	39	SU	C-104	C-104				0	0	59.000		4	O	ARH-2794D-4
B-103	1973	4	SEND	-70		488		#N/A	39	SU		B-109				0	0	59.000		4	O	ARH-2794D-4
B-103	1973	4	STAT		489	489	52	1	40	BNW,N,LW,R,CW,DW,IX,TBP				307 from 104-C, 70 to 109-B		0	0	59.000		1		
B-103	1974	1	STAT		489	489	52	#N/A	40	N,LW,R,CW,DW,IX,TBP						0	0	59.000		1		
B-103	1974	2	STAT		489	489	52	#N/A	40	BNW,N,LW,R,CW,DW,IX,TBP						0	0	59.000		1		
B-103	1974	3	REC	19		508		#N/A	40	SU	B-102	B-102				0	0	59.000		4	O	ARH-CD-133C-4
B-103	1974	3	STAT		504	504	52	-4	36	BNW,N,LW,R,CW,IX,TBP,EB				19 from 102-B		0	0	59.000		1		
B-103	1974	4	STAT		499	499	68	-5	31	BNW,N,LW,R,CW,DW,IX,TBP,EB						0	0	59.000		1		
B-103	1975	1	STAT		499	499	68	#N/A	31	N,LW,R,CW,DW,IX,TBP,EB						0	0	59.000		1		
B-103	1975	2	STAT		499	499	68	#N/A	31	BNW,N,LW,R,CW,DW,IX,TBP,EB						0	0	59.000		1		
B-103	1975	3	STAT		505	505	68	6	37	BNW,N,LW,R,CW,DW,IX,TBP,EB				5 water		0	0	59.000		1		
B-103	1975	4	XIN	5		510		#N/A	37	WTR		WTR	OC qtr 3 to qtr 4		Shows 4th Qtr	0	0	59.000		3	V	ARH-CD-336C-4
B-103	1975	4	XIN	13		523		#N/A	37	WTR		WTR				0	0	59.000		4	O	ARH-CD-336D-4
B-103	1975	4	REC	145		668		#N/A	37	SU	B-106	B-106	OC qtr3 to qtr4		Shows 4th Qtr	0	0	59.000		4	M/V	ARH-CD-336D-4
B-103	1975	4	REC	305		973		#N/A	37	SU	B-109	B-109				0	0	59.000		4	O	ARH-CD-336D-4
B-103	1975	4	SEND	-669		304		#N/A	37	SU		SX-110				0	0	59.000		4	O	ARH-CD-336D-4
B-103	1975	4	STAT		299	299	68	-5	32	224,IX,EB			and stats at 229	669 to 110-SX, 13 water, 145 from 106-B, 305 from 109-B		0	0	59.000		1		
B-103	1976	1	XIN	10		309		#N/A	32	WTR		WTR				0	0	59.000		3	O	ARH-CD-702A-4
B-103	1976	1	REC	179		488		#N/A	32	SU	B-102	B-102				0	0	59.000		4	O	ARH-CD-702A-4
B-103	1976	1	REC	4		492		#N/A	32	SU	B-109	B-109				0	0	59.000		4	O	ARH-CD-702A-4
B-103	1976	1	STAT		N/A	492		#N/A	32								0	59.000		1		
B-103	1976	2	XIN	5		497		#N/A	32	WTR		WTR				0	0	59.000		3	O	ARH-CD-702B-4
B-103	1976	2	SEND	-367		130		#N/A	32	SU		SX-110	OC qtr1 to qtr2		Shows 2nd Qtr	0	0	59.000		3	M/V	ARH-CD-702B-4
B-103	1976	2	STAT		N/A	130		#N/A	32								0	59.000		1		
B-103	1976	3	STAT		N/A	130		#N/A	32								0	59.000		1		
B-103	1976	4	STAT		N/A	130		#N/A	32								0	59.000		1		
B-103	1977	1	STAT		131	131	68	1	33					Evap. Feed Dil.		0	0	59.000		1		
B-103	1977	2	send	-41		90		#N/A	33			A-102				0	0	59.000		0		
B-103	1977	2	STAT		90	90	68	#N/A	33					Evap. Feed Dil.		0	0	59.000		1		
B-103	1977	3	STAT		90	90	68	#N/A	33					Inactivity current		0	0	59.000		1		
B-103	1977	4	STAT		90	90	68	#N/A	33					Inactivity current		0	0	59.000		1		
B-103	1978	1	STAT		90	90	68	#N/A	33	NCPLX			fj stats at 131			0	0	59.000		1		
B-103	1978	2	STAT		92	92	68	2	35							0	0	59.000		1		
B-103	1978	3	STAT		92	92	68	#N/A	35					P-10 Pmp. Removed		0	0	59.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-103	1978	4	STAT		92	92	68	#N/A	35							0	0	59.000		1		
B-103	1979	1	STAT		92	92	68	#N/A	35							0	0	59.000		1		
B-103	1979	2	STAT		92	92	68	#N/A	35					Questionable Integrity		0	0	59.000		1		
B-103	1979	3	STAT		92	92	68	#N/A	35							0	0	59.000		1		
B-103	1979	4	STAT		92	92	68	#N/A	35							0	0	59.000		1		
B-103	1980	1	STAT		92	92	68	#N/A	35					Photo taken 2/7/80		0	0	59.000		1		
B-103	1980	2	STAT		92	92	68	#N/A	35							0	0	59.000		1		
B-103	1980	3	STAT		92	92	68	#N/A	35							0	0	59.000		1		
B-103	1980	4	STAT		92	92	68	#N/A	35	NCPLX						0	0	59.000		1		
B-103	1986	3	send	-32		60		#N/A	35	swliq		AY-101				0	0	59.000		1		
B-103	1993	2	STAT		59	59	59	-1	34	NCPLX						0	0	59.000		0		
B-103	1993	4	STAT		59	59	59	#N/A	34							0	0	59.000		1		
B-103	1994	1	STAT		59	59	59	#N/A	34							0	0	59.000		1		
B-103	2000															0	0	59.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-104	1900																					
B-104	1946	3	CSEND	0		0		#N/A	0	SET	B-105						0	0.000		1		
B-104	1946	3	XIN	76		76		#N/A	0	2C		2C1				0.067873	5.1584	5.158	2C1	1		
B-104	1946	3	XIN	89		165		#N/A	0	2C		2C1				0.067873	6.0407	11.199	2C1	1		
B-104	1946	3	STAT		165	165	0	#N/A	0	2C				First used in Aug. 1946 (1st in Cascade)		0	0	11.199		1		
B-104	1946	4	XIN	123		288		#N/A	0	2C		2C1				0.067873	8.3484	19.548	2C1	1		
B-104	1946	4	XIN	79		367		#N/A	0	2C		2C1				0.067873	5.362	24.910	2C1	1		
B-104	1946	4	XIN	123		490		#N/A	0	2C		2C1				0.067873	8.3484	33.258	2C1	1		
B-104	1946	4	STAT		490	490	0	#N/A	0	2C						0	0	33.258		1		
B-104	1947	1	XIN	73		563		#N/A	0	2C		2C1				0.067873	4.9548	38.213	2C1	1		
B-104	1947	1	send	-33		530		#N/A	0	cas		B-105				0	0	38.213		0		
B-104	1947	1	XIN	41		571		#N/A	0	2C		2C1				0.067873	2.7828	40.995	2C1	1		
B-104	1947	1	send	-41		530		#N/A	0	cas		B-105				0	0	40.995		0		
B-104	1947	1	XIN	97		627		#N/A	0	2C		2C1				0.067873	6.5837	47.579	2C1	1		
B-104	1947	1	send	-97		530		#N/A	0	cas		B-105				0	0	47.579		0		
B-104	1947	1	STAT		530	530	0	#N/A	0					Filled in Feb. 1947		0	0	47.579		1		
B-104	1947	2	XIN	62		592		#N/A	0	2C		2C1				0.067873	4.2081	51.787	2C1	1		
B-104	1947	2	send	-62		530		#N/A	0	cas		B-105				0	0	51.787		0		
B-104	1947	2	XIN	81		611		#N/A	0	2C		2C1				0.067873	5.4977	57.285	2C1	1		
B-104	1947	2	send	-81		530		#N/A	0	cas		B-105				0	0	57.285		0		
B-104	1947	2	XIN	65		595		#N/A	0	2C		2C1				0.067873	4.4118	61.697	2C1	1		
B-104	1947	2	send	-65		530		#N/A	0	cas		B-105				0	0	61.697		0		
B-104	1947	2	STAT		530	530	0	#N/A	0							0	0	61.697		1		
B-104	1947	3	XIN	82		612		#N/A	0	2C		2C1				0.067873	5.5656	67.262	2C1	1		
B-104	1947	3	send	-82		530		#N/A	0	cas		B-105				0	0	67.262		0		
B-104	1947	3	XIN	65		595		#N/A	0	2C		2C1				0.067873	4.4118	71.674	2C1	1		
B-104	1947	3	send	-65		530		#N/A	0	cas		B-105				0	0	71.674		0		
B-104	1947	3	XIN	62		592		#N/A	0	2C		2C1				0.067873	4.2081	75.882	2C1	1		
B-104	1947	3	send	-62		530		#N/A	0	cas		B-105				0	0	75.882		0		
B-104	1947	3	STAT		530	530	0	#N/A	0							0	0	75.882		1		
B-104	1947	4	XIN	55		585		#N/A	0	2C		2C1				0.067873	3.733	79.615	2C1	1		
B-104	1947	4	send	-55		530		#N/A	0	cas		B-105				0	0	79.615		0		
B-104	1947	4	XIN	53		583		#N/A	0	2C		2C1				0.067873	3.5973	83.213	2C1	1		
B-104	1947	4	send	-53		530		#N/A	0	cas		B-105				0	0	83.213		0		
B-104	1947	4	XIN	49		579		#N/A	0	2C		2C1				0.067873	3.3258	86.538	2C1	1		
B-104	1947	4	send	-49		530		#N/A	0	cas		B-105				0	0	86.538		0		
B-104	1947	4	STAT		530	530	0	#N/A	0							0	0	86.538		1		
B-104	1948	1	XIN	75		605		#N/A	0	2C		2C1				0.067873	5.0905	91.629	2C1	1		
B-104	1948	1	XIN	71		676		#N/A	0	2C		2C1				0.067873	4.819	96.448	2C1	1		
B-104	1948	1	send	-146		530		#N/A	0	cas		B-105				0	0	96.448		0		
B-104	1948	1	XIN	72		602		#N/A	0	2C		2C1				0.067873	4.8869	101.335	2C1	1		
B-104	1948	1	send	-72		530		#N/A	0	cas		B-105				0	0	101.335		0		
B-104	1948	1	STAT		530	530	0	#N/A	0							0	0	101.335		1		
B-104	1948	2	XIN	65		595		#N/A	0	2C		2C1				0.067873	4.4118	105.747	2C1	1		
B-104	1948	2	send	-65		530		#N/A	0	cas		B-105				0	0	105.747		0		
B-104	1948	2	XIN	32		562		#N/A	0	2C		2C1				0.067873	2.1719	107.919	2C1	1		
B-104	1948	2	send	-32		530		#N/A	0	cas		B-105				0	0	107.919		0		
B-104	1948	2	STAT		530	530	0	#N/A	0	2C						0	0	107.919		1		
B-104	1948	3	OUTX	-75		455		#N/A	0	SU	B-008	CRIB				0	0	107.919		1		
B-104	1948	3	OUTX	-285		170		#N/A	0	SU	B-008	CRIB				0	0	107.919		1		
B-104	1948	3	OUTX	-27		143		#N/A	0	SU	B-008	CRIB				0	0	107.919		1		
B-104	1948	3	STAT		188	188	0	45	45	2C			and stats at 216	312 to crib in July and August		0	0	107.919		1		
B-104	1948	4	XIN	48		236		#N/A	45	2C		2C1				0.067873	3.2579	111.176	2C1	1		
B-104	1948	4	STAT		224	224	0	-12	33	2C			and stats at 216			0	0	111.176		1		
B-104	1949	1	XIN	98		322		#N/A	33	2C		2C1				0.067873	6.6516	117.828	2C1	1		
B-104	1949	1	XIN	68		390		#N/A	33	2C		2C1				0.067873	4.6154	122.443	2C1	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-104	1949	1	XIN	110		500		#N/A	33	2C		2C1				0.067873	7.4661	129.909	2C1	1		
B-104	1949	1	STAT		530	530	0	30	63	2C			fj stats at 463	Filled in March 1949		0	0	129.909		1		
B-104	1949	2	XIN	63		593		#N/A	63	2C		2C1				0.067873	4.276	134.186	2C1	1		
B-104	1949	2	XIN	62		655		#N/A	63	2C		2C1				0.067873	4.2081	138.394	2C1	1		
B-104	1949	2	XIN	57		712		#N/A	63	2C		2C1				0.067873	3.8688	142.262	2C1	1		
B-104	1949	2	send	-125		587		#N/A	63	cas		B-105				0	0	142.262		0		
B-104	1949	2	STAT		N/A	587	0	#N/A	63				phasing error with cascades? 530 to n/a			0	0	142.262		1		
B-104	1949	3	send	-57		530		#N/A	63	cas		B-105				0	0	142.262		0		
B-104	1949	3	XIN	53		583		#N/A	63	2C		2C1				0.067873	3.5973	145.860	2C1	1		
B-104	1949	3	send	-53		530		#N/A	63	cas		B-105				0	0	145.860		0		
B-104	1949	3	XIN	46		576		#N/A	63	2C		2C1				0.067873	3.1222	148.982	2C1	1		
B-104	1949	3	send	-46		530		#N/A	63	cas		B-105				0	0	148.982		0		
B-104	1949	3	XIN	67		597		#N/A	63	2C		2C1				0.067873	4.5475	153.529	2C1	1		
B-104	1949	3	send	-67		530		#N/A	63	cas		B-105				0	0	153.529		0		
B-104	1949	3	STAT		530	530	0	#N/A	63							0	0	153.529		1		
B-104	1949	4	XIN	90		620		#N/A	63	2C		2C1				0.067873	6.1086	159.638	2C1	1		
B-104	1949	4	send	-90		530		#N/A	63	cas		B-105				0	0	159.638		0		
B-104	1949	4	XIN	86		616		#N/A	63	2C		2C1				0.067873	5.8371	165.475	2C1	1		
B-104	1949	4	send	-86		530		#N/A	63	cas		B-105				0	0	165.475		0		
B-104	1949	4	XIN	99		629		#N/A	63	2C		2C1				0.067873	6.7195	172.195	2C1	1		
B-104	1949	4	send	-99		530		#N/A	63	cas		B-105				0	0	172.195		0		
B-104	1949	4	STAT		530	530	0	#N/A	63							0	0	172.195		1		
B-104	1950	1	XIN	108		638		#N/A	63	2C		2C1				0.067873	7.3303	179.525	2C1	1		
B-104	1950	1	send	-108		530		#N/A	63	cas		B-105				0	0	179.525		0		
B-104	1950	1	XIN	97		627		#N/A	63	2C		2C1				0.067873	6.5837	186.109	2C1	1		
B-104	1950	1	send	-97		530		#N/A	63	cas		B-105				0	0	186.109		0		
B-104	1950	1	XIN	78		608		#N/A	63	2C		2C1				0.067873	5.2941	191.403	2C1	1		
B-104	1950	1	send	-78		530		#N/A	63	cas		B-105				0	0	191.403		0		
B-104	1950	1	STAT		530	530	0	#N/A	63							0	0	191.403		1		
B-104	1950	2	XIN	53		583		#N/A	63	2C		2C1				0.067873	3.5973	195.000	2C1	1		
B-104	1950	2	send	-53		530		#N/A	63	cas		B-105				0	0	195.000		0		
B-104	1950	2	STAT		530	530	0	#N/A	63	2C			and stats at 501	cribbed		0	0	195.000		1		
B-104	1950	3	XIN	98		628		#N/A	63	1C		1C1				0.13786	13.51	208.510	1C1	1		
B-104	1950	3	XIN	211		839		#N/A	63	1C		1C1				0.13786	29.088	237.599	1C1	1		
B-104	1950	3	XIN	177		1016		#N/A	63	1C		1C1				0.13786	24.401	262.000	1C1	1		
B-104	1950	3	send	-211		805		#N/A	63	cas		B-105				0	0	262.000		0		12.00000096
B-104	1950	3	send	-177		628		#N/A	63	cas		B-105				0	0	262.000		0		
B-104	1950	3	send	-98		530		#N/A	63	cas		B-105				0	0	262.000		0		
B-104	1950	3	CSEND	0		530		#N/A	63	END	B-105						0	262.000		1		
B-104	1950	3	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1950	4	STAT		530	530	0	#N/A	63	1C						0	0	262.000		1		
B-104	1951	1	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1951	2	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1951	3	STAT		N/A	530		#N/A	63								0	262.000		1		
B-104	1951	4	STAT		N/A	530		#N/A	63								0	262.000		1		
B-104	1952	1	STAT		530	530	0	#N/A	63								0	262.000		1		
B-104	1952	2	STAT		530	530	0	#N/A	63	1C						0	0	262.000		1		
B-104	1952	3	SEND	-120		410		#N/A	63	SU		B-106				0	0	262.000		1		
B-104	1952	3	STAT		410	410	0	#N/A	63	1C				Partially pumped to 106-B. Not down to sludge		0	0	262.000		1		
B-104	1952	4	REC	121		531		#N/A	63	SL	B-106	B-106	BSltCk			0	0	262.000		1		
B-104	1952	4	STAT		531	531	0	#N/A	63	EB				Started filling 12-4-52		0	0	262.000		1		
B-104	1953	1	STAT		531	531	309	#N/A	63	EB						0	0	262.000		1		
B-104	1953	2	SEND	-169		362		#N/A	63	SU		B-106				0	0	262.000		1		
B-104	1953	2	STAT		354	354	309	-8	55	EB						0	0	262.000		1		
B-104	1953	3	REC	154		508		#N/A	55	SL	B-106	B-106	BSltCk			0	0	262.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-104	1953	3	STAT		508	508	309	#N/A	55	EB				Rec'd TBP Waste Evap. bottoms		0	0	262.000		1		
B-104	1953	4	REC	17		525		#N/A	55	SL	B-106	B-106	BSltCk			0	0	262.000		1		
B-104	1953	4	STAT		525	525	309	#N/A	55					1C sludge and TBP Evap. bottoms		0	0	262.000		1		
B-104	1954	1	STAT		525	525	309	#N/A	55							0	0	262.000		1		
B-104	1954	2	STAT		525	525	309	#N/A	55	EB						0	0	262.000		1		
B-104	1954	3	XIN	8		533		#N/A	55	WTR		WTR				0	0	262.000		1		
B-104	1954	3	STAT		537	537	309	4	59					Rec'd drainage from 151-B diversion box		0	0	262.000		1		
B-104	1954	4	STAT		537	537	309	#N/A	59							0	0	262.000		1		
B-104	1955	1	STAT		537	537	309	#N/A	59							0	0	262.000		1		
B-104	1955	2	STAT		537	537	309	#N/A	59							0	0	262.000		1		
B-104	1955	3	STAT		537	537	309	#N/A	59							0	0	262.000		1		
B-104	1955	4	outx	-318		219		#N/A	59			BEVAP				0	0	262.000	BEVA	0		
B-104	1955	4	xin	318		537		#N/A	59			BSltCk				0.191824	61	323.000	BSltCl	0		
B-104	1955	4	STAT		537	537	309	#N/A	59							0	0	323.000		1		
B-104	1956	1	STAT		537	537	309	#N/A	59							0	0	323.000		1		
B-104	1956	2	STAT		537	537	309	#N/A	59							0	0	323.000		1		
B-104	1956	3	STAT		537	537	309	#N/A	59							0	0	323.000		1		
B-104	1956	4	STAT		537	537	309	#N/A	59	EB						0	0	323.000		1		
B-104	1957	1	STAT		535	535	309	-2	57	EB				Latest electrode reading		0	0	323.000		1		
B-104	1957	2	STAT		535	535	40	#N/A	57	EB				Latest electrode reading		0	0	323.000		1		
B-104	1957	3	STAT		535	535	365	#N/A	57	EB						0	0	323.000		1		
B-104	1957	4	STAT		535	535	530	#N/A	57	EB						0	0	323.000		1		
B-104	1958	1	STAT		532	532	530	-3	54							0	0	323.000		1		
B-104	1958	2	STAT		532	532	530	#N/A	54							0	0	323.000		1		
B-104	1958	3	STAT		532	532	530	#N/A	54							0	0	323.000		1		
B-104	1958	4	STAT		532	532	530	#N/A	54							0	0	323.000		1		
B-104	1959	1	STAT		532	532	530	#N/A	54	EB						0	0	323.000		1		
B-104	1959	2	XIN	5		537		#N/A	54	WTR		WTR				0	0	323.000		1		
B-104	1959	2	STAT		546	546	530	9	63					New Electrode		0	0	323.000		1		
B-104	1959	3	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1959	4	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1960	1	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1960	2	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1960	3	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1960	4	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1961	1	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1961	2	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1961	3	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1961	4	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1962	1	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1962	2	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1962	3	STAT		546	546	530	#N/A	63							0	0	323.000		1		
B-104	1962	4	STAT		546	546	530	#N/A	63	EB						0	0	323.000		1		
B-104	1963	1	STAT		546	546	530	#N/A	63	EB						0	0	323.000		1		
B-104	1963	2	STAT		546	546	409	#N/A	63							0	0	323.000		1		
B-104	1963	3	STAT		546	546	409	#N/A	63							0	0	323.000		1		
B-104	1963	4	STAT		546	546	409	#N/A	63	EB						0	0	323.000		1		
B-104	1964	1	STAT		N/A	546		#N/A	63								0	323.000		1		
B-104	1964	2	STAT		542	542	409	-4	59					New electrode		0	0	323.000		1		
B-104	1964	3	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1964	4	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1965	1	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1965	2	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1965	3	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1965	4	STAT		542	542	409	#N/A	59							0	0	323.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-104	1966	1	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1966	2	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1966	3	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1966	4	STAT		542	542	409	#N/A	59							0	0	323.000		1		
B-104	1967	1	STAT		542	542	409	#N/A	59	EB						0	0	323.000		1		
B-104	1967	2	STAT		541	541	409	-1	58							0	0	323.000		1		
B-104	1967	3	STAT		541	541	409	#N/A	58							0	0	323.000		1		
B-104	1967	4	STAT		541	541	409	#N/A	58							0	0	323.000		1		
B-104	1968	1	STAT		541	541	409	#N/A	58							0	0	323.000		1		
B-104	1968	2	STAT		541	541	409	#N/A	58							0	0	323.000		1		
B-104	1968	3	STAT		541	541	409	#N/A	58							0	0	323.000		1		
B-104	1968	4	STAT		541	541	409	#N/A	58							0	0	323.000		1		
B-104	1969	1	STAT		541	541	409	#N/A	58	EB						0	0	323.000		1		
B-104	1969	2	SEND	-124		417		#N/A	58	SU		B-103				0	0	323.000		1		
B-104	1969	2	STAT		417	417	409	#N/A	58	EB						0	0	323.000		4	O	ARH-01200B-5
B-104	1969	3	STAT		417	417	409	#N/A	58					124 to 103-B		0	0	323.000		1		
B-104	1969	4	STAT		417	417	409	#N/A	58							0	0	323.000		1		
B-104	1970	1	STAT		417	417	409	#N/A	58							0	0	323.000		1		
B-104	1970	2	STAT		417	417	414	#N/A	58	EB						0	0	323.000		1		
B-104	1970	3	STAT		418	418	400	1	59	EB						0	0	323.000		1		
B-104	1970	4	STAT		417	417	400	-1	58							0	0	323.000		1		
B-104	1971	1	STAT		417	417	400	#N/A	58	EB						0	0	323.000		1		
B-104	1971	2	STAT		418	418	400	1	59							0	0	323.000		1		
B-104	1971	3	STAT		418	418	400	#N/A	59							0	0	323.000		1		
B-104	1971	4	STAT		418	418	400	#N/A	59							0	0	323.000		1		
B-104	1972	1	STAT		418	418	400	#N/A	59	EB						0	0	323.000		1		
B-104	1972	2	XIN	6		424		#N/A	59	FLSH		WTR				0	0	323.000		4	O	ARH-2456B-4
B-104	1972	2	SEND	-6		418		#N/A	59	SU		B-102				0	0	323.000		4	O	ARH-2456B-4
B-104	1972	2	STAT		415	415	400	-3	56	EB				6 flush water, 6 to 102-B		0	0	323.000		1		
B-104	1972	3	STAT		414	414	400	-1	55	EB						0	0	323.000		1		
B-104	1972	4	STAT		411	411	400	-3	52	EB						0	0	323.000		1		
B-104	1973	1	STAT		408	408	400	-3	49	EB				*Dry Wells 20-04-03, 20-04-06 drilled.		0	0	323.000		1		
B-104	1973	2	STAT		403	403	400	-5	44	EB						0	0	323.000		1		
B-104	1973	3	STAT		404	404	400	1	45							0	0	323.000		1		
B-104	1973	4	STAT		404	404	400	#N/A	45	EB						0	0	323.000		1		
B-104	1974	1	STAT		405	405	400	1	46	EB						0	0	323.000		1		
B-104	1974	2	STAT		407	407	400	2	48							0	0	323.000		1		
B-104	1974	3	STAT		407	407	400	#N/A	48	EB						0	0	323.000		1		
B-104	1974	4	STAT		400	400	400	-7	41							0	0	323.000		1		
B-104	1975	1	STAT		400	400	400	#N/A	41							0	0	323.000		1		
B-104	1975	2	STAT		400	400	400	#N/A	41							0	0	323.000		1		
B-104	1975	3	STAT		400	400	400	#N/A	41							0	0	323.000		1		
B-104	1975	4	STAT		400	400	400	#N/A	41					Salt filled		0	0	323.000		1		
B-104	1976	1	STAT		400	400	400	#N/A	41					Salt filled		0	0	323.000		1		
B-104	1976	2	STAT		409	409	395	9	50					Salt filled		0	0	323.000		1		
B-104	1976	3	STAT		409	409	395	#N/A	50					Salt Well Pumped-Salt Filled		0	0	323.000		1		
B-104	1976	4	STAT		409	409	395	#N/A	50					Salt Well Pumped-Salt Filled		0	0	323.000		1		
B-104	1977	1	STAT		409	409	395	#N/A	50					Salt Well Pumped-Salt Filled		0	0	323.000		1		
B-104	1977	2	STAT		409	409	395	#N/A	50					Salt Well Pumped		0	0	323.000		1		
B-104	1977	3	STAT		409	409	395	#N/A	50					Salt Well Pumped		0	0	323.000		1		
B-104	1977	4	STAT		409	409	395	#N/A	50					Inactive Current		0	0	323.000		1		
B-104	1978	1	STAT		409	409	395	#N/A	50	EB				Inactive Current Salt Well Installed		0	0	323.000		1		
B-104	1978	2	STAT		409	409	395	#N/A	50					Inactive Salt Well Installed		0	0	323.000		1		
B-104	1978	3	STAT		409	409	395	#N/A	50							0	0	323.000		1		
B-104	1978	4	STAT		409	409	395	#N/A	50					P 10 Pmp Removed		0	0	323.000		1		
B-104	1979	1	STAT		409	409	395	#N/A	50							0	0	323.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-104	1979	2	STAT		409	409	395	#N/A	50							0	0	323.000		1		
B-104	1979	3	STAT		409	409	395	#N/A	50							0	0	323.000		1		
B-104	1979	4	STAT		409	409	395	#N/A	50							0	0	323.000		1		
B-104	1980	1	STAT		409	409	395	#N/A	50							0	0	323.000		1		
B-104	1980	2	STAT		409	409	395	#N/A	50					New Photo 1/3/80		0	0	323.000		1		
B-104	1980	3	STAT		409	409	395	#N/A	50							0	0	323.000		1		
B-104	1980	4	STAT		409	409	395	#N/A	50	NCPLX						0	0	323.000		1		
B-104	1989	3	send	38		371		#N/A	50	swliq		AN-101				0	0	323.000		1		
B-104	1993	2	STAT		371	371	370	#N/A	50	NCPLX						0	0	323.000		0		
B-104	1993	4	STAT		371	371	370	#N/A	50							0	0	323.000		1		
B-104	1994	1	STAT		371	371	370	#N/A	50							0	0	323.000		1		
B-104	2000															0	0	323.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-105	1900																					
B-105	1946	3	CREC	0		0		#N/A	0	SET	B-104											
B-105	1946	3	CSEND	0		0		#N/A	0	SET	B-106											
B-105	1946	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-105	1946	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-105	1947	1	rec	33		33		#N/A	0	cas	B-104	B-104					0	0.000		1		
B-105	1947	1	rec	41		74		#N/A	0	cas	B-104	B-104				0.00792472	0.2615	0.262	2C1	0		
B-105	1947	1	rec	97		171		#N/A	0	cas	B-104	B-104				0.00792472	0.3249	0.586	2C1	0		
B-105	1947	1	STAT		171	171	0	#N/A	0	2C				First used Feb. 1947, 2nd in Cascade		0.00792472	0.7687	1.355	2C1	0		
B-105	1947	2	rec	62		233		#N/A	0	cas	B-104	B-104				0	0	1.355		1		
B-105	1947	2	rec	81		314		#N/A	0	cas	B-104	B-104				0.00792472	0.4913	1.846	2C1	0		
B-105	1947	2	rec	65		379		#N/A	0	cas	B-104	B-104				0.00792472	0.6419	2.488	2C1	0		
B-105	1947	2	STAT		379	379	0	#N/A	0	2C						0.00792472	0.5151	3.003	2C1	0		
B-105	1947	3	rec	82		461		#N/A	0	cas	B-104	B-104				0	0	3.003		1		
B-105	1947	3	rec	65		526		#N/A	0	cas	B-104	B-104				0.00792472	0.6498	3.653	2C1	0		
B-105	1947	3	rec	62		588		#N/A	0	cas	B-104	B-104				0.00792472	0.5151	4.168	2C1	0		
B-105	1947	3	send	-58		530		#N/A	0	cas		B-106				0.00792472	0.4913	4.660	2C1	0		
B-105	1947	3	STAT		530	530	0	#N/A	0							0	0	4.660		0		
B-105	1947	4	rec	55		585		#N/A	0	cas	B-104	B-104		Filled in Aug. 1947		0	0	4.660		1		
B-105	1947	4	send	-55		530		#N/A	0	cas		B-106				0.00792472	0.4359	5.096	2C1	0		
B-105	1947	4	rec	53		583		#N/A	0	cas	B-104	B-104				0	0	5.096		0		
B-105	1947	4	send	-53		530		#N/A	0	cas		B-106				0.00792472	0.42	5.516	2C1	0		
B-105	1947	4	rec	49		579		#N/A	0	cas	B-104	B-104				0	0	5.516		0		
B-105	1947	4	send	-49		530		#N/A	0	cas		B-106				0.00792472	0.3883	5.904	2C1	0		
B-105	1947	4	STAT		530	530	0	#N/A	0							0	0	5.904		0		
B-105	1948	1	rec	146		676		#N/A	0	cas	B-104	B-104				0	0	5.904		1		
B-105	1948	1	send	-146		530		#N/A	0	cas		B-106				0.00792472	1.157	7.061	2C1	0		
B-105	1948	1	rec	72		602		#N/A	0	cas	B-104	B-104				0	0	7.061		0		
B-105	1948	1	send	-72		530		#N/A	0	cas		B-106				0.00792472	0.5706	7.632	2C1	0		
B-105	1948	1	STAT		530	530	0	#N/A	0							0	0	7.632		0		
B-105	1948	2	rec	65		595		#N/A	0	cas	B-104	B-104				0	0	7.632		1		
B-105	1948	2	send	-65		530		#N/A	0	cas		B-106				0.00792472	0.5151	8.147	2C1	0		
B-105	1948	2	rec	32		562		#N/A	0	cas	B-104	B-104				0	0	8.147		0		
B-105	1948	2	send	-32		530		#N/A	0	cas		B-106				0.00792472	0.2536	8.400	2C1	0		
B-105	1948	2	STAT		530	530	0	#N/A	0	2C						0	0	8.400		0		
B-105	1948	3	OUTX	-14		516		#N/A	0	SU	B-008	CRIB				0	0	8.400		1		
B-105	1948	3	OUTX	-150		366		#N/A	0	SU	B-008	CRIB				0	0	8.400		1		
B-105	1948	3	STAT		378	378	0	12	12	2C			fj stats at 428	150 to Crib in Sept.		0	0	8.400		2		
B-105	1948	4	OUTX	-61		317		#N/A	12	SU	B-008	CRIB				0	0	8.400		1		
B-105	1948	4	OUTX	-207		110		#N/A	12	SU	B-008	CRIB				0	0	8.400		2		
B-105	1948	4	OUTX	-105		5		#N/A	12	SU	B-008	CRIB				0	0	8.400		2		
B-105	1948	4	STAT		20	20	0	15	27				and stats at 0	378 to crib		0	0	8.400		2		
B-105	1949	1	STAT		20	20	0	#N/A	27	2C				Began fill in March 1949		0	0	8.400		1		
B-105	1949	2	rec	125		145		#N/A	27	cas	B-104	B-104				0	0	8.400		1		
B-105	1949	2	STAT		135	135	0	-10	17	2C			and stats at 201			0.00792472	0.9906	9.391	2C1	0		
B-105	1949	3	rec	57		192		#N/A	17	cas	B-104	B-104				0	0	9.391		1		
B-105	1949	3	rec	53		245		#N/A	17	cas	B-104	B-104				0.00792472	0.4517	9.843	2C1	0		
B-105	1949	3	rec	46		291		#N/A	17	cas	B-104	B-104				0.00792472	0.42	10.263	2C1	0		
B-105	1949	3	rec	67		358		#N/A	17	cas	B-104	B-104				0.00792472	0.3645	10.627	2C1	0		
B-105	1949	3	STAT		366	366	0	8	25	2C			fj stats at 301			0.00792472	0.531	11.158	2C1	0		
B-105	1949	4	rec	90		456		#N/A	25	cas	B-104	B-104				0	0	11.158		1		
B-105	1949	4	rec	86		542		#N/A	25	cas	B-104	B-104				0.00792472	0.7132	11.871	2C1	0		
B-105	1949	4	rec	99		641		#N/A	25	cas	B-104	B-104				0.00792472	0.6815	12.553	2C1	0		
B-105	1949	4	send	-111		530		#N/A	25	cas		B-106				0.00792472	0.7845	13.337	2C1	0		
B-105	1949	4	STAT		530	530	0	#N/A	25							0	0	13.337		0		
B-105	1950	1	rec	108		638		#N/A	25	cas	B-104	B-104		Filled in Nov. 1949		0	0	13.337		1		
B-105	1950	1	send	-108		530		#N/A	25	cas		B-106				0.00792472	0.8559	14.193	2C1	0		
																0	0	14.193		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-105	1950	1	rec	97		627		#N/A	25	cas	B-104	B-104				0.00792472	0.7687	14.962	2C1	0		
B-105	1950	1	send	-97		530		#N/A	25	cas		B-106				0	0	14.962		0		
B-105	1950	1	rec	78		608		#N/A	25	cas	B-104	B-104				0.00792472	0.6181	15.580	2C1	0		
B-105	1950	1	send	-78		530		#N/A	25	cas		B-106				0	0	15.580		0		
B-105	1950	1	STAT		530	530	0	#N/A	25	2C						0	0	15.580		1		
B-105	1950	2	rec	53		583		#N/A	25	cas	B-104	B-104				0.00792472	0.42	16.000	2C1	0		
B-105	1950	2	send	-53		530		#N/A	25	cas		B-106				0	0	16.000		0		
B-105	1950	2	OUTX	-486		44		#N/A	25	SU	B-008	CRIB	AND reports -530			0	0	16.000		1		
B-105	1950	2	STAT		44	44	0	#N/A	25	2C			and stats at 0	530 to crib		0	0	16.000		1		
B-105	1950	3	rec	211		255		#N/A	25	cas	B-104	B-104				0.02469136	5.2099	21.210	1C1	0		
B-105	1950	3	rec	177		432		#N/A	25	cas	B-104	B-104				0.02469136	4.3704	25.580	1C1	0		
B-105	1950	3	rec	98		530		#N/A	25	cas	B-104	B-104				0.02469136	2.4198	28.000	1C1	0		
B-105	1950	3	CREC	0		530		#N/A	25	END	B-104						0	28.000		1		
B-105	1950	3	CSEND	0		530		#N/A	25	END	B-106						0	28.000		1		
B-105	1950	3	STAT		530	530	0	#N/A	25							0	0	28.000		1		
B-105	1950	4	STAT		530	530	0	#N/A	25	1C						0	0	28.000		1		
B-105	1951	1	STAT		530	530	0	#N/A	25							0	0	28.000		1		
B-105	1951	2	STAT		530	530	0	#N/A	25							0	0	28.000		1		
B-105	1951	3	STAT		530	530	0	#N/A	25							0	0	28.000		1		
B-105	1951	4	STAT		530	530	0	#N/A	25							0	0	28.000		1		
B-105	1952	1	STAT		530	530	0	#N/A	25							0	0	28.000		1		
B-105	1952	2	STAT		530	530	0	#N/A	25	1C						0	0	28.000		1		
B-105	1952	3	SEND	-309		221		#N/A	25	SU		B-106				0	0	28.000		1		
B-105	1952	3	SEND	-49		172		#N/A	25	SU		B-106				0	0	28.000		1		
B-105	1952	3	STAT		172	172	0	#N/A	25	EB						0	0	28.000		1		
B-105	1952	4	REC	55		227		#N/A	25	SL	B-106	B-106	BSltCk	Completed pumping 9-11-52		0	0	28.000		1		
B-105	1952	4	STAT		227	227	0	#N/A	25	EB						0	0	28.000		1		
B-105	1953	1	REC	197		424		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1953	1	REC	79		503		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1953	1	STAT		491	491	39	-12	13	EB						0	0	28.000		1		
B-105	1953	2	SEND	-475		16		#N/A	13	SU		B-106		Active bottoms tank		0	0	28.000		1		
B-105	1953	2	STAT		28	28	28	12	25							0	0	28.000		1		
B-105	1953	3	STAT		28	28	28	#N/A	25	EB						0	0	28.000		1		
B-105	1953	4	REC	397		425		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1953	4	REC	376		801		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1953	4	REC	296		1097		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1953	4	SEND	-223		874		#N/A	25	SU		B-101				0	0	28.000		1		
B-105	1953	4	SEND	-530		344		#N/A	25	SU		B-102				0	0	28.000		1		
B-105	1953	4	STAT		344	344	28	#N/A	25	EB				Active bottoms tank. Pumping to 101-B								
B-105	1954	1	REC	383		727		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	1	REC	332		1059		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	1	REC	193		1252		#N/A	25	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	1	SEND	-304		948		#N/A	25	SU		B-101				0	0	28.000		1		
B-105	1954	1	SEND	-284		664		#N/A	25	SU		B-103				0	0	28.000		1		
B-105	1954	1	SEND	-258		406		#N/A	25	SU		B-103				0	0	28.000		1		
B-105	1954	1	STAT		396	396	28	-10	15	EB				Active bottoms tank. Pumped to 101-B and 103-B								
B-105	1954	2	SEND	-170		226		#N/A	15	SU		B-111				0	0	28.000		1		
B-105	1954	2	SEND	-111		115		#N/A	15	SU		B-111				0	0	28.000		1		
B-105	1954	2	REC	396		511		#N/A	15	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	2	REC	314		825		#N/A	15	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	2	REC	218		1043		#N/A	15	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	2	SEND	-294		749		#N/A	15	SU		BX-110				0	0	28.000		1		
B-105	1954	2	SEND	-247		502		#N/A	15	SU		BX-111				0	0	28.000		1		
B-105	1954	2	SEND	-155		347		#N/A	15	SU		B-110				0	0	28.000		1		
B-105	1954	2	STAT		342	342	28	-5	10	EB				Active bottoms tank. Pumped to 110-B and 111-B								

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
B-105	1954	3	REC	409		751		#N/A	10	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	3	REC	108		859		#N/A	10	SL	B-106	B-106	BSltCk			0	0	28.000		1		
B-105	1954	3	SEND	-71		788		#N/A	10	SU		BX-112				0	0	28.000		1		
B-105	1954	3	SEND	-274		514		#N/A	10	SU		BX-111				0	0	28.000		1		
B-105	1954	3	STAT		519	519	28	5	15	EB				Active bottoms tank. Pumped to 109-B								
B-105	1954	4	STAT		516	516	28	-3	12							0	0	28.000		1		
B-105	1955	1	STAT		516	516	28	#N/A	12							0	0	28.000		1		
B-105	1955	2	STAT		516	516	28	#N/A	12							0	0	28.000		1		
B-105	1955	3	STAT		516	516	28	#N/A	12							0	0	28.000		1		
B-105	1955	4	outx	-488		28		#N/A	12			BEVAP				0	0	28.000		1		
B-105	1955	4	xin	488		516		#N/A	12			BSltCk				0	0	28.000	BEVA	0		
B-105	1955	4	STAT		516	516	28	#N/A	12							0.569672	278	306.000	BSltCl	0		
B-105	1956	1	STAT		516	516	28	#N/A	12							0	0	306.000		1		
B-105	1956	2	STAT		516	516	28	#N/A	12							0	0	306.000		1		
B-105	1956	3	STAT		516	516	28	#N/A	12							0	0	306.000		1		
B-105	1956	4	STAT		516	516	28	#N/A	12	EB						0	0	306.000		1		
B-105	1957	1	STAT		497	497	28	-19	-7							0	0	306.000		1		
B-105	1957	2	STAT		497	497	28	#N/A	-7	EB				Latest electrode reading		0	0	306.000		1		
B-105	1957	3	STAT		497	497	490	#N/A	-7							0	0	306.000		1		
B-105	1957	4	STAT		497	497	490	#N/A	-7	EB						0	0	306.000		1		
B-105	1958	1	STAT		494	494	490	-3	-10							0	0	306.000		1		
B-105	1958	2	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1958	3	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1958	4	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1959	1	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1959	2	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1959	3	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1959	4	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1960	1	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1960	2	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1960	3	STAT		494	494	490	#N/A	-10							0	0	306.000		1		
B-105	1960	4	STAT		494	494	490	#N/A	-10	EB						0	0	306.000		1		
B-105	1961	1	CORR	0		494		#N/A	-10	ADJ			CORR TO 0			0	0	306.000		1		
B-105	1961	1	STAT		N/A	494		#N/A	-10								0	306.000		1		
B-105	1961	2	STAT		491	491	490	-3	-13								0	306.000		1		
B-105	1961	3	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1961	4	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1962	1	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1962	2	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1962	3	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1962	4	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1963	1	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1963	2	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1963	3	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1963	4	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1964	1	STAT		491	491	490	#N/A	-13							0	0	306.000		1		
B-105	1964	2	STAT		491	491	490	#N/A	-13	EB						0	0	306.000		1		
B-105	1964	3	STAT		N/A	491		#N/A	-13								0	306.000		1		
B-105	1964	4	STAT		505	505	490	14	1					New electrode (Read Confirmed)								
B-105	1965	1	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1965	2	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1965	3	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1965	4	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1966	1	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1966	2	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1966	3	STAT		505	505	490	#N/A	1							0	0	306.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-105	1966	4	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1967	1	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1967	2	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1967	3	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1967	4	STAT		505	505	490	#N/A	1							0	0	306.000		1		
B-105	1968	1	STAT		505	505	490	#N/A	1	EB						0	0	306.000		1		
B-105	1968	2	STAT		503	503	490	-2	-1							0	0	306.000		1		
B-105	1968	3	STAT		503	503	490	#N/A	-1							0	0	306.000		1		
B-105	1968	4	STAT		503	503	490	#N/A	-1							0	0	306.000		1		
B-105	1969	1	STAT		503	503	490	#N/A	-1							0	0	306.000		1		
B-105	1969	2	STAT		503	503	490	#N/A	-1							0	0	306.000		1		
B-105	1969	3	STAT		503	503	490	#N/A	-1							0	0	306.000		1		
B-105	1969	4	STAT		503	503	490	#N/A	-1	EB						0	0	306.000		1		
B-105	1970	1	STAT		502	502	490	-1	-2							0	0	306.000		1		
B-105	1970	2	STAT		502	502	490	#N/A	-2							0	0	306.000		1		
B-105	1970	3	STAT		502	502	490	#N/A	-2	EB						0	0	306.000		1		
B-105	1970	4	STAT		503	503	490	1	-1	EB						0	0	306.000		1		
B-105	1971	1	STAT		502	502	490	-1	-2							0	0	306.000		1		
B-105	1971	2	STAT		502	502	490	#N/A	-2							0	0	306.000		1		
B-105	1971	3	STAT		502	502	490	#N/A	-2	EB						0	0	306.000		1		
B-105	1971	4	STAT		503	503	490	1	-1	EB						0	0	306.000		1		
B-105	1972	1	STAT		501	501	490	-2	-3	EB						0	0	306.000		1		
B-105	1972	2	XIN	4		505		#N/A	-3	FLSH		WTR				0	0	306.000		1		
B-105	1972	2	SEND	-30		475		#N/A	-3	SU		B-102				0	0	306.000		4	O	ARH-2456B-4
B-105	1972	2	rec	26		501		#N/A	-3		BY-112	BY-112				0	0	306.000		4	O	ARH-2456B-4
B-105	1972	2	STAT		501	501	490	#N/A	-3	EB						0	0	306.000		0		
B-105	1972	3	XIN	6		507		#N/A	-3	FLSH		WTR		4 flush water, 30 to 102-B		0	0	306.000		1		
B-105	1972	3	SEND	-102		405		#N/A	-3	SU		B-102				0	0	306.000		4	O	ARH-2456C-4
B-105	1972	3	rec	85		490		#N/A	-3		BY-112	BY-112				0	0	306.000		4	O	ARH-2456C-4
B-105	1972	3	STAT		490	490	490	#N/A	-3							0	0	306.000		0		
B-105	1972	4	XIN	4		494		#N/A	-3	FLSH		WTR		6 flush water, 102 to 102-B		0	0	306.000		1		
B-105	1972	4	SEND	-69		425		#N/A	-3	SU		B-102				0	0	306.000		4	O	ARH-2456D-4
B-105	1972	4	rec	65		490		#N/A	-3		BY-112	BY-112				0	0	306.000		4	O	ARH-2456D-4
B-105	1972	4	STAT		490	490	490	#N/A	-3							0	0	306.000		0		
B-105	1973	1	XIN	3		493		#N/A	-3	WTR		WTR	Omis.	4 flush water, 69 to 102-B		0	0	306.000		1		
B-105	1973	1	SEND	-75		418		#N/A	-3			B-102			Omission	0	0	306.000		2	V	ARH-2794A-4
B-105	1973	1	rec	72		490		#N/A	-3		BY-112	BY-112			Omission	0	0	306.000		3	V	ARH-2794A-4
B-105	1973	1	STAT		490	490	490	#N/A	-3							0	0	306.000		0		
B-105	1973	2	XIN	2		492		#N/A	-3	WTR		WTR				0	0	306.000		1		
B-105	1973	2	SEND	-3		489		#N/A	-3	SU		B-102				0	0	306.000		4	O	ARH-2794B-4
B-105	1973	2	STAT		490	490	490	1	-2							0	0	306.000		4	O	ARH-2794B-4
B-105	1973	3	STAT		490	490	490	#N/A	-2					2 water, 3 to 102-B		0	0	306.000		1		
B-105	1973	4	STAT		490	490	490	#N/A	-2					*Dry Well 20-05-06 drilled.		0	0	306.000		1		
B-105	1974	1	STAT		490	490	490	#N/A	-2							0	0	306.000		1		
B-105	1974	2	STAT		490	490	490	#N/A	-2							0	0	306.000		1		
B-105	1974	3	STAT		490	490	490	#N/A	-2							0	0	306.000		1		
B-105	1974	4	STAT		491	491	491	1	-1							0	0	306.000		1		
B-105	1975	1	STAT		491	491	491	#N/A	-1							0	0	306.000		1		
B-105	1975	2	STAT		491	491	491	#N/A	-1							0	0	306.000		1		
B-105	1975	3	send	-198		293		#N/A	-1			BY-112				0	0	306.000		0		
B-105	1975	3	STAT		293	293	293	#N/A	-1					Salt Filled		0	0	306.000		1		
B-105	1975	4	STAT		293	293	293	#N/A	-1					Salt Filled		0	0	306.000		1		
B-105	1976	1	STAT		293	293	293	#N/A	-1					Salt Filled		0	0	306.000		1		
B-105	1976	2	STAT		293	293	293	#N/A	-1					RFS Salt Filled		0	0	306.000		1		
B-105	1976	3	STAT		293	293	293	#N/A	-1					RFS Salt Filled		0	0	306.000		1		
B-105	1976	4	STAT		293	293	293	#N/A	-1					Salt Well Comp.		0	0	306.000		1		
B-105	1977	1	STAT		293	293	293	#N/A	-1					Salt Well Comp.		0	0	306.000		1		
B-105	1977	2	STAT		293	293	293	#N/A	-1					Salt Well Comp Stabilized		0	0	306.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-105	1977	3	STAT		293	293	293	#N/A	-1					Inactive Current-Stabilized Phase I		0	0	306.000		1		
B-105	1977	4	STAT		293	293	293	#N/A	-1					Inactive Current-Stabilized Phase I		0	0	306.000		1		
B-105	1978	1	STAT		293	293	293	#N/A	-1					Inactive - Primary stabilized		0	0	306.000		1		
B-105	1978	2	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1978	3	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1978	4	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1979	1	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1979	2	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1979	3	STAT		293	293	293	#N/A	-1					Questionable Integrity		0	0	306.000		1		
B-105	1979	4	STAT		293	293	293	#N/A	-1					New Photo 9/26/79		0	0	306.000		1		
B-105	1980	1	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1980	2	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1980	3	STAT		293	293	293	#N/A	-1							0	0	306.000		1		
B-105	1980	4	STAT		293	293	293	#N/A	-1	EB						0	0	306.000		1		
B-105	1985	3	send	-135		158		#N/A	-1	swfiq		AW-102				0	0	306.000		1		
B-105	1993	2	STAT		158	158	158	#N/A	-1	NCPLX			"306 to 158, boyles 123+183 sltck. lani calcs123+ (20-50) sltck. ledge of sltck in tank from pictures.			0	0	306.000		0		
B-105	1993	4	STAT		158	158	158	#N/A	-1				"306 to 158, boyles 123+183 sltck. lani calcs123+ (20-50) sltck. ledge of sltck in tank from pictures.			0	0	306.000		1		
B-105	1994	1	STAT		158	158	158	#N/A	-1				"306 to 158, boyles 123+183 sltck. lani calcs123+ (20-50) sltck. ledge of sltck in tank from pictures.			0	0	306.000		1		
B-105	2000															0	0	306.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1900																					
B-106	1946	3	CREC	0		0		#N/A	0	SET	B-105						0	0.000		1		
B-106	1946	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-106	1946	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-106	1947	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-106	1947	2	STAT		0	0	0	#N/A	0								0	0.000		1		
B-106	1947	3	rec	58		58		#N/A	0	cas	B-105	B-105				0	0	0.000		1		
																0	0	0.000		0		
B-106	1947	3	STAT		58	58	0	#N/A	0	2C				first used in Aug. 1947 (last in Cascade)								
B-106	1947	4	rec	55		113		#N/A	0	cas	B-105	B-105				0	0	0.000		1		
B-106	1947	4	rec	53		166		#N/A	0	cas	B-105	B-105				0	0	0.000		0		
B-106	1947	4	rec	49		215		#N/A	0	cas	B-105	B-105				0	0	0.000		0		
B-106	1947	4	STAT		215	215	0	#N/A	0	2C						0	0	0.000		0		
B-106	1948	1	rec	146		361		#N/A	0	cas	B-105	B-105				0	0	0.000		1		
B-106	1948	1	rec	72		433		#N/A	0	cas	B-105	B-105				0	0	0.000		0		
B-106	1948	1	STAT		432	432	0	-1	-1	2C			fj stats at 361			0	0	0.000		0		
B-106	1948	2	rec	65		497		#N/A	-1	cas	B-105	B-105				0	0	0.000		1		
B-106	1948	2	rec	32		529		#N/A	-1	cas	B-105	B-105				0	0	0.000		0		
B-106	1948	2	STAT		530	530	0	1	0							0	0	0.000		0		
B-106	1948	3	STAT		530	530	0	#N/A	0	2C				Filled in May 1948		0	0	0.000		1		
B-106	1948	4	OUTX	-235		295		#N/A	0	SU	B-008	CRIB				0	0	0.000		1		
B-106	1948	4	STAT		293	293	0	-2	-2	2C			fj stats at 324			0	0	0.000		2		
B-106	1949	1	OUTX	-223		70		#N/A	-2	SU	B-008	CRIB	DUP TRANS? 72 TO 0	235 to crib in Dec.		0	0	0.000		1		
B-106	1949	1	OUTX	0		70		#N/A	-2	SU	B-008	CRIB				0	0	0.000		2		
																0	0	0.000		2		
B-106	1949	1	STAT		66	66	0	-4	-6	2C			and stats at 0, OUTX total -293	293 to crib								
B-106	1949	2	STAT		66	66	0	#N/A	-6				and stats at 0			0	0	0.000		1		
B-106	1949	3	STAT		66	66	0	#N/A	-6	2C			and stats at 0			0	0	0.000		1		
B-106	1949	4	rec	111		177		#N/A	-6	cas	B-105	B-105				0	0	0.000		1		
B-106	1949	4	outx	-65		112		#N/A	-6	SU	B-008	CRIB				0	0	0.000		0		
B-106	1949	4	STAT		112	112	0	#N/A	-6	2C						0	0	0.000		0		
B-106	1950	1	rec	108		220		#N/A	-6	cas	B-105	B-105		Fill started in Nov.		0	0	0.000		1		
B-106	1950	1	rec	97		317		#N/A	-6	cas	B-105	B-105				0	0	0.000		0		
B-106	1950	1	rec	78		395		#N/A	-6	cas	B-105	B-105				0	0	0.000		0		
B-106	1950	1	OUTX	-156		239		#N/A	-6	SU	B-008	CRIB	AND reports -165 pos typo			0	0	0.000		0		
B-106	1950	1	STAT		239	239	0	#N/A	-6	2C						0	0	0.000		1		
B-106	1950	2	rec	53		292		#N/A	-6	cas	B-105	B-105		165 to crib in March		0	0	0.000		1		
																0	0	0.000		0		
B-106	1950	2	OUTX	-283		9		#N/A	-6	SU	B-008	CRIB	LC CHANGE 194 TO 283 REV 2 RULE									
B-106	1950	2	STAT		9	9	0	#N/A	-6	2C			and stats at 0			0	0	0.000		2		
B-106	1950	3	CREC	0		9		#N/A	-6	END	B-105			239 to crib		0	0	0.000		1		
																	0	0.000		1		
B-106	1950	3	STAT		0	0	0	-9	-15													
B-106	1950	4	STAT		0	0	0	#N/A	-15					Future Evaporator Feed Tank		0	0	0.000		1		
B-106	1951	1	STAT		0	0	0	#N/A	-15							0	0	0.000		1		
B-106	1951	2	STAT		0	0	0	#N/A	-15					Future feed tank 242-B		0	0	0.000		1		
B-106	1951	3	STAT		N/A	0		#N/A	-15	1C						0	0	0.000		1		
B-106	1951	4	REC	530		530		#N/A	-15	SU	B-108	B-108					0	0.000		1		
B-106	1951	4	OUTX	-207		323		#N/A	-15	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1951	4	SEND	-73		250		#N/A	-15	SL		B-108	BSitCk			0	0	0.000		1		
B-106	1951	4	OUTX	0		250		#N/A	-15	SU	242-B	B1EVAP	LC -280 to 0, split to SL and COND									
																	0	0.000		1		
B-106	1951	4	STAT		259	259	0	9	-6	1C			and stats at N/A	242-B Evaporator started up Dec. 14 1951								
B-106	1952	1	REC	310		569		#N/A	-6	SU	B-107	B-107				0	0	0.000		1		
B-106	1952	1	REC	520		1089		#N/A	-6	SU	B-109	B-109				0	0	0.000		1		
B-106	1952	1	REC	131		1220		#N/A	-6	SU	C-107	C-107				0	0	0.000		1		
B-106	1952	1	OUTX	-327		893		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
B-106	1952	1	OUTX	-207		686		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	1	OUTX	-334		352		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	1	SEND	-125		227		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1952	1	SEND	-103		124		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1952	1	SEND	-77		47		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1952	1	OUTX	0		47		#N/A	-6	SU	242-B	B1EVAP	LC -430 to 0, split to SL and COND				0	0.000		1		
B-106	1952	1	OUTX	0		47		#N/A	-6	SU	242-B	B1EVAP	LC -284 to 0, split to SL and COND				0	0.000		1		
B-106	1952	1	OUTX	0		47		#N/A	-6	SU	242-B	B1EVAP	LC -459 to 0, split to SL and COND				0	0.000		1		
B-106	1952	1	STAT		N/A	47		#N/A	-6								0	0.000		1		
B-106	1952	2	REC	496		543		#N/A	-6	SU	C-108	C-108					0	0.000		1		
B-106	1952	2	REC	214		757		#N/A	-6	SU	C-109	C-109				0	0	0.000		1		
B-106	1952	2	REC	426		1183		#N/A	-6	SU	C-112	C-112				0	0	0.000		1		
B-106	1952	2	OUTX	-319		864		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	2	OUTX	-209		655		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	2	OUTX	-148		507		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	2	SEND	-123		384		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1952	2	SEND	-29		355		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1952	2	SEND	-98		257		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1952	2	SEND	-64		193		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1952	2	OUTX	0		193		#N/A	-6	SU	242-B	B1EVAP	LC -442 to 0, split to SL and COND				0	0.000		1		
B-106	1952	2	OUTX	0		193		#N/A	-6	SU	242-B	B1EVAP	LC -338 to 0, split to SL and COND				0	0.000		1		
B-106	1952	2	OUTX	0		193		#N/A	-6	SU	242-B	B1EVAP	LC -246 to 0, split to SL and COND				0	0.000		1		
B-106	1952	2	STAT		193	193	0	#N/A	-6	1C				1st cycle evaporator feed tank								
B-106	1952	3	REC	120		313		#N/A	-6	SU	B-104	B-104				0	0	0.000		1		
B-106	1952	3	REC	309		622		#N/A	-6	SU	B-105	B-105				0	0	0.000		1		
B-106	1952	3	REC	49		671		#N/A	-6	SU	B-105	B-105				0	0	0.000		1		
B-106	1952	3	REC	424		1095		#N/A	-6	SU	BY-107	BY-107	LC 414 TO 424			0	0	0.000		1		
B-106	1952	3	REC	301		1396		#N/A	-6	SU	C-109	C-109				0	0	0.000		1		
B-106	1952	3	REC	299		1695		#N/A	-6	SU	C-110	C-110				0	0	0.000		1		
B-106	1952	3	REC	293		1988		#N/A	-6	SU	C-111	C-111				0	0	0.000		1		
B-106	1952	3	REC	201		2189		#N/A	-6	SU	C-111	C-111				0	0	0.000		1		
B-106	1952	3	REC	82		2271		#N/A	-6	SU	C-112	C-112				0	0	0.000		1		
B-106	1952	3	OUTX	-555		1716		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	3	OUTX	-273		1443		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	3	OUTX	-374		1069		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	3	SEND	-163		906		#N/A	-6	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1952	3	SEND	-78		828		#N/A	-6	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1952	3	SEND	-221		607		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1952	3	SEND	-149		458		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1952	3	OUTX	0		458		#N/A	-6	SU	242-B	B1EVAP	LC -776 to 0, split to SL and COND				0	0.000		1		
B-106	1952	3	OUTX	0		458		#N/A	-6	SU	242-B	B1EVAP	LC -500 to 0, split to SL and COND				0	0.000		1		
B-106	1952	3	OUTX	0		458		#N/A	-6	SU	242-B	B1EVAP	LC -537 to 0, split to SL and COND				0	0.000		1		
B-106	1952	3	STAT		448	448	0	-10	-16	1C				Evaporator Feed tank								
B-106	1952	4	REC	93		541		#N/A	-16	SU	BX-107	BX-107				0	0	0.000		1		
B-106	1952	4	REC	486		1027		#N/A	-16	SU	BX-108	BX-108				0	0	0.000		1		
B-106	1952	4	REC	333		1360		#N/A	-16	SU	BY-107	BY-107	LC 343 TO 333			0	0	0.000		1		
B-106	1952	4	OUTX	-138		1222		#N/A	-16	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	4	OUTX	-571		651		#N/A	-16	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1952	4	SEND	-121		530		#N/A	-16	SL		B-104	BSltCk			0	0	0.000		1		
B-106	1952	4	SEND	-55		475		#N/A	-16	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1952	4	SEND	-63		412		#N/A	-16	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1952	4	SEND	-7		405		#N/A	-16	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1952	4	OUTX	0		405		#N/A	-16	SU	242-B	B1EVAP	LC -201 to 0, split to SL and COND				0	0.000		1		
B-106	1952	4	OUTX	0		405		#N/A	-16	SU	242-B	B1EVAP	LC -754 to 0, split to SL and COND				0	0.000		1		
B-106	1952	4	STAT		415	415	0	10	-6	1C				Evaporator Feed Tank		0	0	0.000		1		
B-106	1953	1	REC	443		858		#N/A	-6	SU	B-108	B-108				0	0	0.000		1		
B-106	1953	1	REC	205		1063		#N/A	-6	SU	B-109	B-109				0	0	0.000		1		
B-106	1953	1	REC	11		1074		#N/A	-6	SU	BX-108	BX-108				0	0	0.000		3	O	HW-27775-5
B-106	1953	1	REC	496		1570		#N/A	-6	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1953	1	REC	403		1973		#N/A	-6	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1953	1	REC	79		2052		#N/A	-6	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1953	1	OUTX	-442		1610		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	1	OUTX	-317		1293		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	1	OUTX	-441		852		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	1	SEND	-197		655		#N/A	-6	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1953	1	SEND	-79		576		#N/A	-6	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1953	1	SEND	-257		319		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1953	1	SEND	-17		302		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1953	1	OUTX	0		302		#N/A	-6	SU	242-B	B1EVAP	LC -639 to 0, split to SL and COND				0	0.000		1		
B-106	1953	1	OUTX	0		302		#N/A	-6	SU	242-B	B1EVAP	LC -413 to 0, split to SL and COND				0	0.000		1		
B-106	1953	1	OUTX	0		302		#N/A	-6	SU	242-B	B1EVAP	LC -698 to 0, split to SL and COND				0	0.000		1		
B-106	1953	1	STAT		302	302	0	#N/A	-6	1C				Evaporator Feed tank		0	0	0.000		1		
B-106	1953	2	REC	169		471		#N/A	-6	SU	B-104	B-104				0	0	0.000		1		
B-106	1953	2	REC	475		946		#N/A	-6	SU	B-105	B-105				0	0	0.000		1		
B-106	1953	2	REC	297		1243		#N/A	-6	SU	B-107	B-107				0	0	0.000		1		
B-106	1953	2	REC	10		1253		#N/A	-6	SU	B-107	B-107				0	0	0.000		1		
B-106	1953	2	REC	254		1507		#N/A	-6	SU	B-109	B-109				0	0	0.000		1		
B-106	1953	2	REC	271		1778		#N/A	-6	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1953	2	OUTX	-357		1421		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	2	OUTX	-86		1335		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	2	OUTX	-212		1123		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	2	SEND	-299		824		#N/A	-6	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1953	2	SEND	-166		658		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1953	2	SEND	-5		653		#N/A	-6	SL		B-108	BSltCk			0	0	0.000		1		
B-106	1953	2	SEND	-339		314		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1953	2	SEND	-101		213		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1953	2	OUTX	0		213		#N/A	-6	SU	242-B	B1EVAP	LC -624 to 0, split to SL and COND				0	0.000		1		
B-106	1953	2	OUTX	0		213		#N/A	-6	SU	242-B	B1EVAP	LC -430 to 0, split to SL and COND				0	0.000		1		
B-106	1953	2	OUTX	0		213		#N/A	-6	SU	242-B	B1EVAP	LC -511 to 0, split to SL and COND				0	0.000		1		
B-106	1953	2	STAT		213	213	0	#N/A	-6	EB				Evaporator Feed tank		0	0	0.000		1		
B-106	1953	3	REC	239		452		#N/A	-6	SU	C-112	C-112				0	0	0.000		1		
B-106	1953	3	REC	100		552		#N/A	-6	SU	C-112	C-112				0	0	0.000		1		
B-106	1953	3	OUTX	-89		463		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	3	OUTX	-87		376		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	3	SEND	-154		222		#N/A	-6	SL		B-104	BSltCk			0	0	0.000		1		
B-106	1953	3	SEND	-7		215		#N/A	-6	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1953	3	SEND	-11		204		#N/A	-6	SL		B-109	BSltCk			0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1953	3	OUTX	0		204		#N/A	-6	SU	242-B	B1EVAP	LC -107 to 0, split to SL and COND				0	0.000		1		
B-106	1953	3	OUTX	0		204		#N/A	-6	SU	242-B	B1EVAP	LC -241 to 0, split to SL and COND				0	0.000		1		
B-106	1953	3	STAT		197	197	0	-7	-13	TBP				Evaporator Feed tank, Rec'd TBP waste from 112-C								
B-106	1953	4	REC	675		872		#N/A	-13	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1953	4	REC	635		1507		#N/A	-13	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1953	4	REC	542		2049		#N/A	-13	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1953	4	REC	33		2082		#N/A	-13	SU	C-112	C-112				0	0	0.000		1		
B-106	1953	4	OUTX	-188		1894		#N/A	-13	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	4	OUTX	-138		1756		#N/A	-13	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	4	OUTX	-236		1520		#N/A	-13	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1953	4	SEND	-17		1503		#N/A	-13	SL		B-104	BSltCk			0	0	0.000		1		
B-106	1953	4	SEND	-397		1106		#N/A	-13	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1953	4	SEND	-376		730		#N/A	-13	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1953	4	SEND	-296		434		#N/A	-13	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1953	4	OUTX	0		434		#N/A	-13	SU	242-B	B1EVAP	LC -581 to 0, split to SL and COND				0	0.000		1		
B-106	1953	4	OUTX	0		434		#N/A	-13	SU	242-B	B1EVAP	LC -434 to 0, split to SL and COND				0	0.000		1		
B-106	1953	4	OUTX	0		434		#N/A	-13	SU	242-B	B1EVAP	LC -574 to 0, split to SL and COND				0	0.000		1		
B-106	1953	4	STAT		444	444	0	10	-3	TBP				Evaporator Feed tank			0	0.000		1		
B-106	1954	1	xin	64		508		#N/A	-3			WTR				0	0	0.000		1		
B-106	1954	1	REC	536		1044		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		0		
B-106	1954	1	REC	258		1302		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	1	REC	252		1554		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	1	REC	7		1561		#N/A	-3	SU	C-101	C-101				0	0	0.000		1		
B-106	1954	1	OUTX	-127		1434		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	1	OUTX	-175		1259		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	1	OUTX	-112		1147		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	1	SEND	-383		764		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	1	SEND	-332		432		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	1	SEND	-193		239		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	1	OUTX	0		239		#N/A	-3	SU	242-B	B1EVAP	LC -320 to 0, split to SL and COND				0	0.000		1		
B-106	1954	1	OUTX	0		239		#N/A	-3	SU	242-B	B1EVAP	LC -507 to 0, split to SL and COND				0	0.000		1		
B-106	1954	1	OUTX	0		239		#N/A	-3	SU	242-B	B1EVAP	LC -495 to 0, split to SL and COND				0	0.000		1		
B-106	1954	1	STAT		239	239	0	#N/A	-3	TBP				Evaporator Feed Tank			0	0.000		1		
B-106	1954	2	REC	717		956		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	2	REC	521		1477		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	2	REC	357		1834		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	2	OUTX	-78		1756		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	2	OUTX	-228		1528		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	2	OUTX	-185		1343		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	2	SEND	-396		947		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	2	SEND	-314		633		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	2	SEND	-218		415		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	2	OUTX	0		415		#N/A	-3	SU	242-B	B1EVAP	LC-296 to 0, split to SL and COND				0	0.000		1		
B-106	1954	2	OUTX	0		415		#N/A	-3	SU	242-B	B1EVAP	LC-526 to 0, split to SL and COND				0	0.000		1		
B-106	1954	2	OUTX	0		415		#N/A	-3	SU	242-B	B1EVAP	LC-499 to 0, split to SL and COND				0	0.000		1		
B-106	1954	2	STAT		415	415	0	#N/A	-3	TBP				Evaporator Feed Tank		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1954	3	REC	336		751		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	3	REC	220		971		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	3	REC	578		1549		#N/A	-3	SU	BY-107	BY-107				0	0	0.000		1		
B-106	1954	3	REC	79		1628		#N/A	-3	SU	BY-107	BY-107				0	0	0.000		1		
B-106	1954	3	REC	436		2064		#N/A	-3	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1954	3	OUTX	-212		1852		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	3	OUTX	-178		1674		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	3	OUTX	-177		1497		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	3	SEND	-409		1088		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	3	SEND	-108		980		#N/A	-3	SL		B-105	BSltCk			0	0	0.000		1		
B-106	1954	3	SEND	-50		930		#N/A	-3	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1954	3	SEND	-202		728		#N/A	-3	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1954	3	SEND	-138		590		#N/A	-3	SL		B-109	BSltCk			0	0	0.000		1		
B-106	1954	3	OUTX	0		590		#N/A	-3	SU	242-B	B1EVAP	LC -621 to 0, split to SL and COND				0	0.000		1		
B-106	1954	3	OUTX	0		590		#N/A	-3	SU	242-B	B1EVAP	LC -424 to 0, split to SL and COND				0	0.000		1		
B-106	1954	3	OUTX	0		590		#N/A	-3	SU	242-B	B1EVAP	LC -429 to 0, split to SL and COND				0	0.000		1		
B-106	1954	3	STAT		N/A	590	137	#N/A	-3	TBP			phase prob 338 to N/A	Evaporator Feed Tank		0	0	0.000		1		
B-106	1954	4	REC	259		849		#N/A	-3	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1954	4	OUTX	-193		656		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	4	SEND	-230		426		#N/A	-3	SL		B-107	BSltCk			0	0	0.000		1		
B-106	1954	4	OUTX	0		426		#N/A	-3	SU	242-B	B1EVAP	LC -423 to 0, split to SL and COND				0	0.000		1		
B-106	1954	4	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	1	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	2	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	3	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	4	outx	-426		0		#N/A	-3			BEVAP				0	0	0.000	BEVA	0		
B-106	1955	4	xin	426		426		#N/A	-3			BSltCk				0.2723	116	116.000	BSltCl	0		
B-106	1955	4	STAT		426	426	137	#N/A	-3							0	0	116.000		1		
B-106	1956	1	STAT		426	426	137	#N/A	-3							0	0	116.000		1		
B-106	1956	2	STAT		426	426	137	#N/A	-3							0	0	116.000		1		
B-106	1956	3	STAT		426	426	137	#N/A	-3	TBP						0	0	116.000		1		
B-106	1956	4	STAT		426	426	100	#N/A	-3	TBP						0	0	116.000		1		
B-106	1957	1	xin	54		480		#N/A	-3			WTR				0	0	116.000		1		
B-106	1957	1	STAT		480	480	100	#N/A	-3	TBP							0	116.000		0		
B-106	1957	2	REC	71		551		#N/A	-3	SU	B-103	B-103		Latest electrode reading		0	0	116.000		1		
B-106	1957	2	STAT		551	551	125	#N/A	-3	TBP					Shows 71 not 17	0	0	116.000		3	V	HW-50617-4
B-106	1957	3	STAT		552	552	125	1	-2	TBP				71 from 103-B		0	0	116.000		1		
B-106	1957	4	OUTX	-380		172		#N/A	-2	T24	C-112	TFeCN	461 TO 380 as per anderson	Latest electrode reading		0	0	116.000		1		
B-106	1957	4	STAT		172	172	167	#N/A	-2	TBP						0	0	116.000		3	O	N-54-298
B-106	1958	1	STAT		172	172	167	#N/A	-2	TBP				380 Scavenged		0	0	116.000		1		
B-106	1958	2	STAT		N/A	172	167	#N/A	-2	TBP			bad stat? 230 to N/A	CW (1321 TU)		0	0	116.000		1		
B-106	1958	3	STAT		N/A	172	167	#N/A	-2				bad stat? 227 to N/A	CW (1107 TU) New electrode reading		0	0	116.000		1		
B-106	1958	4	STAT		N/A	172	167	#N/A	-2	TBP			bad stat? 227 to N/A	CW (1323 TU)		0	0	116.000		1		
B-106	1959	1	STAT		167	167	167	-5	-7	TBP				CW (1323 TU)		0	0	116.000		1		
B-106	1959	2	XIN	11		178		#N/A	-7	FLSH		WTR	OC 71 to 11	Latest electrode reading		0	0	116.000		1		
B-106	1959	2	STAT		178	178	167	#N/A	-7	TBP					Shows 11 not 71	0	0	116.000		2	V	HW-60419-4
B-106	1959	3	XIN	11		189		#N/A	-7	HLO		WTR		11-242-B water flush		0	0	116.000		1		
B-106	1959	3	STAT		189	189	167	#N/A	-7	TBP						0	0	116.000		1		
B-106	1959	4	XIN	13		202		#N/A	-7	HLO		WTR				0	0	116.000		1		
B-106	1959	4	XIN	7		209		#N/A	-7	HLO		WTR				0	0	116.000		4	O	HW-62723-4
B-106	1959	4	xin	21		230		#N/A	-7	HLO		WTR	LC added as per AND comment			0	0	116.000		2		
B-106	1959	4	STAT		209	209	167	-21	-28	TBP,HLO			anderson omission?	20 from 242-B (HLO)		0	0	116.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1960	1	xin	16		225		#N/A	-28	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1960	1	STAT		230	230	167	5	-23	TBP,HLO			anderson omission?	21 from 242-B (HLO)		0	0	116.000		1		
B-106	1960	2	xin	22		252		#N/A	-23	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1960	2	STAT		246	246	167	-6	-29	TBP,HLO			anderson omission?	16 from 242-B (HLO)		0	0	116.000		1		
B-106	1960	3	xin	5		251		#N/A	-29	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1960	3	STAT		268	268	167	17	-12	TBP,HLO			anderson omission?	22 from 242-B (HLO)		0	0	116.000		1		
B-106	1960	4	STAT		273	273	167	5	-7	TBP,HLO			anderson omission?	5 from 242-B (HLO)		0	0	116.000		1		
B-106	1961	1	xin	15		288		#N/A	-7	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1961	1	STAT		N/A	288		#N/A	-7								0	116.000		1		
B-106	1961	2	STAT		288	288	167	#N/A	-7	TBP,HLO			anderson omission?	15 from 242-B (HLO)			0	116.000		1		
B-106	1961	3	XIN	16		304		#N/A	-7	HLO		WTR	Omis.			0	0	116.000		1		
B-106	1961	3	STAT		N/A	304		#N/A	-7						Omission	0	0	116.000		3	V	HW-72625-4
B-106	1961	4	STAT		304	304	167	#N/A	-7	TBP,HLO				16 from 242-B (HLO)			0	116.000		1		
B-106	1962	1	XIN	11		315		#N/A	-7	HLO		WTR	Omis.			0	0	116.000		1		
B-106	1962	1	STAT		N/A	315		#N/A	-7						Omission	0	0	116.000		3	V	HW-74647-4
B-106	1962	2	STAT		315	315	167	#N/A	-7	TBP,HLO							0	116.000		1		
B-106	1962	3	XIN	22		337		#N/A	-7	HLO		WTR	Omis.	11 from 242-B (HLO)		0	0	116.000		1		
B-106	1962	3	STAT		N/A	337		#N/A	-7						Omission	0	0	116.000		3	V	HW-76223-4
B-106	1962	4	STAT		337	337	167	#N/A	-7	TBP,HLO							0	116.000		1		
B-106	1963	1	XIN	6		343		#N/A	-7	HLO		WTR	Omis.	22 from 242-B (HLO)		0	0	116.000		1		
B-106	1963	1	STAT		N/A	343		#N/A	-7						Omission	0	0	116.000		2	V	HW-78279-4
B-106	1963	2	STAT		343	343	114	#N/A	-7	TBP,HLO							0	116.000		1		
B-106	1963	3	XIN	6		349		#N/A	-7	HLO		WTR	Omis.	6 from 242-B (HLO)		0	0	116.000		1		
B-106	1963	3	STAT		N/A	349		#N/A	-7						Omission	0	0	116.000		3	V	HW-80379-4
B-106	1963	4	STAT		349	349	114	#N/A	-7	TBP,HLO							0	116.000		1		
B-106	1964	1	STAT		N/A	349		#N/A	-7					6 from 242-B (HLO)		0	0	116.000		1		
B-106	1964	2	XIN	5		354		#N/A	-7	HLO		WTR					0	116.000		1		
B-106	1964	2	STAT		354	354	114	#N/A	-7	TBP,HLO						0	0	116.000		4	O	HW-83308-4
B-106	1964	3	XIN	2		356		#N/A	-7	HLO		WTR	Omis.	5 from 242-B (HLO)		0	0	116.000		1		
B-106	1964	3	STAT		N/A	356		#N/A	-7						Omission	0	0	116.000		3	V	RL-SEP-260-4
B-106	1964	4	XIN	2		358		#N/A	-7	HLO		WTR					0	116.000		1		
B-106	1964	4	STAT		356	356	114	-2	-9	TBP,HLO						0	0	116.000		1		
B-106	1965	1	STAT		N/A	356		#N/A	-9					2 from HLO		0	0	116.000		1		
B-106	1965	2	XIN	36		392		#N/A	-9	HLO		WTR					0	116.000		1		
B-106	1965	2	STAT		392	392	145	#N/A	-9	HLO						0	0	116.000		4	O	RL-SEP-659-4
B-106	1965	3	STAT		392	392	145	#N/A	-9	TBP,HLO				36 from HLO		0	0	116.000		1		
B-106	1965	4	XIN	11		403		#N/A	-9	HLO		WTR				0	0	116.000		1		
B-106	1965	4	STAT		403	403	145	#N/A	-9	TBP,HLO						0	0	116.000		4	O	RL-SEP-923-4
B-106	1966	1	XIN	4		407		#N/A	-9	HLO		WTR		11 from HLO		0	0	116.000		1		
B-106	1966	1	STAT		407	407	145	#N/A	-9	HLO						0	0	116.000		4	O	ISO-226-4
B-106	1966	2	STAT		407	407	145	#N/A	-9	HLO				4 from HLO		0	0	116.000		1		
B-106	1966	3	STAT		407	407	145	#N/A	-9	HLO						0	0	116.000		1		
B-106	1966	4	STAT		407	407	145	#N/A	-9	TBP,HLO						0	0	116.000		1		
B-106	1967	1	STAT		409	409	145	2	-7	HLO						0	0	116.000		1		
B-106	1967	2	STAT		409	409	145	#N/A	-7	TBP,HLO						0	0	116.000		1		
B-106	1967	3	STAT		410	410	145	1	-6	HLO						0	0	116.000		1		
B-106	1967	4	STAT		410	410	145	#N/A	-6	TBP,HLO						0	0	116.000		1		
B-106	1968	1	XIN	8		418		#N/A	-6	HLO		WTR				0	0	116.000		1		
B-106	1968	1	STAT		418	418	145	#N/A	-6	HLO				8 from 242-B		0	0	116.000		4	O	ARH-534-5
B-106	1968	2	STAT		418	418	145	#N/A	-6	HLO						0	0	116.000		1		
B-106	1968	3	STAT		418	418	145	#N/A	-6	HLO						0	0	116.000		1		
B-106	1968	4	STAT		418	418	145	#N/A	-6	BNW						0	0	116.000		1		
B-106	1969	1	STAT		418	418	145	#N/A	-6	BNW						0	0	116.000		1		
B-106	1969	2	STAT		418	418	145	#N/A	-6	TBP,BNW						0	0	116.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1969	3	SEND	-206		212		#N/A	-6	SU		B-103				0	0	116.000		4	O	ARH01200C-5
B-106	1969	3	STAT		215	215	145	3	-3	BNW				206 to 103-B		0	0	116.000		1		
B-106	1969	4	STAT		216	216	145	1	-2	BNW						0	0	116.000		1		
B-106	1970	1	STAT		215	215	145	-1	-3	BNW						0	0	116.000		1		
B-106	1970	2	STAT		215	215	172	#N/A	-3							0	0	116.000		1		
B-106	1970	3	STAT		215	215	112	#N/A	-3	BNW						0	0	116.000		1		
B-106	1970	4	STAT		216	216	172	1	-2							0	0	116.000		1		
B-106	1971	1	STAT		216	216	172	#N/A	-2	BNW						0	0	116.000		1		
B-106	1971	2	XIN	22		238		#N/A	-2	HLO		WTR				0	0	116.000		1		
B-106	1971	2	REC	22		260		#N/A	-2	SU	B-201	B-201				0	0	116.000		4	O	ARH-2074B-5
B-106	1971	2	send	-23		237		#N/A	-2			BY-112				0	0	116.000		0		
B-106	1971	2	STAT		237	237	172	#N/A	-2	BNW				22 from 201-B		0	0	116.000		1		
B-106	1971	3	STAT		237	237	172	#N/A	-2	BNW						0	0	116.000		1		
B-106	1971	4	STAT		237	237	172	#N/A	-2	BNW						0	0	116.000		1		
B-106	1972	1	STAT		237	237	172	#N/A	-2	224,BNW				*Dry Well 20-06-02, 20-06-03, 20-06-06, 20-06-11 drilled		0	0	116.000		1		
B-106	1972	2	send	-15		222		#N/A	-2			BY-112				0	0	116.000		0		
B-106	1972	2	STAT		222	222	153	#N/A	-2	224,BNW				New tape		0	0	116.000		1		
B-106	1972	3	STAT		227	227	153	5	3	224,BNW						0	0	116.000		1		
B-106	1972	4	STAT		228	228	153	1	4	224,BNW						0	0	116.000		1		
B-106	1973	1	STAT		228	228	147	#N/A	4	BNW						0	0	116.000		1		
B-106	1973	2	STAT		228	228	147	#N/A	4	224,BNW						0	0	116.000		1		
B-106	1973	3	STAT		229	229	147	1	5	BNW						0	0	116.000		1		
B-106	1973	4	STAT		229	229	147	#N/A	5	BNW						0	0	116.000		1		
B-106	1974	1	STAT		229	229	147	#N/A	5	BNW						0	0	116.000		1		
B-106	1974	2	STAT		229	229	147	#N/A	5	224,BNW						0	0	116.000		1		
B-106	1974	3	REC	63		292		#N/A	5	SU	B-102	B-102				0	0	116.000		4	O	ARH-CD-133C-4
B-106	1974	3	STAT		289	289	147	-3	2	224,BNW,BL,IX,B				63 from 102-B		0	0	116.000		1		
B-106	1974	4	STAT		285	285	125	-4	-2	BNW,EB,BL,IX				Has an exhauster		0	0	116.000		1		
B-106	1975	1	STAT		285	285	125	#N/A	-2	BNW,EB,BL,IX						0	0	116.000		1		
B-106	1975	2	STAT		285	285	125	#N/A	-2	224,BNW,EB,BL,IX						0	0	116.000		1		
B-106	1975	3	STAT		285	285	125	#N/A	-2	224,BNW,EB,BL,IX				145 to 103-B		0	0	116.000		1		
B-106	1975	4	SEND	-145		140		#N/A	-2	SU		B-103	OC qtr3 to qtr4		Shows 4th Qtr	0	0	116.000		4	M/V	ARH-CD-336D-4
B-106	1975	4	STAT		142	142	125	2	0	BNW,EB,BL,IX						0	0	116.000		1		
B-106	1976	1	STAT		142	142	125	#N/A	0	224,BNW,EB,BL,IX						0	0	116.000		1		
B-106	1976	2	STAT		142	142	125	#N/A	0	224,BNW,EB,BL,IX						0	0	116.000		1		
B-106	1976	3	STAT		142	142	125	#N/A	0							0	0	116.000		1		
B-106	1976	4	STAT		142	142	125	#N/A	0					Evap. Feed. Dil		0	0	116.000		1		
B-106	1977	1	STAT		142	142	125	#N/A	0					Evap. Feed Dil		0	0	116.000		1		
B-106	1977	2	STAT		142	142	125	#N/A	0					Evap. Feed Dil		0	0	116.000		1		
B-106	1977	3	STAT		142	142	125	#N/A	0					Inactive Current		0	0	116.000		1		
B-106	1977	4	STAT		142	142	125	#N/A	0					Inactive Current		0	0	116.000		1		
B-106	1978	1	STAT		139	139	125	-3	-3					Inactive		0	0	116.000		1		
B-106	1978	2	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1978	3	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1978	4	STAT		139	139	125	#N/A	-3					P-10 Pmp. removed New Solid Level 12/1/78 New Photo's 10/19/78		0	0	116.000		1		
B-106	1979	1	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1979	2	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1979	3	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1979	4	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1980	1	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1980	2	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1980	3	STAT		139	139	125	#N/A	-3							0	0	116.000		1		
B-106	1980	4	STAT		139	139	125	#N/A	-3	NCPLX						0	0	116.000		1		
B-106	1987	3	send	-22		117		#N/A	-3	swliq		AN-101				0	0	116.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1993	2	STAT		117	117	116	#N/A	-3	NCPLX						0	0	116.000		1		
B-106	1993	4	STAT		117	117	116	#N/A	-3							0	0	116.000		1		
B-106	1994	1	STAT		117	117	116	#N/A	-3							0	0	116.000		1		
B-106	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
B-107	1900																					
B-107	1945	2	CSEND	0		0		#N/A	0	SET	B-108											
B-107	1945	2	XIN	130		130		#N/A	0	1C		1C1					0	0.000		1		
B-107	1945	2	XIN	39		169		#N/A	0	1C		1C1				0.10314465	13.409	13.409	1C1	1		
																0.10314465	4.0226	17.431	1C1	1		
B-107	1945	2	STAT		169	169	0	#N/A	0	1C				First used in May 1945 (First in Cascade)								
B-107	1945	3	XIN	73		242		#N/A	0	1C		1C1				0	0	17.431		1		
B-107	1945	3	XIN	113		355		#N/A	0	1C		1C1				0.10314465	7.5296	24.961	1C1	1		
B-107	1945	3	XIN	122		477		#N/A	0	1C		1C1				0.10314465	11.655	36.616	1C1	1		
B-107	1945	3	STAT		477	477	0	#N/A	0	1C						0.10314465	12.584	49.200	1C1	1		
B-107	1945	4	XIN	173		650		#N/A	0	1C		1C1				0	0	49.200		1		
B-107	1945	4	XIN	218		868		#N/A	0	1C		1C1				0.10314465	17.844	67.044	1C1	1		
B-107	1945	4	XIN	113		981		#N/A	0	1C		1C1				0.10314465	22.486	89.530	1C1	1		
B-107	1945	4	send	-218		763		#N/A	0	cas		B-108				0.10314465	11.655	101.185	1C1	1		
B-107	1945	4	send	-120		643		#N/A	0	cas		B-108				0	0	101.185		0		
B-107	1945	4	send	-113		530		#N/A	0	cas		B-108				0	0	101.185		0		
B-107	1945	4	STAT		530	530	0	#N/A	0							0	0	101.185		0		
B-107	1946	1	XIN	148		678		#N/A	0	1C		1C1		Filled in Oct. 1945		0	0	101.185		1		
B-107	1946	1	XIN	168		846		#N/A	0	1C		1C1				0.10314465	15.265	116.450	1C1	1		
B-107	1946	1	XIN	123		969		#N/A	0	1C		1C1				0.10314465	17.328	133.779	1C1	1		
B-107	1946	1	send	-168		801		#N/A	0	cas		B-108				0.10314465	12.687	146.465	1C1	1		
B-107	1946	1	send	-148		653		#N/A	0	cas		B-108				0	0	146.465		0		
B-107	1946	1	send	-123		530		#N/A	0	cas		B-108				0	0	146.465		0		
B-107	1946	1	STAT		530	530	0	#N/A	0							0	0	146.465		0		
B-107	1946	2	XIN	170		700		#N/A	0	1C		1C1				0	0	146.465		1		
B-107	1946	2	send	-170		530		#N/A	0	cas		B-108				0.10314465	17.535	164.000	1C1	1		
B-107	1946	2	CSEND	0		530		#N/A	0	END	B-108					0	0	164.000		0		
B-107	1946	2	STAT		530	530	0	#N/A	0								0	164.000		1		
B-107	1946	3	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1946	4	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1947	1	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1947	2	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1947	3	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1947	4	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1948	1	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1948	2	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1948	3	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1948	4	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1949	1	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1949	2	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1949	3	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1949	4	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1950	1	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1950	2	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1950	3	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1950	4	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1951	1	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1951	2	STAT		530	530	0	#N/A	0							0	0	164.000		1		
B-107	1951	3	STAT		N/A	530		#N/A	0							0	0	164.000		1		
B-107	1951	4	STAT		530	530	0	#N/A	0	1C							0	164.000		1		
B-107	1952	1	SEND	-310		220		#N/A	0	SU		B-106				0	0	164.000		1		
B-107	1952	1	STAT		N/A	220		#N/A	0							0	0	164.000		1		
B-107	1952	2	STAT		220	220	0	#N/A	0	EB							0	164.000		1		
B-107	1952	3	REC	163		383		#N/A	0	SL	B-106	B-106	BSltCk			0	0	164.000		1		
B-107	1952	3	REC	78		461		#N/A	0	SL	B-106	B-106	BSltCk			0	0	164.000		1		
B-107	1952	3	STAT		461	461	0	#N/A	0	EB						0	0	164.000		1		
B-107	1952	4	REC	63		524		#N/A	0	SL	B-106	B-106	BSltCk	Active bottoms tank		0	0	164.000		1		
B-107	1952	4	REC	7		531		#N/A	0	SL	B-106	B-106	BSltCk			0	0	164.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
B-107	1952	4	STAT		531	531	0	#N/A	0	EB				Cascade to 108-B, 11-25-52		0	0	164.000		1		
B-107	1953	1	STAT		531	531	220	#N/A	0	EB						0	0	164.000		1		
B-107	1953	2	SEND	-297		234		#N/A	0	SU		B-106				0	0	164.000		1		
B-107	1953	2	SEND	-10		224		#N/A	0	SU		B-106				0	0	164.000		1		
B-107	1953	2	REC	299		523		#N/A	0	SL	B-106	B-106	BSltCk			0	0	164.000		1		
B-107	1953	2	STAT		523	523	220	#N/A	0	EB				Re-evaporated bottoms		0	0	164.000		1		
B-107	1953	3	REC	7		530		#N/A	0	SL	B-106	B-106	BSltCk			0	0	164.000		1		
B-107	1953	3	STAT		530	530	172	#N/A	0					1C re-evaporated bottoms		0	0	164.000		1		
B-107	1953	4	STAT		530	530	172	#N/A	0					1C re-evaporated bottoms		0	0	164.000		1		
B-107	1954	1	STAT		530	530	172	#N/A	0					1C re-evaporated bottoms		0	0	164.000		1		
B-107	1954	2	STAT		530	530	172	#N/A	0	EB				Scheduled to be pumped to ditch		0	0	164.000		1		
B-107	1954	3	REC	50		580		#N/A	0	SL	B-106	B-106	BSltCk			0	0	164.000		1		
B-107	1954	3	OUTX	-322		258		#N/A	0	SU	B-037	CRIB				0	0	164.000		1		
B-107	1954	3	STAT		225	225	225	-33	-33					Pumped to ditch #3		0	0	164.000		1		
B-107	1954	4	REC	230		455		#N/A	-33	SL	B-106	B-106	BSltCk			0	0	164.000		1		
B-107	1954	4	STAT		488	488	225	33	0	EB						0	0	164.000		1		
B-107	1955	1	STAT		530	530	225	42	42					Received TBP evap. bottoms from 110-B Tank		0	0	164.000		1		
B-107	1955	2	STAT		530	530	225	#N/A	42							0	0	164.000		1		
B-107	1955	3	STAT		530	530	225	#N/A	42							0	0	164.000		1		
B-107	1955	4	outx	-366		164		#N/A	42			BEVAP				0	0	164.000	BEVA	0		
B-107	1955	4	xin	366		530		#N/A	42			BSltCk				0	0	164.000	BSltCl	0		
B-107	1955	4	STAT		530	530	225	#N/A	42							0	0	164.000		1		
B-107	1956	1	STAT		530	530	225	#N/A	42							0	0	164.000		1		
B-107	1956	2	STAT		530	530	225	#N/A	42							0	0	164.000		1		
B-107	1956	3	STAT		530	530	225	#N/A	42							0	0	164.000		1		
B-107	1956	4	STAT		530	530	225	#N/A	42	EB						0	0	164.000		1		
B-107	1957	1	STAT		496	496	225	-34	8	EB				Latest electrode reading		0	0	164.000		1		
B-107	1957	2	STAT		532	532	230	36	44	EB				New		0	0	164.000		1		
B-107	1957	3	OUTX	-242		290		#N/A	44	T23	C-109	TFeCN	OC 217 to 242, AND reports - 264		Shows 242 not 230 ???	0	0	164.000		2	V	N-54-297
B-107	1957	3	STAT		271	271	230	-19	25	EB				264 Scavenged		0	0	164.000		1		
B-107	1957	4	STAT		271	271	261	#N/A	25	EB						0	0	164.000		1		
B-107	1958	1	STAT		274	274	261	3	28	EB				CW (945 TU)		0	0	164.000		1		
B-107	1958	2	STAT		271	271	261	-3	25					CW (956 TU) Latest electrode read.		0	0	164.000		1		
B-107	1958	3	STAT		271	271	261	#N/A	25					CW (1131 TU)		0	0	164.000		1		
B-107	1958	4	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1959	1	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1959	2	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1959	3	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1959	4	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1960	1	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1960	2	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1960	3	STAT		271	271	261	#N/A	25	EB						0	0	164.000		1		
B-107	1960	4	STAT		N/A	271	237	#N/A	25	EB			STAT PHASE ERROR 237 TO N/A	Previous readings/incorrect			0	164.000		1		
B-107	1961	1	STAT		N/A	271		#N/A	25								0	164.000		1		
B-107	1961	2	STAT		N/A	271		#N/A	25	EB			STAT 268 TO N/A				0	164.000		1		
B-107	1961	3	STAT		N/A	271		#N/A	25								0	164.000		1		
B-107	1961	4	STAT		271	271	261	#N/A	25					Latest electrode reading		0	0	164.000		1		
B-107	1962	1	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1962	2	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1962	3	STAT		271	271	261	#N/A	25							0	0	164.000		1		
B-107	1962	4	STAT		271	271	261	#N/A	25	EB						0	0	164.000		1		
B-107	1963	1	STAT		271	271	261	#N/A	25	EB						0	0	164.000		1		
B-107	1963	2	STAT		271	271	271	#N/A	25	EB						0	0	164.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-107	1963	3	CSEND	0		271		#N/A	25	SET	B-108						0	164.000		1		
B-107	1963	3	XIN	264		535		#N/A	25	CWP		CWP2	Omis.		Omission		0	164.000		3	V	HW-80379-4
B-107	1963	3	REC	308		843		#N/A	25	SU	C-101	C-101				0	0	164.000		1		
B-107	1963	3	REC	214		1057		#N/A	25	SU	C-102	C-102				0	0	164.000		1		
B-107	1963	3	REC	44		1101		#N/A	25	SU	C-103	C-103				0	0	164.000		1		
B-107	1963	3	REC	252		1353		#N/A	25	SU	C-106	C-106				0	0	164.000		1		
B-107	1963	3	send	-308		1045		#N/A	25	cas		B-108				0	0	164.000		1		
B-107	1963	3	send	-264		781		#N/A	25	cas		B-108				0	0	164.000		0		
B-107	1963	3	send	-251		530		#N/A	25	cas		B-108				0	0	164.000		0		
B-107	1963	3	STAT		N/A	530		#N/A	25							0	0	164.000		0		
B-107	1963	4	REC	313		843		#N/A	25	SU	C-102	C-102					0	164.000		1		
B-107	1963	4	send	-313		530		#N/A	25	cas		B-108				0	0	164.000		1		
B-107	1963	4	STAT		535	535	271	5	30							0	0	164.000		0		
B-107	1964	1	STAT		535	535	271	#N/A	30					264 CW		0	0	164.000		1		
B-107	1964	2	STAT		535	535	271	#N/A	30	CW						0	0	164.000		1		
B-107	1964	3	STAT		N/A	535		#N/A	30							0	0	164.000		1		
B-107	1964	4	STAT		541	541	271	6	36	CW							0	164.000		1		
B-107	1965	1	STAT		N/A	541		#N/A	36					Latest electrode reading		0	0	164.000		1		
B-107	1965	2	STAT		541	541	202	#N/A	36	1C,EB,CW							0	164.000		1		
B-107	1965	3	STAT		549	549	202	8	44	1C,EB,CW				New electrode		0	0	164.000		1		
B-107	1965	4	STAT		546	546	202	-3	41	1C,EB,CW						0	0	164.000		1		
B-107	1966	1	STAT		543	543	202	-3	38	EB,CW						0	0	164.000		1		
B-107	1966	2	STAT		543	543	202	#N/A	38	1C,EB,CW						0	0	164.000		1		
B-107	1966	3	STAT		541	541	202	-2	36	EB,CW						0	0	164.000		1		
B-107	1966	4	STAT		541	541	202	#N/A	36	1C,EB,CW						0	0	164.000		1		
B-107	1967	1	STAT		536	536	202	-3	33	1C,EB,CW						0	0	164.000		1		
B-107	1967	2	STAT		535	535	202	-3	30	EB,CW						0	0	164.000		1		
B-107	1967	3	STAT		535	535	202	#N/A	30	EB,CW						0	0	164.000		1		
B-107	1967	4	STAT		535	535	202	#N/A	30	1C,EB,CW						0	0	164.000		1		
B-107	1968	1	STAT		531	531	202	-4	26	1C,EB,CW						0	0	164.000		1		
B-107	1968	2	STAT		530	530	202	-1	25	EB,CW						0	0	164.000		1		
B-107	1968	3	STAT		530	530	202	#N/A	25	1C,EB,CW						0	0	164.000		1		
B-107	1968	4	STAT		528	528	202	-2	23	EB,CW						0	0	164.000		1		
B-107	1969	1	STAT		528	528	202	#N/A	23	1C,EB,CW						0	0	164.000		1		
B-107	1969	2	STAT		527	527	202	-1	22	1C,EB,CW						0	0	164.000		1		
B-107	1969	3	SEND	-327		200		#N/A	22	SU		B-103				0	0	164.000		1		
B-107	1969	3	STAT		200	200	200	#N/A	22							0	0	164.000		4	O	ARH01200C-5
B-107	1969	4	STAT		200	200	200	#N/A	22					327 to 103-B		0	0	164.000		1		
																0	0	164.000		1		
B-107	1970	1	STAT		200	200	200	#N/A	22					*Dry Wells 20-07-05, 20-07-08, 20-07-11 drilled.								
B-107	1970	2	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1970	3	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1970	4	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1971	1	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1971	2	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1971	3	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1971	4	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1972	1	STAT		200	200	200	#N/A	22							0	0	164.000		1		
B-107	1972	2	XIN	2		202		#N/A	22	FLSH		WTR				0	0	164.000		4	O	ARH-2456B-4
B-107	1972	2	SEND	-18		184		#N/A	22	SU		B-102				0	0	164.000		4	O	ARH-2456B-4
B-107	1972	2	STAT		193	193	193	9	31					2 flush water, 18 to 102-B		0	0	164.000		1		
B-107	1972	3	STAT		193	193	193	#N/A	31							0	0	164.000		1		
B-107	1972	4	STAT		193	193	193	#N/A	31							0	0	164.000		1		
B-107	1973	1	SEND	-2		191		#N/A	31			B-102			Omission	0	0	164.000		3	V	ARH-2794A-4
B-107	1973	1	STAT		193	193	193	2	33					Suspect leaker		0	0	164.000		1		
B-107	1973	2	SEND	-1		192		#N/A	33	SU		B-102				0	0	164.000		4	O	ARH-2794B-4
B-107	1973	2	STAT		193	193	193	1	34					1 to 102-B, Suspect leaker		0	0	164.000		1		
B-107	1973	3	STAT		193	193	193	#N/A	34					Suspect leaker		0	0	164.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
B-107	1973	4	STAT		193	193	193	#N/A	34					Suspect leaker *Dry Well 20-07-02 drilled.		0	0	164.000		1		
B-107	1974	1	STAT		193	193	193	#N/A	34					Suspect leaker		0	0	164.000		1		
B-107	1974	2	SEND	-4		189		#N/A	34			B-102			Omission	0	0	164.000		3	V	ARH-2794B-4/ARH-CD-133B-4 SEND
B-107	1974	2	STAT		193	193	193	4	38					Suspect leaker		0	0	164.000		1		
B-107	1974	3	SEND	-6		187		#N/A	38	SU		B-102				0	0	164.000		4	O	ARH-CD-133C-4
B-107	1974	3	STAT		193	193	193	6	44					Suspect leaker, 6 to 102-B		0	0	164.000		1		
B-107	1974	4	XIN	4		197		#N/A	44	WTR		WTR				0	0	164.000		4	O	ARH-CD-133D-4
B-107	1974	4	SEND	-5		192		#N/A	44	SU		B-102				0	0	164.000		4	O	ARH-CD-133D-4
B-107	1974	4	STAT		194	194	194	2	46					Suspect leaker, 4 water, 5 to 102-B		0	0	164.000		1		
B-107	1975	1	SEND	-1		193		#N/A	46	SU		B-102				0	0	164.000		4	O	ARH-CD-336A-4
B-107	1975	1	STAT		194	194	194	1	47					Suspect leaker, 1 to 102-B		0	0	164.000		1		
B-107	1975	2	SEND	-3		191		#N/A	47	SU		B-102				0	0	164.000		4	O	ARH-CD-336B-4
B-107	1975	2	STAT		194	194	194	3	50					Removed from service 3 to 102-B		0	0	164.000		1		
B-107	1975	3	SEND	-3		191		#N/A	50			B-102			Omission	0	0	164.000		3	V	ARH-CD-336C-4
B-107	1975	3	STAT		194	194	194	3	53					Removed from service 3 to 102-B		0	0	164.000		1		
B-107	1975	4	SEND	-3		191		#N/A	53			B-102	LC q3 to q4		Omission	0	0	164.000		3	V	ARH-CD-336D-4
B-107	1975	4	STAT		194	194	194	3	56					Removed from service 3 to 102-B		0	0	164.000		1		
B-107	1976	1	STAT		194	194	194	#N/A	56					Removed from service		0	0	164.000		1		
B-107	1976	2	SEND	-1		193		#N/A	56			B-102			Omission	0	0	164.000		3	V	ARH-CD-702B-4
B-107	1976	2	STAT		194	194	194	1	57					Removed from service		0	0	164.000		1		
B-107	1976	3	STAT		194	194	194	#N/A	57					Inactive		0	0	164.000		1		
B-107	1976	4	STAT		194	194	194	#N/A	57					Inactive		0	0	164.000		1		
B-107	1977	1	STAT		194	194	194	#N/A	57					Questionable Integrity-Salt Well Pumping		0	0	164.000		1		
B-107	1977	2	STAT		194	194	194	#N/A	57					Inactive		0	0	164.000		1		
B-107	1977	3	STAT		194	194	194	#N/A	57					Inactive Current		0	0	164.000		1		
B-107	1977	4	STAT		194	194	194	#N/A	57					Inactive Current		0	0	164.000		1		
B-107	1978	1	STAT		194	194	194	#N/A	57					Inactive - Salt Well Installed		0	0	164.000		1		
B-107	1978	2	STAT		194	194	194	#N/A	57							0	0	164.000		1		
B-107	1978	3	STAT		194	194	194	#N/A	57					P-10 Pmp. removed		0	0	164.000		1		
B-107	1978	4	STAT		194	194	194	#N/A	57							0	0	164.000		1		
B-107	1979	1	STAT		194	194	194	#N/A	57					New Photo's 2/28/79		0	0	164.000		1		
B-107	1979	2	STAT		194	194	194	#N/A	57					Questionable Integrity Primary Stabilized		0	0	164.000		1		
B-107	1979	3	STAT		194	194	194	#N/A	57					<100 gal. pool		0	0	164.000		1		
B-107	1979	4	STAT		194	194	194	#N/A	57							0	0	164.000		1		
B-107	1980	1	STAT		194	194	194	#N/A	57					New Solids Level 2/26/80		0	0	164.000		1		
B-107	1980	2	STAT		194	194	194	#N/A	57							0	0	164.000		1		
B-107	1980	3	STAT		194	194	194	#N/A	57							0	0	164.000		1		
B-107	1980	4	STAT		194	194	194	#N/A	57	ICEBC						0	0	164.000		1		
B-107	1987	2	send	-29		165		#N/A	57	swliq		AN-101				0	0	164.000		0		
B-107	1993	2	STAT		165	165	164	#N/A	57	NCPLX						0	0	164.000		1		
B-107	1993	4	STAT		165	165	164	#N/A	57							0	0	164.000		1		
B-107	1994	1	STAT		165	165	164	#N/A	57							0	0	164.000		1		
B-107	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-108	1900																					
B-108	1945	1	STAT		N/A	0		#N/A	0				moved from 1944 to 1945	*Dry Well 20-08-02 drilled.			0	0.000		1		
B-108	1945	2	CREC	0		0		#N/A	0	SET	B-107						0	0.000		1		
B-108	1945	2	CSEND	0		0		#N/A	0	SET	B-109						0	0.000		1		
B-108	1945	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-108	1945	3	STAT		0	0	0	#N/A	0							0	0	0.000		1		
B-108	1945	4	rec	218		218		#N/A	0	cas	B-107	B-107				0.03207547	6.9925	6.992	1C1	0		
B-108	1945	4	rec	120		338		#N/A	0	cas	B-107	B-107				0.03207547	3.8491	10.842	1C1	0		
B-108	1945	4	rec	113		451		#N/A	0	cas	B-107	B-107				0.03207547	3.6245	14.466	1C1	0		
B-108	1945	4	STAT		451	451	0	#N/A	0	1C				First used Oct. 1945 (2nd in Cascade)		0	0	14.466		1		
B-108	1946	1	rec	168		619		#N/A	0	cas	B-107	B-107				0.03207547	5.3887	19.855	1C1	0		
B-108	1946	1	rec	148		767		#N/A	0	cas	B-107	B-107				0.03207547	4.7472	24.602	1C1	0		
B-108	1946	1	rec	123		890		#N/A	0	cas	B-107	B-107				0.03207547	3.9453	28.547	1C1	0		
B-108	1946	1	send	-168		722		#N/A	0	cas		B-109				0	0	28.547		0		
B-108	1946	1	send	-123		599		#N/A	0	cas		B-109				0	0	28.547		0		
B-108	1946	1	send	-69		530		#N/A	0	cas		B-109				0	0	28.547		0		
B-108	1946	1	STAT		530	530	0	#N/A	0					Fill in Jan. 1946		0	0	28.547		1		
B-108	1946	2	rec	170		700		#N/A	0	cas	B-107	B-107				0.03207547	5.4528	34.000	1C1	0		
B-108	1946	2	send	-170		530		#N/A	0	cas		B-109				0	0	34.000		0		
B-108	1946	2	CREC	0		530		#N/A	0	END	B-107						0	34.000		1		
B-108	1946	2	CSEND	0		530		#N/A	0	END	B-109						0	34.000		1		
B-108	1946	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1946	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1946	4	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1947	1	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1947	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1947	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1947	4	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1948	1	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1948	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1948	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1948	4	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1949	1	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1949	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1949	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1949	4	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1950	1	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1950	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1950	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1950	4	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1951	1	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1951	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1951	3	STAT		530	530	0	#N/A	0	1C						0	0	34.000		1		
B-108	1951	4	SEND	-530		0		#N/A	0	SU		B-106				0	0	34.000		1		
B-108	1951	4	REC	73		73		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1951	4	STAT		73	73	0	#N/A	0	1C						0	0	34.000		1		
B-108	1952	1	REC	125		198		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1952	1	REC	103		301		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1952	1	REC	77		378		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1952	1	STAT		N/A	378		#N/A	0								0	34.000		1		
B-108	1952	2	REC	123		501		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1952	2	REC	29		530		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1952	2	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1952	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
B-108	1952	4	STAT		530	530	0	#N/A	0	EB				Cascade to 109-B-11-30-52		0	0	34.000		1		
B-108	1953	1	SEND	-443		87		#N/A	0	SU		B-106				0	0	34.000		1		
B-108	1953	1	REC	257		344		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	C/A	Document/Pg #
B-108	1953	1	REC	17		361		#N/A	0	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1953	1	STAT		359	359	34	-2	-2	EB				Active bottoms tank. Pumped to 106-B on 2-18-53		0	0	34.000		1		
B-108	1953	2	REC	166		525		#N/A	-2	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1953	2	REC	5		530		#N/A	-2	SL	B-106	B-106	BSltCk			0	0	34.000		1		
B-108	1953	2	STAT		530	530	34	#N/A	-2					Re-evaporated bottoms		0	0	34.000		1		
B-108	1953	3	STAT		530	530	34	#N/A	-2					1C re-evaporated bottoms		0	0	34.000		1		
B-108	1953	4	STAT		530	530	34	#N/A	-2					1C re-evaporated bottoms		0	0	34.000		1		
B-108	1954	1	STAT		530	530	34	#N/A	-2					1C re-evaporated bottoms		0	0	34.000		1		
B-108	1954	2	STAT		530	530	34	#N/A	-2	EB				Scheduled to be pumped to ditch		0	0	34.000		1		
B-108	1954	3	OUTX	-465		65		#N/A	-2	SU	B-037	CRIB				0	0	34.000		1		
B-108	1954	3	STAT		65	65	65	#N/A	-2					Pumped to ditch		0	0	34.000		1		
B-108	1954	4	STAT		65	65	65	#N/A	-2							0	0	34.000		1		
B-108	1955	1	REC	182		247		#N/A	-2	SU	B-110	B-110				0	0	34.000		1		
B-108	1955	1	STAT		233	233	65	-14	-16					Rec'd TBP evap. bottoms from 110-B		0	0	34.000		1		
B-108	1955	2	STAT		233	233	65	#N/A	-16	EB						0	0	34.000		1		
B-108	1955	3	REC	281		514		#N/A	-16	SU	B-111	B-111	qtr 2 to 3			0	0	34.000		1		
B-108	1955	3	STAT		526	526	65	12	-4					Rec'd from 111-B		0	0	34.000		1		
B-108	1955	4	outx	-492		34		#N/A	-4			BEVAP				0	0	34.000	BEVA	0		
B-108	1955	4	xin	492		526		#N/A	-4			BSltCk				0.121951	60	94.000	BSltCl	0		
B-108	1955	4	STAT		526	526	65	#N/A	-4							0	0	94.000		1		
B-108	1956	1	STAT		526	526	65	#N/A	-4							0	0	94.000		1		
B-108	1956	2	STAT		526	526	65	#N/A	-4							0	0	94.000		1		
B-108	1956	3	STAT		526	526	65	#N/A	-4							0	0	94.000		1		
B-108	1956	4	STAT		526	526	65	#N/A	-4	EB						0	0	94.000		1		
B-108	1957	1	STAT		527	527	65	1	-3	EB				Latest electrode reading		0	0	94.000		1		
B-108	1957	2	STAT		526	526	114	-1	-4	EB				Latest electrode reading		0	0	94.000		1		
B-108	1957	3	OUTX	-365		161		#N/A	-4	T21	C-108	TFeCN	AND reports -396 total		Shows 465 not 365	0	0	94.000		2	V	N-54-295
B-108	1957	3	OUTX	-31		130		#N/A	-4	T22	C-111	TFeCN	AND -396 total		Shows 40 not 31	0	0	94.000		2	V	N-54-296
B-108	1957	3	STAT		128	128	114	-2	-6	EB				396 Scavenged		0	0	94.000		1		
B-108	1957	4	STAT		128	128	114	#N/A	-6	EB						0	0	94.000		1		
B-108	1958	1	STAT		131	131	114	3	-3	EB				CW (1472 TU)		0	0	94.000		1		
B-108	1958	2	STAT		134	134	114	3	0	EB				CW (1461 TU) Latest electrode rdg.		0	0	94.000		1		
B-108	1958	3	STAT		131	131	114	-3	-3	EB				CW (1742 TU) Latest electrote rdg.		0	0	94.000		1		
B-108	1958	4	STAT		134	134	114	3	0	EB				CW (1729 TU) Latest electrote rdg		0	0	94.000		1		
B-108	1959	1	STAT		130	130	114	-4	-4					CW (1746 TU) Latest electrode rdg.		0	0	94.000		1		
B-108	1959	2	STAT		130	130	114	#N/A	-4							0	0	94.000		1		
B-108	1959	3	STAT		130	130	114	#N/A	-4							0	0	94.000		1		
B-108	1959	4	STAT		130	130	114	#N/A	-4							0	0	94.000		1		
B-108	1960	1	STAT		130	130	114	#N/A	-4							0	0	94.000		1		
B-108	1960	2	STAT		130	130	114	#N/A	-4							0	0	94.000		1		
B-108	1960	3	STAT		130	130	114	#N/A	-4							0	0	94.000		1		
B-108	1960	4	STAT		130	130	114	#N/A	-4	EB						0	0	94.000		1		
B-108	1961	1	STAT		N/A	130		#N/A	-4								0	94.000		1		
B-108	1961	2	STAT		128	128	114	-2	-6							0	0	94.000		1		
B-108	1961	3	STAT		128	128	114	#N/A	-6							0	0	94.000		1		
B-108	1961	4	STAT		128	128	114	#N/A	-6							0	0	94.000		1		
B-108	1962	1	STAT		128	128	114	#N/A	-6							0	0	94.000		1		
B-108	1962	2	STAT		128	128	114	#N/A	-6							0	0	94.000		1		
B-108	1962	3	STAT		128	128	114	#N/A	-6							0	0	94.000		1		
B-108	1962	4	STAT		128	128	114	#N/A	-6	EB						0	0	94.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-108	1963	1	STAT		N/A	128		#N/A	-6								0	94.000		1		
B-108	1963	2	STAT		131	131	120	3	-3	EB						0	0	94.000		1		
B-108	1963	3	CREC	0		131		#N/A	-3	SET	B-107						0	94.000		1		
B-108	1963	3	CSEND	0		131		#N/A	-3	SET	B-109						0	94.000		1		
B-108	1963	3	XIN	410		541		#N/A	-3	CWP		CWP2	Omis.		Omission	0	0	94.000		3	V	HW-80379-4
B-108	1963	3	rec	308		849		#N/A	-3	cas	B-107	B-107				0	0	94.000		0		
B-108	1963	3	rec	264		1113		#N/A	-3	cas	B-107	B-107				0	0	94.000		0		
B-108	1963	3	rec	251		1364		#N/A	-3	cas	B-107	B-107				0	0	94.000		0		
B-108	1963	3	send	-410		954		#N/A	-3	cas		B-109				0	0	94.000		0		
B-108	1963	3	send	-264		690		#N/A	-3	cas		B-109				0	0	94.000		0		
B-108	1963	3	send	-160		530		#N/A	-3	cas		B-109				0	0	94.000		0		
B-108	1963	3	STAT		N/A	530		#N/A	-3								0	94.000		1		
B-108	1963	4	rec	313		843		#N/A	-3	cas	B-107	B-107				0	0	94.000		0		
B-108	1963	4	send	-313		530		#N/A	-3	cas		B-109				0	0	94.000		0		
B-108	1963	4	STAT		541	541	120	11	8	CW				410 CW		0	0	94.000		1		
B-108	1964	1	STAT		541	541	120	#N/A	8	CW						0	0	94.000		1		
B-108	1964	2	STAT		541	541	120	#N/A	8	CW						0	0	94.000		1		
B-108	1964	3	STAT		541	541	120	#N/A	8	CW						0	0	94.000		1		
B-108	1964	4	STAT		541	541	120	#N/A	8	EB,CW						0	0	94.000		1		
B-108	1965	1	STAT		N/A	541		#N/A	8								0	94.000		1		
B-108	1965	2	STAT		538	538	125	-3	5	CW						0	0	94.000		1		
B-108	1965	3	STAT		538	538	125	#N/A	5	EB,CW						0	0	94.000		1		
B-108	1965	4	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1966	1	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1966	2	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1966	3	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1966	4	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1967	1	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1967	2	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1967	3	STAT		538	538	125	#N/A	5	CW						0	0	94.000		1		
B-108	1967	4	STAT		538	538	125	#N/A	5	EB,CW						0	0	94.000		1		
B-108	1968	1	STAT		536	536	125	-2	3	EB,CW						0	0	94.000		1		
B-108	1968	2	STAT		538	538	125	2	5	EB,CW						0	0	94.000		1		
B-108	1968	3	STAT		538	538	125	#N/A	5	EB,CW						0	0	94.000		1		
B-108	1968	4	STAT		536	536	125	-2	3	EB,CW						0	0	94.000		1		
B-108	1969	1	SEND	-212		324		#N/A	3	SU		B-103				0	0	94.000		4	O	ARH01200A-5
B-108	1969	1	STAT		324	324	125	#N/A	3	EB,CW				212 to 103-B		0	0	94.000		1		
B-108	1969	2	SEND	-207		117		#N/A	3	SU		B-103				0	0	94.000		4	O	ARH01200B-5
B-108	1969	2	STAT		117	117	117	#N/A	3					207 to 103-B		0	0	94.000		1		
B-108	1969	3	STAT		117	117	117	#N/A	3							0	0	94.000		1		
B-108	1969	4	REC	428		545		#N/A	3	SU	B-111	B-111				0	0	94.000		4	O	ARH-1200D-5
B-108	1969	4	REC	0		545		#N/A	3	SU	B-110	B-110	*428 to				0	94.000		1		
B-108	1969	4	STAT		545	545	117	#N/A	3	IX				428 from 111-B		0	0	94.000		1		
B-108	1970	1	STAT		543	543	117	-2	1							0	0	94.000		1		
B-108	1970	2	STAT		543	543	117	#N/A	1							0	0	94.000		1		
B-108	1970	3	STAT		543	543	117	#N/A	1							0	0	94.000		1		
B-108	1970	4	STAT		543	543	117	#N/A	1	IX						0	0	94.000		1		
B-108	1971	1	STAT		542	542	117	-1	0	IX						0	0	94.000		1		
B-108	1971	2	STAT		542	542	122	#N/A	0	IX						0	0	94.000		1		
B-108	1971	3	STAT		543	543	122	1	1	IX						0	0	94.000		1		
B-108	1971	4	STAT		543	543	78	#N/A	1	IX						0	0	94.000		1		
B-108	1972	1	SEND	-417		126		#N/A	1	SU		B-103				0	0	94.000		4	O	ARH-2456A-4
B-108	1972	1	STAT		125	125	113	-1	0	IX				417 to 103-B * Dry Wells 20-08-03, 20-08-05, 20-08-07, 20-08-09 drilled.		0	0	94.000		1		
B-108	1972	2	STAT		125	125	113	#N/A	0	IX						0	0	94.000		1		
B-108	1972	3	STAT		127	127	113	2	2							0	0	94.000		1		
B-108	1972	4	STAT		113	113	113	-14	-12					New tape		0	0	94.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-108	1973	1	STAT		112	112	112	-1	-13							0	0	94.000		1		
B-108	1973	2	STAT		111	111	111	-1	-14							0	0	94.000		1		
B-108	1973	3	STAT		111	111	111	#N/A	-14							0	0	94.000		1		
B-108	1973	4	STAT		111	111	111	#N/A	-14							0	0	94.000		1		
B-108	1974	1	STAT		114	114	114	3	-11					Suspect leaker		0	0	94.000		1		
B-108	1974	2	REC	39		153		#N/A	-11	SU	BY-107	BY-107				0	0	94.000		1		
B-108	1974	2	STAT		156	156	114	3	-8							0	0	94.000		4	O	ARH-CD-133B-4
B-108	1974	3	STAT		156	156	114	#N/A	-8	EB				39 from 107-BY		0	0	94.000		1		
B-108	1974	4	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1975	1	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1975	2	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1975	3	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1975	4	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1976	1	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1976	2	STAT		156	156	112	#N/A	-8	EB						0	0	94.000		1		
B-108	1976	3	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1976	4	STAT		156	156	112	#N/A	-8							0	0	94.000		1		
B-108	1977	1	STAT		156	156	112	#N/A	-8					Evap. Feed Dil.		0	0	94.000		1		
B-108	1977	2	send	-44		112		#N/A	-8			A-102		Evap. Feed Dil		0	0	94.000		1		
B-108	1977	2	STAT		112	112	112	#N/A	-8							0	0	94.000		0		
B-108	1977	3	STAT		112	112	112	#N/A	-8					Evap. Feed Dil		0	0	94.000		1		
B-108	1977	4	send	-9		103		#N/A	-8			A-102		Evap. Feed Dil		0	0	94.000		1		
B-108	1977	4	STAT		103	103	70	#N/A	-8							0	0	94.000		0		
B-108	1978	1	STAT		103	103	70	#N/A	-8					Inactive Current		0	0	94.000		1		
B-108	1978	2	STAT		103	103	70	#N/A	-8					Inactive		0	0	94.000		1		
B-108	1978	3	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1978	4	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1979	1	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1979	2	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1979	3	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1979	4	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1980	1	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1980	2	STAT		103	103	70	#N/A	-8					New Photo 1/3/80		0	0	94.000		1		
B-108	1980	3	STAT		103	103	70	#N/A	-8							0	0	94.000		1		
B-108	1980	4	STAT		103	103	70	#N/A	-8	NCPLX						0	0	94.000		1		
B-108	1987	2	send	-9		94		#N/A	-8	swliq		AN-101				0	0	94.000		1		
B-108	1993	2	STAT		94	94	94	#N/A	-8	NCPLX						0	0	94.000		0		
B-108	1993	4	STAT		94	94	94	#N/A	-8							0	0	94.000		1		
B-108	1994	1	STAT		94	94	94	#N/A	-8							0	0	94.000		1		
B-108	2000															0	0	94.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-109	1900																					
B-109	1945	2	CREC	0		0		#N/A	0	SET	B-108						0	0.000		1		
B-109	1945	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-109	1945	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-109	1945	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-109	1946	1	rec	168		168		#N/A	0	cas	B-108	B-108				0	0	0.000		1		
B-109	1946	1	rec	123		291		#N/A	0	cas	B-108	B-108				0	0	0.000		0		
B-109	1946	1	rec	69		360		#N/A	0	cas	B-108	B-108				0	0	0.000		0		
B-109	1946	1	STAT		360	360	0	#N/A	0	1C				First used Jan. 1946 (Last in Cascade)		0	0	0.000		1		
B-109	1946	2	rec	170		530		#N/A	0	cas	B-108	B-108				0	0	0.000		1		
B-109	1946	2	CREC	0		530		#N/A	0	END	B-108						0	0.000		0		
B-109	1946	2	STAT		530	530	0	#N/A	0								0	0.000		1		
B-109	1946	3	STAT		530	530	0	#N/A	0					Filled in April 1946		0	0	0.000		1		
B-109	1946	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1947	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1947	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1947	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1947	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1948	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1948	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1948	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1948	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1949	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1949	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1950	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1950	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1950	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1950	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1951	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-109	1951	2	STAT		530	530	0	#N/A	0	1C						0	0	0.000		1		
B-109	1951	3	STAT		N/A	530		#N/A	0							0	0	0.000		1		
B-109	1951	4	STAT		N/A	530		#N/A	0								0	0.000		1		
B-109	1952	1	SEND	-520		10		#N/A	0	SU		B-106					0	0.000		1		
B-109	1952	1	STAT		N/A	10		#N/A	0							0	0	0.000		1		
B-109	1952	2	REC	98		108		#N/A	0	SL	B-106	B-106	BSltCk				0	0.000		1		
B-109	1952	2	REC	64		172		#N/A	0	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1952	2	STAT		172	172	0	#N/A	0	EB						0	0	0.000		1		
B-109	1952	3	REC	221		393		#N/A	0	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1952	3	REC	149		542		#N/A	0	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1952	3	STAT		518	518	0	-24	-24	EB				Aug 21, 1952, Switched to 107-B		0	0	0.000		1		
B-109	1952	4	XIN	24		542		#N/A	-24	FLSH		WTR				0	0	0.000		1		
B-109	1952	4	STAT		535	535	0	-7	-31	EB				Completed filling 12-4-52		0	0	0.000		1		
B-109	1953	1	SEND	-205		330		#N/A	-31	SU		B-106				0	0	0.000		3	O	HW-27775-5
B-109	1953	1	STAT		330	330	0	#N/A	-31	EB				Pumped to 106-B		0	0	0.000		1		
B-109	1953	2	SEND	-254		76		#N/A	-31	SU		B-106				0	0	0.000		1		
B-109	1953	2	REC	339		415		#N/A	-31	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1953	2	REC	101		516		#N/A	-31	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1953	2	STAT		516	516	0	#N/A	-31	EB				Re-evaporated bottoms		0	0	0.000		1		
B-109	1953	3	REC	11		527		#N/A	-31	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1953	3	STAT		530	530	0	3	-28	EB				1C re-evaporated bottoms		0	0	0.000		1		
B-109	1953	4	STAT		527	527	0	-3	-31					1C re-evaporated bottoms		0	0	0.000		1		
B-109	1954	1	STAT		527	527	0	#N/A	-31					1C re-evaporated bottoms		0	0	0.000		1		
B-109	1954	2	STAT		527	527	0	#N/A	-31	EB				Scheduled to be pumped to ditch		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-109	1954	3	REC	202		729		#N/A	-31	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1954	3	REC	138		867		#N/A	-31	SL	B-106	B-106	BSltCk			0	0	0.000		1		
B-109	1954	3	OUTX	-380		487		#N/A	-31	SU	B-037	CRIB				0	0	0.000		1		
B-109	1954	3	STAT		497	497	128	10	-21	EB				Pumped to ditch. Rec'd from 105-B		0	0	0.000		1		
B-109	1954	4	STAT		494	494	128	-3	-24							0	0	0.000		1		
B-109	1955	1	STAT		494	494	128	#N/A	-24							0	0	0.000		1		
B-109	1955	2	STAT		494	494	128	#N/A	-24							0	0	0.000		1		
B-109	1955	3	STAT		494	494	128	#N/A	-24							0	0	0.000		1		
B-109	1955	4	outx	-494		0		#N/A	-24			BEVAP				0	0	0.000	BEVA	0		
B-109	1955	4	xin	494		494		#N/A	-24			BSltCk				0.17004	84	84.000	BSltCl	0		
B-109	1955	4	STAT		494	494	128	#N/A	-24							0	0	84.000		1		
B-109	1956	1	STAT		494	494	128	#N/A	-24	EB						0	0	84.000		1		
B-109	1956	2	STAT		494	494	128	#N/A	-24							0	0	84.000		1		
B-109	1956	3	STAT		494	494	128	#N/A	-24							0	0	84.000		1		
B-109	1956	4	STAT		494	494	128	#N/A	-24	B						0	0	84.000		1		
B-109	1957	1	STAT		485	485	128	-9	-33	B				Latest electrode reading		0	0	84.000		1		
B-109	1957	2	STAT		485	485	232	#N/A	-33	B						0	0	84.000		1		
B-109	1957	3	OUTX	-412		73		#N/A	-33	T22	C-111	TFeCN			Shows 465 not 412	0	0	84.000		2	V	N-54-296
B-109	1957	3	STAT		76	76	76	3	-30					410 Scavenged		0	0	84.000		1		
B-109	1957	4	STAT		76	76	76	#N/A	-30							0	0	84.000		1		
B-109	1958	1	STAT		76	76	76	#N/A	-30	EB				CW (1675 TU)		0	0	84.000		1		
B-109	1958	2	STAT		79	79	76	3	-27	EB				CW (1664 TU)		0	0	84.000		1		
B-109	1958	3	STAT		70	70	70	-9	-36	EB				CW (2009 TU) Latest electrode rdg.		0	0	84.000		1		
B-109	1958	4	STAT		73	73	70	3	-33	EB				CW (1996 TU) Latest electrode rdg.		0	0	84.000		1		
B-109	1959	1	STAT		76	76	70	3	-30	EB				CW (1982 TU) Latest electrode rdg.		0	0	84.000		1		
B-109	1959	2	STAT		79	79	70	3	-27					Latest electrode reading		0	0	84.000		1		
B-109	1959	3	STAT		79	79	70	#N/A	-27							0	0	84.000		1		
B-109	1959	4	STAT		79	79	70	#N/A	-27							0	0	84.000		1		
B-109	1960	1	XIN	8		87		#N/A	-27	WTR		WTR				0	0	84.000		1		
B-109	1960	1	STAT		79	79	70	-8	-35							0	0	84.000		1		
B-109	1960	2	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1960	3	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1960	4	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1961	1	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1961	2	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1961	3	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1961	4	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1962	1	STAT		79	79	70	#N/A	-35							0	0	84.000		1		
B-109	1962	2	STAT		79	79	70	#N/A	-35	EB						0	0	84.000		1		
B-109	1962	3	STAT		N/A	79		#N/A	-35								0	84.000		1		
B-109	1962	4	STAT		81	81	70	2	-33	EB				Latest electrode reading		0	0	84.000		1		
B-109	1963	1	STAT		N/A	81		#N/A	-33								0	84.000		1		
B-109	1963	2	STAT		84	84	84	3	-30	EB						0	0	84.000		1		
B-109	1963	3	CREC	0		84		#N/A	-30	SET	B-108						0	84.000		1		
B-109	1963	3	rec	410		494		#N/A	-30	cas	B-108	B-108				0	0	84.000		0		
B-109	1963	3	rec	264		758		#N/A	-30	cas	B-108	B-108				0	0	84.000		0		
B-109	1963	3	rec	160		918		#N/A	-30	cas	B-108	B-108				0	0	84.000		0		
B-109	1963	3	STAT		N/A	918		#N/A	-30								0	84.000		1		
B-109	1963	4	XIN	457		1375		#N/A	-30	CWP		CWP2	Omis.		Omission	0.02844639	13	97.000	CWP2	3	V	HW-80379-4
B-109	1963	4	send	-1147		228		#N/A	-30			A-102	sluicinginput, whereto??			0	0	97.000		0		
B-109	1963	4	rec	313		541		#N/A	-30	cas	B-108	B-108				0	0	97.000		0		
B-109	1963	4	STAT		541	541	84	#N/A	-30					457 CW		0	0	97.000		1		
B-109	1964	1	STAT		541	541	84	#N/A	-30							0	0	97.000		1		
B-109	1964	2	STAT		541	541	84	#N/A	-30	CW						0	0	97.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-109	1964	3	STAT		N/A	541		#N/A	-30								0	97.000		1		
B-109	1964	4	STAT		538	538	84	-3	-33	CW				Latest electrode reading		0	0	97.000		1		
B-109	1965	1	STAT		N/A	538		#N/A	-33								0	97.000		1		
B-109	1965	2	STAT		538	538	134	#N/A	-33	CW				New Electrode		0	0	97.000		1		
B-109	1965	3	STAT		532	532	134	-6	-39	CW							0	97.000		1		
B-109	1965	4	rec	33		565		#N/A	-39		BY-101	BY-101	ITSprototype			0	0	97.000		1		
B-109	1965	4	STAT		565	565	134	#N/A	-39					New Electrode		0	0	97.000		0		
B-109	1966	1	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1966	2	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1966	3	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1966	4	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1967	1	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1967	2	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1967	3	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1967	4	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1968	1	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1968	2	STAT		565	565	134	#N/A	-39	CW						0	0	97.000		1		
B-109	1968	3	STAT		565	565	134	#N/A	-39	CW						0	0	97.000		1		
B-109	1968	4	STAT		565	565	134	#N/A	-39							0	0	97.000		1		
B-109	1969	1	STAT		565	565	134	#N/A	-39	CW						0	0	97.000		1		
B-109	1969	2	STAT		564	564	134	-1	-40	CW						0	0	97.000		1		
B-109	1969	3	SEND	-393		171		#N/A	-40	SU		B-103				0	0	97.000		1		
B-109	1969	3	STAT		171	171	134	#N/A	-40	CW				393 to 103-B		0	0	97.000		4	O	ARH01200C-5
B-109	1969	4	REC	367		538		#N/A	-40	SU	B-111	B-111	also 367 from B-110??? removed			0	0	97.000		1		
B-109	1969	4	STAT		538	538	134	#N/A	-40	IX				367 from 111-B		0	0	97.000		4	O	ARH-1200D-5
B-109	1970	1	STAT		538	538	134	#N/A	-40	CW,IX						0	0	97.000		1		
B-109	1970	2	STAT		536	536	161	-2	-42	IX						0	0	97.000		1		
B-109	1970	3	STAT		536	536	161	#N/A	-42	CW,IX						0	0	97.000		1		
B-109	1970	4	STAT		538	538	161	2	-40	CW,IX						0	0	97.000		1		
B-109	1971	1	STAT		536	536	161	-2	-42	IX						0	0	97.000		1		
B-109	1971	2	STAT		536	536	161	#N/A	-42	IX						0	0	97.000		1		
B-109	1971	3	STAT		536	536	161	#N/A	-42	IX						0	0	97.000		1		
B-109	1971	4	STAT		536	536	161	#N/A	-42	CW,IX						0	0	97.000		1		
B-109	1972	1	SEND	-333		203		#N/A	-42	SU		B-103				0	0	97.000		1		
B-109	1972	1	STAT		205	205	136	2	-40	CW,IX						0	0	97.000		4	O	ARH-2456A-4
B-109	1972	2	STAT		189	189	136	-16	-56	IX				333 To 103-B		0	0	97.000		1		
B-109	1972	3	STAT		206	206	136	17	-39	IX				New Tape		0	0	97.000		1		
B-109	1972	4	STAT		198	198	136	-8	-47	IX				New Tape		0	0	97.000		1		
B-109	1973	1	STAT		199	199	136	1	-46					New Tape		0	0	97.000		1		
B-109	1973	2	STAT		199	199	136	#N/A	-46	IX				*Dry wells 20-09-02,20-09-06,20-09-11 drilled.		0	0	97.000		1		
B-109	1973	3	STAT		198	198	136	-1	-47	IX						0	0	97.000		1		
B-109	1973	4	REC	70		268		#N/A	-47	SU	B-103	B-103				0	0	97.000		4	O	ARH-2794D-4
B-109	1973	4	STAT		268	268	136	#N/A	-47	IX				70 from 103-B		0	0	97.000		1		
B-109	1974	1	REC	1		269		#N/A	-47	SU	B-201	B-201				0	0	97.000		4	O	ARH-CD-133A-4
B-109	1974	1	REC	3		272		#N/A	-47	SU	B-202	B-202				0	0	97.000		4	O	ARH-CD-133A-4
B-109	1974	1	REC	6		278		#N/A	-47	SU	B-203	B-203				0	0	97.000		4	O	ARH-CD-133A-4
B-109	1974	1	REC	6		284		#N/A	-47	SU	B-204	B-204				0	0	97.000		4	O	ARH-CD-133A-4
B-109	1974	1	STAT		284	284	136	#N/A	-47	224,IX				1 from 201-B, 3 from 202-B, 6 from 203-8, 6 from 204-B		0	0	97.000		1		
B-109	1974	2	REC	2		286		#N/A	-47	SU	B-201	B-201				0	0	97.000		4	O	ARH-CD-133B-4
B-109	1974	2	REC	103		389		#N/A	-47	SU	BY-107	BY-107				0	0	97.000		4	O	ARH-CD-133B-4
B-109	1974	2	STAT		393	393	136	4	-43	224,IX,EB				2 from 201-B, 103 from 107-BY		0	0	97.000		1		
B-109	1974	3	REC	4		397		#N/A	-43	SU	B-201	B-201				0	0	97.000		4	O	ARH-CD-133C-4
B-109	1974	3	STAT		397	397	136	#N/A	-43	224,IX,EB				4 from 201-B		0	0	97.000		1		
B-109	1974	4	REC	6		403		#N/A	-43	SU	B-201	B-201				0	0	97.000		4	O	ARH-CD-133D-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-109	1974	4	STAT		403	403	117	#N/A	-43	224,IX,EB												
B-109	1975	1	REC	2		405		#N/A	-43	SU	B-201	B-201		6 from 201-B		0	0	97.000		1		
B-109	1975	1	STAT		409	409	117	4	-39	224,IX,EB						0	0	97.000		4	O	ARH-CD-336A-4
B-109	1975	2	REC	1		410		#N/A	-39	SU	B-201	B-201		2 from 201-B		0	0	97.000		1		
B-109	1975	2	STAT		406	406	117	-4	-43	224,IX,EB						0	0	97.000		4	O	ARH-CD-336B-4
B-109	1975	3	REC	1		407		#N/A	-43	SU	B-201	B-201		1 from 201-B		0	0	97.000		1		
B-109	1975	3	STAT		409	409	117	2	-41	224,IX,EB						0	0	97.000		4	O	ARH-CD-336C-4
B-109	1975	4	SEND	-305		104		#N/A	-41	SU		B-103		1 from 201-B		0	0	97.000		1		
B-109	1975	4	rec	30		134		#N/A	-41		BY-112	BY-112				0	0	97.000		4	O	ARH-CD-336D-4
B-109	1975	4	STAT		134	134	117	#N/A	-41	224,IX,EB						0	0	97.000		0		
B-109	1976	1	SEND	-4		130		#N/A	-41	SU		B-103		305 to 303-B		0	0	97.000		1		
B-109	1976	1	REC	102		232		#N/A	-41	SU	S-107	S-107				0	0	97.000		4	O	ARH-CD-702A-4
B-109	1976	1	rec	28		260		#N/A	-41		BY-112	BY-112				0	0	97.000		4	O	ARH-CD-702A-4
B-109	1976	1	outx	-163		97		#N/A	-41			BYEVAP				0	0	97.000		0		
B-109	1976	1	xin	163		260		#N/A	-41			BYSltCk				0	0	97.000	BYEV	0		
																0	0	97.000	BYSlt	0		
B-109	1976	1	STAT		260	260	117	#N/A	-41	224,IX,EB				4 to 103-B, 102 from 107-S 28 water								
B-109	1976	2	STAT		260	260	117	#N/A	-41	224,IX,EB						0	0	97.000		1		
B-109	1976	3	STAT		260	260	117	#N/A	-41							0	0	97.000		1		
																0	0	97.000		1		
B-109	1976	4	STAT		260	260	117	#N/A	-41					Evap. Feed Concentrate Residual Liquor Dilution		0	0	97.000		1		
B-109	1977	1	STAT		260	260	117	#N/A	-41					Evap. feed Conc.-Resid. Liq. Dil.								
B-109	1977	2	send	-110		150		#N/A	-41			A-102				0	0	97.000		1		
																0	0	97.000		0		
B-109	1977	2	STAT		150	150	117	#N/A	-41					Evap. feed Conc.-Resid. Liq. Dil.								
B-109	1977	3	send	-11		139		#N/A	-41			A-102				0	0	97.000		1		
																0	0	97.000		0		
B-109	1977	3	STAT		139	139	120	#N/A	-41					Evap. feed Conc.-Resid. Liq. Dil.								
																0	0	97.000		1		
B-109	1977	4	STAT		139	139	120	#N/A	-41					Inactive Current-Solid Level Adj.								
B-109	1978	1	STAT		139	139	120	#N/A	-41							0	0	97.000		1		
B-109	1978	2	STAT		139	139	120	#N/A	-41	NCPLX				Inactive		0	0	97.000		1		
B-109	1978	3	STAT		134	134	120	-5	-46					New Photo 4/18/78		0	0	97.000		1		
B-109	1978	4	STAT		134	134	120	#N/A	-46							0	0	97.000		1		
B-109	1979	1	STAT		134	134	120	#N/A	-46							0	0	97.000		1		
B-109	1979	2	STAT		134	134	120	#N/A	-46							0	0	97.000		1		
B-109	1979	3	STAT		134	134	120	#N/A	-46							0	0	97.000		1		
B-109	1979	4	STAT		134	134	120	#N/A	-46							0	0	97.000		1		
B-109	1980	1	STAT		134	134	120	#N/A	-46							0	0	97.000		1		
B-109	1980	2	STAT		134	134	120	#N/A	-46					New Photo 2/6/80		0	0	97.000		1		
B-109	1980	3	STAT		134	134	120	#N/A	-46	NCPLX						0	0	97.000		1		
B-109	1980	4	STAT		128	128	120	-6	-52	NCPLX						0	0	97.000		1		
B-109	1985	1	send	-4		124		#N/A	-52	swliq		AW-101				0	0	97.000		1		
B-109	1992	4	send	-1		123		#N/A	-52	swliq		AW-106				0	0	97.000		0		
B-109	1993	2	STAT		127	127	127	4	-48	NCPLX						0	0	97.000		0		
B-109	1993	4	STAT		127	127	127	#N/A	-48							0	0	97.000		1		
B-109	1994	1	STAT		127	127	127	#N/A	-48							0	0	97.000		1		
B-109	2000															0	0	97.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-110	1900																					
B-110	1945	2	CSEND	0		0		#N/A	0	SET	B-111						0	0.000		1		
B-110	1945	2	XIN	103		103		#N/A	0	2C		2C1				0.046587	4.7985	4.799	2C1	1		
B-110	1945	2	XIN	26		129		#N/A	0	2C		2C1				0.046587	1.2113	6.010	2C1	1		
B-110	1945	2	STAT		129	129	0	#N/A	0	2C				First used May (1st in Cascade		0	0	6.010		1		
B-110	1945	3	XIN	47		176		#N/A	0	2C		2C1				0.046587	2.1896	8.199	2C1	1		
B-110	1945	3	XIN	80		256		#N/A	0	2C		2C1				0.046587	3.727	11.926	2C1	1		
B-110	1945	3	XIN	95		351		#N/A	0	2C		2C1				0.046587	4.4258	16.352	2C1	1		
B-110	1945	3	STAT		351	351	0	#N/A	0	2C						0	0	16.352		1		
B-110	1945	4	XIN	120		471		#N/A	0	2C		2C1				0.046587	5.5905	21.943	2C1	1		
B-110	1945	4	XIN	98		569		#N/A	0	2C		2C1				0.046587	4.5656	26.508	2C1	1		
B-110	1945	4	XIN	142		711		#N/A	0	2C		2C1				0.046587	6.6154	33.124	2C1	1		
B-110	1945	4	send	-142		569		#N/A	0	cas		B-111				0	0	33.124		0		
B-110	1945	4	send	-39		530		#N/A	0	cas		B-111				0	0	33.124		0		
B-110	1945	4	STAT		530	530	0	#N/A	0					Filled in Dec. 1945		0	0	33.124		1		
B-110	1946	1	XIN	121		651		#N/A	0	2C		2C1				0.046587	5.6371	38.761	2C1	1		
B-110	1946	1	XIN	109		760		#N/A	0	2C		2C1				0.046587	5.078	43.839	2C1	1		
B-110	1946	1	XIN	70		830		#N/A	0	2C		2C1				0.046587	3.2611	47.100	2C1	1		
B-110	1946	1	send	-121		709		#N/A	0	cas		B-111				0	0	47.100		0		
B-110	1946	1	send	-109		600		#N/A	0	cas		B-111				0	0	47.100		0		
B-110	1946	1	send	-70		530		#N/A	0	cas		B-111				0	0	47.100		0		
B-110	1946	1	STAT		530	530	0	#N/A	0	2C						0	0	47.100		1		
B-110	1946	2	XIN	139		669		#N/A	0	2C		2C1				0.046587	6.4757	53.576	2C1	1		
B-110	1946	2	XIN	130		799		#N/A	0	2C		2C1				0.046587	6.0564	59.632	2C1	1		
B-110	1946	2	XIN	122		921		#N/A	0	2C		2C1				0.046587	5.6837	65.316	2C1	1		
B-110	1946	2	send	-139		782		#N/A	0	cas		B-111				0	0	65.316		0		
B-110	1946	2	send	-130		652		#N/A	0	cas		B-111				0	0	65.316		0		
B-110	1946	2	send	-122		530		#N/A	0	cas		B-111				0	0	65.316		0		
B-110	1946	2	STAT		530	530	0	#N/A	0	2C						0	0	65.316		1		
B-110	1946	3	XIN	81		611		#N/A	0	2C		2C1				0.046587	3.7736	69.089	2C1	1		
B-110	1946	3	XIN	107		718		#N/A	0	2C		2C1				0.046587	4.9849	74.074	2C1	1		
B-110	1946	3	send	-107		611		#N/A	0	cas		B-111				0	0	74.074		0		
B-110	1946	3	send	-81		530		#N/A	0	cas		B-111				0	0	74.074		0		
B-110	1946	3	STAT		530	530	0	#N/A	0	2C						0	0	74.074		1		
B-110	1946	4	STAT		530	530	0	#N/A	0							0	0	74.074		1		
B-110	1947	1	STAT		530	530	0	#N/A	0							0	0	74.074		1		
B-110	1947	2	STAT		530	530	0	#N/A	0							0	0	74.074		1		
B-110	1947	3	STAT		530	530	0	#N/A	0							0	0	74.074		1		
B-110	1947	4	STAT		530	530	0	#N/A	0							0	0	74.074		1		
B-110	1948	1	STAT		530	530	0	#N/A	0							0	0	74.074		1		
B-110	1948	2	XIN	33		563		#N/A	0	2C		2C1				0.046587	1.5374	75.611	2C1	1		
B-110	1948	2	XIN	99		662		#N/A	0	2C		2C1				0.046587	4.6122	80.224	2C1	1		
B-110	1948	2	send	-99		563		#N/A	0	cas		B-111				0	0	80.224		0		
B-110	1948	2	send	-33		530		#N/A	0	cas		B-111				0	0	80.224		0		
B-110	1948	2	STAT		530	530	0	#N/A	0	2C						0	0	80.224		1		
B-110	1948	3	XIN	83		613		#N/A	0	2C		2C1				0.046587	3.8668	84.090	2C1	1		
B-110	1948	3	XIN	67		680		#N/A	0	2C		2C1				0.046587	3.1214	87.212	2C1	1		
B-110	1948	3	XIN	56		736		#N/A	0	2C		2C1				0.046587	2.6089	89.821	2C1	1		
B-110	1948	3	send	-83		653		#N/A	0	cas		B-111				0	0	89.821		0		
B-110	1948	3	send	-67		586		#N/A	0	cas		B-111				0	0	89.821		0		
B-110	1948	3	send	-56		530		#N/A	0	cas		B-111				0	0	89.821		0		
B-110	1948	3	STAT		530	530	0	#N/A	0	2C						0	0	89.821		1		
B-110	1948	4	XIN	52		582		#N/A	0	2C		2C1				0.046587	2.4225	92.243	2C1	1		
B-110	1948	4	XIN	65		647		#N/A	0	2C		2C1				0.046587	3.0282	95.271	2C1	1		
B-110	1948	4	XIN	58		705		#N/A	0	2C		2C1				0.046587	2.7021	97.973	2C1	1		
B-110	1948	4	send	-65		640		#N/A	0	cas		B-111				0	0	97.973		0		
B-110	1948	4	send	-58		582		#N/A	0	cas		B-111				0	0	97.973		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-110	1948	4	send	-52		530		#N/A	0	cas		B-111				0	0	97.973		0		
B-110	1948	4	STAT		530	530	0	#N/A	0	2C						0	0	97.973		1		
B-110	1949	1	STAT		530	530	0	#N/A	0							0	0	97.973		1		
B-110	1949	2	STAT		530	530	0	#N/A	0							0	0	97.973		1		
B-110	1949	3	STAT		530	530	0	#N/A	0							0	0	97.973		1		
B-110	1949	4	STAT		530	530	0	#N/A	0							0	0	97.973		1		
B-110	1950	1	STAT		530	530	0	#N/A	0							0	0	97.973		1		
B-110	1950	2	XIN	48		578		#N/A	0	2C		2C1				0	0	97.973		1		
B-110	1950	2	XIN	136		714		#N/A	0	2C		2C1				0.046587	2.2362	100.210	2C1	1		
B-110	1950	2	OUTX	-517		197		#N/A	0	SU	B-008	CRIB				0.046587	6.3359	106.545	2C1	1		
B-110	1950	2	STAT		N/A	197	0	#N/A	0				and stats at o,fj stats at 530	Cribbed		0	0	106.545		1		
B-110	1950	3	XIN	215		412		#N/A	0	2C		2C1				0	0	106.545		1		
B-110	1950	3	XIN	159		571		#N/A	0	2C		2C1				0.046587	10.016	116.562	2C1	1		
B-110	1950	3	XIN	148		719		#N/A	0	2C		2C1				0.046587	7.4074	123.969	2C1	1		
B-110	1950	3	send	-148		571		#N/A	0	cas		B-111				0.046587	6.8949	130.864	2C1	1		
B-110	1950	3	send	-41		530		#N/A	0	cas		B-111				0	0	130.864		0		
B-110	1950	3	STAT		530	530	0	#N/A	0	2C						0	0	130.864		0		
B-110	1950	4	XIN	162		692		#N/A	0	2C		2C1				0	0	130.864		1		
B-110	1950	4	XIN	148		840		#N/A	0	2C		2C1				0.046587	7.5472	138.411	2C1	1		
B-110	1950	4	XIN	174		1014		#N/A	0	2C		2C1				0.046587	6.8949	145.306	2C1	1		
B-110	1950	4	send	-174		840		#N/A	0	cas		B-111				0.046587	8.1062	153.412	2C1	1		
B-110	1950	4	send	-162		678		#N/A	0	cas		B-111				0	0	153.412		0		
B-110	1950	4	send	-148		530		#N/A	0	cas		B-111				0	0	153.412		0		
B-110	1950	4	STAT		530	530	0	#N/A	0	2C						0	0	153.412		0		
B-110	1951	1	XIN	213		743		#N/A	0	2C		2C1				0	0	153.412		1		
B-110	1951	1	XIN	137		880		#N/A	0	2C		2C1				0.046587	9.9231	163.336	2C1	1		
B-110	1951	1	XIN	141		1021		#N/A	0	2C		2C1				0.046587	6.3825	169.718	2C1	1		
B-110	1951	1	send	-213		808		#N/A	0	cas		B-111				0.046587	6.5688	176.287	2C1	1		
B-110	1951	1	send	-141		667		#N/A	0	cas		B-111				0	0	176.287		0		
B-110	1951	1	send	-137		530		#N/A	0	cas		B-111				0	0	176.287		0		
B-110	1951	1	STAT		530	530	0	#N/A	0	2C						0	0	176.287		0		
B-110	1951	2	XIN	179		709		#N/A	0	2C		2C1				0	0	176.287		1		
B-110	1951	2	XIN	177		886		#N/A	0	2C		2C1				0.046587	8.3391	184.626	2C1	1		
B-110	1951	2	XIN	87		973		#N/A	0	2C		2C1				0.046587	8.246	192.872	2C1	1		
B-110	1951	2	send	-179		794		#N/A	0	cas		B-111				0.046587	4.0531	196.925	2C1	1		
B-110	1951	2	send	-177		617		#N/A	0	cas		B-111				0	0	196.925		0		
B-110	1951	2	send	-87		530		#N/A	0	cas		B-111				0	0	196.925		0		
B-110	1951	2	STAT		530	530	0	#N/A	0	2C						0	0	196.925		0		
B-110	1951	3	XIN	85		615		#N/A	0	2C		2C1				0	0	196.925		1		
B-110	1951	3	XIN	151		766		#N/A	0	2C		2C1				0.046587	3.9599	200.885	2C1	1		
B-110	1951	3	XIN	169		935		#N/A	0	2C		2C1				0.046587	7.0347	207.920	2C1	1		
B-110	1951	3	send	-169		766		#N/A	0	cas		B-111				0.046587	7.8733	215.793	2C1	1		
B-110	1951	3	send	-151		615		#N/A	0	cas		B-111				0	0	215.793		0		
B-110	1951	3	send	-85		530		#N/A	0	cas		B-111				0	0	215.793		0		
B-110	1951	3	STAT		530	530	0	#N/A	0	2C						0	0	215.793		0		
B-110	1951	4	XIN	203		733		#N/A	0	2C		2C1				0	0	215.793		1		
B-110	1951	4	XIN	193		926		#N/A	0	2C		2C1				0.046587	9.4572	225.250	2C1	1		
B-110	1951	4	XIN	188		1114		#N/A	0	2C		2C1				0.046587	8.9914	234.242	2C1	1		
B-110	1951	4	send	-203		911		#N/A	0	cas		B-111				0.046587	8.7584	243.000	2C1	1		
B-110	1951	4	send	-193		718		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1951	4	send	-188		530		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1951	4	STAT		530	530	0	#N/A	0	2C						0	0	243.000		0		
B-110	1952	1	XIN	166		696		#N/A	0	2C		2C2				0	0	243.000		1		
B-110	1952	1	XIN	151		847		#N/A	0	2C		2C2					0	243.000		1		
B-110	1952	1	XIN	122		969		#N/A	0	2C		2C2					0	243.000		1		
B-110	1952	1	send	-166		803		#N/A	0	cas		B-111					0	243.000		1		
B-110	1952	1	send	-151		652		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1952	1	send	-122		530		#N/A	0	cas		B-111				0	0	243.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
B-110	1952	1	STAT		530	530	0	#N/A	0	2C						0	0	243.000		1		
B-110	1952	2	XIN	120		650		#N/A	0	2C		2C2						0 243.000		1		
B-110	1952	2	XIN	21		671		#N/A	0	2C		2C2						0 243.000		1		
B-110	1952	2	XIN	15		686		#N/A	0	2C		2C2						0 243.000		1		
B-110	1952	2	send	-120		566		#N/A	0	cas		B-111						0 243.000		1		
B-110	1952	2	send	-21		545		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1952	2	send	-15		530		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1952	2	STAT		530	530	0	#N/A	0	2C						0	0	243.000		0		
B-110	1952	3	XIN	21		551		#N/A	0	2C		2C2				0	0	243.000		1		
B-110	1952	3	XIN	89		640		#N/A	0	2C		2C2						0 243.000		1		
B-110	1952	3	send	-89		551		#N/A	0	cas		B-111						0 243.000		1		
B-110	1952	3	send	-21		530		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1952	3	STAT		530	530	0	#N/A	0	2C						0	0	243.000		0		
B-110	1952	4	XIN	131		661		#N/A	0	2C		2C2		Active Cascade		0	0	243.000		1		
B-110	1952	4	XIN	97		758		#N/A	0	2C		2C2						0 243.000		1		
B-110	1952	4	XIN	188		946		#N/A	0	2C		2C2						0 243.000		1		
B-110	1952	4	send	-188		758		#N/A	0	cas		B-111						0 243.000		1		
B-110	1952	4	send	-131		627		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1952	4	send	-97		530		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1952	4	STAT		530	530	0	#N/A	0	5-6-1C-2C						0	0	243.000		0		
B-110	1953	1	XIN	52		582		#N/A	0	2C		2C2		Active Cascade		0	0	243.000		1		
B-110	1953	1	XIN	38		620		#N/A	0	2C		2C2						0 243.000		1		
B-110	1953	1	XIN	22		642		#N/A	0	2C		2C2						0 243.000		1		
B-110	1953	1	send	-52		590		#N/A	0	cas		B-111						0 243.000		1		
B-110	1953	1	send	-38		552		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1953	1	send	-22		530		#N/A	0	cas		B-111				0	0	243.000		0		
B-110	1953	1	STAT		530	530	0	#N/A	0	2C						0	0	243.000		0		
B-110	1953	2	STAT		530	530	0	#N/A	0	2C				Receives B Plant flushes		0	0	243.000		1		
B-110	1953	3	STAT		530	530	378	#N/A	0	2C				Receives B Plant flushes		0	0	243.000		1		
B-110	1953	4	STAT		530	530	243	#N/A	0	2C				Receives B Plant flushes		0	0	243.000		1		
B-110	1954	1	xin	72		602		#N/A	0			DW	fj stats at 530,and 425	Pumped to 111-C		0	0	243.000		1		
B-110	1954	1	SEND	-72		530		#N/A	0	SU		B-112				0	0	243.000		0		
B-110	1954	1	STAT		530	530	243	#N/A	0	2C			fj stats at 530,and 421			0	0	243.000		1		
B-110	1954	2	send	0		530		#N/A	0	cas	B-111	B-111				0	0	243.000		1		
B-110	1954	2	REC	155		685		#N/A	0	SU	B-105	B-105				0	0	243.000		0		
B-110	1954	2	outx	-155		530		#N/A	0			CRIB				0	0	243.000		1		
B-110	1954	2	STAT		530	530	243	#N/A	0	2C-EB				added as per and comments Supernatant cribbed. Rec'd from 105B		0	0	243.000		1		
B-110	1954	3	CSEND	0		530		#N/A	0	END	B-111					0	0	243.000		1		
B-110	1954	3	STAT		530	530	243	#N/A	0	2C-EB								0 243.000		1		
B-110	1954	4	STAT		530	530	243	#N/A	0	2C-EB						0	0	243.000		1		
B-110	1955	1	SEND	-182		348		#N/A	0	SU		B-108				0	0	243.000		1		
B-110	1955	1	STAT		348	348	348	#N/A	0							0	0	243.000		1		
B-110	1955	2	STAT		348	348	348	#N/A	0	EB			fj stats at 530	Pumped to 107-B and 108-B		0	0	243.000		1		
B-110	1955	3	STAT		348	348	243	#N/A	0	2C			fj stats at 249			0	0	243.000		1		
B-110	1955	4	xin	103		451		#N/A	0			DW				0	0	243.000		1		
B-110	1955	4	STAT		451	451	243	#N/A	0	5-6-1C-2C			anderson stat	Rec'd B Plant flush water		0	0	243.000		0		
B-110	1956	1	xin	50		501		#N/A	0			DW				0	0	243.000		1		
B-110	1956	1	STAT		501	501	243	#N/A	0	5-6-1C-2C			and stats at 501	Rec'd B Plant flush water		0	0	243.000		0		
B-110	1956	2	xin	29		530		#N/A	0			DW				0	0	243.000		1		
B-110	1956	2	STAT		530	530	243	#N/A	0	5-6-1C-2C			and stats at 530	Rec'd B Plant flush water		0	0	243.000		0		
B-110	1956	3	STAT		530	530	243	#N/A	0	5-6-1C-2C			and stats at 530	Rec'd B Plant flush water		0	0	243.000		1		
B-110	1956	4	STAT		530	530	243	#N/A	0	5-6-1C-2C			and stats at 530	Rec'd B Plant flush water		0	0	243.000		1		
B-110	1957	1	STAT		532	532	243	2	2	5-6#			and stats at 532	Rec'd B Plant flush water		0	0	243.000		1		
B-110	1957	2	STAT		535	535	243	3	5	5-6#			and stats at 535	Latest electrode reading		0	0	243.000		1		
B-110	1957	3	STAT		535	535	243	#N/A	5	5-6#						0	0	243.000		1		
B-110	1957	4	STAT		535	535	243	#N/A	5	5-6#						0	0	243.000		1		
B-110	1958	1	STAT		535	535	243	#N/A	5	5-6#			and stats at 535	CW		0	0	243.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
B-110	1958	2	STAT		535	535	243	#N/A	5	5-6#			and stats at 535	CW		0	0	243.000		1		
B-110	1958	3	STAT		535	535	243	#N/A	5	5-6#			and stats at 535	CW		0	0	243.000		1		
B-110	1958	4	STAT		535	535	243	#N/A	5	5-6#			and stats at 535	CW		0	0	243.000		1		
B-110	1959	1	STAT		532	532	243	-3	2	5-6#			and stats at 532	Latest electrode reading		0	0	243.000		1		
B-110	1959	2	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1959	3	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1959	4	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1960	1	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1960	2	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1960	3	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1960	4	STAT		532	532	243	#N/A	2	5-6#						0	0	243.000		1		
B-110	1961	1	STAT		N/A	532		#N/A	2							0	0	243.000		1		
B-110	1961	2	STAT		530	530	243	-2	0	5-6#							0	243.000		1		
B-110	1961	3	STAT		N/A	530		#N/A	0							0	0	243.000		1		
B-110	1961	4	XIN	5		535		#N/A	0	5-6#		DW					0	243.000		1		
B-110	1961	4	XIN	8		543		#N/A	0	5-6#		DW				0	0	243.000		1		
B-110	1961	4	STAT		538	538	243	-5	-5	5-6#			and stats at 538	8 from B Plant		0	0	243.000		4	O	HW-72625-4
B-110	1962	1	STAT		N/A	538		#N/A	-5							0	0	243.000		1		
B-110	1962	2	STAT		532	532	243	-6	-11								0	243.000		1		
B-110	1962	3	STAT		532	532	243	#N/A	-11							0	0	243.000		1		
B-110	1962	4	STAT		532	532	243	#N/A	-11	5-6#						0	0	243.000		1		
B-110	1963	1	STAT		N/A	532		#N/A	-11							0	0	243.000		1		
B-110	1963	2	XIN	12		544		#N/A	-11	5-6#		DW					0	243.000		1		
B-110	1963	2	SEND	-20		524		#N/A	-11	SU		B-112					0	243.000		1		
B-110	1963	2	SEND	-2		522		#N/A	-11	SU		B-112				0	0	243.000		1		
B-110	1963	2	STAT		530	530	282	8	-3	5-6#			and stats at 530	Pumping to 112-B		0	0	243.000		1		
B-110	1963	3	STAT		N/A	530		#N/A	-3							0	0	243.000		1		
B-110	1963	4	XIN	122		652		#N/A	-3	5-6#		DW					0	243.000		1		
B-110	1963	4	SEND	-285		367		#N/A	-3	SU		B-112					0	243.000		1		
B-110	1963	4	STAT		365	365	282	-2	-5	FP			and stats at 365	Rec'd from 221-B, Pumped to 112-B		0	0	243.000		1		
B-110	1964	1	STAT		N/A	365		#N/A	-5								0	243.000		1		
B-110	1964	2	XIN	169		534		#N/A	-5	FP		P2				0.004451	0.7522	243.752	P2	1		
B-110	1964	2	SEND	-6		528		#N/A	-5	SU		B-112				0	0	243.752		1		
B-110	1964	2	STAT		528	528	282	#N/A	-5	FP						0	0	243.752		1		
B-110	1964	3	STAT		N/A	528		#N/A	-5								0	243.752		1		
B-110	1964	4	STAT		528	528	282	#N/A	-5	FP						0	0	243.752		1		
B-110	1965	1	STAT		N/A	528		#N/A	-5								0	243.752		1		
B-110	1965	2	XIN	166		694		#N/A	-5	FP		P2				0.004451	0.7389	244.491	P2	1		
B-110	1965	2	send	-151		543		#N/A	-5			A-102	toselfboiling??			0	0	244.491		0		
B-110	1965	2	STAT		543	543	332	#N/A	-5	FP			and stats at 543	New electrote		0	0	244.491		1		
B-110	1965	3	XIN	61		604		#N/A	-5	FP		P2				0.004451	0.2715	244.763	P2	1		
B-110	1965	3	send	-61		543		#N/A	-5			A-102	toselfboiling??			0	0	244.763		0		
B-110	1965	3	STAT		543	543	332	#N/A	-5	FP						0	0	244.763		1		
B-110	1965	4	XIN	35		578		#N/A	-5	FP		P2				0.004451	0.1558	244.918	P2	1		
B-110	1965	4	send	-35		543		#N/A	-5			A-102	toselfboiling??			0	0	244.918		0		
B-110	1965	4	STAT		543	543	332	#N/A	-5	FP						0	0	244.918		1		
B-110	1966	1	XIN	97		640		#N/A	-5	FP		P2				0.004451	0.4318	245.350	P2	1		
B-110	1966	1	send	-99		541		#N/A	-5			A-102	toselfboiling??			0	0	245.350		0		
B-110	1966	1	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1		
B-110	1966	2	SEND	0		541		#N/A	-5	SU	B-112	B-112	OC xfer 94 removed		Was not xfer from B-110		0	245.350		2	V	ISO-404-4
B-110	1966	2	XIN	0		541		#N/A	-5	FP		P2	OC add 61 removed		Was not added to B-110		0	245.350		2	V	ISO-404-4
B-110	1966	2	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1		
B-110	1966	3	SEND	0		541		#N/A	-5	SU	B-112	B-112	OC xfer 33 removed		Was not xfer from B-110		0	245.350		2	V	ISO-538-4
B-110	1966	3	XIN	0		541		#N/A	-5	FP		P2	OC add 39 removed		Was not added to B-110		0	245.350		2	V	ISO-538-4
B-110	1966	3	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1		
B-110	1966	4	XIN	0		541		#N/A	-5	FP		P2	OC add 19 removed		Was not added to B-110		0	245.350		2	V	ISO0674-4
B-110	1966	4	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-110	1967	1	XIN	0		541		#N/A	-5	FP		P2	OC add 36 removed		Was not xfer from B-110		0	245.350		2	V	ISO-806-4
B-110	1967	1	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1		
B-110	1967	2	SEND	0		541		#N/A	-5	SU	B-112	B-112	OC xfer 191 removed		Was not xfer from B-110		0	245.350		2	V	ISO-967-4
B-110	1967	2	XIN	0		541		#N/A	-5	FP		P2	OC add 89 removed		Was not added to B-110		0	245.350		2	V	ISO-967-4
B-110	1967	2	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1		
B-110	1967	3	XIN	31		572		#N/A	-5	FP		P2				0.004451	0.138	245.488	P2	1		
B-110	1967	3	send	-36		536		#N/A	-5			BY-102				0	0	245.488		0		
B-110	1967	3	STAT		536	536	243	#N/A	-5	FP						0	0	245.488		1		
B-110	1967	4	XIN	115		651		#N/A	-5	FP		P2				0.004451	0.5119	246.000	P2	4	O	ARH-326-5
B-110	1967	4	send	-32		619		#N/A	-5			BY-102				0	0	246.000		0		
B-110	1967	4	SEND	-153		466		#N/A	-5	SU		B-112				0	0	246.000		4	O	ARH-326-5
B-110	1967	4	STAT		466	466	243	#N/A	-5	FP			and stats at 466	115 from B Plant, 153 to 112-B								
B-110	1968	1	XIN	135		601		#N/A	-5	B		B	OC 1355 to 135		Shows 135 not 1355	0	0	246.000		1		
B-110	1968	1	rec	311		912		#N/A	-5		CELL 22	BY-112	Omis. evap B plant bottoms REC			0	0	246.000		3	V	ARH-534-5
B-110	1968	1	SEND	-366		546		#N/A	-5	SU		B-112			Omission	0	0	246.000		3	V	ARH-534-5
B-110	1968	1	STAT		546	546	243	#N/A	-5	FP,EB			and stats at 546	311 from cell 23, 135 from B Plant 366 to 112-B		0	0	246.000		4	O	ARH-534-5
B-110	1968	2	STAT		546	546	297	#N/A	-5	FP-EB						0	0	246.000		1		
B-110	1968	3	STAT		546	546	297	#N/A	-5	FP-EB						0	0	246.000		1		
B-110	1968	4	STAT		545	545	297	-1	-6	BL-EB						0	0	246.000		1		
B-110	1969	1	STAT		542	542	297	-3	-9	BL-EB						0	0	246.000		1		
B-110	1969	2	SEND	0		542		#N/A	-9	SU	B-112	B-112	NEVER SENT? 127 TO 0			0	0	246.000		1		
B-110	1969	2	STAT		541	541	297	-1	-10	BL-EB							0	246.000		1		
B-110	1969	3	XIN	199		740		#N/A	-10	CSR		CSR				0	0	246.000		1		
B-110	1969	3	SEND	-206		534		#N/A	-10	SU		B-112				0	0	246.000		4	O	ARH-1200C-5
B-110	1969	3	SEND	0		534		#N/A	-10	SU	BY 112	BY-112	OC from B-111 xfer 312 removed			0	0	246.000		4	O	ARH-1200C-5
B-110	1969	3	STAT		534	534	297	#N/A	-10	BL-IX			and stats at 534	199 from B Plant(IX), 206 to 112-B	To BY-112 from B-111		0	246.000		2	V	ARH-1200C-5
B-110	1969	4	SEND	0		534		#N/A	-10	SU	B-108	B-108	"-428 to			0	0	246.000		1		
B-110	1969	4	SEND	0		534		#N/A	-10	SU	B-112	B-112	"-275 to				0	246.000		1		
B-110	1969	4	STAT		534	534	297	#N/A	-10	BL-IX							0	246.000		1		
B-110	1970	1	SEND	0		534		#N/A	-10	SU	B-103	B-103	"-206 to			0	0	246.000		1		
B-110	1970	1	STAT		531	531	297	-3	-13	BL-IX							0	246.000		1		
B-110	1970	2	XIN	11		542		#N/A	-13	FLSH		WTR				0	0	246.000		1		
B-110	1970	2	SEND	0		542		#N/A	-13	SU	B-103	B-103	"-279 to			0	0	246.000		1		
B-110	1970	2	STAT		530	530	297	-12	-25	BL-IX							0	246.000		1		
B-110	1970	3	STAT		530	530	297	#N/A	-25	BL-IX						0	0	246.000		1		
B-110	1970	4	STAT		530	530	297	#N/A	-25							0	0	246.000		1		
B-110	1971	1	STAT		527	527	297	-3	-28	BL-IX						0	0	246.000		1		
B-110	1971	2	STAT		525	525	297	-2	-30	BL-IX						0	0	246.000		1		
B-110	1971	3	SEND	-223		302		#N/A	-30	SU		B-102				0	0	246.000		1		
B-110	1971	3	STAT		301	301	297	-1	-31	BL-IX						0	0	246.000		4	O	ARH-2074C-5
B-110	1971	4	STAT		301	301	297	#N/A	-31	BL-IX				223 to 102-B		0	0	246.000		1		
B-110	1972	1	SEND	0		301		#N/A	-31	SU	B-103	B-103	"-239 to			0	0	246.000		1		
B-110	1972	1	STAT		299	299	297	-2	-33	IX							0	246.000		1		
B-110	1972	2	STAT		288	288	282	-11	-44				and stats at 288	New tape		0	0	246.000		1		
B-110	1972	3	XIN	6		294		#N/A	-44	IX FLSH	WTR	WTR	omis fish water		Omission	0	0	246.000		3	V	ARH-2456C-4
B-110	1972	3	SEND	-24		270		#N/A	-44	SU		B-102				0	0	246.000		4	O	ARH-2456C-4
B-110	1972	3	STAT		282	282	282	12	-32	IX			and stats at 282	6 flush water, 24 to 102-B		0	0	246.000		1		
B-110	1972	4	XIN	3		285		#N/A	-32	IX FLSH	WTR	WTR	omis fish water		Omission	0	0	246.000		3	V	ARH-2456D-4
B-110	1972	4	SEND	-14		271		#N/A	-32	SU		B-102				0	0	246.000		4	O	ARH-2456D-4
B-110	1972	4	STAT		282	282	282	11	-21	IX			and stats at 282	3 flush water, 14 to 102-B		0	0	246.000		1		
B-110	1973	1	XIN	1		283		#N/A	-21	WTR		WTR				0	0	246.000		4	O	ARH-2794A-4
B-110	1973	1	SEND	-3		280		#N/A	-21	SU		B-102				0	0	246.000		4	O	ARH-2794A-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-110	1973	1	STAT		282	282	282	2	-19					1 flush water, 3 to 102-B, suspect leaker		0	0	246.000		1		
B-110	1973	2	SEND	-3		279		#N/A	-19	SU		B-102				0	0	246.000		4	O	ARH-2794B-4
B-110	1973	2	STAT		282	282	282	3	-16					1 water, 3 to 102-8, suspect leaker		0	0	246.000		1		
B-110	1973	3	STAT		282	282	282	#N/A	-16					suspect leaker		0	0	246.000		1		
B-110	1973	4	STAT		282	282	282	#N/A	-16					suspect leaker *Dry wells 20-10-02, 20-10-07, 20-10-09, 20-10-12 drilled.		0	0	246.000		1		
B-110	1974	1	STAT		282	282	282	#N/A	-16					suspect leaker		0	0	246.000		1		
B-110	1974	2	SEND	-8		274		#N/A	-16			B-102	Omis.		Omission	0	0	246.000		3	V	ARH-2794B-4/ARH-CD-133B-4 SEND
B-110	1974	2	STAT		282	282	282	8	-8					suspect leaker		0	0	246.000		1		
B-110	1974	3	SEND	-15		267		#N/A	-8			B-102	Omis B-101 to B-102		Omission	0	0	246.000		3	V	ARH-2794C-4/ARH-CD-133B-4 SEND
B-110	1974	3	STAT		282	282	282	15	7				and stats at 282	suspect leaker		0	0	246.000		1		
B-110	1974	4	XIN	4		286		#N/A	7	WTR		WTR				0	0	246.000		4	O	ARH-CD-133D-4
B-110	1974	4	SEND	-7		279		#N/A	7	SU		B-102				0	0	246.000		4	O	ARH-CD-133D-4
B-110	1974	4	STAT		282	282	282	3	10					suspect leaker, 4 water,7 to 102-B		0	0	246.000		1		
B-110	1975	1	SEND	-2		280		#N/A	10	SU		B-102				0	0	246.000		4	O	ARH-CD-336A-4
B-110	1975	1	STAT		282	282	282	2	12					suspect leaker, 2 to 102-B		0	0	246.000		1		
B-110	1975	2	SEND	-3		279		#N/A	12	SU		B-102				0	0	246.000		4	O	ARH-CD-336B-4
B-110	1975	2	STAT		282	282	282	3	15					Removed from service, 3 to 102-B		0	0	246.000		1		
B-110	1975	3	SEND	-5		277		#N/A	15	SU		B-102				0	0	246.000		4	O	ARH-CD-336C-4
B-110	1975	3	STAT		282	282	282	5	20					Removed from service 5 to 102-B		0	0	246.000		1		
B-110	1975	4	SEND	-5		277		#N/A	20	SU		B-102				0	0	246.000		4	O	ARH-CD-336C-4
B-110	1975	4	STAT		282	282	282	5	25					Removed from service 5 to 102-B		0	0	246.000		1		
B-110	1976	1	SEND	-2		280		#N/A	25	SU		B-102				0	0	246.000		4	O	ARH-CD-702A-4
B-110	1976	1	outx	-37		243		#N/A	25			BYEVAP				0	0	246.000	BYEV	0		
B-110	1976	1	xin	37		280		#N/A	25			BYSitCk				0	0	246.000	BYSIt	0		
B-110	1976	1	STAT		282	282	282	2	27					Removed from service 2 to 102-B		0	0	246.000		1		
B-110	1976	2	SEND	-1		281		#N/A	27	SU		B-102				0	0	246.000		4	O	ARH-CD-702B-4
B-110	1976	2	STAT		282	282	282	1	28	IX			and stats at 282	Removed from service, 1 to 102-B		0	0	246.000		1		
B-110	1976	3	STAT		282	282	282	#N/A	28					Salt Well Pumped		0	0	246.000		1		
B-110	1976	4	STAT		282	282	282	#N/A	28					Salt Well Pumped		0	0	246.000		1		
B-110	1977	1	STAT		282	282	282	#N/A	28					Questionable Integrity-Salt Well Pumping		0	0	246.000		1		
B-110	1977	2	STAT		282	282	282	#N/A	28					Inactive Current-Salt Well Pumping		0	0	246.000		1		
B-110	1977	3	STAT		282	282	282	#N/A	28					Inactive Current-Salt Well Pumping		0	0	246.000		1		
B-110	1977	4	STAT		282	282	282	#N/A	28				and stats at 282	Inactive Current-Salt Well Pumping		0	0	246.000		1		
B-110	1978	1	STAT		282	282	282	#N/A	28					Inactive - Primary Stabilized		0	0	246.000		1		
B-110	1978	2	STAT		282	282	282	#N/A	28							0	0	246.000		1		
B-110	1978	3	STAT		282	282	282	#N/A	28					P-10 Pmp Removed		0	0	246.000		1		
B-110	1978	4	STAT		282	282	282	#N/A	28	IX						0	0	246.000		1		
B-110	1979	1	STAT		282	282	282	#N/A	28							0	0	246.000		1		
B-110	1979	2	STAT		282	282	282	#N/A	28					Questionable Integrity		0	0	246.000		1		
B-110	1979	3	STAT		282	282	282	#N/A	28					New Photo 9/5/79		0	0	246.000		1		
B-110	1979	4	STAT		282	282	282	#N/A	28							0	0	246.000		1		
B-110	1980	1	STAT		282	282	282	#N/A	28							0	0	246.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-110	1980	2	STAT		282	282	282	#N/A	28							0	0	246.000		1		
B-110	1980	3	STAT		282	282	282	#N/A	28							0	0	246.000		1		
B-110	1980	4	STAT		282	282	282	#N/A	28							0	0	246.000		1		
B-110	1983	3	send	-36		246		#N/A	28	swllq		AN-101				0	0	246.000		1		
B-110	1993	2	STAT		246	246	245	#N/A	28							0	0	246.000		0		
B-110	1993	4	STAT		246	246	246	#N/A	28							0	0	246.000		1		
B-110	1994	1	STAT		246	246	245	#N/A	28							0	0	246.000		1		
B-110	2000															0	0	246.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
B-111	1900																					
B-111	1945	2	CREC	0		0		#N/A	0	SET	B-110						0	0.000		1		
B-111	1945	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-111	1945	3	STAT		0	0	0	#N/A	0								0	0.000		1		
B-111	1945	4	CSEND	0		0		#N/A	0	SET	B-112					0	0	0.000		1		
B-111	1945	4	rec	142		142		#N/A	0	cas	B-110	B-110					0	0.000		1		
B-111	1945	4	rec	39		181		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
																0	0	0.000		0		
B-111	1945	4	STAT		181	181	0	#N/A	0	2C				First used Dec. 1945, (2nd in Cascade)								
B-111	1946	1	rec	121		302		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1946	1	rec	109		411		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1946	1	rec	70		481		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1946	1	STAT		481	481	0	#N/A	0	2C			and stats at 473			0	0	0.000		0		
B-111	1946	2	rec	139		620		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1946	2	rec	130		750		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1946	2	rec	122		872		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1946	2	send	-130		742		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1946	2	send	-122		620		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1946	2	send	-90		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1946	2	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1946	3	rec	107		637		#N/A	0	cas	B-110	B-110		Filled in April 1946		0	0	0.000		1		
B-111	1946	3	rec	81		718		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1946	3	send	-107		611		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1946	3	send	-81		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1946	3	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1946	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1947	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1947	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1947	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1947	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1948	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1948	2	rec	99		629		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1948	2	rec	33		662		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1948	2	send	-99		563		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	2	send	-33		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	2	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1948	3	rec	83		613		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1948	3	rec	67		680		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1948	3	rec	56		736		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1948	3	send	-83		653		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	3	send	-67		586		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	3	send	-56		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	3	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1948	4	rec	65		595		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1948	4	rec	58		653		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1948	4	rec	52		705		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1948	4	send	-65		640		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	4	send	-58		582		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	4	send	-52		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1948	4	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1949	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1949	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-111	1950	1	STAT		530	530	0	#N/A	0	2C						0	0	0.000		1		
B-111	1950	2	STAT		530	530	0	#N/A	0				and stats at 1	Cribbed		0	0	0.000		1		
B-111	1950	3	rec	148		678		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1950	3	rec	41		719		#N/A	0	cas	B-110	B-110				0	0	0.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
B-111	1950	3	send	-148		571		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1950	3	send	-41		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1950	3	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1950	4	rec	174		704		#N/A	0	cas	B-110	B-110		Filled in July 1950		0	0	0.000		1		
B-111	1950	4	rec	162		866		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1950	4	rec	148		1014		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1950	4	send	-174		840		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1950	4	send	-162		678		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1950	4	send	-148		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1950	4	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1951	1	rec	213		743		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1951	1	rec	141		884		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	1	rec	137		1021		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	1	send	-213		808		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	1	send	-141		667		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	1	send	-137		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	1	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1951	2	rec	179		709		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1951	2	rec	177		886		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	2	rec	87		973		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	2	send	-179		794		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	2	send	-177		617		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	2	send	-87		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	2	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1951	3	rec	169		699		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1951	3	rec	151		850		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	3	rec	85		935		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	3	send	-169		766		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	3	send	-151		615		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	3	send	-85		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	3	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1951	4	rec	203		733		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1951	4	rec	193		926		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	4	rec	188		1114		#N/A	0	cas	B-110	B-110				0	0	0.000		0		
B-111	1951	4	send	-203		911		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	4	send	-193		718		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	4	send	-188		530		#N/A	0	cas		B-112				0	0	0.000		0		
B-111	1951	4	STAT		530	530	0	#N/A	0							0	0	0.000		0		
B-111	1952	1	rec	166		696		#N/A	0	cas	B-110	B-110				0	0	0.000		1		
B-111	1952	1	rec	151		847		#N/A	0	cas	B-110	B-110				0.169505	28.138	28.138	2C2	0		
B-111	1952	1	rec	122		969		#N/A	0	cas	B-110	B-110				0.169505	25.595	53.733	2C2	0		
B-111	1952	1	send	-166		803		#N/A	0	cas		B-112				0.169505	20.68	74.413	2C2	0		
B-111	1952	1	send	-151		652		#N/A	0	cas		B-112				0	0	74.413		0		
B-111	1952	1	send	-122		530		#N/A	0	cas		B-112				0	0	74.413		0		
B-111	1952	1	STAT		530	530	0	#N/A	0							0	0	74.413		0		
B-111	1952	2	rec	120		650		#N/A	0	cas	B-110	B-110				0	0	74.413		1		
B-111	1952	2	rec	21		671		#N/A	0	cas	B-110	B-110				0.169505	20.341	94.753	2C2	0		
B-111	1952	2	rec	15		686		#N/A	0	cas	B-110	B-110				0.169505	3.5596	98.313	2C2	0		
B-111	1952	2	send	-120		566		#N/A	0	cas		B-112				0.169505	2.5426	100.856	2C2	0		
B-111	1952	2	send	-21		545		#N/A	0	cas		B-112				0	0	100.856		0		
B-111	1952	2	send	-15		530		#N/A	0	cas		B-112				0	0	100.856		0		
B-111	1952	2	STAT		530	530	0	#N/A	0							0	0	100.856		0		
B-111	1952	3	rec	89		619		#N/A	0	cas	B-110	B-110				0	0	100.856		1		
B-111	1952	3	rec	21		640		#N/A	0	cas	B-110	B-110				0.169505	15.086	115.942	2C2	0		
B-111	1952	3	send	-89		551		#N/A	0	cas		B-112				0.169505	3.5596	119.501	2C2	0		
B-111	1952	3	send	-21		530		#N/A	0	cas		B-112				0	0	119.501		0		
B-111	1952	3	STAT		530	530	0	#N/A	0	2C						0	0	119.501		0		
B-111	1952	4	rec	188		718		#N/A	0	cas	B-110	B-110		Active cascade		0	0	119.501		1		
																0.169505	31.867	151.368	2C2	0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
B-111	1952	4	rec	131		849		#N/A	0	cas	B-110	B-110				0.169505	22.205	173.573	2C2	0		
B-111	1952	4	rec	97		946		#N/A	0	cas	B-110	B-110				0.169505	16.442	190.015	2C2	0		
B-111	1952	4	send	-188		758		#N/A	0	cas		B-112				0	0	190.015		0		
B-111	1952	4	send	-131		627		#N/A	0	cas		B-112				0	0	190.015		0		
B-111	1952	4	send	-97		530		#N/A	0	cas		B-112				0	0	190.015		0		
B-111	1952	4	STAT		530	530	0	#N/A	0	5-6#						0	0	190.015		0		
B-111	1953	1	rec	52		582		#N/A	0	cas	B-110	B-110		Active cascade		0	0	190.015		1		
B-111	1953	1	rec	38		620		#N/A	0	cas	B-110	B-110				0.169505	8.8143	198.830	2C2	0		
B-111	1953	1	rec	22		642		#N/A	0	cas	B-110	B-110				0.169505	6.4412	205.271	2C2	0		
B-111	1953	1	send	-52		590		#N/A	0	cas		B-112				0.169505	3.7291	209.000	2C2	0		
B-111	1953	1	send	-38		552		#N/A	0	cas		B-112				0	0	209.000		0		
B-111	1953	1	send	-22		530		#N/A	0	cas		B-112				0	0	209.000		0		
B-111	1953	1	STAT		530	530	0	#N/A	0							0	0	209.000		0		
B-111	1953	2	STAT		530	530	0	#N/A	0	5-6#				Receives B plant flushes		0	0	209.000		1		
B-111	1953	3	STAT		530	530	237	#N/A	0	5-6#				Receives B plant flushes		0	0	209.000		1		
B-111	1953	4	STAT		530	530	161	#N/A	0					Receives B plant flushes		0	0	209.000		1		
B-111	1954	1	STAT		530	530	161	#N/A	0					Receives B plant flushes		0	0	209.000		1		
B-111	1954	2	REC	170		700		#N/A	0	SU	B-105	B-105				0	0	209.000		1		
B-111	1954	2	REC	111		811		#N/A	0	SU	B-105	B-105				0	0	209.000		1		
B-111	1954	2	rec	0		811		#N/A	0	cas	B-110	B-110				0	0	209.000		1		
B-111	1954	2	send	-170		641		#N/A	0	cas		B-112				0	0	209.000		0		
B-111	1954	2	send	-111		530		#N/A	0	cas		B-112				0	0	209.000		0		
B-111	1954	2	send	0		530		#N/A	0	cas	B-112	B-112				0	0	209.000		0		
B-111	1954	2	STAT		530	530	161	#N/A	0	5-6#				Supernatant cribbed.Rec'd from 105B		0	0	209.000		1		
B-111	1954	3	CREC	0		530		#N/A	0	END	B-110						0	209.000		1		
B-111	1954	3	CSEND	0		530		#N/A	0	END	B-112						0	209.000		1		
B-111	1954	3	STAT		530	530	161	#N/A	0	5-6#							0	209.000		1		
B-111	1954	4	STAT		530	530	195	#N/A	0							0	0	209.000		1		
B-111	1955	1	STAT		530	530	195	#N/A	0							0	0	209.000		1		
B-111	1955	2	STAT		530	530	195	#N/A	0	EB						0	0	209.000		1		
B-111	1955	3	SEND	-281		249		#N/A	0	SU		B-108	qtr 2 to 3			0	0	209.000		1		
B-111	1955	3	STAT		249	249	249	#N/A	0							0	0	209.000		1		
B-111	1955	4	STAT		249	249	249	#N/A	0					Sent to 108-B		0	0	209.000		1		
B-111	1956	1	STAT		249	249	249	#N/A	0							0	0	209.000		1		
B-111	1956	2	STAT		251	251	249	2	2	5-6#						0	0	209.000		1		
B-111	1956	3	STAT		265	265	249	14	16	5-6#				Rec'd B plant flush water		0	0	209.000		1		
B-111	1956	4	STAT		270	270	243	5	21	5-6#				Rec'd B plant flush water		0	0	209.000		1		
B-111	1957	1	STAT		270	270	161	#N/A	21	5-6#				Rec'd B plant flush water		0	0	209.000		1		
B-111	1957	2	XIN	31		301		#N/A	21	WTR		WTR	fl stats at 535	Rec'd B plant flush water		0	0	209.000		1		
B-111	1957	2	STAT		279	279	161	-22	-1							0	0	209.000		1		
B-111	1957	3	STAT		279	279	161	#N/A	-1					Rec'd B plant flush water		0	0	209.000		1		
B-111	1957	4	STAT		279	279	161	#N/A	-1	5-6#						0	0	209.000		1		
B-111	1958	1	STAT		282	282	161	3	2					Latest electrode reading.CW(915 TU)		0	0	209.000		1		
B-111	1958	2	STAT		282	282	161	#N/A	2	5-6#						0	0	209.000		1		
B-111	1958	3	STAT		279	279	161	-3	-1					Latest electrodereading.CW(1096 TU)		0	0	209.000		1		
B-111	1958	4	STAT		279	279	161	#N/A	-1	5-6#						0	0	209.000		1		
B-111	1959	1	XIN	52		331		#N/A	-1	WTR		WTR				0	0	209.000		1		
B-111	1959	1	STAT		334	334	161	3	2					New electrode reading		0	0	209.000		1		
B-111	1959	2	STAT		334	334	161	#N/A	2							0	0	209.000		1		
B-111	1959	3	STAT		334	334	161	#N/A	2							0	0	209.000		1		
B-111	1959	4	STAT		334	334	161	#N/A	2							0	0	209.000		1		
B-111	1960	1	STAT		334	334	161	#N/A	2							0	0	209.000		1		
B-111	1960	2	STAT		334	334	161	#N/A	2							0	0	209.000		1		
B-111	1960	3	STAT		334	334	161	#N/A	2							0	0	209.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-111	1960	4	STAT		334	334	161	#N/A	2	5-6#						0	0	209.000		1		
B-111	1961	1	STAT		N/A	334		#N/A	2								0	209.000		1		
B-111	1961	2	STAT		332	332	161	-2	0	5-6#						0	0	209.000		1		
B-111	1961	3	STAT		N/A	332		#N/A	0								0	209.000		1		
B-111	1961	4	XIN	148		480		#N/A	0	5-6#		DW				0.00462963	0.6852	209.685	DW	4	O	HW-72625-4
B-111	1961	4	STAT		480	480	161	#N/A	0	5-6#				148 from B plant		0	0	209.685		1		
B-111	1962	1	STAT		N/A	480		#N/A	0								0	209.685		1		
B-111	1962	2	XIN	68		548		#N/A	0	5-6#		DW	OC 74 to 68		Shows 68 not 74	0.00462963	0.3148	210.000	DW	3	V	HW-74647-4
B-111	1962	2	STAT		554	554	161	6	6					68 from B plant		0	0	210.000		1		
B-111	1962	3	STAT		554	554	161	#N/A	6							0	0	210.000		1		
B-111	1962	4	STAT		554	554	161	#N/A	6	5-6#						0	0	210.000		1		
B-111	1963	1	STAT		N/A	554		#N/A	6								0	210.000		1		
B-111	1963	2	SEND	-221		333		#N/A	6	SU		B-112				0	0	210.000		1		
B-111	1963	2	STAT		343	343	300	10	16	5-6#				Pumping to 112-B		0	0	210.000		1		
B-111	1963	3	STAT		N/A	343		#N/A	16								0	210.000		1		
B-111	1963	4	STAT		337	337	300	-6	10	FP				Rec'd from 221-B and pumped to 112-B		0	0	210.000		1		
B-111	1964	1	STAT		N/A	337		#N/A	10								0	210.000		1		
B-111	1964	2	STAT		338	338	300	1	11	FP				Rec'd from 221-B and pumped to 112-B		0	0	210.000		1		
B-111	1964	3	STAT		N/A	338		#N/A	11								0	210.000		1		
B-111	1964	4	xin	54		392		#N/A	11			P2				0.038864	2.0987	212.099	P2	0		
B-111	1964	4	STAT		392	392	300	#N/A	11	FP				Rec'd from 221-B and pumped to 112-B		0	0	212.099		1		
B-111	1965	1	STAT		N/A	392		#N/A	11								0	212.099		1		
B-111	1965	2	XIN	166		558		#N/A	11	FP	221-B	P2				0.038864	6.4514	218.550	P2	4	O	RL-SEP-659-4
B-111	1965	2	SEND	-177		381		#N/A	11	SU		B-112				0	0	218.550		4	O	RL-SEP-659-4
B-111	1965	2	STAT		381	381	310	#N/A	11	FP				166 from 221-B, 177 to 112-B		0	0	218.550		1		
B-111	1965	3	XIN	61		442		#N/A	11	FP		P2				0.038864	2.3707	220.921	P2	4	O	RL-SEP-821-4
B-111	1965	3	STAT		442	442	310	#N/A	11	FP				61 from 221-B		0	0	220.921		1		
B-111	1965	4	XIN	35		477		#N/A	11	FP		P2				0.038864	1.3602	222.281	P2	4	O	RL-SEP-923-4
B-111	1965	4	STAT		477	477	310	#N/A	11	FP				35 from 221-B		0	0	222.281		1		
B-111	1966	1	XIN	97		574		#N/A	11	FP	221-B	P2	Omis.		Omission	0.038864	3.7698	226.051	P2	3	V	ISO-226-4
B-111	1966	1	SEND	-105		469		#N/A	11			B-112			Omission	0	0	226.051		3	V	ISO-226-4
B-111	1966	1	STAT		469	469	310	#N/A	11	FP				97 from 221-B, 105 to 112-B		0	0	226.051		1		
B-111	1966	2	XIN	61		530		#N/A	11	FP		P2	Omis.		Omission	0.038864	2.3707	228.422	P2	3	V	ISO-404-4
B-111	1966	2	SEND	-94		436		#N/A	11	SU		B-112	OC B-110 to B-111		Rec from B-111, Omission	0	0	228.422		3	V	ISO-404-4
B-111	1966	2	STAT		436	436	310	#N/A	11	FP				61 from 221-B, 94 to 112-B		0	0	228.422		1		
B-111	1966	3	XIN	39		475		#N/A	11	FP		P2	Omis.		Omission	0.038864	1.5157	229.937	P2	3	V	ISO-538-4
B-111	1966	3	SEND	-33		442		#N/A	11	SU		B-112	OC B-110 to B-111		Rec from B-111, Omission	0	0	229.937		3	V	ISO-538-4
B-111	1966	3	STAT		442	442	310	#N/A	11	FP				39 from 221-B, 33 to 112-B		0	0	229.937		1		
B-111	1966	4	XIN	19		461		#N/A	11	WTR		WTR	Omis. REC B-301		Omission	0	0	229.937		3	V	ISO-674-4
B-111	1966	4	STAT		461	461	310	#N/A	11	FP				19 from 221-B		0	0	229.937		1		
B-111	1967	1	XIN	36		497		#N/A	11	FP		P2				0.038864	1.3991	231.336	P2	4	O	ISO-806-4
B-111	1967	1	STAT		497	497	310	#N/A	11	FP				36 from 221-B		0	0	231.336		1		
B-111	1967	2	XIN	89		586		#N/A	11	FP	221-B	P2	Omis.		Omission	0.038864	3.4589	234.795	P2	3	V	ISO-967-4
B-111	1967	2	SEND	-191		395		#N/A	11	SU		B-112	OC B-110 to B-111		Rec from B-111, Omission	0	0	234.795		3	V	ISO-967-4
B-111	1967	2	STAT		395	395	310	#N/A	11	FP				89 from 221-B, 191 to 112-B		0	0	234.795		1		
B-111	1967	3	XIN	31		426		#N/A	11	FP		P2				0.038864	1.2048	236.000	P2	4	O	ARH-95-5
B-111	1967	3	STAT		426	426	161	#N/A	11	FP				31 from 221-B		0	0	236.000		1		
B-111	1967	4	rec	97		523		#N/A	11		B-112	B-112	bottomstanks??			0	0	236.000		0		
B-111	1967	4	STAT		523	523	161	#N/A	11	FP-EB				Cell 23 conc. bottoms recycle		0	0	236.000		1		
B-111	1968	1	STAT		521	521	161	-2	9	FP-EB						0	0	236.000		1		
B-111	1968	2	STAT		519	519	241	-2	7							0	0	236.000		1		
B-111	1968	3	STAT		519	519	241	#N/A	7	EB						0	0	236.000		1		
B-111	1968	4	STAT		517	517	241	-2	5	EB						0	0	236.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-111	1969	1	STAT		513	513	241	-4	1	EB						0	0	236.000		1		
B-111	1969	2	SEND	-127		386		#N/A	1	SU		B-112				0	0	236.000		4	O	ARH-1200B-5
B-111	1969	2	STAT		388	388	241	2	3	EB				127 to 112-B		0	0	236.000		1		
B-111	1969	3	XIN	214		602		#N/A	3	CSR		CSR				0	0	236.000		4	O	ARH-1200C-5
B-111	1969	3	SEND	-312		290		#N/A	3	SU		B-112			Rec at BY-112	0	0	236.000		2	M	ARH-1200C-5
B-111	1969	3	rec	10		300		#N/A	3		BY-112	BY-112				0	0	236.000		0		
B-111	1969	3	STAT		300	300	241	#N/A	3	EB-IX				214 from B plant(IX) 312 to 112-BY								
B-111	1969	4	XIN	1119		1419		#N/A	3	CSR		CSR				0	0	236.000		1		
B-111	1969	4	SEND	-428		991		#N/A	3	SU		B-108				0	0	236.000		4	O	ARH-1200D-5
B-111	1969	4	SEND	-367		624		#N/A	3	SU		B-109	also 367 from B-110??? removed			0	0	236.000		4	O	ARH-1200D-5
B-111	1969	4	SEND	-275		349		#N/A	3	SU		B-112				0	0	236.000		4	O	ARH-1200D-5
B-111	1969	4	STAT		349	349	241	#N/A	3	IX				1119 from B plant(IX), 428 to 108-B, 367 to 109-B, 275 to 112-B		0	0	236.000		4	O	ARH-1200D-5
B-111	1970	1	XIN	276		625		#N/A	3	CSR		CSR				0	0	236.000		1		
B-111	1970	1	SEND	-208		417		#N/A	3	SU		B-103				0	0	236.000		4	O	ARH-1666A-5
B-111	1970	1	rec	14		431		#N/A	3		BY-112	BY-112				0	0	236.000		4	O	ARH-1666A-5
B-111	1970	1	STAT		431	431	232	#N/A	3	IX				276 from B plant(IX), 208 to 103-B		0	0	236.000		0		
B-111	1970	2	XIN	265		696		#N/A	3	CSR		CSR				0	0	236.000		1		
B-111	1970	2	XIN	11		707		#N/A	3	WTR		WTR	Omis.		Omission	0	0	236.000		4	O	ARH-1666B-5
B-111	1970	2	XIN	7		714		#N/A	3	WTR		WTR	Omis. REC B-301		Omission	0	0	236.000		3	V	ARH-1666B-5
B-111	1970	2	SEND	-279		435		#N/A	3	SU		B-103				0	0	236.000		3	V	ARH-1666B-5
B-111	1970	2	rec	68		503		#N/A	3		BY-112	BY-112				0	0	236.000		4	O	ARH-1666B-5
B-111	1970	2	STAT		503	503	244	#N/A	3					265 from B plant(IX), 11 flush, 7 from 301-B, 279 to 103-B		0	0	236.000		0		
B-111	1970	3	STAT		503	503	244	#N/A	3	IX						0	0	236.000		1		
B-111	1970	4	STAT		502	502	244	-1	2							0	0	236.000		1		
B-111	1971	1	STAT		502	502	244	#N/A	2							0	0	236.000		1		
B-111	1971	2	STAT		502	502	244	#N/A	2					Inactive		0	0	236.000		1		
B-111	1971	3	STAT		502	502	244	#N/A	2	IX						0	0	236.000		1		
B-111	1971	4	STAT		501	501	244	-1	1	IX						0	0	236.000		1		
B-111	1972	1	SEND	-239		262		#N/A	1	SU		B-103				0	0	236.000		1		
B-111	1972	1	send	-21		241		#N/A	1			BY-112				0	0	236.000		3	O	ARH-2456A-4
B-111	1972	1	STAT		241	241	241	#N/A	1							0	0	236.000		0		
B-111	1972	2	STAT		246	246	246	5	6					239 to 103-B		0	0	236.000		1		
B-111	1972	3	STAT		263	263	246	17	23	IX						0	0	236.000		1		
B-111	1972	4	STAT		249	249	246	-14	9	IX						0	0	236.000		1		
B-111	1973	1	STAT		249	249	249	#N/A	9							0	0	236.000		1		
B-111	1973	2	STAT		249	249	249	#N/A	9					*Dry Well 20-11-09 drilled.		0	0	236.000		1		
B-111	1973	3	STAT		249	249	249	#N/A	9							0	0	236.000		1		
B-111	1973	4	STAT		249	249	249	#N/A	9							0	0	236.000		1		
B-111	1974	1	STAT		249	249	249	#N/A	9							0	0	236.000		1		
B-111	1974	2	STAT		249	249	249	#N/A	9							0	0	236.000		1		
B-111	1974	3	STAT		249	249	249	#N/A	9							0	0	236.000		1		
B-111	1974	4	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1975	1	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1975	2	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1975	3	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1975	4	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1976	1	outx	-13		236		#N/A	9			BYEVAP				0	0	236.000	BYEV	0		
B-111	1976	1	xin	13		249		#N/A	9			BYSltCk				0	0	236.000	BYSlt	0		
B-111	1976	1	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1976	2	STAT		249	249	246	#N/A	9	IX						0	0	236.000		1		
B-111	1976	3	STAT		249	249	246	#N/A	9					Removed from Service		0	0	236.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	Q/A	Document/Pg #
B-111	1976	4	STAT		249	249	246	#N/A	9					Evap. Feed Dil.		0	0	236.000		1		
B-111	1977	1	STAT		249	249	246	#N/A	9					Inactive-Minimum Heel		0	0	236.000		1		
B-111	1977	2	STAT		249	249	246	#N/A	9					Inactive-Minimum Heel		0	0	236.000		1		
B-111	1977	3	STAT		249	249	246	#N/A	9					Inactive Current-Minimum Heel		0	0	236.000		1		
B-111	1977	4	STAT		249	249	246	#N/A	9					Inactive Current-Minimum Heel		0	0	236.000		1		
B-111	1978	1	STAT		249	249	246	#N/A	9					Inactive		0	0	236.000		1		
B-111	1978	2	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1978	3	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1978	4	STAT		249	249	246	#N/A	9					New Photo's 11/13/78		0	0	236.000		1		
B-111	1979	1	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1979	2	STAT		249	249	246	#N/A	9					Questionable Integrity		0	0	236.000		1		
B-111	1979	3	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1979	4	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1980	1	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1980	2	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1980	3	STAT		249	249	246	#N/A	9							0	0	236.000		1		
B-111	1980	4	STAT		249	249	246	#N/A	9	NCPLX						0	0	236.000		1		
B-111	1983	4	send	-12		237		#N/A	9	swliq		AN-103				0	0	236.000		1		
B-111	1993	2	STAT		237	237	236	#N/A	9	NCPLX						0	0	236.000		0		
B-111	1993	4	STAT		237	237	236	#N/A	9							0	0	236.000		1		
B-111	1994	1	STAT		237	237	236	#N/A	9							0	0	236.000		1		
B-111	2000															0	0	236.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-112	1900																					
B-112	1945	4	CREC	0		0		#N/A	0	SET	B-111						0	0.000		1		
B-112	1945	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-112	1946	1	STAT		0	0	0	#N/A	0							0	0	0.000		1		
B-112	1946	2	rec	130		130		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1946	2	rec	122		252		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1946	2	rec	90		342		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1946	2	STAT		342	342	0	#N/A	0	2C				First used April 1946(Last in Cascade		0	0	0.000		1		
B-112	1946	3	rec	107		449		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1946	3	rec	81		530		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1946	3	STAT		530	530	0	#N/A	0	2C				Filled in August 1946		0	0	0.000		1		
B-112	1946	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-112	1947	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-112	1947	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-112	1947	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-112	1947	4	STAT		530	530	0	#N/A	0	2C						0	0	0.000		1		
B-112	1948	1	OUTX	-39		491		#N/A	0	SU	B-008	CRIB				0	0	0.000		1		
B-112	1948	1	OUTX	-25		466		#N/A	0	SU	B-008	CRIB				0	0	0.000		1		
B-112	1948	1	STAT		466	466	0	#N/A	0	2C			and stats at 530			0	0	0.000		1		
B-112	1948	2	rec	99		565		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	2	rec	33		598		#N/A	0	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	2	OUTX	-251		347		#N/A	0	SU	B-008	CRIB	AND reports -415 total			0	0	0.000		1		
B-112	1948	2	OUTX	-198		149		#N/A	0	SU	B-008	CRIB	AND reports -415 total			0	0	0.000		1		
B-112	1948	2	STAT		148	148	0	-1	-1	2C				Cribbed 415. Started receiving in May		0	0	0.000		1		
B-112	1948	3	rec	83		231		#N/A	-1	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	3	rec	67		298		#N/A	-1	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	3	rec	56		354		#N/A	-1	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	3	STAT		354	354	0	#N/A	-1	2C						0	0	0.000		1		
B-112	1948	4	rec	65		419		#N/A	-1	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	4	rec	58		477		#N/A	-1	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	4	rec	52		529		#N/A	-1	cas	B-111	B-111				0	0	0.000		0		
B-112	1948	4	STAT		530	530	0	1	0					Filled in December 1948		0	0	0.000		1		
B-112	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-112	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
B-112	1949	3	STAT		530	530	0	#N/A	0	2C						0	0	0.000		1		
B-112	1949	4	OUTX	-180		350		#N/A	0	SU	B-008	CRIB				0	0	0.000		1		
B-112	1949	4	STAT		350	350	0	#N/A	0	2C			and stats at 530			0	0	0.000		1		
B-112	1950	1	OUTX	-180		170		#N/A	0	SU	B-008	CRIB				0	0	0.000		1		
B-112	1950	1	OUTX	-158		12		#N/A	0	SU	B-008	CRIB				0	0	0.000		1		
B-112	1950	1	STAT		12	12	0	#N/A	0	2C			and stats at 0	Cribbed		0	0	0.000		1		
B-112	1950	2	STAT		37	37	0	25	25				and stats at 37			0	0	0.000		1		
B-112	1950	3	rec	148		185		#N/A	25	cas	B-111	B-111				0	0	0.000		0		
B-112	1950	3	rec	41		226		#N/A	25	cas	B-111	B-111				0	0	0.000		0		
B-112	1950	3	STAT		N/A	226	0	#N/A	25	2C			phase error 412 to N/A			0	0	0.000		1		
B-112	1950	4	rec	174		400		#N/A	25	cas	B-111	B-111				0	0	0.000		0		
B-112	1950	4	rec	162		562		#N/A	25	cas	B-111	B-111				0	0	0.000		0		
B-112	1950	4	rec	148		710		#N/A	25	cas	B-111	B-111				0	0	0.000		0		
B-112	1950	4	OUTX	-296		414		#N/A	25	SU	B-008	CRIB				0	0	0.000		1		
B-112	1950	4	OUTX	-249		165		#N/A	25	SU	B-008	CRIB				0	0	0.000		1		
B-112	1950	4	outx	0		165		#N/A	25	SU	B-008	CRIB	LC added as per and comment			0	0	0.000		0		
B-112	1950	4	STAT		176	176	0	11	36	2C			and stats at 200	756 to crib		0	0	0.000		1		
B-112	1951	1	rec	213		389		#N/A	36	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	1	rec	141		530		#N/A	36	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	1	rec	137		667		#N/A	36	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	1	OUTX	-119		548		#N/A	36	SU	B-008	CRIB				0	0	0.000		2		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-112	1951	1	OUTX	-377		171		#N/A	36	SU	B-008	CRIB				0	0	0.000		2		
B-112	1951	1	STAT		197	197	0	26	62	2C			and stats at 396, OUTX total - 496	496 to crib		0	0	0.000		1		
B-112	1951	2	CSEND	0		197		#N/A	62	SET	B-008							0.000		1		
B-112	1951	2	rec	179		376		#N/A	62	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	2	rec	177		553		#N/A	62	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	2	rec	87		640		#N/A	62	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	2	OUTX	-123		517		#N/A	62	SU	B-008	CRIB				0	0	0.000		1		
B-112	1951	2	STAT		495	495	0	-22	40	2C			fj stats at 530	Continuous overflow to crib		0	0	0.000		1		
B-112	1951	3	rec	169		664		#N/A	40	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	3	rec	151		815		#N/A	40	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	3	rec	85		900		#N/A	40	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	3	outx	-50		850		#N/A	40	cas	B-008	CRIB				0	0	0.000		0		
B-112	1951	3	outx	-151		699		#N/A	40	cas	B-008	CRIB				0	0	0.000		0		
B-112	1951	3	outx	-169		530		#N/A	40	cas	B-008	CRIB				0	0	0.000		0		
B-112	1951	3	STAT		542	542	0	12	52							0	0	0.000		0		
B-112	1951	4	rec	203		745		#N/A	52	cas	B-111	B-111		Continuous overflow to crib		0	0	0.000		1		
B-112	1951	4	rec	193		938		#N/A	52	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	4	rec	188		1126		#N/A	52	cas	B-111	B-111				0	0	0.000		0		
B-112	1951	4	outx	-215		911		#N/A	52	cas	B-008	CRIB				0	0	0.000		0		
B-112	1951	4	outx	-193		718		#N/A	52	cas	B-008	CRIB				0	0	0.000		0		
B-112	1951	4	outx	-188		530		#N/A	52	cas	B-008	CRIB				0	0	0.000		0		
B-112	1951	4	STAT		542	542	0	12	64							0	0	0.000		0		
B-112	1952	1	rec	166		708		#N/A	64	cas	B-111	B-111		Continuous overflow to crib		0	0	0.000		1		
B-112	1952	1	rec	151		859		#N/A	64	cas	B-111	B-111				0.01135442	1.6848	1.685	2C2	0		
B-112	1952	1	rec	122		981		#N/A	64	cas	B-111	B-111				0.01135442	1.7145	3.599	2C2	0		
B-112	1952	1	outx	-178		803		#N/A	64	cas	B-008	CRIB				0.01135442	1.3852	4.985	2C2	0		
B-112	1952	1	outx	-151		652		#N/A	64	cas	B-008	CRIB				0	0	4.985		0		
B-112	1952	1	outx	-122		530		#N/A	64	cas	B-008	CRIB				0	0	4.985		0		
B-112	1952	1	STAT		542	542	0	12	76							0	0	4.985		0		
B-112	1952	2	rec	120		662		#N/A	76	cas	B-111	B-111		Continuous overflow to crib		0	0	4.985		1		
B-112	1952	2	rec	21		683		#N/A	76	cas	B-111	B-111				0.01135442	1.3625	6.347	2C2	0		
B-112	1952	2	rec	15		698		#N/A	76	cas	B-111	B-111				0.01135442	0.2384	6.586	2C2	0		
B-112	1952	2	outx	-132		566		#N/A	76	cas	B-008	CRIB				0.01135442	0.1703	6.756	2C2	0		
B-112	1952	2	outx	-21		545		#N/A	76	cas	B-008	CRIB				0	0	6.756		0		
B-112	1952	2	outx	-15		530		#N/A	76	cas	B-008	CRIB				0	0	6.756		0		
B-112	1952	2	STAT		542	542	0	12	88							0	0	6.756		0		
B-112	1952	3	rec	89		631		#N/A	88	cas	B-111	B-111		Continuous overflow to crib		0	0	6.756		1		
B-112	1952	3	rec	21		652		#N/A	88	cas	B-111	B-111				0.01135442	1.0105	7.766	2C2	0		
B-112	1952	3	outx	-33		619		#N/A	88	cas	B-008	CRIB				0.01135442	0.2384	8.005	2C2	0		
B-112	1952	3	outx	-89		530		#N/A	88	cas	B-008	CRIB				0	0	8.005		0		
B-112	1952	3	STAT		542	542	0	12	100	2C						0	0	8.005		0		
B-112	1952	4	rec	188		730		#N/A	100	cas	B-111	B-111		Continuous overflow to crib		0	0	8.005		1		
B-112	1952	4	rec	131		861		#N/A	100	cas	B-111	B-111				0.01135442	2.1346	10.139	2C2	0		
B-112	1952	4	rec	97		958		#N/A	100	cas	B-111	B-111				0.01135442	1.4874	11.627	2C2	0		
B-112	1952	4	outx	-143		815		#N/A	100	cas	B-008	CRIB				0.01135442	1.1014	12.728	2C2	0		
B-112	1952	4	outx	-97		718		#N/A	100	cas	B-008	CRIB				0	0	12.728		0		
B-112	1952	4	outx	-188		530		#N/A	100	cas	B-008	CRIB				0	0	12.728		0		
B-112	1952	4	STAT		542	542	0	12	112	1C,2C						0	0	12.728		0		
B-112	1953	1	rec	52		594		#N/A	112	cas	B-111	B-111		Continuous overflow to crib		0	0	12.728		1		
B-112	1953	1	rec	38		632		#N/A	112	cas	B-111	B-111				0.01135442	0.5904	13.319	2C2	0		
B-112	1953	1	rec	22		654		#N/A	112	cas	B-111	B-111				0.01135442	0.4315	13.750	2C2	0		
B-112	1953	1	outx	-64		590		#N/A	112	cas	B-008	CRIB				0.01135442	0.2498	14.000	2C2	0		
B-112	1953	1	outx	-38		552		#N/A	112	cas	B-008	CRIB				0	0	14.000		0		
B-112	1953	1	outx	-22		530		#N/A	112	cas	B-008	CRIB				0	0	14.000		0		
B-112	1953	1	STAT		542	542	0	12	124	1C,2C				Continuous overflow to crib		0	0	14.000		0		
B-112	1953	2	STAT		542	542	0	#N/A	124	5-6#,1C,2C				Continuous overflow to crib		0	0	14.000		1		
B-112	1953	3	STAT		542	542	0	#N/A	124	1C,2C				Continuous overflow to crib		0	0	14.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-112	1953	4	STAT		542	542	0	#N/A	124	1C,2C				Continuous overflow to crib		0	0	14.000		1		
B-112	1954	1	REC	72		614		#N/A	124	SU	B-110	B-110				0	0	14.000		1		
B-112	1954	1	outx	-84		530		#N/A	124	cas	B-008	CRIB				0	0	14.000		1		
B-112	1954	1	STAT		542	542	0	12	136	1C,2C						0	0	14.000		0		
B-112	1954	2	rec	170		712		#N/A	136	cas	B-111	B-111		Continuous overflow to crib		0	0	14.000		1		
B-112	1954	2	rec	111		823		#N/A	136	cas	B-111	B-111				0	0	14.000		0		
B-112	1954	2	rec	0		823		#N/A	136	cas	B-111	B-111				0	0	14.000		0		
B-112	1954	2	outx	-182		641		#N/A	136	cas	B-008	CRIB				0	0	14.000		0		
B-112	1954	2	outx	-111		530		#N/A	136	cas	B-008	CRIB				0	0	14.000		0		
B-112	1954	2	outx	0		530		#N/A	136	cas	B-008	CRIB				0	0	14.000		0		
B-112	1954	2	STAT		542	542	0	12	148	1C,2C						0	0	14.000		0		
B-112	1954	3	CREC	0		542		#N/A	148	END	B-111			Cascades to crib		0	0	14.000		1		
B-112	1954	3	CSEND	0		542		#N/A	148	END	B-008						0	14.000		1		
B-112	1954	3	STAT		542	542	0	#N/A	148	1C,2C							0	14.000		1		
B-112	1954	4	STAT		542	542	0	#N/A	148	5-6#,1C,2C						0	0	14.000		1		
B-112	1955	1	STAT		542	542	0	#N/A	148	1C,2C						0	0	14.000		1		
B-112	1955	2	STAT		542	542	0	#N/A	148	1C,2C						0	0	14.000		1		
B-112	1955	3	STAT		542	542	0	#N/A	148	,1C,2C						0	0	14.000		1		
B-112	1955	4	STAT		542	542	0	#N/A	148	,1C,2C						0	0	14.000		1		
B-112	1956	1	STAT		542	542	0	#N/A	148	,1C,2C						0	0	14.000		1		
B-112	1956	2	STAT		542	542	0	#N/A	148	,1C,2C						0	0	14.000		1		
B-112	1956	3	STAT		542	542	0	#N/A	148	,1C,2C						0	0	14.000		1		
B-112	1956	4	STAT		542	542	0	#N/A	148	5-6#,,1C,2C						0	0	14.000		1		
B-112	1957	1	STAT		538	538	0	-4	144							0	0	14.000		1		
B-112	1957	2	STAT		538	538	23	#N/A	144					Contaminated with EB		0	0	14.000		1		
B-112	1957	3	STAT		538	538	23	#N/A	144	5-6#,				Contaminated with EB		0	0	14.000		1		
B-112	1957	4	OUTX	-451		87		#N/A	144	T25	C-108	TFeCN	AND reports -495 total	Contaminated with EB		0	0	14.000		1		
B-112	1957	4	OUTX	-44		43		#N/A	144	T26	C-111	TFeCN	AND reports -495 total 88 to 44			0	0	14.000		3	O	N-54-299
B-112	1957	4	STAT		43	43	43	#N/A	144							0	0	14.000		1		
B-112	1958	1	STAT		43	43	43	#N/A	144	5-6#,				495 scavenged		0	0	14.000		1		
														CW(1841 TU)		0	0	14.000		1		
B-112	1958	2	STAT		46	46	43	3	147					CW(1830 TU) Latest electrode reading		0	0	14.000		1		
B-112	1958	3	STAT		46	46	43	#N/A	147					CW(2166 TU)		0	0	14.000		1		
B-112	1958	4	STAT		46	46	43	#N/A	147					CW(2166 TU)		0	0	14.000		1		
B-112	1959	1	STAT		46	46	43	#N/A	147					Latest electrode reading		0	0	14.000		1		
B-112	1959	2	STAT		46	46	43	#N/A	147	5-6#,						0	0	14.000		1		
B-112	1959	3	STAT		45	45	43	-1	146	5-6#,						0	0	14.000		1		
B-112	1959	4	STAT		43	43	43	-2	144							0	0	14.000		1		
B-112	1960	1	STAT		43	43	43	#N/A	144					Latest electrode reading		0	0	14.000		1		
B-112	1960	2	STAT		43	43	43	#N/A	144							0	0	14.000		1		
B-112	1960	3	STAT		43	43	43	#N/A	144	5-6#,						0	0	14.000		1		
B-112	1960	4	STAT		32	32	32	-11	133	5-6#,				Shows an unexplained 11,000 decrease		0	0	14.000		1		
B-112	1961	1	STAT		N/A	32		#N/A	133								0	14.000		1		
B-112	1961	2	STAT		29	29	29	-3	130	5-6#,						0	0	14.000		1		
B-112	1961	3	STAT		N/A	29		#N/A	130								0	14.000		1		
B-112	1961	4	STAT		40	40	29	11	141	5-6#,				Latest electrode reading		0	0	14.000		1		
B-112	1962	1	STAT		N/A	40		#N/A	141								0	14.000		1		
B-112	1962	2	STAT		35	35	35	-5	136	5-6#,						0	0	14.000		1		
B-112	1962	3	STAT		N/A	35		#N/A	136								0	14.000		1		
B-112	1962	4	XIN	5		40		#N/A	136	5-6#		DW				0	0	14.000		4	O	HW-76233-4
B-112	1962	4	STAT		40	40	40	#N/A	136	5-6#,				5 from 221-B		0	0	14.000		1		
B-112	1963	1	STAT		N/A	40		#N/A	136								0	14.000		1		
B-112	1963	2	REC	20		60		#N/A	136	SU	B-110	B-110				0	0	14.000		1		
B-112	1963	2	REC	2		62		#N/A	136	SU	B-110	B-110				0	0	14.000		1		
B-112	1963	2	REC	221		283		#N/A	136	SU	B-111	B-111				0	0	14.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-112	1963	2	STAT		271	271	35	-12	124	5-6#,				Receiving from 110-B and 111-B		0	0	14.000		1		
B-112	1963	3	STAT		N/A	271		#N/A	124								0	14.000		1		
B-112	1963	4	REC	285		556		#N/A	124	SU	B-110	B-110				0	0	14.000		1		
B-112	1963	4	STAT		524	524	35	-32	92	FP				Receiving from 110-B and 111-B		0	0	14.000		1		
B-112	1964	1	STAT		N/A	524		#N/A	92								0	14.000		1		
B-112	1964	2	REC	6		530		#N/A	92	SU	B-110	B-110				0	0	14.000		1		
B-112	1964	2	STAT		536	536	35	6	98					Receiving from 110-B and 111-B		0	0	14.000		1		
B-112	1964	3	STAT		536	536	35	#N/A	98							0	0	14.000		1		
B-112	1964	4	STAT		536	536	35	#N/A	98	FP						0	0	14.000		1		
B-112	1965	1	STAT		N/A	536		#N/A	98								0	14.000		1		
B-112	1965	2	SEND	-263		273		#N/A	98	SU		AX-101				0	0	14.000		4	O	HWN-1991-30
B-112	1965	2	REC	177		450		#N/A	98	SU	B-111	B-111				0	0	14.000		4	O	RL-SEP-659-4
B-112	1965	2	STAT		450	450	35	#N/A	98	FP				117 from 111-B, 263 to 101-AX		0	0	14.000		1		
B-112	1965	3	SEND	-137		313		#N/A	98	SU		AX-101				0	0	14.000		4	O	HWN-1991-30
B-112	1965	3	STAT		313	313	35	#N/A	98	FP				137 to 101-AX		0	0	14.000		4	O	RL-SEP-923-4
B-112	1965	4	SEND	-207		106		#N/A	98	SU		AX-101				0	0	14.000		1		
B-112	1965	4	STAT		106	106	35	#N/A	98	FP				207 to 101-AX		0	0	14.000		1		
B-112	1966	1	REC	105		211		#N/A	98		B-111	B-111			Omission	0	0	14.000		3	V	ISO-226-4
B-112	1966	1	STAT		211	211	35	#N/A	98	FP				105 from 111-B		0	0	14.000		1		
B-112	1966	2	REC	94		305		#N/A	98	SU	B-111	B-111	OC B-110 to B-111		Rec from B-111, Omission	0	0	14.000		3	V	ISO-404-4
B-112	1966	2	STAT		304	304	35	-1	97	FP				94 from 111-B		0	0	14.000		1		
B-112	1966	3	REC	33		337		#N/A	97	SU	B-111	B-111	OC B-110 to B-111		Rec from B-111, Omission	0	0	14.000		3	V	ISO-538-4
B-112	1966	3	STAT		337	337	35	#N/A	97					33 from 111-B		0	0	14.000		1		
B-112	1966	4	STAT		337	337	35	#N/A	97							0	0	14.000		1		
B-112	1967	1	STAT		337	337	35	#N/A	97	FP						0	0	14.000		1		
B-112	1967	2	REC	191		528		#N/A	97	SU	B-111	B-111	OC B-110 to B-111		Rec from B-111, Omission	0	0	14.000		3	V	ISO-967-4
B-112	1967	2	STAT		528	528	35	#N/A	97	FP				191 from 111-B		0	0	14.000		1		
B-112	1967	3	STAT		528	528	40	#N/A	97	FP						0	0	14.000		1		
B-112	1967	4	send	-97		431		#N/A	97			B-111	bottomstanks??			0	0	14.000		0		
B-112	1967	4	REC	153		584		#N/A	97	SU	B-110	B-110				0	0	14.000		4	O	ARH-326-5
B-112	1967	4	REC	392		976		#N/A	97	SU	BX-101	BX-101				0	0	14.000		4	O	ARH-326-5
B-112	1967	4	outx	-807		169		#N/A	97			BYCONE	cell 23 cond evap			0	0	14.000		0		
B-112	1967	4	STAT		169	169	40	#N/A	97	FP,EB				Cell 23 conc. feed tank		0	0	14.000		1		
B-112	1968	1	REC	366		535		#N/A	97	SU	B-110	B-110				0	0	14.000		4	O	ARH-534-5
B-112	1968	1	STAT		535	535	40	#N/A	97	FP,EB				366 from 110-B		0	0	14.000		1		
B-112	1968	2	STAT		547	547	18	12	109	EB						0	0	14.000		1		
B-112	1968	3	STAT		547	547	18	#N/A	109	FP,EB						0	0	14.000		1		
B-112	1968	4	STAT		547	547	18	#N/A	109	BL,EB						0	0	14.000		1		
B-112	1969	1	XIN	3		550		#N/A	109	FP		P2	Omis. Pump testing		Omission	0	0	14.000		3	V	ARH-1200A-5
B-112	1969	1	STAT		550	550	18	#N/A	109	BL,EB				3 from pump testing caisson		0	0	14.000		1		
B-112	1969	2	XIN	21		571		#N/A	109	WTR		WTR	Omis. REC B-301		Omission	0	0	14.000		3	V	ARH-1200B-5
B-112	1969	2	REC	127		698		#N/A	109	SU	B-111	B-111				0	0	14.000		4	O	ARH-1200B-5
B-112	1969	2	SEND	-597		101		#N/A	109	SU		B-103				0	0	14.000		4	O	ARH01200B-5
B-112	1969	2	REC	0		101		#N/A	109	SU	B-110	B-110	from B-111				0	14.000		1		
B-112	1969	2	STAT		101	101	18	#N/A	109	EB				127 from 111-B,21 from 301-B C.T., 597 to 103-B		0	0	14.000		1		
B-112	1969	3	REC	312		413		#N/A	109	SU	B-111	B-111			Rec at BY-112	0	0	14.000		2	M	ARH-1200C-5
B-112	1969	3	REC	206		619		#N/A	109	SU	B-110	B-110				0	0	14.000		4	O	ARH-1200C-5
B-112	1969	3	SEND	-339		280		#N/A	109	SU		B-103	OC 329 to 339		Shows 339 not 329	0	0	14.000		3	V	ARH01200C-5
B-112	1969	3	REC	0		280		#N/A	109	SU	B-111	B-111			Rec at BY-112		0	14.000		2	V	ARH-1200C-5
B-112	1969	3	STAT		279	279	18	-1	108	EB,IX				206 from 110-B, 312 from 111-B, 329 to 103-B		0	0	14.000		1		
B-112	1969	4	REC	275		554		#N/A	108	SU	B-111	B-111				0	0	14.000		4	O	ARH-1200D-5
B-112	1969	4	REC	0		554		#N/A	108	SU	B-110	B-110	"+275 to				0	14.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
B-112	1969	4	STAT		554	554	18	#N/A	108	EB,IX				275 from 111-B		0	0	14.000		1		
B-112	1970	1	STAT		553	553	18	-1	107	EB,IX						0	0	14.000		1		
B-112	1970	2	STAT		558	558	18	5	112	IX						0	0	14.000		1		
B-112	1970	3	STAT		558	558	18	#N/A	112	IX						0	0	14.000		1		
B-112	1970	4	STAT		558	558	18	#N/A	112	EB,IX						0	0	14.000		1		
B-112	1971	1	STAT		557	557	18	-1	111	EB,IX						0	0	14.000		1		
B-112	1971	2	STAT		556	556	18	-1	110	EB,IX						0	0	14.000		1		
B-112	1971	3	STAT		557	557	18	1	111	EB,IX						0	0	14.000		1		
B-112	1971	4	SEND	-490		67		#N/A	111	SU		B-103				0	0	14.000		1		
B-112	1971	4	STAT		68	68	18	1	112	EB,IX						0	0	14.000		4	O	ARH-2074D-5
B-112	1972	1	XIN	19		87		#N/A	112	WTR		WTR	Omis. REC B-301	490 to 103-B		0	0	14.000		1		
															Omission	0	0	14.000		3	V	ARH-2356A-4
B-112	1972	1	STAT		87	87	18	#N/A	112	EB,IX				19 from 301-B * Dry Wells 20-12-02, 20-12-03, 20-12-06, 20-12-07, 20-12-11 drilled		0	0	14.000		1		
B-112	1972	2	STAT		90	90	18	3	115	EB,IX						0	0	14.000		1		
B-112	1972	3	send	-13		77		#N/A	115			BY-112				0	0	14.000		1		
B-112	1972	3	STAT		77	77	14	#N/A	115	IX						0	0	14.000		0		
B-112	1972	4	STAT		77	77	14	#N/A	115	EB,IX				New tape		0	0	14.000		1		
B-112	1973	1	rec	225		302		#N/A	115	ITS	BY-112	BY-112				0	0	14.000		1		
B-112	1973	1	GREC	0		302		#N/A	115	ITS	BY-112					0	0	14.000		0		
B-112	1973	1	STAT		302	302	14	#N/A	115	EB							0	14.000		1		
B-112	1973	2	GREC	0		302		#N/A	115	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1973	2	STAT		303	303	14	1	116	EB					Shows 793, not XFER indic.		0	14.000		2	V	ARH2794B-5
B-112	1973	3	GREC	0		303		#N/A	116	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1973	3	STAT		305	305	14	2	118								0	14.000		1		
B-112	1973	4	GREC	0		305		#N/A	118	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1973	4	STAT		305	305	14	#N/A	118								0	14.000		1		
B-112	1974	1	GREC	0		305		#N/A	118	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1974	1	STAT		305	305	14	#N/A	118	EB							0	14.000		1		
B-112	1974	2	REC	23		328		#N/A	118	SU	BY-107	BY-107		ITS bottoms and recycle		0	0	14.000		1		
B-112	1974	2	GREC	0		328		#N/A	118	ITS	BY-112						0	14.000		4	O	ARH-CD-133B-4
B-112	1974	2	STAT		328	328	14	#N/A	118	EB							0	14.000		1		
B-112	1974	3	GREC	0		328		#N/A	118	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1974	3	STAT		329	329	14	1	119	EB							0	14.000		1		
B-112	1974	4	GREC	0		329		#N/A	119	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1974	4	STAT		329	329	35	#N/A	119								0	14.000		1		
B-112	1975	1	GREC	0		329		#N/A	119	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1975	1	STAT		329	329	35	#N/A	119								0	14.000		1		
B-112	1975	2	GREC	0		329		#N/A	119	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1975	2	STAT		329	329	35	#N/A	119								0	14.000		1		
B-112	1975	3	GREC	0		329		#N/A	119	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1975	3	STAT		329	329	35	#N/A	119								0	14.000		1		
B-112	1975	4	GREC	0		329		#N/A	119	ITS	BY-112			ITS bottoms and recycle		0	0	14.000		1		
B-112	1975	4	STAT		329	329	35	#N/A	119								0	14.000		1		
B-112	1976	1	outx	-315		14		#N/A	119			BYEVAP				0	0	14.000	BYEV	0		
B-112	1976	1	xin	315		329		#N/A	119			BYSltCk				0.050794	16	30.000	BYSlt	0		
B-112	1976	1	GREC	0		329		#N/A	119	ITS	BY-112						0	30.000		1		
B-112	1976	1	STAT		329	329	35	#N/A	119					ITS bottoms and recycle		0	0	30.000		1		
B-112	1976	2	GREC	0		329		#N/A	119	ITS	BY-109						0	30.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-112	1976	2	STAT		329	329	35	#N/A	119	EB				ITS bottoms and recycle (2) (2) Due to the characteristics of the solids in the bottoms tanks and the inability to measure them precisely, there is a significant degree of uncertainty in the liquid to solid ratio of B, BX, BY Farm Tanks.		0	0	30.000		1		
B-112	1976	3	STAT		332	332	35	3	122					Evap. Feed Con.		0	0	30.000		1		
B-112	1976	4	STAT		332	332	35	#N/A	122					Evap. Feed Con.		0	0	30.000		1		
B-112	1977	1	STAT		332	332	35	#N/A	122					Evap. feed Con.		0	0	30.000		1		
B-112	1977	2	send	-259		73		#N/A	122			A-102				0	0	30.000		0		
B-112	1977	2	STAT		73	73	35	#N/A	122					Evap. feed Con.		0	0	30.000		1		
B-112	1977	3	send	-33		40		#N/A	122			A-102				0	0	30.000		0		
B-112	1977	3	STAT		40	40	37	#N/A	122					Inactive Current		0	0	30.000		1		
B-112	1977	4	STAT		40	40	37	#N/A	122					Inactive Current		0	0	30.000		1		
B-112	1978	1	STAT		40	40	37	#N/A	122					Inactive		0	0	30.000		1		
B-112	1978	2	STAT		40	40	37	#N/A	122	NCPLX						0	0	30.000		1		
B-112	1978	3	STAT		43	43	37	3	125							0	0	30.000		1		
B-112	1978	4	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1979	1	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1979	2	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1979	3	STAT		43	43	37	#N/A	125					Questionable Integrity		0	0	30.000		1		
B-112	1979	4	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1980	1	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1980	2	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1980	3	STAT		43	43	37	#N/A	125							0	0	30.000		1		
B-112	1980	4	STAT		43	43	37	#N/A	125	NCPLX						0	0	30.000		1		
B-112	1993	2	STAT		33	33	30	-10	115	NCPLX						0	0	30.000		1		
B-112	1993	4	STAT		33	33	30	#N/A	115							0	0	30.000		1		
B-112	1994	1	STAT		33	33	30	#N/A	115							0	0	30.000		1		
B-112	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	QA	Document/Pg #
B-201	1900																					
B-201	1946	4	CSEND	0		0		#N/A	0	SET	B-007						0	0.000		1		
B-201	1946	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1947	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1947	2	STAT		0	0	0	#N/A	0	CB							0	0.000		1		
B-201	1947	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1947	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1948	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1948	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1948	3	CSEND	0		0		#N/A	0	END	B-007						0	0.000		1		
B-201	1948	3	STAT		0	0	0	#N/A	0	CB&CD							0	0.000		1		
B-201	1948	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1949	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1949	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1949	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1949	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1950	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1950	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1950	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1950	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1951	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1951	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1951	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-201	1951	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-201	1952	1	xfn	55		55		#N/A	0			224				0.50909091	28	28.000	224	0		
B-201	1952	1	STAT		55	55	0	#N/A	0					Active cascade to crib		0	0	28.000		1		
B-201	1952	2	STAT		55	55	0	#N/A	0					Active cascade to crib		0	0	28.000		1		
B-201	1952	3	STAT		55	55	0	#N/A	0					Active cascade to crib		0	0	28.000		1		
B-201	1952	4	STAT		55	55	0	#N/A	0	MW				Active cascade to crib		0	0	28.000		1		
B-201	1953	1	STAT		55	55	0	#N/A	0	224,MW				Receives B plant flushes		0	0	28.000		1		
B-201	1953	2	STAT		55	55	55	#N/A	0	MW						0	0	28.000		1		
B-201	1953	3	STAT		55	55	55	#N/A	0	MW						0	0	28.000		1		
B-201	1953	4	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1954	1	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1954	2	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1954	3	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1954	4	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1955	1	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1955	2	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1955	3	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1955	4	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1956	1	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1956	2	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1956	3	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1956	4	STAT		55	55	54.5	#N/A	0							0	0	28.000		1		
B-201	1957	1	STAT		53	53	53	-2	-2					Latest electrode reading		0	0	28.000		1		
B-201	1957	2	STAT		55	55	54.5	2	0	224						0	0	28.000		1		
B-201	1957	3	STAT		53	53	28.5	-2	-2							0	0	28.000		1		
B-201	1957	4	STAT		53	53	28.5	#N/A	-2							0	0	28.000		1		
B-201	1958	1	STAT		53	53	28.5	#N/A	-2							0	0	28.000		1		
B-201	1958	2	STAT		53	53	28.5	#N/A	-2	224						0	0	28.000		1		
B-201	1958	3	STAT		53	53	23.5	#N/A	-2	224						0	0	28.000		1		
B-201	1958	4	STAT		51	51	28.5	-2	-4					Latest electrode reading		0	0	28.000		1		
B-201	1959	1	STAT		51	51	28.5	#N/A	-4							0	0	28.000		1		
B-201	1959	2	STAT		51	51	28.5	#N/A	-4					New electrode		0	0	28.000		1		
B-201	1959	3	STAT		51	51	28.5	#N/A	-4	224						0	0	28.000		1		
B-201	1959	4	STAT		52	52	52	1	-3							0	0	28.000		1		
B-201	1960	1	STAT		52	52	52	#N/A	-3							0	0	28.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
B-201	1960	2	STAT		52	52	52	#N/A	-3							0	0	28.000		1		
B-201	1960	3	STAT		52	52	52	#N/A	-3							0	0	28.000		1		
B-201	1960	4	STAT		55	55	55	3	0	224						0	0	28.000		1		
B-201	1961	1	STAT		N/A	55		#N/A	0								0	28.000		1		
B-201	1961	2	STAT		50	50	50	-5	-5								0	28.000		1		
B-201	1961	3	STAT		50	50	50	#N/A	-5							0	0	28.000		1		
B-201	1961	4	STAT		50	50	50	#N/A	-5							0	0	28.000		1		
B-201	1962	1	STAT		50	50	50	#N/A	-5							0	0	28.000		1		
B-201	1962	2	STAT		55	55	54.5	5	0	224						0	0	28.000		1		
B-201	1962	3	STAT		N/A	55		#N/A	0								0	28.000		1		
B-201	1962	4	STAT		51	51	50	-4	-4							0	0	28.000		1		
B-201	1963	1	STAT		51	51	50	#N/A	-4							0	0	28.000		1		
B-201	1963	2	STAT		51	51	50	#N/A	-4	224						0	0	28.000		1		
B-201	1963	3	STAT		N/A	51		#N/A	-4								0	28.000		1		
B-201	1963	4	STAT		53	53	50	2	-2					Latest electrode reading		0	0	28.000		1		
B-201	1964	1	STAT		53	53	50	#N/A	-2							0	0	28.000		1		
B-201	1964	2	STAT		53	53	50	#N/A	-2							0	0	28.000		1		
B-201	1964	3	STAT		53	53	50	#N/A	-2							0	0	28.000		1		
B-201	1964	4	STAT		53	53	50	#N/A	-2	224						0	0	28.000		1		
B-201	1965	1	STAT		N/A	53		#N/A	-2								0	28.000		1		
B-201	1965	2	STAT		56	56	50	3	1							0	0	28.000		1		
B-201	1965	3	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1965	4	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1966	1	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1966	2	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1966	3	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1966	4	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1967	1	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1967	2	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1967	3	STAT		56	56	50	#N/A	1							0	0	28.000		1		
B-201	1967	4	STAT		56	56	50	#N/A	1	224						0	0	28.000		1		
B-201	1968	1	STAT		55	55	50	-1	0							0	0	28.000		1		
B-201	1968	2	STAT		55	55	50	#N/A	0							0	0	28.000		1		
B-201	1968	3	STAT		55	55	50	#N/A	0							0	0	28.000		1		
B-201	1968	4	STAT		55	55	50	#N/A	0							0	0	28.000		1		
B-201	1969	1	STAT		55	55	50	#N/A	0							0	0	28.000		1		
B-201	1969	2	STAT		55	55	50	#N/A	0							0	0	28.000		1		
B-201	1969	3	STAT		55	55	50	#N/A	0							0	0	28.000		1		
B-201	1969	4	STAT		55	55	50	#N/A	0	224						0	0	28.000		1		
B-201	1970	1	STAT		55	55	30	#N/A	0							0	0	28.000		1		
B-201	1970	2	STAT		55	55	30	#N/A	0							0	0	28.000		1		
B-201	1970	3	STAT		55	55	30	#N/A	0	224						0	0	28.000		1		
B-201	1970	4	STAT		54	54	30	-1	-1							0	0	28.000		1		
B-201	1971	1	STAT		54	54	30	#N/A	-1	224						0	0	28.000		1		
B-201	1971	2	SEND	-22		32		#N/A	-1	SU		B-106				0	0	28.000		4	O	ARH-2074B-5
B-201	1971	2	CSEND	0		32		#N/A	-1	END							0	28.000		1		
B-201	1971	2	STAT		33	33	30	1	0					22 to 106-8		0	0	28.000		1		
B-201	1971	3	STAT		33	33	30	#N/A	0							0	0	28.000		1		
B-201	1971	4	STAT		33	33	30	#N/A	0	224						0	0	28.000		1		
B-201	1972	1	STAT		33	33	26	#N/A	0							0	0	28.000		1		
B-201	1972	2	STAT		33	33	26	#N/A	0							0	0	28.000		1		
B-201	1972	3	STAT		33	33	26	#N/A	0							0	0	28.000		1		
B-201	1972	4	STAT		33	33	26	#N/A	0							0	0	28.000		1		
B-201	1973	1	STAT		33	33	26	#N/A	0					Suspect leaker		0	0	28.000		1		
B-201	1973	2	STAT		33	33	26	#N/A	0					Suspect leaker		0	0	28.000		1		
B-201	1973	3	STAT		33	33	26	#N/A	0					Suspect leaker		0	0	28.000		1		
B-201	1973	4	STAT		33	33	26	#N/A	0	224				Suspect leaker		0	0	28.000		1		
B-201	1974	1	SEND	-1		32		#N/A	0	SU		B-109				0	0	28.000		4	O	ARH-CD-133A-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-201	1974	1	STAT		32	32	26	#N/A	0	224						0	0	28.000		1		
B-201	1974	2	SEND	-2		30		#N/A	0	SU		B-109				0	0	28.000		4	O	ARH-CD-133B-4
B-201	1974	2	STAT		31	31	26	1	1	224				Suspect leaker, 2 to 109-B		0	0	28.000		1		
B-201	1974	3	SEND	-4		27		#N/A	1	SU		B-109				0	0	28.000		4	O	ARH-CD-133C-4
B-201	1974	3	STAT		29	29	26	2	3	224				Suspect leaker, 4 to 109-B		0	0	28.000		1		
B-201	1974	4	XIN	4		33		#N/A	3	WTR		WTR				0	0	28.000		4	O	ARH-CD-133D-4
B-201	1974	4	SEND	-6		27		#N/A	3	SU		B-109				0	0	28.000		4	O	ARH-CD-133D-4
B-201	1974	4	STAT		29	29	29	2	5					Suspect leaker, 4 water, 6 to 109-B		0	0	28.000		1		
B-201	1975	1	SEND	-2		27		#N/A	5	SU		B-109				0	0	28.000		4	O	ARH-CD-336A-4
B-201	1975	1	STAT		29	29	29	2	7					Suspect leaker, 2 to 102-B		0	0	28.000		1		
B-201	1975	2	SEND	-1		28		#N/A	7	SU		B-109				0	0	28.000		4	O	ARH-CD-336B-4
B-201	1975	2	STAT		29	29	29	1	8					Removed-from service, 1 to 109-B		0	0	28.000		1		
B-201	1975	3	SEND	-1		28		#N/A	8	SU		B-109				0	0	28.000		4	O	ARH-CD-336C-4
B-201	1975	3	STAT		29	29	29	1	9					Removed-from service, 1 to 109-B		0	0	28.000		1		
B-201	1975	4	STAT		29	29	29	#N/A	9					Removed-from service, 1 to 109-B		0	0	28.000		1		
B-201	1976	1	STAT		29	29	29	#N/A	9					Removed-from service, 1 to 109-B		0	0	28.000		1		
B-201	1976	2	STAT		29	29	29	#N/A	9							0	0	28.000		1		
B-201	1976	3	STAT		29	29	29	#N/A	9							0	0	28.000		1		
B-201	1976	4	STAT		29	29	29	#N/A	9					Salt Well Comp.		0	0	28.000		1		
B-201	1977	1	STAT		29	29	29	#N/A	9					Questionable Integrity		0	0	28.000		1		
B-201	1977	2	STAT		29	29	29	#N/A	9							0	0	28.000		1		
B-201	1977	3	STAT		29	29	29	#N/A	9					Inactive-Stabilized		0	0	28.000		1		
B-201	1977	4	STAT		29	29	29	#N/A	9					Inactive Current-Stabilized Phase I		0	0	28.000		1		
B-201	1978	1	STAT		29	29	29	#N/A	9					Inactive - Primary Stabilized		0	0	28.000		1		
B-201	1978	2	STAT		29	29	29	#N/A	9							0	0	28.000		1		
B-201	1978	3	STAT		29	29	29	#N/A	9					P-10 Pmp. Removed		0	0	28.000		1		
B-201	1978	4	STAT		29	29	29	#N/A	9	224						0	0	28.000		1		
B-201	1979	1	STAT		28	28	27	-1	8					New Solids Level 1/29/79		0	0	28.000		1		
B-201	1979	2	STAT		28	28	27	#N/A	8					Questionable integrity		0	0	28.000		1		
B-201	1979	3	STAT		28	28	27	#N/A	8							0	0	28.000		1		
B-201	1979	4	STAT		28	28	27	#N/A	8							0	0	28.000		1		
B-201	1980	1	STAT		28	28	27	#N/A	8					New Photo 2/4/80		0	0	28.000		1		
B-201	1980	2	STAT		28	28	27	#N/A	8	224						0	0	28.000		1		
B-201	1980	3	STAT		29	29	28	1	9							0	0	28.000		1		
B-201	1980	4	STAT		29	29	28	#N/A	9	224						0	0	28.000		1		
B-112	1983	4	send	-10		19		#N/A	9	swliq		AN-103				0	0	28.000		1		
B-201	1993	2	STAT		29	29	28	10	19	NCPLX						0	0	28.000		0		
B-201	1993	4	STAT		29	29	28	#N/A	19							0	0	28.000		1		
B-201	1994	1	STAT		29	29	28	#N/A	19							0	0	28.000		1		
B-201	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-202	1900																					
B-202	1948	4	CREC	0		0		#N/A	0	SET	B-203											
B-202	1948	4	CSEND	0		0		#N/A	0	SET	B-007						0	0.000		1		
B-202	1948	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1949	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1949	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1949	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1949	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1950	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1950	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1950	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1950	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-202	1951	1	STAT		N/A	0		#N/A	0							0	0	0.000		1		
B-202	1951	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1951	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-202	1951	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-202	1952	1	STAT		N/A	0	0	#N/A	0				phase prob 55 to N/A	Active cascade to crib		0	0	0.000		1		
B-202	1952	2	rec	4		4		#N/A	0	cas	B-203	B-203				0	0	0.000		1		
B-202	1952	2	rec	40		44		#N/A	0	cas	B-203	B-203				0.194245	0.777	0.777	224	0		
B-202	1952	2	STAT		55	55	0	11	11							0.194245	7.7698	8.547	224	0		
B-202	1952	3	rec	42		97		#N/A	11	cas	B-203	B-203		Active cascade to crib		0	0	8.547		1		
B-202	1952	3	rec	29		126		#N/A	11	cas	B-203	B-203				0.194245	8.1583	16.705	224	0		
B-202	1952	3	rec	24		150		#N/A	11	cas	B-203	B-203				0.194245	5.6331	22.338	224	0		
B-202	1952	3	outx	-24		126		#N/A	11	cas	B-007	CRIB				0.194245	4.6619	27.000	224	0		
B-202	1952	3	outx	-29		97		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1952	3	outx	-42		55		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1952	3	STAT		55	55	0	#N/A	11							0	0	27.000		0		
B-202	1952	4	rec	42		97		#N/A	11	cas	B-203	B-203		Active cascade to crib		0	0	27.000		1		
B-202	1952	4	rec	24		121		#N/A	11	cas	B-203	B-203				0	0	27.000		0		
B-202	1952	4	rec	13		134		#N/A	11	cas	B-203	B-203				0	0	27.000		0		
B-202	1952	4	outx	-42		92		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1952	4	outx	-24		68		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1952	4	outx	-13		55		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1952	4	STAT		55	55	0	#N/A	11	MW						0	0	27.000		0		
B-202	1953	1	rec	21		76		#N/A	11	cas	B-203	B-203		Active cascade to crib		0	0	27.000		1		
B-202	1953	1	rec	14		90		#N/A	11	cas	B-203	B-203				0	0	27.000		0		
B-202	1953	1	rec	9		99		#N/A	11	cas	B-203	B-203				0	0	27.000		0		
B-202	1953	1	outx	-9		90		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1953	1	outx	-14		76		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1953	1	outx	-21		55		#N/A	11	cas	B-007	CRIB				0	0	27.000		0		
B-202	1953	1	STAT		55	55	0	#N/A	11	224,MW						0	0	27.000		0		
B-202	1953	2	STAT		55	55	0	#N/A	11	224,MW			anomalous solids of 55	Receives B plant flushes		0	0	27.000		1		
B-202	1953	3	STAT		55	55	26	#N/A	11	MW						0	0	27.000		1		
B-202	1953	4	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1954	1	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1954	2	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1954	3	STAT		55	55	25	#N/A	11							0	0	27.000		1		
														Cascades to crib		0	0	27.000		1		
B-202	1954	4	STAT		55	55	25	#N/A	11					Rec'd 5-6 water. Cascades to crib								
B-202	1955	1	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1955	2	STAT		55	55	25	#N/A	11							0	0	27.000		1		
														Cascades to crib		0	0	27.000		1		
B-202	1955	3	STAT		55	55	25	#N/A	11					Rec'd 224-B flush water.Cascades to crib								
B-202	1955	4	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1956	1	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1956	2	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1956	3	STAT		55	55	25	#N/A	11							0	0	27.000		1		
B-202	1956	4	STAT		55	55	25	#N/A	11	224						0	0	27.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-202	1957	1	STAT		56	56	25	1	12	224				Latest electrode reading		0	0	27.000		1		
B-202	1957	2	STAT		56	56	25	#N/A	12							0	0	27.000		1		
B-202	1957	3	STAT		56	56	25	#N/A	12							0	0	27.000		1		
B-202	1957	4	STAT		56	56	25	#N/A	12							0	0	27.000		1		
B-202	1958	1	STAT		56	56	25	#N/A	12							0	0	27.000		1		
B-202	1958	2	STAT		56	56	25	#N/A	12							0	0	27.000		1		
B-202	1958	3	STAT		56	56	25	#N/A	12	224						0	0	27.000		1		
B-202	1958	4	outx	-2		54		#N/A	12	ADJ	CORR	COND				0	0	27.000		1		
B-202	1958	4	STAT		54	54	25	#N/A	12							0	0	27.000		0		
B-202	1959	1	STAT		54	54	25	#N/A	12					Latest electrode reading		0	0	27.000		1		
B-202	1959	2	STAT		54	54	25	#N/A	12							0	0	27.000		1		
B-202	1959	3	STAT		54	54	25	#N/A	12					New electrode		0	0	27.000		1		
B-202	1959	4	STAT		54	54	25	#N/A	12							0	0	27.000		1		
B-202	1960	1	STAT		54	54	25	#N/A	12							0	0	27.000		1		
B-202	1960	2	STAT		54	54	25	#N/A	12	224						0	0	27.000		1		
B-202	1960	3	STAT		51	51	25	-3	9							0	0	27.000		1		
B-202	1960	4	STAT		51	51	25	#N/A	9							0	0	27.000		1		
B-202	1961	1	STAT		51	51	25	#N/A	9							0	0	27.000		1		
B-202	1961	2	STAT		51	51	25	#N/A	9							0	0	27.000		1		
B-202	1961	3	STAT		51	51	25	#N/A	9							0	0	27.000		1		
B-202	1961	4	STAT		51	51	25	#N/A	9	224						0	0	27.000		1		
B-202	1962	1	STAT		N/A	51		#N/A	9							0	0	27.000		1		
B-202	1962	2	XIN	8		59		#N/A	9	B		B						0		1		
B-202	1962	2	STAT		55	55	26	-4	5	224						0	0	27.000		4	O	HW-74647-4
B-202	1962	3	STAT		N/A	55		#N/A	5					7.5 from 221-B		0	0	27.000		1		
B-202	1962	4	STAT		55	55	25	#N/A	5								0	27.000		1		
B-202	1963	1	STAT		55	55	25	#N/A	5							0	0	27.000		1		
B-202	1963	2	STAT		55	55	25	#N/A	5	224						0	0	27.000		1		
B-202	1963	3	STAT		N/A	55		#N/A	5							0	0	27.000		1		
B-202	1963	4	STAT		54	54	25	-1	4								0	27.000		1		
B-202	1964	1	STAT		54	54	25	#N/A	4					Latest electrode reading		0	0	27.000		1		
B-202	1964	2	STAT		54	54	25	#N/A	4							0	0	27.000		1		
B-202	1964	3	STAT		54	54	25	#N/A	4							0	0	27.000		1		
B-202	1964	4	STAT		54	54	25	#N/A	4	224						0	0	27.000		1		
B-202	1965	1	STAT		N/A	54		#N/A	4							0	0	27.000		1		
B-202	1965	2	STAT		58	58	25	4	8	224								0		1		
B-202	1965	3	STAT		56	56	25	-2	6							0	0	27.000		1		
B-202	1965	4	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1966	1	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1966	2	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1966	3	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1966	4	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1967	1	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1967	2	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1967	3	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1967	4	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1968	1	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1968	2	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1968	3	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1968	4	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1969	1	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1969	2	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1969	3	STAT		56	56	25	#N/A	6							0	0	27.000		1		
B-202	1969	4	STAT		56	56	25	#N/A	6	224						0	0	27.000		1		
B-202	1970	1	STAT		56	56	29	#N/A	6							0	0	27.000		1		
B-202	1970	2	STAT		56	56	29	#N/A	6							0	0	27.000		1		
B-202	1970	3	STAT		56	56	29	#N/A	6							0	0	27.000		1		
B-202	1970	4	STAT		56	56	29	#N/A	6							0	0	27.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-202	1971	1	STAT		56	56	29	#N/A	6							0	0	27.000		1		
B-202	1971	2	CSEND	0		56		#N/A	6	END							0	27.000		1		
B-202	1971	2	STAT		56	56	29	#N/A	6							0	0	27.000		1		
B-202	1971	3	STAT		56	56	29	#N/A	6							0	0	27.000		1		
B-202	1971	4	STAT		56	56	29	#N/A	6	224						0	0	27.000		1		
B-202	1972	1	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1972	2	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1972	3	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1972	4	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1973	1	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1973	2	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1973	3	STAT		56	56	27	#N/A	6							0	0	27.000		1		
B-202	1973	4	STAT		56	56	27	#N/A	6	224						0	0	27.000		1		
B-202	1974	1	SEND	-3		53		#N/A	6	SU		B-109				0	0	27.000		1		
B-202	1974	1	STAT		53	53	27	#N/A	6	224				3 to 109-B		0	0	27.000		4	O	ARH-CD-133A-4
B-202	1974	2	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1974	3	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1974	4	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1975	1	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1975	2	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1975	3	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1975	4	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1976	1	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1976	2	STAT		53	53	27	#N/A	6	224						0	0	27.000		1		
B-202	1976	3	STAT		53	53	27	#N/A	6							0	0	27.000		1		
B-202	1976	4	STAT		53	53	27	#N/A	6					Restricted		0	0	27.000		1		
B-202	1977	1	STAT		53	53	27	#N/A	6					Restricted		0	0	27.000		1		
B-202	1977	2	STAT		30	30	27	-23	-17					Restricted		0	0	27.000		1		
B-202	1977	3	STAT		27	27	27	-3	-20					Restricted		0	0	27.000		1		
B-202	1977	4	STAT		27	27	27	#N/A	-20					Inactive Current		0	0	27.000		1		
B-202	1978	1	STAT		27	27	27	#N/A	-20					Inactive		0	0	27.000		1		
B-202	1978	2	STAT		27	27	27	#N/A	-20					Inactive		0	0	27.000		1		
B-202	1978	3	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1978	4	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1979	1	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1979	2	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1979	3	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1979	4	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1980	1	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1980	2	STAT		27	27	27	#N/A	-20	224				New Photo 2/4/80		0	0	27.000		1		
B-202	1980	3	STAT		28	28	28	-1	-19							0	0	27.000		1		
B-202	1980	4	STAT		28	28	28	#N/A	-19	224						0	0	27.000		1		
B-202	1993	2	STAT		27	27	27	-1	-20	NCPLX						0	0	27.000		1		
B-202	1993	4	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	1994	1	STAT		27	27	27	#N/A	-20							0	0	27.000		1		
B-202	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-203	1900																					
B-203	1948	4	CREC	0		0		#N/A	0	SET	B-204						0	0.000		1		
B-203	1948	4	CSEND	0		0		#N/A	0	SET	B-202						0	0.000		1		
B-203	1948	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1949	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1949	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1949	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1949	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1950	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1950	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1950	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1950	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-203	1951	1	STAT		N/A	0		#N/A	0							0	0	0.000		1		
B-203	1951	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1951	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-203	1951	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-203	1952	1	STAT		N/A	0	0	#N/A	0				phase prob 55 to N/A]			0	0	0.000		1		
B-203	1952	2	rec	33		33		#N/A	0	cas	B-204	B-204		Active cascade to crib		0	0	0.000		1		
B-203	1952	2	rec	40		73		#N/A	0	cas	B-204	B-204				0.25773196	8.5052	8.505	224	0		
B-203	1952	2	rec	26		99		#N/A	0	cas	B-204	B-204				0.25773196	10.309	18.814	224	0		
B-203	1952	2	send	-4		95		#N/A	0	cas		B-202				0.25773196	6.701	25.515	224	0		
B-203	1952	2	send	-40		55		#N/A	0	cas		B-202				0	0	25.515		0		
B-203	1952	2	STAT		55	55	0	#N/A	0							0	0	25.515		0		
B-203	1952	3	rec	42		97		#N/A	0	cas	B-204	B-204		Active cascade to crib		0	0	25.515		1		
B-203	1952	3	rec	29		126		#N/A	0	cas	B-204	B-204				0.25773196	10.825	36.340	224	0		
B-203	1952	3	rec	24		150		#N/A	0	cas	B-204	B-204				0.25773196	7.4742	43.814	224	0		
B-203	1952	3	send	-42		108		#N/A	0	cas		B-202				0.25773196	6.1856	50.000	224	0		
B-203	1952	3	send	-29		79		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1952	3	send	-24		55		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1952	3	STAT		55	55	0	#N/A	0							0	0	50.000		0		
B-203	1952	4	rec	42		97		#N/A	0	cas	B-204	B-204		Active cascade to crib		0	0	50.000		1		
B-203	1952	4	rec	24		121		#N/A	0	cas	B-204	B-204				0	0	50.000		0		
B-203	1952	4	rec	13		134		#N/A	0	cas	B-204	B-204				0	0	50.000		0		
B-203	1952	4	send	-42		92		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1952	4	send	-24		68		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1952	4	send	-13		55		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1952	4	STAT		55	55	0	#N/A	0	MW						0	0	50.000		0		
B-203	1953	1	rec	21		76		#N/A	0	cas	B-204	B-204		Active cascade to crib		0	0	50.000		1		
B-203	1953	1	rec	14		90		#N/A	0	cas	B-204	B-204				0	0	50.000		0		
B-203	1953	1	rec	9		99		#N/A	0	cas	B-204	B-204				0	0	50.000		0		
B-203	1953	1	send	-21		78		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1953	1	send	-14		64		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1953	1	send	-9		55		#N/A	0	cas		B-202				0	0	50.000		0		
B-203	1953	1	STAT		55	55	0	#N/A	0	224,MW						0	0	50.000		0		
B-203	1953	2	STAT		55	55	55	#N/A	0	MW				Receives B plant flushes		0	0	50.000		1		
B-203	1953	3	STAT		55	55	55	#N/A	0	MW						0	0	50.000		1		
B-203	1953	4	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1954	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1954	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1954	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1954	4	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1955	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1955	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1955	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1955	4	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1956	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1956	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1956	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-203	1956	4	STAT		55	55	54.5	#N/A	0	224						0	0	50.000		1		
B-203	1957	1	STAT		56	56	54.5	1	1					Latest electrode reading		0	0	50.000		1		
B-203	1957	2	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1957	3	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1957	4	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1958	1	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1958	2	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1958	3	STAT		56	56	54.5	#N/A	1	224						0	0	50.000		1		
B-203	1958	4	STAT		55	55	54.5	-1	0					Latest electrode reading		0	0	50.000		1		
B-203	1959	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1959	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1959	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1959	4	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	4	STAT		55	55	54.5	#N/A	0	224						0	0	50.000		1		
B-203	1961	1	STAT		N/A	55		#N/A	0								0	50.000		1		
B-203	1961	2	STAT		54	54	54	-1	-1							0	0	50.000		1		
B-203	1961	3	STAT		54	54	54	#N/A	-1							0	0	50.000		1		
B-203	1961	4	STAT		55	55	54.5	1	0	224						0	0	50.000		1		
B-203	1962	1	STAT		N/A	55		#N/A	0								0	50.000		1		
B-203	1962	2	STAT		56	56	54.5	1	1	224						0	0	50.000		1		
B-203	1962	3	STAT		56	56	54.5	#N/A	1	224						0	0	50.000		1		
B-203	1962	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	4	STAT		56	56	54	#N/A	1	224						0	0	50.000		1		
B-203	1964	1	STAT		N/A	56		#N/A	1					Latest electrode reading		0	0	50.000		1		
B-203	1964	2	STAT		55	55	54	-1	0								0	50.000		1		
B-203	1964	3	STAT		55	55	54	#N/A	0					New electrode		0	0	50.000		1		
B-203	1964	4	STAT		55	55	54	#N/A	0	224						0	0	50.000		1		
B-203	1965	1	STAT		N/A	55		#N/A	0							0	0	50.000		1		
B-203	1965	2	STAT		58	58	54	3	3	224							0	50.000		1		
B-203	1965	3	STAT		56	56	54	-2	1							0	0	50.000		1		
B-203	1965	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	4	STAT		56	56	54	#N/A	1	224						0	0	50.000		1		
B-203	1970	1	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1970	2	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1970	3	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1970	4	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1971	1	STAT		56	56	49	#N/A	1							0	0	50.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-203	1971	2	CSEND	0		56		#N/A	1	END							0	50.000		1		
B-203	1971	2	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1971	3	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1971	4	STAT		56	56	49	#N/A	1	224						0	0	50.000		1		
B-203	1972	1	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1972	2	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1972	3	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1972	4	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1973	1	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1973	2	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1973	3	STAT		56	56	44	#N/A	1							0	0	50.000		1		
B-203	1973	4	STAT		56	56	44	#N/A	1	224						0	0	50.000		1		
B-203	1974	1	SEND	-6		50		#N/A	1	SU		B-109				0	0	50.000		1		
B-203	1974	1	STAT		50	50	44	#N/A	1	224						0	0	50.000		4	O	ARH-CD-133A-4
B-203	1974	2	STAT		50	50	44	#N/A	1					6 to 109-B		0	0	50.000		1		
B-203	1974	3	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1974	4	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1975	1	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1975	2	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1975	3	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1975	4	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1976	1	STAT		50	50	44	#N/A	1							0	0	50.000		1		
B-203	1976	2	STAT		50	50	44	#N/A	1	224						0	0	50.000		1		
B-203	1976	3	STAT		50	50	45	#N/A	1							0	0	50.000		1		
B-203	1976	4	STAT		50	50	45	#N/A	1					Restricted		0	0	50.000		1		
B-203	1977	1	STAT		50	50	45	#N/A	1					Restricted		0	0	50.000		1		
B-203	1977	2	STAT		50	50	45	#N/A	1					Restricted		0	0	50.000		1		
B-203	1977	3	STAT		50	50	47	#N/A	1					Restricted		0	0	50.000		1		
B-203	1977	4	STAT		50	50	47	#N/A	1					Inactive Current-Solid Level Adj.		0	0	50.000		1		
B-203	1978	1	STAT		50	50	47	#N/A	1					Inactive Current-Solid Level Adj.		0	0	50.000		1		
B-203	1978	2	STAT		50	50	47	#N/A	1					Inactive		0	0	50.000		1		
B-203	1978	3	STAT		50	50	47	#N/A	1							0	0	50.000		1		
B-203	1978	4	STAT		50	50	47	#N/A	1							0	0	50.000		1		
B-203	1979	1	STAT		50	50	47	#N/A	1							0	0	50.000		1		
B-203	1979	2	STAT		50	50	47	#N/A	1					New Photo's 3/1/79		0	0	50.000		1		
B-203	1979	3	STAT		50	50	47	#N/A	1							0	0	50.000		1		
B-203	1979	4	STAT		50	50	47	#N/A	1							0	0	50.000		1		
B-203	1980	1	STAT		50	50	47	#N/A	1							0	0	50.000		1		
B-203	1980	2	STAT		50	50	47	#N/A	1	NCPLX				New Photo 2/5/80		0	0	50.000		1		
B-203	1980	3	STAT		50	50	48	#N/A	1							0	0	50.000		1		
B-203	1980	4	STAT		50	50	48	#N/A	1	NCPLX						0	0	50.000		1		
B-203	1993	2	STAT		51	51	50	1	2	NCPLX						0	0	50.000		1		
B-203	1993	4	STAT		51	51	50	#N/A	2							0	0	50.000		1		
B-203	1994	1	STAT		51	51	50	#N/A	2							0	0	50.000		1		
B-203	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-204	1900																					
B-204	1948	4	CSEND	0		0		#N/A	0	SET	B-203											
B-204	1948	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1949	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1949	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1949	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1949	4	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1950	1	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1950	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1950	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1950	4	STAT		0	0	0	#N/A	0	CB&CD							0	0.000		1		
B-204	1951	1	STAT		N/A	0		#N/A	0							0	0	0.000		1		
B-204	1951	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1951	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-204	1951	4	STAT		0	0	0	#N/A	0	CB&CD							0	0.000		1		
B-204	1952	1	STAT		N/A	0	0	#N/A	0							0	0	0.000		1		
B-204	1952	2	XIN	88		88		#N/A	0	224		224		Active cascade to crib		0	0	0.000		1		
B-204	1952	2	XIN	26		114		#N/A	0	224		224				0.19678715	17.317	17.317	224	1		
B-204	1952	2	XIN	40		154		#N/A	0	224		224				0.19678715	5.1165	22.434	224	1		
B-204	1952	2	send	-33		121		#N/A	0	cas		B-203				0.19678715	7.8715	30.305	224	1		
B-204	1952	2	send	-40		81		#N/A	0	cas		B-203				0	0	30.305		0		
B-204	1952	2	send	-26		55		#N/A	0	cas		B-203				0	0	30.305		0		
B-204	1952	2	STAT		55	55	0	#N/A	0							0	0	30.305		0		
B-204	1952	3	XIN	24		79		#N/A	0	224		224		Active cascade to crib		0	0	30.305		1		
B-204	1952	3	XIN	29		108		#N/A	0	224		224				0.19678715	4.7229	35.028	224	1		
B-204	1952	3	XIN	42		150		#N/A	0	224		224				0.19678715	5.7068	40.735	224	1		
B-204	1952	3	send	-42		108		#N/A	0	cas		B-203				0.19678715	8.2651	49.000	224	1		
B-204	1952	3	send	-29		79		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1952	3	send	-24		55		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1952	3	STAT		55	55	0	#N/A	0							0	0	49.000		0		
B-204	1952	4	XIN	42		97		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.	Active cascade to crib		0	0	49.000		1		
B-204	1952	4	XIN	24		121		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.			0	0	49.000		1		
B-204	1952	4	XIN	13		134		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.			0	0	49.000		1		
B-204	1952	4	send	-42		92		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1952	4	send	-24		68		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1952	4	send	-13		55		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1952	4	STAT		55	55	0	#N/A	0	MW						0	0	49.000		0		
B-204	1953	1	XIN	9		64		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.	Active cascade to crib		0	0	49.000		1		
B-204	1953	1	XIN	14		78		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.			0	0	49.000		1		
B-204	1953	1	XIN	21		99		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.			0	0	49.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-204	1953	1	send	-21		78		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1953	1	send	-14		64		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1953	1	send	-9		55		#N/A	0	cas		B-203				0	0	49.000		0		
B-204	1953	1	STAT		55	55	0	#N/A	0	224,MW						0	0	49.000		0		
B-204	1953	2	STAT		55	55	55	#N/A	0	MW				Active cascade to crib		0	0	49.000		1		
B-204	1953	3	STAT		55	55	55	#N/A	0	MW						0	0	49.000		1		
B-204	1953	4	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1954	1	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1954	2	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1954	3	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1954	4	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1955	1	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1955	2	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1955	3	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1955	4	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1956	1	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1956	2	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1956	3	STAT		55	55	54.5	#N/A	0							0	0	49.000		1		
B-204	1956	4	STAT		55	55	54.5	#N/A	0	224						0	0	49.000		1		
B-204	1957	1	STAT		56	56	54.5	1	1							0	0	49.000		1		
B-204	1957	2	STAT		56	56	54.5	#N/A	1					Latest electrode reading		0	0	49.000		1		
B-204	1957	3	STAT		56	56	54.5	#N/A	1							0	0	49.000		1		
B-204	1957	4	STAT		56	56	54.5	#N/A	1							0	0	49.000		1		
B-204	1958	1	STAT		56	56	54.5	#N/A	1							0	0	49.000		1		
B-204	1958	2	STAT		56	56	54.5	#N/A	1							0	0	49.000		1		
B-204	1958	3	STAT		56	56	54.5	#N/A	1	224						0	0	49.000		1		
B-204	1958	4	STAT		55	55	54.5	-1	0	224						0	0	49.000		1		
B-204	1959	1	STAT		56	56	54.5	1	1					Latest electrode readings		0	0	49.000		1		
B-204	1959	2	STAT		56	56	54.5	#N/A	1					Latest electrode reading		0	0	49.000		1		
B-204	1959	3	STAT		56	56	54.5	#N/A	1	224				New electrode		0	0	49.000		1		
B-204	1959	4	STAT		54	54	54	-2	-1							0	0	49.000		1		
B-204	1960	1	STAT		54	54	54	#N/A	-1					Latest electrode reading		0	0	49.000		1		
B-204	1960	2	STAT		54	54	54	#N/A	-1					New electrode installed		0	0	49.000		1		
B-204	1960	3	STAT		54	54	54	#N/A	-1							0	0	49.000		1		
B-204	1960	4	STAT		54	54	54	#N/A	-1							0	0	49.000		1		
B-204	1961	1	STAT		54	54	54	#N/A	-1							0	0	49.000		1		
B-204	1961	2	STAT		54	54	54	#N/A	-1							0	0	49.000		1		
B-204	1961	3	STAT		54	54	54	#N/A	-1							0	0	49.000		1		
B-204	1961	4	STAT		54	54	54	#N/A	-1	224						0	0	49.000		1		
B-204	1962	1	STAT		N/A	54		#N/A	-1								0	49.000		1		
B-204	1962	2	STAT		56	56	54.5	2	1	224						0	0	49.000		1		
B-204	1962	3	STAT		56	56	54	#N/A	1	224						0	0	49.000		1		
B-204	1962	4	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1963	1	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1963	2	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1963	3	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1963	4	STAT		56	56	54	#N/A	1	224				Latest electrode reading		0	0	49.000		1		
B-204	1964	1	STAT		N/A	56		#N/A	1								0	49.000		1		
B-204	1964	2	STAT		55	55	54	-1	0	224				New electrode		0	0	49.000		1		
B-204	1964	3	STAT		55	55	54	#N/A	0							0	0	49.000		1		
B-204	1964	4	STAT		55	55	54	#N/A	0	224						0	0	49.000		1		
B-204	1965	1	STAT		N/A	55		#N/A	0								0	49.000		1		
B-204	1965	2	STAT		58	58	54	3	3	224						0	0	49.000		1		
B-204	1965	3	STAT		56	56	54	-2	1							0	0	49.000		1		
B-204	1965	4	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1966	1	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1966	2	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1966	3	STAT		56	56	54	#N/A	1							0	0	49.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-204	1966	4	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1967	1	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1967	2	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1967	3	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1967	4	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1968	1	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1968	2	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1968	3	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1968	4	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1969	1	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1969	2	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1969	3	STAT		56	56	54	#N/A	1	224						0	0	49.000		1		
B-204	1969	4	STAT		56	56	54	#N/A	1							0	0	49.000		1		
B-204	1970	1	STAT		56	56	48	#N/A	1							0	0	49.000		1		
B-204	1970	2	STAT		56	56	48	#N/A	1							0	0	49.000		1		
B-204	1970	3	STAT		56	56	48	#N/A	1							0	0	49.000		1		
B-204	1970	4	STAT		56	56	48	#N/A	1							0	0	49.000		1		
B-204	1971	1	STAT		56	56	48	#N/A	1							0	0	49.000		1		
B-204	1971	2	CSEND	0		56		#N/A	1	END						0	0	49.000		1		
B-204	1971	2	STAT		56	56	48	#N/A	1								0	49.000		1		
B-204	1971	3	STAT		56	56	48	#N/A	1							0	0	49.000		1		
B-204	1971	4	STAT		56	56	48	#N/A	1	224						0	0	49.000		1		
B-204	1972	1	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1972	2	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1972	3	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1972	4	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1973	1	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1973	2	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1973	3	STAT		56	56	46	#N/A	1							0	0	49.000		1		
B-204	1973	4	STAT		56	56	46	#N/A	1	224						0	0	49.000		1		
B-204	1974	1	SEND	-6		50		#N/A	1	SU		B-109				0	0	49.000		1		
B-204	1974	1	STAT		49	49	46	-1	0	224						0	0	49.000		4	O	ARH-CD-133A-4
B-204	1974	2	STAT		49	49	46	#N/A	0					6 to 109-B		0	0	49.000		1		
B-204	1974	3	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1974	4	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1975	1	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1975	2	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1975	3	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1975	4	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1976	1	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1976	2	STAT		49	49	46	#N/A	0	224				Removed from Service		0	0	49.000		1		
B-204	1976	3	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1976	4	STAT		49	49	46	#N/A	0					Restricted		0	0	49.000		1		
B-204	1977	1	STAT		49	49	46	#N/A	0					Restricted		0	0	49.000		1		
B-204	1977	2	STAT		49	49	46	#N/A	0					Restricted		0	0	49.000		1		
B-204	1977	3	STAT		49	49	46	#N/A	0					Restricted		0	0	49.000		1		
B-204	1977	4	STAT		49	49	46	#N/A	0					Inactive Current		0	0	49.000		1		
B-204	1978	1	STAT		49	49	46	#N/A	0					Inactive		0	0	49.000		1		
B-204	1978	2	STAT		49	49	46	#N/A	0					Inactive		0	0	49.000		1		
B-204	1978	3	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1978	4	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1979	1	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1979	2	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1979	3	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1979	4	STAT		49	49	46	#N/A	0							0	0	49.000		1		
B-204	1980	1	STAT		49	49	46	#N/A	0					New Photo 10/16/79		0	0	49.000		1		
B-204	1980	2	STAT		49	49	46	#N/A	0	NCPLX						0	0	49.000		1		
B-204	1980	3	STAT		50	50	47	1	1							0	0	49.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-204	1980	4	STAT		50	50	47	#N/A	1	NCPLX						0	0	49.000		1		
B-204	1993	2	STAT		50	50	49	#N/A	1	NCPLX						0	0	49.000		1		
B-204	1993	4	STAT		50	50	49	#N/A	1							0	0	49.000		1		
B-204	1994	1	STAT		50	50	49	#N/A	1							0	0	49.000		1		
B-204	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-101	1900																					
BX-101	1948	1	CSEND	0		0		#N/A	0	SET	BX-102						0	0.000		1		
BX-101	1948	1	XIN	72		72		#N/A	0	MW		MW1				0.008929	0.6429	0.643	MW1	1		
BX-101	1948	1	XIN	125		197		#N/A	0	MW		MW1				0.008929	1.1161	1.759	MW1	1		
BX-101	1948	1	XIN	110		307		#N/A	0	MW		MW1				0.008929	0.9821	2.741	MW1	1		
BX-101	1948	1	STAT		307	307	0	#N/A	0	MW				Cascade began filling January		0	0	2.741		1		
BX-101	1948	2	XIN	100		407		#N/A	0	MW		MW1				0.008929	0.8929	3.634	MW1	1		
BX-101	1948	2	XIN	73		480		#N/A	0	MW		MW1				0.008929	0.6518	4.286	MW1	1		
BX-101	1948	2	XIN	159		639		#N/A	0	MW		MW1				0.008929	1.4196	5.705	MW1	1		
BX-101	1948	2	send	-109		530		#N/A	0	cas		BX-102				0	0	5.705		0		
BX-101	1948	2	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full in June		0	0	5.705		1		
BX-101	1948	3	XIN	174		704		#N/A	0	MW		MW1				0.008929	1.5536	7.259	MW1	1		
BX-101	1948	3	XIN	141		845		#N/A	0	MW		MW1				0.008929	1.2589	8.518	MW1	1		
BX-101	1948	3	XIN	111		956		#N/A	0	MW		MW1				0.008929	0.9911	9.509	MW1	1		
BX-101	1948	3	send	-174		782		#N/A	0	cas		BX-102				0	0	9.509		0		
BX-101	1948	3	send	-141		641		#N/A	0	cas		BX-102				0	0	9.509		0		
BX-101	1948	3	send	-111		530		#N/A	0	cas		BX-102				0	0	9.509		0		
BX-101	1948	3	STAT		530	530	0	#N/A	0				and stats at 532	Cascade		0	0	9.509		1		
BX-101	1948	4	XIN	129		659		#N/A	0	MW		MW1				0.008929	1.1518	10.661	MW1	1		
BX-101	1948	4	XIN	145		804		#N/A	0	MW		MW1				0.008929	1.2946	11.955	MW1	1		
BX-101	1948	4	XIN	215		1019		#N/A	0	MW		MW1				0.008929	1.9196	13.875	MW1	1		
BX-101	1948	4	send	-215		804		#N/A	0	cas		BX-102				0	0	13.875		0		
BX-101	1948	4	send	-145		659		#N/A	0	cas		BX-102				0	0	13.875		0		
BX-101	1948	4	send	-129		530		#N/A	0	cas		BX-102				0	0	13.875		0		
BX-101	1948	4	STAT		530	530	0	#N/A	0				and stats at 532	Cascade		0	0	13.875		1		
BX-101	1949	1	XIN	33		563		#N/A	0	MW		MW1				0.008929	0.2946	14.170	MW1	1		
BX-101	1949	1	send	-33		530		#N/A	0	cas		BX-102				0	0	14.170		0		
BX-101	1949	1	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	14.170		1		
BX-101	1949	2	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	14.170		1		
BX-101	1949	3	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	14.170		1		
BX-101	1949	4	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	14.170		1		
BX-101	1950	1	XIN	159		689		#N/A	0	MW		MW1				0.008929	1.4196	15.589	MW1	1		
BX-101	1950	1	XIN	126		815		#N/A	0	MW		MW1				0.008929	1.125	16.714	MW1	1		
BX-101	1950	1	send	-159		656		#N/A	0	cas		BX-102				0	0	16.714		0		
BX-101	1950	1	send	-126		530		#N/A	0	cas		BX-102				0	0	16.714		0		
BX-101	1950	1	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	16.714		1		
BX-101	1950	2	XIN	136		666		#N/A	0	MW		MW1				0.008929	1.2143	17.929	MW1	1		
BX-101	1950	2	XIN	116		782		#N/A	0	MW		MW1				0.008929	1.0357	18.964	MW1	1		
BX-101	1950	2	XIN	125		907		#N/A	0	MW		MW1				0.008929	1.1161	20.080	MW1	1		
BX-101	1950	2	send	-136		771		#N/A	0	cas		BX-102				0	0	20.080		0		
BX-101	1950	2	send	-125		646		#N/A	0	cas		BX-102				0	0	20.080		0		
BX-101	1950	2	send	-116		530		#N/A	0	cas		BX-102				0	0	20.080		0		
BX-101	1950	2	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	20.080		1		
BX-101	1950	3	XIN	167		697		#N/A	0	MW		MW1				0.008929	1.4911	21.571	MW1	1		
BX-101	1950	3	XIN	221		918		#N/A	0	MW		MW1				0.008929	1.9732	23.545	MW1	1		
BX-101	1950	3	XIN	183		1101		#N/A	0	MW		MW1				0.008929	1.6339	25.179	MW1	1		
BX-101	1950	3	send	-221		880		#N/A	0	cas		BX-102				0	0	25.179		0		
BX-101	1950	3	send	-183		697		#N/A	0	cas		BX-102				0	0	25.179		0		
BX-101	1950	3	send	-167		530		#N/A	0	cas		BX-102				0	0	25.179		0		
BX-101	1950	3	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	25.179		1		
BX-101	1950	4	XIN	243		773		#N/A	0	MW		MW1				0.008929	2.1696	27.348	MW1	1		
BX-101	1950	4	XIN	185		958		#N/A	0	MW		MW1				0.008929	1.6518	29.000	MW1	1		
BX-101	1950	4	send	-243		715		#N/A	0	cas		BX-102				0	0	29.000		0		
BX-101	1950	4	send	-185		530		#N/A	0	cas		BX-102				0	0	29.000		0		
BX-101	1950	4	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	29.000		1		
BX-101	1951	1	XIN	243		773		#N/A	0	MW		MW1				0	0	29.000		1		
BX-101	1951	1	XIN	228		1001		#N/A	0	MW		MW1				0	0	29.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-101	1951	1	XIN	59		1060		#N/A	0	MW		MW1				0	0	29.000		1		
BX-101	1951	1	send	-243		817		#N/A	0	cas		BX-102				0	0	29.000		0		
BX-101	1951	1	send	-136		681		#N/A	0	cas		BX-102				0	0	29.000		0		
BX-101	1951	1	send	-59		622		#N/A	0	cas		BX-102				0	0	29.000		0		
BX-101	1951	1	outx	-92		530		#N/A	0	LEAK	CORR	LEAK				0	0	29.000		1		
BX-101	1951	1	STAT		530	530	0	#N/A	0				and stats at 532	Cascade full		0	0	29.000		1		
BX-101	1951	2	STAT		530	530	0	#N/A	0	MW			and stats at 532	Cascade full		0	0	29.000		1		
BX-101	1951	3	STAT		N/A	530		#N/A	0								0	29.000		1		
BX-101	1951	4	STAT		N/A	530		#N/A	0								0	29.000		1		
BX-101	1952	1	STAT		N/A	530		#N/A	0								0	29.000		1		
BX-101	1952	2	STAT		530	530	0	#N/A	0							0	0	29.000		1		
BX-101	1952	3	STAT		530	530	0	#N/A	0							0	0	29.000		1		
BX-101	1952	4	STAT		530	530	0	#N/A	0							0	0	29.000		1		
BX-101	1953	1	STAT		530	530	0	#N/A	0	MW						0	0	29.000		1		
BX-101	1953	2	outx	-319		211		#N/A	0			UR				0	0	29.000		0		
BX-101	1953	2	STAT		211	211	0	#N/A	0	MW				Removing Supernatant, MW removal in progress		0	0	29.000		1		
BX-101	1953	3	outx	-46		165		#N/A	0			UR				0	0	29.000		0		
BX-101	1953	3	STAT		165	165	165	#N/A	0					MW removal in progress, sludge estimate		0	0	29.000		1		
BX-101	1953	4	xin	35		200		#N/A	0			WTR				0	0	29.000		0		
BX-101	1953	4	STAT		200	200	150	#N/A	0					Sludge estimate, MW removal in progress		0	0	29.000		1		
BX-101	1954	1	xin	357		557		#N/A	0			WTR				0	0	29.000		0		
BX-101	1954	1	SEND	-467		90		#N/A	0	SL		BX-103				0	0	29.000		1		
BX-101	1954	1	STAT		90	90	90	#N/A	0					MW removal in progress		0	0	29.000		1		
BX-101	1954	2	outx	-90		0		#N/A	0			UR				0	0	29.000				
BX-101	1954	2	STAT		0	0	0	#N/A	0					MW removal in progress, was emptied on 6-10-54		0	0	29.000		1		
BX-101	1954	3	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1954	4	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1955	1	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1955	2	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1955	3	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1955	4	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1956	1	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1956	2	STAT		0	0	0	#N/A	0							0	0	29.000		1		
BX-101	1956	3	xin	78		78		#N/A	0			WTR				0	0	29.000		0		
BX-101	1956	3	REC	446		524		#N/A	0	SU	BY-106	BY-106				0	0	29.000		3	O	N-54-38
BX-101	1956	3	STAT		524	524	0	#N/A	0	TBP				Rec'd from 106-BY		0	0	29.000		1		
BX-101	1956	4	OUTX	-490		34		#N/A	0	SU	BC-13	CRIB	OC 412 to 490,B-026 to BC-13		Shows 490 & BC-13 Trench	0	0	29.000		3	V	N-54-115
BX-101	1956	4	STAT		34	34	0	#N/A	0	TBP				490 sent to #13BC ditch		0	0	29.000		1		
BX-101	1957	1	XIN	67		101		#N/A	0	WTR		WTR				0	0	29.000		4	O	HW-48144-4
BX-101	1957	1	STAT		114	114	0	13	13					Latest electrode reading, rec'd 67 line drainage		0	0	29.000		1		
BX-101	1957	2	STAT		114	114	0	#N/A	13							0	0	29.000		1		
BX-101	1957	3	STAT		114	114	0	#N/A	13	TBP						0	0	29.000		1		
BX-101	1957	4	STAT		120	120	0	6	19	TBP				Latest electrode reading		0	0	29.000		1		
BX-101	1958	1	STAT		123	123	0	3	22					Latest electrode reading		0	0	29.000		1		
BX-101	1958	2	STAT		123	123	0	#N/A	22	TBP						0	0	29.000		1		
BX-101	1958	3	STAT		125	125	0	2	24					Latest electrode reading		0	0	29.000		1		
BX-101	1958	4	STAT		125	125	0	#N/A	24	TBP						0	0	29.000		1		
BX-101	1959	1	STAT		128	128	0	3	27	TBP				Latest electrode reading		0	0	29.000		1		
BX-101	1959	2	STAT		130	130	0	2	29							0	0	29.000		1		
BX-101	1959	3	STAT		130	130	0	#N/A	29	TBP						0	0	29.000		1		
BX-101	1959	4	STAT		131	131	0	1	30					Latest electrode reading		0	0	29.000		1		
BX-101	1960	1	STAT		131	131	0	#N/A	30							0	0	29.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BX-101	1960	2	STAT		131	131	0	#N/A	30							0	0	29.000		1		
BX-101	1960	3	STAT		131	131	0	#N/A	30							0	0	29.000		1		
BX-101	1960	4	STAT		131	131	0	#N/A	30	TBP						0	0	29.000		1		
BX-101	1961	1	STAT		N/A	131		#N/A	30								0	29.000		1		
BX-101	1961	2	STAT		145	145	0	14	44	TBP							0	29.000		1		
BX-101	1961	3	STAT		N/A	145		#N/A	44					6 Month Report		0	0	29.000		1		
BX-101	1961	4	STAT		145	145	0	#N/A	44	TBP							0	29.000		1		
BX-101	1962	1	CSEND	0		145		#N/A	44	SET	BX-102			6 Month Report		0	0	29.000		1		
BX-101	1962	1	REC	399		544		#N/A	44	SU	C-102	C-102	OC 377 to 399				0	29.000		1		
BX-101	1962	1	REC	300		844		#N/A	44	SU	C-103	C-103	OC 322 to 300		Shows 399 not 377	0	0	29.000		3	V	HW-74647-5
BX-101	1962	1	send	-314		530		#N/A	44	cas		BX-102			Shows 300 not 322	0	0	29.000		2	V	HW-74647-5
BX-101	1962	1	STAT		N/A	530		#N/A	44							0	0	29.000		0		
																	0	29.000		1		
BX-101	1962	2	STAT		546	546	0	16	60	TBP,CW				399 from 102-C and 103-C 6 Month Report		0	0	29.000		1		
BX-101	1962	3	STAT		N/A	546		#N/A	60								0	29.000		1		
BX-101	1962	4	xin	6		552		#N/A	60	ADJ	CORR	WTR				0	0	29.000		0		
BX-101	1962	4	STAT		552	552	0	#N/A	60	CW				New electrode installed 6 Month Report		0	0	29.000		1		
BX-101	1963	1	STAT		N/A	552		#N/A	60								0	29.000		1		
BX-101	1963	2	STAT		554	554	84	2	62	TBP,CW				6 Month Report		0	0	29.000		1		
BX-101	1963	3	STAT		N/A	554		#N/A	62								0	29.000		1		
BX-101	1963	4	outx	-2		552		#N/A	62	ADJ	CORR	COND				0	0	29.000		1		
BX-101	1963	4	STAT		554	554	84	2	64	TBP,CW				6 Month Report		0	0	29.000		1		
BX-101	1964	1	STAT		N/A	554		#N/A	64								0	29.000		1		
BX-101	1964	2	STAT		554	554	84	#N/A	64	TBP,CW				6 Month Report		0	0	29.000		1		
BX-101	1964	3	STAT		N/A	554		#N/A	64								0	29.000		1		
BX-101	1964	4	STAT		557	557	84	3	67	TBP,CW				Latest electrode reading 6 Month Report		0	0	29.000		1		
BX-101	1965	1	STAT		N/A	557		#N/A	67								0	29.000		1		
BX-101	1965	2	STAT		560	560	68	3	70	CW				6 Month Report		0	0	29.000		1		
BX-101	1965	3	STAT		560	560	68	#N/A	70	TBP,CW						0	0	29.000		1		
BX-101	1965	4	STAT		563	563	68	3	73	CW						0	0	29.000		1		
BX-101	1966	1	STAT		563	563	68	#N/A	73	CW						0	0	29.000		1		
BX-101	1966	2	STAT		563	563	68	#N/A	73	CW						0	0	29.000		1		
BX-101	1966	3	STAT		563	563	68	#N/A	73	CW						0	0	29.000		1		
BX-101	1966	4	STAT		563	563	68	#N/A	73	TBP,CW						0	0	29.000		1		
BX-101	1967	1	STAT		565	565	68	2	75	CW						0	0	29.000		1		
BX-101	1967	2	STAT		565	565	68	#N/A	75	CW						0	0	29.000		1		
BX-101	1967	3	STAT		565	565	68	#N/A	75	TBP,CW						0	0	29.000		1		
BX-101	1967	4	SEND	-392		173		#N/A	75	SU		B-112				0	0	29.000		1		
BX-101	1967	4	STAT		173	173	68	#N/A	75	TBP,CW						0	0	29.000		4	O	ARH-326-5
														392 to 112-B		0	0	29.000		1		
BX-101	1968	1	rec	73		246		#N/A	75		CELL 23	BY-112	Omis. evap B plant bottoms REC									
BX-101	1968	1	STAT		246	246	68	#N/A	75	TBP,CW,EB				Rec'd 73 bottoms (cell 23)	Omission	0	0	29.000		3	V	ARH-534-6
																0	0	29.000		1		
BX-101	1968	2	rec	102		348		#N/A	75		CELL 23	BY-112	Omis. evap B plant bottoms REC		Omission	0	0	29.000		3	V	ARH-721-6
BX-101	1968	2	STAT		348	348	59	#N/A	75	TBP,CW,EB				102 from cell 23 conc.		0	0	29.000		1		
BX-101	1968	3	SEND	-274		74		#N/A	75	SU		BX-102				0	0	29.000		4	O	ARH-871-6
BX-101	1968	3	rec	76		150		#N/A	75		CELL 23	BY-112	Omis. evap B plant bottoms REC		Omission	0	0	29.000		3	V	ARH-871-6
BX-101	1968	3	STAT		150	150	59	#N/A	75	EB				76 from cell 23 conc. 274 to 102-B		0	0	29.000		1		
BX-101	1968	4	XIN	144		294		#N/A	75	BL		BL				0.02719665	3.9163	32.916	BL	4	O	ARH-1061-6
BX-101	1968	4	SEND	-94		200		#N/A	75	SU		BX-102				0	0	32.916		4	O	ARH-1061-6
BX-101	1968	4	STAT		200	200	57	#N/A	75	BL				144 from 221-B (23-1) 94 to 102-BX		0	0	32.916		1		
BX-101	1969	1	XIN	330		530		#N/A	75	BL		BL				0.02719665	8.9749	41.891	BL	44	O	ARH-1200A-6
BX-101	1969	1	STAT		530	530	51	#N/A	75	BL				330 from 221-B (23-1)		0	0	41.891		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-101	1969	2	XIN	4		534		#N/A	75	BL		BL				0.02719665	0.1088	42.000	BL	4	O	ARH-1200B-6
BX-101	1969	2	STAT		534	534	65	#N/A	75	BL				4 from 221-B (23-1)		0	0	42.000		1		
BX-101	1969	3	STAT		501	501	28	-33	42	BL						0	0	42.000		1		
BX-101	1969	4	STAT		499	499	43	-2	40	BL						0	0	42.000		1		
BX-101	1970	1	SEND	-385		114		#N/A	40	SU		C-103				0	0	42.000		1		
BX-101	1970	1	STAT		114	114	48	#N/A	40	BL						0	0	42.000		4	O	ARH-1666A-5
BX-101	1970	2	XIN	877		991		#N/A	40	CSR		CSR		385 to 103-C		0	0	42.000		1		
BX-101	1970	2	SEND	-403		588		#N/A	40	SU		BX-103				0	0	42.000		4	O	ARH-1666B-6
BX-101	1970	2	SEND	-299		289		#N/A	40	SU		BX-106				0	0	42.000		4	O	ARH-1666B-6
																0	0	42.000		4	O	ARH-1666B-6
BX-101	1970	2	STAT		290	290	62	1	41	BL				403 to 103-BX, 299 to 106-BX, 877 from B Plant IX (BL waste that was processed for removal of cesium in preparation for in-tank solidification) * Leak Detection Dry Wells drilled: 21-01-01m 21-01-03									
BX-101	1970	3	XIN	550		840		#N/A	41	CSR		CSR				0	0	42.000		1		
BX-101	1970	3	REC	437		1277		#N/A	41	SU	B-101	B-101	OC qtr2 to qtr3			0	0	42.000		4	O	ARH-1666C-6
															3rd Qtr	0	0	42.000		3	M/V	ARH-1666C-5
BX-101	1970	3	REC	848		2125		#N/A	41	SU	C-104	C-104										ARH-1666C-6/ARH-1666C-5 SEND
BX-101	1970	3	SEND	-1877		248		#N/A	41	SU		BX-103				0	0	42.000		4	O	ARH-1666C-6
																0	0	42.000		4	O	
BX-101	1970	3	STAT		249	249	46	1	42	OWW,CW,IWW				437 from 101-B , 849 from 104-C, to 1877 to 103-BX, 550 from B Plant IX (Receipts from B Plant IX included: the zeiolite IX bed & flushes, 251 dilutes redox supernatant, the zeolon IX bed & flushes)								
BX-101	1970	4	XIN	1796		2045		#N/A	42	CSR		CSR				0	0	42.000		1		
BX-101	1970	4	REC	1614		3659		#N/A	42	SU	C-104	C-104				0	0	42.000		4	O	ARH-1666D-6
BX-101	1970	4	SEND	-2495		1164		#N/A	42	SU		BX-103				0	0	42.000		4	O	ARH-1666D-5
BX-101	1970	4	REC	448		1612		#N/A	42	SU	B-101	B-101	OC 71q1 to 70q4			0	0	42.000		4	O	ARH-1666D-6
BX-101	1970	4	SEND	-1251		361		#N/A	42	SU		BX-106			4th Qtr 1970	0	0	42.000		3	M/V	ARH-1666D-5
																0	0	42.000		4	O	ARH-1666D-6
BX-101	1970	4	STAT		360	360	46	-1	41	CW,OWW,RIX				1796 from B Plant IX, 448 from 101-B, 1614 from 104-C, 2495 to 103-BX, 1251 to 106-BX								
BX-101	1971	1	XIN	1833		2193		#N/A	41	CSR		CSR				0	0	42.000		1		
BX-101	1971	1	REC	348		2541		#N/A	41	SU	C-104	C-104				0	0	42.000		4	O	ARH-2074A-6
BX-101	1971	1	SEND	-1830		711		#N/A	41	SU		BX-103				0	0	42.000		4	O	ARH-2074A-6
BX-101	1971	1	REC	529		1240		#N/A	41	SU	B-101	B-101				0	0	42.000		4	O	ARH-2074A-6
BX-101	1971	1	SEND	-1027		213		#N/A	41	SU		BX-106				0	0	42.000		4	O	ARH-2074A-5
																0	0	42.000		4	O	ARH-2074A-6
BX-101	1971	1	STAT		213	213	51	#N/A	41	EB,SIX,RIX				1830 to 103-BX, 1027 to 106-BX, 529 from 101-B, 348 from 104-C, 1833 from B Plant IX								
BX-101	1971	2	XIN	1489		1702		#N/A	41	CSR		CSR	Omis.		Omission	0	0	42.000		1		
BX-101	1971	2	XIN	12		1714		#N/A	41	WTR		WTR	Omis. REC A-302		Omission	0	0	42.000		2	V	ARH-2074B-6
BX-101	1971	2	REC	782		2496		#N/A	41	SU	BY-101	BY-101				0	0	42.000		2	V	ARH-2074B-6
BX-101	1971	2	REC	1092		3588		#N/A	41	SU	C-104	C-104				0	0	42.000		4	O	ARH-2074B-6
BX-101	1971	2	SEND	-1196		2392		#N/A	41			BX-103				0	0	42.000		4	O	ARH-2074B-5
BX-101	1971	2	SEND	-2297		95		#N/A	41			BX-106			Omission	0	0	42.000		3	V	ARH-2074B-6
BX-101	1971	2	REC	454		549		#N/A	41	SU	B-101	B-101			Omission	0	0	42.000		2	V	ARH-2074B-6
BX-101	1971	2	SEND	-85		464		#N/A	41			BX-104				0	0	42.000		4	O	ARH-2074B-5
BX-101	1971	2	STAT		466	466	51	2	43	BL,CW,OWW,RIX					Omission	0	0	42.000		3	V	ARH02074B-6
BX-101	1971	3	XIN	1523		1989		#N/A	43	CSR		CSR				0	0	42.000		1		
																0	0	42.000		4	O	ARH-2074C-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-101	1971	3	REC	89		2078		#N/A	43	SU	C-104	C-104				0	0	42.000		4	O	ARH-2074C-5
BX-101	1971	3	SEND	-360		1718		#N/A	43	SU		SX-103				0	0	42.000		4	O	ARH-2074C-6
BX-101	1971	3	SEND	-1375		343		#N/A	43	SU		SX-105				0	0	42.000		4	O	ARH-2074C-5
BX-101	1971	3	SEND	-200		143		#N/A	43	SU		TX-101				0	0	42.000		4	O	ARH-2074C-6
BX-101	1971	3	STAT		143	143	51	#N/A	43	RIX				1523 from Plant IX, 89 from 104-C, 1375 to 105-SX, 200 to 101-TX, 360 to 103-SX		0	0	42.000		1		
BX-101	1971	4	XIN	1430		1573		#N/A	43	CSR		CSR				0	0	42.000		4	O	ARH-2074D-6
BX-101	1971	4	REC	102		1675		#N/A	43	SU	C-104	C-104				0	0	42.000		4	O	ARH-2074D-5
BX-101	1971	4	SEND	-424		1251		#N/A	43	SU		SX-101				0	0	42.000		4	O	ARH-2074D-6
BX-101	1971	4	SEND	-1196		55		#N/A	43	SU		SX-105				0	0	42.000		4	O	ARH-2074D-6
BX-101	1971	4	REC	190		245		#N/A	43	SU	B-101	B-101				0	0	42.000		4	O	ARH-2074D-5
BX-101	1971	4	STAT		245	245	57	#N/A	43	BL,CW,OWW,RIX				1430 from B Plant IX, 190 from 101-B 102 from 104-C, 424 to 101-SX, 1196 to 105-SX		0	0	42.000		1		
BX-101	1972	1	XIN	1010		1255		#N/A	43	CSR		CSR				0	0	42.000		4	O	ARH-2456A-5
BX-101	1972	1	SEND	-1125		130		#N/A	43	SU		SX-105				0	0	42.000		4	O	ARH-2456A-5
BX-101	1972	1	REC	208		338		#N/A	43	SU	B-101	B-101				0	0	42.000		4	O	ARH-2456A-4
BX-101	1972	1	STAT		337	337	57	-1	42	BL,RIX				1010 from B Plant IX, 208 from 101-B, 1125 to 105-SX		0	0	42.000		1		
BX-101	1972	2	XIN	1414		1751		#N/A	42	CSR		CSR				0	0	42.000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-443		1308		#N/A	42	SU		BX-103				0	0	42.000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-742		566		#N/A	42	SU		SX-102				0	0	42.000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-390		176		#N/A	42	SU		SX-105				0	0	42.000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-165		11		#N/A	42	SU		TX-101				0	0	42.000		4	O	ARH-2456B-5
BX-101	1972	2	REC	520		531		#N/A	42	SU	B-101	B-101	OC 530 to 520		Shows 520 not 530	0	0	42.000		3	V	ARH-2456B-4
BX-101	1972	2	STAT		531	531	57	#N/A	42	BL,SIX				1414 from B Plant IX, 520 from 101-B, 443 to 103-BX, 742 to 102-SX, 390 to 105-SX, 165 to 101-TX		0	0	42.000		1		
BX-101	1972	3	XIN	1100		1631		#N/A	42	CSR		CSR	3duplicate lines removed			0	0	42.000		4	O	ARH-2456C-5
BX-101	1972	3	SEND	-498		1133		#N/A	42	SU		T-101				0	0	42.000		4	O	ARH-2456C-5
BX-101	1972	3	SEND	-907		226		#N/A	42	SU		TX-101				0	0	42.000		4	O	ARH-2456C-5
BX-101	1972	3	REC	254		480		#N/A	42	SU	B-101	B-101				0	0	42.000		4	O	ARH-2456C-4
BX-101	1972	3	OUTX	0		480		#N/A	42		UX-241	UNK	Omis., LC -4 to 0, allowing for waste concentration in smm		Omission	0	0	42.000		3	V	ARH-2456C-5
BX-101	1972	3	STAT		475	475	29	-5	37	BL,IX			and stats at 146	1100 from B Plant IX, 254 from 101- B, 498 to 101-T, 907 to 101-TX, 4 to 241-UX catch tank		0	0	42.000		1		
BX-101	1972	4	XIN	368		843		#N/A	37	CSR		CSR				0	0	42.000		4	O	ARH-2456D-5
BX-101	1972	4	SEND	-686		157		#N/A	37	SU		TX-101				0	0	42.000		4	O	ARH-2456D-5
BX-101	1972	4	REC	192		349		#N/A	37	SU	B-101	B-101				0	0	42.000		4	O	ARH-2456D-4
BX-101	1972	4	SEND	-205		144		#N/A	37	SU		BX-104				0	0	42.000		4	O	ARH-2456D-5
BX-101	1972	4	STAT		146	146	29	2	39	BL,IX			and stats at 475	368 from B Plant IX, 192 from 101- B, 205 to 104-BX, 686 to 101-TX		0	0	42.000		1		
BX-101	1973	1	STAT		142	142	29	-4	35	BL,IX						0	0	42.000		1		
BX-101	1973	2	STAT		149	149	29	7	42	BL,IX						0	0	42.000		1		
BX-101	1973	3	STAT		151	151	29	2	44	BL,IX						0	0	42.000		1		
BX-101	1973	4	STAT		157	157	46	6	50	BL,IX				Suspect Leaker		0	0	42.000		1		
BX-101	1974	1	STAT		160	160	46	3	53	BL,IX				Suspect leaker		0	0	42.000		1		
BX-101	1974	2	SEND	-115		45		#N/A	53	SU		BX-104				0	0	42.000		4	O	ARH-CD-133B-5
BX-101	1974	2	STAT		46	46	46	1	54					Suspect leaker, 115 to 104-BX		0	0	42.000		1		
BX-101	1974	3	SEND	-1		45		#N/A	54	SU		BX-104				0	0	42.000		2		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-101	1974	3	STAT		46	46	46	1	55					Suspect leaker, 1 to 104-BX		0	0	42.000		1		
BX-101	1974	4	STAT		46	46	43	#N/A	55	IX				Suspect leaker		0	0	42.000		1		
BX-101	1975	1	STAT		46	46	43	#N/A	55	BL,IX				Suspect leaker		0	0	42.000		1		
BX-101	1975	2	SEND	-1		45		#N/A	55	SU		BX-104				0	0	42.000		1		
BX-101	1975	2	STAT		46	46	43	1	56	IX				Removed from service;; 1 to 104-BX		0	0	42.000		4	O	ARH-CD-336B-5
BX-101	1975	3	REC	1		47		#N/A	56	SU	BX-104	BX-104				0	0	42.000		1		
BX-101	1975	3	SEND	-1		46		#N/A	56	SU		BX-104				0	0	42.000		3	O	ARH-CD-336C-5
BX-101	1975	3	STAT		46	46	43	#N/A	56	BL,IX				Removed from service;; 1 to 104-BX		0	0	42.000		4	O	ARH-CD-336C-5
BX-101	1975	4	STAT		46	46	43	#N/A	56	BL,IX				Removed from service		0	0	42.000		1		
BX-101	1976	1	SEND	-1		45		#N/A	56	SU		BX-104				0	0	42.000		1		
BX-101	1976	1	outx	-4		41		#N/A	56			BYEVAP				0	0	42.000		4	O	ARH-CD-702A-5
BX-101	1976	1	xin	4		45		#N/A	56			BYSltCk				0	0	42.000	BYEV	0		
BX-101	1976	1	STAT		46	46	43	1	57	BL,IX						0	0	42.000	BYSlt	0		
BX-101	1976	2	SEND	-1		45		#N/A	57	SU		BX-104		Removed from service;; 1 to 104-BX		0	0	42.000		1		
BX-101	1976	2	STAT		46	46	46	1	58							0	0	42.000		1		
BX-101	1976	3	STAT		46	46	46	#N/A	58					Removed from service;; 1 to 104-BX		0	0	42.000		1		
BX-101	1976	4	STAT		46	46	46	#N/A	58					Removed from service; salt well		0	0	42.000		1		
BX-101	1977	1	STAT		46	46	46	#N/A	58					Salt well pumped		0	0	42.000		1		
BX-101	1977	2	STAT		46	46	46	#N/A	58					Salt well pumped		0	0	42.000		1		
BX-101	1977	3	STAT		46	46	46	#N/A	58					Salt well pumped		0	0	42.000		1		
BX-101	1977	4	STAT		46	46	46	#N/A	58					Inactive current		0	0	42.000		1		
BX-101	1978	1	STAT		46	46	46	#N/A	58					Inactive current-salt well installed		0	0	42.000		1		
BX-101	1978	2	STAT		46	46	46	#N/A	58					Inactive - Primary Stabilized		0	0	42.000		1		
BX-101	1978	3	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1978	4	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1979	1	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1979	2	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1979	3	STAT		46	46	46	#N/A	58					New Photo 6/22/79		0	0	42.000		1		
BX-101	1979	4	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1980	1	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1980	2	STAT		46	46	46	#N/A	58					New Photo 3/17/80		0	0	42.000		1		
BX-101	1980	3	STAT		46	46	46	#N/A	58							0	0	42.000		1		
BX-101	1980	4	STAT		46	46	46	#N/A	58	BLIX						0	0	42.000		1		
BX-101	1992	4	send	-3		43		#N/A	58	swliq		AW-106				0	0	42.000		1		
BX-101	1993	2	STAT		43	43	42	#N/A	58	NCPLX						0	0	42.000		0		
BX-101	1993	4	STAT		43	43	42	#N/A	58							0	0	42.000		1		
BX-101	1994	1	STAT		43	43	42	#N/A	58							0	0	42.000		1		
BX-101	2000															0	0	42.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-102	1900																					
BX-102	1948	1	CREC	0		0		#N/A	0	SET	BX-101						0	0.000		1		
BX-102	1948	1	CSEND	0		0		#N/A	0	SET	BX-103						0	0.000		1		
BX-102	1948	1	STAT		0	0	0	#N/A	0							0	0	0.000		1		
BX-102	1948	2	rec	109		109		#N/A	0	cas	BX-101	BX-101				0.007288	0.7944	0.794	MW1	0		
BX-102	1948	2	STAT		112	112	0	3	3	MW				Cascade begain filling June		0	0	0.794		1		
BX-102	1948	3	rec	174		286		#N/A	3	cas	BX-101	BX-101				0.007288	1.2681	2.062	MW1	0		
BX-102	1948	3	rec	141		427		#N/A	3	cas	BX-101	BX-101				0.007288	1.0276	3.090	MW1	0		
BX-102	1948	3	rec	111		538		#N/A	3	cas	BX-101	BX-101				0.007288	0.8089	3.899	MW1	0		
BX-102	1948	3	send	-8		530		#N/A	3	cas		BX-103				0	0	3.899		0		
BX-102	1948	3	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full in September		0	0	3.899		1		
BX-102	1948	4	rec	215		745		#N/A	3	cas	BX-101	BX-101				0.007288	1.5669	5.466	MW1	0		
BX-102	1948	4	rec	145		890		#N/A	3	cas	BX-101	BX-101				0.007288	1.0567	6.522	MW1	0		
BX-102	1948	4	rec	129		1019		#N/A	3	cas	BX-101	BX-101				0.007288	0.9401	7.463	MW1	0		
BX-102	1948	4	send	-215		804		#N/A	3	cas		BX-103				0	0	7.463		0		
BX-102	1948	4	send	-145		659		#N/A	3	cas		BX-103				0	0	7.463		0		
BX-102	1948	4	send	-129		530		#N/A	3	cas		BX-103				0	0	7.463		0		
BX-102	1948	4	STAT		530	530	0	#N/A	3				and stats at 523			0	0	7.463		1		
BX-102	1949	1	rec	33		563		#N/A	3	cas	BX-101	BX-101				0.007288	0.2405	7.703	MW1	0		
BX-102	1949	1	send	-33		530		#N/A	3	cas		BX-103				0	0	7.703		0		
BX-102	1949	1	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	7.703		1		
BX-102	1949	2	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	7.703		1		
BX-102	1949	3	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	7.703		1		
BX-102	1949	4	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	7.703		1		
BX-102	1950	1	rec	159		689		#N/A	3	cas	BX-101	BX-101				0.007288	1.1587	8.862	MW1	0		
BX-102	1950	1	rec	126		815		#N/A	3	cas	BX-101	BX-101				0.007288	0.9183	9.780	MW1	0		
BX-102	1950	1	send	-159		656		#N/A	3	cas		BX-103				0	0	9.780		0		
BX-102	1950	1	send	-126		530		#N/A	3	cas		BX-103				0	0	9.780		0		
BX-102	1950	1	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	9.780		1		
BX-102	1950	2	rec	136		666		#N/A	3	cas	BX-101	BX-101				0.007288	0.9911	10.771	MW1	0		
BX-102	1950	2	rec	125		791		#N/A	3	cas	BX-101	BX-101				0.007288	0.911	11.682	MW1	0		
BX-102	1950	2	rec	116		907		#N/A	3	cas	BX-101	BX-101				0.007288	0.8454	12.528	MW1	0		
BX-102	1950	2	send	-136		771		#N/A	3	cas		BX-103				0	0	12.528		0		
BX-102	1950	2	send	-125		646		#N/A	3	cas		BX-103				0	0	12.528		0		
BX-102	1950	2	send	-116		530		#N/A	3	cas		BX-103				0	0	12.528		0		
BX-102	1950	2	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	12.528		1		
BX-102	1950	3	rec	221		751		#N/A	3	cas	BX-101	BX-101				0.007288	1.6106	14.138	MW1	0		
BX-102	1950	3	rec	183		934		#N/A	3	cas	BX-101	BX-101				0.007288	1.3337	15.472	MW1	0		
BX-102	1950	3	rec	167		1101		#N/A	3	cas	BX-101	BX-101				0.007288	1.217	16.689	MW1	0		
BX-102	1950	3	send	-221		880		#N/A	3	cas		BX-103				0	0	16.689		0		
BX-102	1950	3	send	-183		697		#N/A	3	cas		BX-103				0	0	16.689		0		
BX-102	1950	3	send	-167		530		#N/A	3	cas		BX-103				0	0	16.689		0		
BX-102	1950	3	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	16.689		1		
BX-102	1950	4	rec	243		773		#N/A	3	cas	BX-101	BX-101				0.007288	1.7709	18.460	MW1	0		
BX-102	1950	4	rec	185		958		#N/A	3	cas	BX-101	BX-101				0.007288	1.3482	19.808	MW1	0		
BX-102	1950	4	send	-243		715		#N/A	3	cas		BX-103				0	0	19.808		0		
BX-102	1950	4	send	-185		530		#N/A	3	cas		BX-103				0	0	19.808		0		
BX-102	1950	4	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full		0	0	19.808		1		
BX-102	1951	1	rec	243		773		#N/A	3	cas	BX-101	BX-101				0.007288	1.7709	21.579	MW1	0		
BX-102	1951	1	rec	136		909		#N/A	3	cas	BX-101	BX-101				0.007288	0.9911	22.570	MW1	0		
BX-102	1951	1	rec	59		968		#N/A	3	cas	BX-101	BX-101				0.007288	0.43	23.000	MW1	0		
BX-102	1951	1	send	-243		725		#N/A	3	cas		BX-103				0	0	23.000		0		
BX-102	1951	1	send	-136		589		#N/A	3	cas		BX-103				0	0	23.000		0		
BX-102	1951	1	SEND	-30		559		#N/A	3	SU		BX-103				0	0	23.000		1		
BX-102	1951	1	send	-29		530		#N/A	3	cas		BX-103				0	0	23.000		0		
BX-102	1951	1	STAT		530	530	0	#N/A	3				and stats at 523	Cascade full supernate jetting from 103 to 102, then cascades to 101-B		0	0	23.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-102	1951	2	STAT		530	530	0	#N/A	3	MW			and stats at 523	Cascade full		0	0	23.000		1		
BX-102	1951	3	STAT		N/A	530		#N/A	3								0	23.000		1		
BX-102	1951	4	STAT		N/A	530		#N/A	3								0	23.000		1		
BX-102	1952	1	STAT		N/A	530		#N/A	3								0	23.000		1		
BX-102	1952	2	outx	-63		467		#N/A	3			UR				0	0	23.000		0		
BX-102	1952	2	STAT		467	467	0	#N/A	3							0	0	23.000		1		
BX-102	1952	3	STAT		467	467	0	#N/A	3							0	0	23.000		1		
BX-102	1952	4	STAT		467	467	0	#N/A	3							0	0	23.000		1		
BX-102	1953	1	STAT		467	467	0	#N/A	3	MW						0	0	23.000		1		
BX-102	1953	2	outx	-87		380		#N/A	3			UR				0	0	23.000		0		
BX-102	1953	2	STAT		380	380	0	#N/A	3	MW				MW removal in progress		0	0	23.000		1		
BX-102	1953	3	outx	-34		346		#N/A	3			UR				0	0	23.000		0		
BX-102	1953	3	STAT		346	346	0	#N/A	3	MW				MW removal in progress		0	0	23.000		1		
BX-102	1953	4	xin	40		386		#N/A	3			WTR				0	0	23.000		0		
BX-102	1953	4	STAT		386	386	0	#N/A	3	MW				Rec'd MW supervantant from 103-B, MW removal in progress		0	0	23.000		1		
BX-102	1954	1	xin	280		666		#N/A	3			WTR				0	0	23.000		0		
BX-102	1954	1	SEND	-530		136		#N/A	3	SL		BX-103				0	0	23.000		1		
BX-102	1954	1	STAT		136	136	0	#N/A	3	MW				MW removal in progress		0	0	23.000		1		
BX-102	1954	2	outx	-124		12		#N/A	3			UR				0	0	23.000		0		
BX-102	1954	2	STAT		12	12	0	#N/A	3	MW				MW removal in progress		0	0	23.000		1		
BX-102	1954	3	outx	-12		0		#N/A	3			UR				0	0	23.000		0		
BX-102	1954	3	STAT		0	0	0	#N/A	3					Sludge only remaining		0	0	23.000		1		
BX-102	1954	4	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1955	1	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1955	2	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1955	3	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1955	4	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1956	1	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1956	2	STAT		0	0	0	#N/A	3							0	0	23.000		1		
BX-102	1956	3	REC	420		420		#N/A	3	SU	BY-107	BY-107			Shows 402 not 420	0	0	23.000		2	V	N-54-39
BX-102	1956	3	STAT		439	439	0	19	22	TBP				Rec'd from 107-BY		0	0	23.000		1		
BX-102	1956	4	OUTX	-352		87		#N/A	22	SU	BC-12	CRIB	OC B-025 to BC-12, OUTX total -396, AND -401 total		Shows BC-12 Ditch	0	0	23.000		4	O	N-54-116
BX-102	1956	4	OUTX	-44		43		#N/A	22	SU	BC-13	CRIB	OC B-026 to BC-13, OUTX total -396, AND -401 total		Shows BC-13 Ditch	0	0	23.000		4	O	N-54-116
BX-102	1956	4	STAT		43	43	0	#N/A	22	TBP				344 to 12 BC ditch, 57 to 13 BC ditch		0	0	23.000		1		
BX-102	1957	1	STAT		51	51	0	8	30					Latest electrode reading		0	0	23.000		1		
BX-102	1957	2	STAT		51	51	0	#N/A	30							0	0	23.000		1		
BX-102	1957	3	STAT		51	51	0	#N/A	30							0	0	23.000		1		
BX-102	1957	4	STAT		51	51	0	#N/A	30	TBP						0	0	23.000		1		
BX-102	1958	1	STAT		54	54	0	3	33	TBP				Latest electrode reading		0	0	23.000		1		
BX-102	1958	2	STAT		57	57	0	3	36	TBP				Latest electrode reading		0	0	23.000		1		
BX-102	1958	3	STAT		54	54	0	-3	33					Latest electrode reading		0	0	23.000		1		
BX-102	1958	4	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1959	1	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1959	2	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1959	3	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1959	4	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1960	1	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1960	2	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1960	3	STAT		54	54	0	#N/A	33							0	0	23.000		1		
BX-102	1960	4	STAT		54	54	0	#N/A	33	TBP						0	0	23.000		1		
BX-102	1961	1	STAT		N/A	54		#N/A	33								0	23.000		1		
BX-102	1961	2	STAT		57	57	0	3	36	TBP				6 month report		0	0	23.000		1		
BX-102	1961	3	STAT		N/A	57		#N/A	36								0	23.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-102	1961	4	STAT		59	59	0	2	38	TBP				Latest electrode reading 6 month report		0	0	23.000		1		
BX-102	1962	1	CREC	0		59		#N/A	38	SET	BX-101						0	23.000		1		
BX-102	1962	1	rec	314		373		#N/A	38	cas	BX-101	BX-101					0	23.000		1		
BX-102	1962	1	STAT		N/A	373		#N/A	38							0	0	23.000		0		
BX-102	1962	2	STAT		359	359	0	-14	24	TBP							0	23.000		1		
														300 from 102-C and 103-C		0	0	23.000		1		
BX-102	1962	3	REC	190		549		#N/A	24	SU	C-102	C-102	OC C-103 to C-102, AND reports -300, LC qtr4 to qtr3		Shows C-102, Omission	0	0	23.000		3	V	HW-76233-5
BX-102	1962	3	STAT		N/A	549		#N/A	24								0	23.000		1		
BX-102	1962	4	STAT		549	549	0	#N/A	24	TBP,CW				6 month report			0	23.000		1		
BX-102	1963	1	STAT		N/A	549		#N/A	24					190 from 102-C		0	0	23.000		1		
BX-102	1963	2	STAT		549	549	0	#N/A	24	TBP,CW							0	23.000		1		
BX-102	1963	3	STAT		N/A	549		#N/A	24					6 month report		0	0	23.000		1		
BX-102	1963	4	STAT		549	549	0	#N/A	24	TBP,CW							0	23.000		1		
BX-102	1964	1	STAT		N/A	549		#N/A	24					6 month report		0	0	23.000		1		
BX-102	1964	2	STAT		549	549	95	#N/A	24	CW							0	23.000		1		
BX-102	1964	3	STAT		N/A	549		#N/A	24					6 month report		0	0	23.000		1		
BX-102	1964	4	STAT		549	549	94	#N/A	24	CW							0	23.000		1		
BX-102	1965	1	STAT		N/A	549		#N/A	24					6 month report		0	0	23.000		1		
BX-102	1965	2	STAT		543	543	62	-6	18								0	23.000		1		
BX-102	1965	3	STAT		543	543	62	#N/A	18					New elect.		0	0	23.000		1		
BX-102	1965	4	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1966	1	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1966	2	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1966	3	STAT		543	543	62	#N/A	18	CW						0	0	23.000		1		
BX-102	1966	4	STAT		546	546	62	3	21							0	0	23.000		1		
BX-102	1967	1	STAT		546	546	62	#N/A	21							0	0	23.000		1		
BX-102	1967	2	STAT		546	546	62	#N/A	21							0	0	23.000		1		
BX-102	1967	3	STAT		546	546	62	#N/A	21	CW						0	0	23.000		1		
BX-102	1967	4	STAT		543	543	62	-3	18	CW						0	0	23.000		1		
BX-102	1968	1	REC	641		1184		#N/A	18	SU	BX-103	BX-103				0	0	23.000		1		
																0	0	23.000		4	O	ARH-534-6
BX-102	1968	1	send	-673		511		#N/A	18			BY-112	Omls. evap B plant bottoms REC									
BX-102	1968	1	STAT		513	513	62	2	20	CW					Omission	0	0	23.000		3	V	ARH-534-6
BX-102	1968	2	REC	576		1089		#N/A	20	SU	BX-103	BX-103		673 to cell 23 conc.		0	0	23.000		1		
BX-102	1968	2	SEND	-550		539		#N/A	20	SU		BY-103				0	0	23.000		4	O	ARH-721-6
																0	0	23.000		4	O	ARH-721-6
BX-102	1968	2	STAT		539	539	62	#N/A	20	CW				550 to 103-BY, 576 from 103-BX								
BX-102	1968	3	REC	274		813		#N/A	20	SU	BX-101	BX-101				0	0	23.000		1		
BX-102	1968	3	REC	392		1205		#N/A	20	SU	BX-103	BX-103				0	0	23.000		4	O	ARH-871-6
BX-102	1968	3	SEND	-780		425		#N/A	20	SU		TY-103				0	0	23.000		4	O	ARH-871-6
																0	0	23.000		4	O	ARH-871-6
BX-102	1968	3	STAT		426	426	62	1	21	CW,EB			REC total 667	667 from 101 & 103-BX, 780 to 103-TY								
BX-102	1968	4	REC	94		520		#N/A	21	SU	BX-101	BX-101				0	0	23.000		1		
BX-102	1968	4	STAT		520	520	61	#N/A	21	CW,BL						0	0	23.000		4	O	ARH-1061-6
BX-102	1969	1	STAT		520	520	63	#N/A	21	CW,BL				94 from 101-BX		0	0	23.000		1		
BX-102	1969	2	STAT		520	520	72	#N/A	21	CW,BL						0	0	23.000		1		
BX-102	1969	3	STAT		487	487	51	-33	-12	CW,BL						0	0	23.000		1		
BX-102	1969	4	REC	1909		2396		#N/A	-12	SU	BX-103	BX-103				0	0	23.000		1		
BX-102	1969	4	SEND	-1888		508		#N/A	-12	SU		BY-103				0.00134553	2.5686	25.569	CWP2	4	O	ARH-1200D-6
																0	0	25.569		4	O	ARH-1200D-6
BX-102	1969	4	STAT		508	508	40	#N/A	-12	CW,BL				1909 from 103-BX, 1888 to 103-BY								
BX-102	1970	1	REC	1394		1902		#N/A	-12	SU	BX-103	BX-103				0	0	25.569		1		
BX-102	1970	1	SEND	-608		1294		#N/A	-12	SU		BY-103				0.00134553	1.8757	27.444	CWP2	4	O	ARH-1666A-6
BX-102	1970	1	SEND	-664		630		#N/A	-12	SU		BY-109	OC 644 to 664		Shows 664 not 644	0	0	27.444		4	O	ARH-1666A-6
BX-102	1970	1	SEND	-399		231		#N/A	-12	SU		BY-102				0	0	27.444		3	V	ARH-1666A-6
																0	0	27.444		4	O	ARH-1666A-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	OWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
BX-102	1970	1	STAT		233	233	35	2	-10	CW,OWW				644 to 109-BY, 1394 from 103-BX, 608 to 103-BY, 399 to 102-BY		0	0	27.444		1		
BX-102	1970	2	REC	413		646		#N/A	-10	SU	BX-103	BX-103				0.00134553	0.5557	28.000	CWP2	4	O	ARH-1666B-6
BX-102	1970	2	SEND	-602		44		#N/A	-10	SU		BY-109				0	0	28.000		4	O	ARH-1666B-6
BX-102	1970	2	STAT		41	41	35	-3	-13	BL				413 from 103-BX, 602 to 109-BY *Leak detection dry wells drilled: *21-02-01, 21-02-03, 21-02-04, 21-02-06, 21-02-07, 21-02-11, **21-27-01, 21-27-02, 21-27-06, 21-27-07, 21-27-08, 21-27-09, 21-27-10		0	0	28.000		1		
BX-102	1970	3	STAT		40	40	40	-1	-14					** 21-27-01, 21-27-02, 21-27-06, 21-27-07, 21-27-08, 21-27-09, 21-27-10		0	0	28.000		1		
BX-102	1970	4	STAT		40	40	40	#N/A	-14							0	0	28.000		1		
BX-102	1971	1	STAT		40	40	40	#N/A	-14							0	0	28.000		1		
BX-102	1971	2	STAT		40	40	40	#N/A	-14					Tank leaks		0	0	28.000		1		
BX-102	1971	3	STAT		40	40	40	#N/A	-14					Tank leaks		0	0	28.000		1		
BX-102	1971	4	XIN	68		108		#N/A	-14	DE		DE	105 x .651kgal/ton=			1	68	96.000	DE	4	O	ARH-2074D-6
BX-102	1971	4	STAT		96	96	96	-12	-26				"41 to 96,, lanl evaluation	Tank leaks approximately 105 tons of diatomaceous earth added to the tank		0	0	96.000		1		
BX-102	1972	1	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks		0	0	96.000		1		
BX-102	1972	2	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1972	3	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1972	4	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1973	1	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1973	2	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1973	3	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1973	4	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1974	1	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1974	2	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1974	3	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks;; contains diatomaceous earth		0	0	96.000		1		
BX-102	1974	4	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1975	1	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1975	2	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1975	3	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1975	4	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1976	1	STAT		96	96	96	#N/A	-26				"41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-102	1976	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1976	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Cont. desiccant		0	0	96.000		1		
BX-102	1976	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Leaker desicant add cmp		0	0	96.000		1		
BX-102	1977	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized and isolated; leaks		0	0	96.000		1		
BX-102	1977	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized and isolated; leaks		0	0	96.000		1		
BX-102	1977	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized Phase I, Isolated Phase A		0	0	96.000		1		
BX-102	1977	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized Phase I, Isolated Phase A		0	0	96.000		1		
BX-102	1978	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Leaker-Primary Stabilized Interim Isolated		0	0	96.000		1		
BX-102	1978	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1978	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1978	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	New Photo 11/13/78		0	0	96.000		1		
BX-102	1979	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1979	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1979	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1979	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	4	STAT		96	96	96	#N/A	-26	BL			*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1993	2	STAT		96	96	96	#N/A	-26	NCPLX						0	0	96.000		1		
BX-102	1993	4	STAT		96	96	96	#N/A	-26							0	0	96.000		1		
BX-102	1994	1	STAT		96	96	96	#N/A	-26							0	0	96.000		1		
BX-102	2000															0	0	96.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
BX-103	1900																					
BX-103	1948	1	CREC	0		0		#N/A	0	SET	BX-102						0	0.000		1		
BX-103	1948	1	STAT		N/A	0		#N/A	0								0	0.000		1		
BX-103	1948	2	STAT		0	0	0	#N/A	0								0	0.000		1		
BX-103	1948	3	rec	8		8		#N/A	0	cas	BX-102	BX-102				0.02077722	0.1662	0.166	MW1	0		
BX-103	1948	3	STAT		8	8	0	#N/A	0	MW				Cascade begain filling September		0	0	0.166		1		
BX-103	1948	4	rec	215		223		#N/A	0	cas	BX-102	BX-102				0.02077722	4.4671	4.633	MW1	0		
BX-103	1948	4	rec	145		368		#N/A	0	cas	BX-102	BX-102				0.02077722	3.0127	7.646	MW1	0		
BX-103	1948	4	rec	129		497		#N/A	0	cas	BX-102	BX-102				0.02077722	2.6803	10.326	MW1	0		
BX-103	1948	4	STAT		491	491	0	-6	-6	MW						0	0	10.326		1		
BX-103	1949	1	rec	33		524		#N/A	-6	cas	BX-102	BX-102				0.02077722	0.6856	11.012	MW1	0		
BX-103	1949	1	STAT		530	530	0	6	0				and stats at 523	Filled in January		0	0	11.012		1		
BX-103	1949	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	11.012		1		
BX-103	1949	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	11.012		1		
BX-103	1949	4	CSEND	0		530		#N/A	0	SET	BY-101						0	11.012		1		
BX-103	1949	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	11.012		1		
BX-103	1950	1	rec	159		689		#N/A	0	cas	BX-102	BX-102				0.02077722	3.3036	14.316	MW1	0		
BX-103	1950	1	rec	126		815		#N/A	0	cas	BX-102	BX-102				0.02077722	2.6179	16.933	MW1	0		
BX-103	1950	1	send	-159		656		#N/A	0	cas		BY-101				0	0	16.933		0		
BX-103	1950	1	send	-126		530		#N/A	0	cas		BY-101				0	0	16.933		0		
BX-103	1950	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	16.933		1		
BX-103	1950	2	rec	136		666		#N/A	0	cas	BX-102	BX-102				0.02077722	2.8257	19.759	MW1	0		
BX-103	1950	2	rec	125		791		#N/A	0	cas	BX-102	BX-102				0.02077722	2.5972	22.356	MW1	0		
BX-103	1950	2	rec	116		907		#N/A	0	cas	BX-102	BX-102				0.02077722	2.4102	24.766	MW1	0		
BX-103	1950	2	send	-136		771		#N/A	0	cas		BY-101				0	0	24.766		0		
BX-103	1950	2	send	-125		646		#N/A	0	cas		BY-101				0	0	24.766		0		
BX-103	1950	2	send	-116		530		#N/A	0	cas		BY-101				0	0	24.766		0		
BX-103	1950	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	24.766		1		
BX-103	1950	3	rec	221		751		#N/A	0	cas	BX-102	BX-102				0.02077722	4.5918	29.358	MW1	0		
BX-103	1950	3	rec	183		934		#N/A	0	cas	BX-102	BX-102				0.02077722	3.8022	33.160	MW1	0		
BX-103	1950	3	rec	167		1101		#N/A	0	cas	BX-102	BX-102				0.02077722	3.4698	36.630	MW1	0		
BX-103	1950	3	send	-221		880		#N/A	0	cas		BY-101				0	0	36.630		0		
BX-103	1950	3	send	-183		697		#N/A	0	cas		BY-101				0	0	36.630		0		
BX-103	1950	3	send	-167		530		#N/A	0	cas		BY-101				0	0	36.630		0		
BX-103	1950	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	36.630		1		
BX-103	1950	4	rec	243		773		#N/A	0	cas	BX-102	BX-102				0.02077722	5.0489	41.679	MW1	0		
BX-103	1950	4	rec	185		958		#N/A	0	cas	BX-102	BX-102				0.02077722	3.8438	45.523	MW1	0		
BX-103	1950	4	send	-243		715		#N/A	0	cas		BY-101				0	0	45.523		0		
BX-103	1950	4	send	-185		530		#N/A	0	cas		BY-101				0	0	45.523		0		
BX-103	1950	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	45.523		1		
BX-103	1951	1	rec	243		773		#N/A	0	cas	BX-102	BX-102				0.02077722	5.0489	50.572	MW1	0		
BX-103	1951	1	rec	136		909		#N/A	0	cas	BX-102	BX-102				0.02077722	2.8257	53.397	MW1	0		
BX-103	1951	1	REC	30		939		#N/A	0	SU	BX-102	BX-102				0	0	53.397		1		
BX-103	1951	1	rec	29		968		#N/A	0	cas	BX-102	BX-102				0.02077722	0.6025	54.000	MW1	0		
BX-103	1951	1	send	-243		725		#N/A	0	cas		BY-101				0	0	54.000		0		
BX-103	1951	1	send	-136		589		#N/A	0	cas		BY-101				0	0	54.000		0		
BX-103	1951	1	send	-30		559		#N/A	0	cas		BY-101				0	0	54.000		0		
BX-103	1951	1	send	-29		530		#N/A	0	cas		BY-101				0	0	54.000		0		
BX-103	1951	1	CSEND	0		530		#N/A	0	END	BY-101						0	54.000		1		
BX-103	1951	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full, supernate jetting to 102-BX		0	0	54.000		1		
BX-103	1951	2	STAT		530	530	0	#N/A	0	MW			and stats at 523	Cascade full		0	0	54.000		1		
BX-103	1951	3	STAT		N/A	530		#N/A	0								0	54.000		1		
BX-103	1951	4	STAT		N/A	530		#N/A	0								0	54.000		1		
BX-103	1952	1	STAT		N/A	530		#N/A	0								0	54.000		1		
BX-103	1952	2	STAT		530	530	0	#N/A	0								0	54.000		1		
BX-103	1952	3	STAT		530	530	0	#N/A	0							0	0	54.000		1		
																0	0	54.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-103	1952	4	STAT		530	530	0	#N/A	0							0	0	54.000		1		
BX-103	1953	1	STAT		530	530	0	#N/A	0							0	0	54.000		1		
BX-103	1953	2	STAT		530	530	0	#N/A	0	MW						0	0	54.000		1		
BX-103	1953	3	STAT		530	530	0	#N/A	0							0	0	54.000		1		
BX-103	1953	4	STAT		530	530	0	#N/A	0	MW						0	0	54.000		1		
BX-103	1954	1	REC	467		997		#N/A	0	SL	BX-101	BX-101				0	0	54.000		1		
BX-103	1954	1	REC	530		1527		#N/A	0	SL	BX-102	BX-102				0	0	54.000		1		
BX-103	1954	1	REC	758		2285		#N/A	0	SU	BY-101	BY-101				0	0	54.000		1		
BX-103	1954	1	REC	526		2811		#N/A	0	SU	BY-102	BY-102				0	0	54.000		1		
BX-103	1954	1	REC	546		3357		#N/A	0	SU	BY-103	BY-103				0	0	54.000		1		
BX-103	1954	1	OUTX	-381		2976		#N/A	0	SL	UR	UR				0	0	54.000		1		
BX-103	1954	1	OUTX	-479		2497		#N/A	0	SL	UR	UR				0	0	54.000		1		
BX-103	1954	1	OUTX	-775		1722		#N/A	0	SL	UR	UR				0	0	54.000		1		
BX-103	1954	1	STAT		N/A	1722	0	#N/A	0							0	0	54.000		1		
BX-103	1954	2	REC	430		2152		#N/A	0	SU	BY-104	BY-104	BAD STAT? 0 TO N/A LC qtr1 to qtr2			0	0	54.000		1		
BX-103	1954	2	OUTX	-1062		1090		#N/A	0	SL	UR	UR				0	0	54.000		1		
BX-103	1954	2	OUTX	-1090		0		#N/A	0	SL	UR	UR				0	0	54.000		1		
BX-103	1954	2	STAT		N/A	0	0	#N/A	0	MW			phase prob and stats-61 to N/A			0	0	54.000		1		
BX-103	1954	3	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1954	4	STAT		0	0	0	#N/A	0					Was emptied on 7-16-54		0	0	54.000		1		
BX-103	1955	1	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1955	2	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1955	3	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1955	4	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1956	1	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1956	2	STAT		0	0	0	#N/A	0							0	0	54.000		1		
BX-103	1956	3	REC	520		520		#N/A	0	SU	BY-108	BY-108				0	0	54.000		1		
BX-103	1956	3	STAT		530	530	0	10	10	TBP				Rec'd from 108-BY		0	0	54.000		3	O	N-54-40
BX-103	1956	4	OUTX	-437		93		#N/A	10	SU	B-025	CRIB	OC 398 to 437, AND reports - 417			0	0	54.000		1		
BX-103	1956	4	OUTX	-77		16		#N/A	10	SU	B-024	CRIB			Show 437 BC-12 Ditch BC-11 Ditch	0	0	54.000		2	V	N-54-117
BX-103	1956	4	STAT		45	45	0	29	39	TBP				74 to 11 BC ditch, 417 to 12 BC ditch		0	0	54.000		4	O	N-54-117
BX-103	1957	1	STAT		45	45	0	#N/A	39	TBP				Estimated reading		0	0	54.000		1		
BX-103	1957	2	STAT		54	54	0	9	48	TBP				New electrode reading		0	0	54.000		1		
BX-103	1957	3	STAT		40	40	0	-14	34					New electrode reading		0	0	54.000		1		
BX-103	1957	4	STAT		40	40	0	#N/A	34	TBP				New electrode reading		0	0	54.000		1		
BX-103	1958	1	STAT		37	37	0	-3	31					Latest electrode reading		0	0	54.000		1		
BX-103	1958	2	STAT		37	37	0	#N/A	31					Latest electrode reading		0	0	54.000		1		
BX-103	1958	3	STAT		37	37	0	#N/A	31							0	0	54.000		1		
BX-103	1958	4	STAT		37	37	0	#N/A	31							0	0	54.000		1		
BX-103	1959	1	STAT		37	37	0	#N/A	31							0	0	54.000		1		
BX-103	1959	2	STAT		37	37	0	#N/A	31							0	0	54.000		1		
BX-103	1959	3	STAT		37	37	0	#N/A	31	TBP						0	0	54.000		1		
BX-103	1959	4	STAT		45	45	0	8	39							0	0	54.000		1		
BX-103	1960	1	STAT		45	45	0	#N/A	39	TBP						0	0	54.000		1		
BX-103	1960	2	STAT		48	48	0	3	42					Reading will be re-checked		0	0	54.000		1		
BX-103	1960	3	STAT		48	48	0	#N/A	42							0	0	54.000		1		
BX-103	1960	4	STAT		48	48	0	#N/A	42	TBP						0	0	54.000		1		
BX-103	1961	1	STAT		N/A	48		#N/A	42							0	0	54.000		1		
BX-103	1961	2	STAT		54	54	0	6	48	TBP				6 month report		0	0	54.000		1		
BX-103	1961	3	STAT		N/A	54		#N/A	48								0	54.000		1		
BX-103	1961	4	STAT		54	54	0	#N/A	48	TBP				Latest electrode reading 6 month report		0	0	54.000		1		
BX-103	1962	1	STAT		N/A	54		#N/A	48								0	54.000		1		
BX-103	1962	2	STAT		54	54	0	#N/A	48	TBP				6 month report		0	0	54.000		1		
BX-103	1962	3	STAT		N/A	54		#N/A	48								0	54.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-103	1962	4	REC	484		538		#N/A	48	SU	C-102	C-102	OC C-103 to C-102		Shows C-102, Omission	0	0	54.000		3	V	HW-76223-5
BX-103	1962	4	STAT		538	538	0	#N/A	48	TBP,CW				484 from 102-C 6 month report		0	0	54.000		1		
BX-103	1963	1	STAT		N/A	538		#N/A	48							0	0	54.000		1		
BX-103	1963	2	STAT		538	538	0	#N/A	48	TBP,CW				6 month report		0	0	54.000		1		
BX-103	1963	3	STAT		N/A	538		#N/A	48							0	0	54.000		1		
BX-103	1963	4	STAT		538	538	0	#N/A	48	TBP,CW				6 month report		0	0	54.000		1		
BX-103	1964	1	STAT		N/A	538		#N/A	48							0	0	54.000		1		
BX-103	1964	2	STAT		522	522	95	-16	32	CW				New electrode 6 month report		0	0	54.000		1		
BX-103	1964	3	STAT		N/A	522		#N/A	32							0	0	54.000		1		
BX-103	1964	4	STAT		516	516	95	-6	26	CW				New elec. (read. confirmed) 6 month report		0	0	54.000		1		
BX-103	1965	1	STAT		N/A	516		#N/A	26							0	0	54.000		1		
BX-103	1965	2	STAT		527	527	90	11	37					New elect		0	0	54.000		1		
BX-103	1965	3	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1965	4	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1966	1	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1966	2	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1966	3	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1966	4	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1967	1	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1967	2	STAT		527	527	90	#N/A	37							0	0	54.000		1		
BX-103	1967	3	STAT		527	527	90	#N/A	37	CW						0	0	54.000		1		
BX-103	1967	4	STAT		527	527	90	#N/A	37	CW			557 TO 527 BAD STAT			0	0	54.000		1		
BX-103	1968	1	REC	423		950		#N/A	37		C-102	C-102				0	0	54.000		1		
BX-103	1968	1	SEND	-641		309		#N/A	37	SU		BX-102			Omission	0	0	54.000		3	V	ARH-534-6
BX-103	1968	1	STAT		307	307	90	-2	35	CW						0	0	54.000		4	O	ARH-534-6
BX 103	1968	2	REC	496		803		#N/A	35	SU	C-102	C-102		423 from 102-C, 641 to 102-BX		0	0	54.000		1		
BX-103	1968	2	SEND	-576		227		#N/A	35	SU		BX-102				0	0	54.000		4	O	ARH-721-6
BX-103	1968	2	STAT		N/A	227	90	#N/A	35	CW			PHASING 209 TO N/A	576 to 102-BX, 496 from 102-C		0	0	54.000		4	O	ARH-721-6
BX-103	1968	3	REC	797		1024		#N/A	35	SU	C-102	C-102					0	54.000		1		
BX-103	1968	3	SEND	-392		632		#N/A	35	SU		BX-102				0	0	54.000		4	O	ARH-871-6
BX-103	1968	3	SEND	-289		343		#N/A	35	SU		TY-103				0	0	54.000		4	O	ARH-871-6
BX-103	1968	3	STAT		343	343	90	#N/A	35	CW,OWW				797 from 102-C, 392 to 102-BX, 289 to 103-TY		0	0	54.000		4	O	ARH-871-6
BX-103	1968	4	REC	883		1226		#N/A	35	SU	C-102	C-102				0	0	54.000		1		
BX-103	1968	4	SEND	-431		795		#N/A	35	SU		BX-106				0	0	54.000		4	O	ARH-1061-6
BX-103	1968	4	SEND	-481		314		#N/A	35	SU		TY-103				0	0	54.000		4	O	ARH-1061-6
BX-103	1968	4	STAT		314	314	74	#N/A	35	CW,OWW				883 from 102-C, 481 to 103-TY, 431 to 106-BX		0	0	54.000		4	O	ARH-1061-6
BX-103	1969	1	REC	478		792		#N/A	35	SU	C-102	C-102				0	0	54.000		1		
BX-103	1969	1	SEND	-413		379		#N/A	35	SU		TY-103				0	0	54.000		4	O	ARH-1200A-5
BX-103	1969	1	STAT		378	378	72	-1	34	CW,OWW				478 from 102-C, 413 to 103-TY		0	0	54.000		4	O	ARH-1200A-6
BX-103	1969	2	REC	1421		1799		#N/A	34		C-102	C-102				0	0	54.000		1		
BX-103	1969	2	SEND	-1556		243		#N/A	34	SU		B-103			Omission	0	0	54.000		3	V	ARH-1200B-5
BX-103	1969	2	STAT		243	243	76	#N/A	34	CW,OWW						0	0	54.000		4	O	ARH01200B-5
BX-103	1969	3	REC	738		981		#N/A	34	SU	C-102	C-102		1421 from 102-C, 1556 to 103-B		0	0	54.000		1		
BX-103	1969	3	SEND	-724		257		#N/A	34	SU		B-103				0	0	54.000		4	O	ARH-1200C-5
BX-103	1969	3	send	-33		224		#N/A	34			BY-102				0	0	54.000		4	O	ARH01200C-5
BX-103	1969	3	STAT		224	224	18	#N/A	34	CW,OWW						0	0	54.000		0		
BX-103	1969	4	REC	941		1165		#N/A	34	SU	C-102	C-102	AND reports 94 pos typo error	738 from 102-C, 724 to 103-B		0	0	54.000		1		
																0	0	54.000		4	O	ARH-1200D-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-103	1969	4	REC	1048		2213		#N/A	34		C-104	C-104			Omission	0	0	54.000		4	V	ARH-1200D-5
BX-103	1969	4	SEND	-1909		304		#N/A	34	SU		BX-102				0	0	54.000		4	O	ARH-1200D-6
BX-103	1969	4	STAT		304	304	62	#N/A	34	CW,OWW				941 from 102-C, 1048 from 104-C,1909 to 102-BX								
BX-103	1970	1	XIN	17		321		#N/A	34	WTR		WTR	Omis. REC ER-311			0	0	54.000		1		
BX-103	1970	1	REC	1182		1503		#N/A	34	SU	C-104	C-104			Omission	0	0	54.000		3	V	ARH-1666A-6
BX-103	1970	1	SEND	-1394		109		#N/A	34	SU		BX-102				0	0	54.000		4	O	ARH-1666A-5
																0	0	54.000		4	O	ARH-1666A-6
BX-103	1970	1	STAT		110	110	37	1	35	CW,OWW				1182 from 104-C, 17 from 311-ER CT, 1394 to 102-BX								
BX-103	1970	2	REC	281		391		#N/A	35	SU	B-101	B-101				0	0	54.000		1		
BX-103	1970	2	REC	403		794		#N/A	35	SU	BX-101	BX-101				0	0	54.000		4	O	ARH-1666B-5
BX-103	1970	2	REC	1007		1801		#N/A	35	SU	C-104	C-104				0	0	54.000		4	O	ARH-1666B-6
BX-103	1970	2	SEND	-413		1388		#N/A	35	SU		BX-102				0.00338983	3.4136	57.414	CWP2	4	O	ARH-1666B-5
BX-103	1970	2	SEND	-749		639		#N/A	35	SU		BY-109				0	0	57.414		4	O	ARH-1666B-6
BX-103	1970	2	SEND	-213		426		#N/A	35	SU		BY-102				0	0	57.414		4	O	ARH-1666B-6
																0	0	57.414		4	O	ARH-1666B-6
BX-103	1970	2	STAT		425	425	51	-1	34	CW,PSS,BL			REC total 1691	1691 from 101-B, 101-BX & 104-C, 413 to 102-BX, 213 to 102-BY, 749 to 109-B								
BX-103	1970	3	REC	1877		2302		#N/A	34	SU	BX-101	BX-101				0	0	57.414		1		
BX-103	1970	3	REC	104		2406		#N/A	34	SU	C-104	C-104				0	0	57.414		4	O	ARH-1666C-6
BX-103	1970	3	SEND	-1413		993		#N/A	34	SU		BY-109				0	0	57.414		4	O	ARH-1666C-5
BX-103	1970	3	SEND	-603		390		#N/A	34	SU		BY-102				0	0	57.414		4	O	ARH-1666C-6
																0	0	57.414		4	O	ARH-1666C-6
BX-103	1970	3	STAT		389	389	48	-1	33	OWW,CW				104 from 104-C, 1877 from 101-BX, 603 to 102-BY, 1413 to 109-BY								
BX-103	1970	4	REC	2495		2884		#N/A	33	SU	BX-101	BX-101				0	0	57.414		1		
BX-103	1970	4	SEND	-1561		1323		#N/A	33	SU		BY-109				0	0	57.414		4	O	ARH-1666D-6
BX-103	1970	4	SEND	-780		543		#N/A	33	SU		BY-102				0	0	57.414		4	O	ARH-1666D-6
																0	0	57.414		4	O	ARH-1666D-6
BX-103	1970	4	STAT		542	542	51	-1	32	CW,OWW,RIX				2495 from 101-BX, 780 to 102-BY, 1561 to 109-BY								
BX-103	1971	1	REC	1830		2372		#N/A	32	SU	BX-101	BX-101				0	0	57.414		1		
BX-103	1971	1	SEND	-785		1587		#N/A	32	SU		BY-109				0	0	57.414		4	O	ARH-2074A-6
BX-103	1971	1	SEND	-1147		440		#N/A	32	SU		BY-102				0	0	57.414		4	O	ARH-2074A-6
																0	0	57.414		4	O	ARH-2074A-6
BX-103	1971	1	STAT		442	442	51	2	34	EB,SIX				1830 from 101-BX, 1147 to 102-BY, 785 to 109-BY								
BX-103	1971	2	REC	1196		1638		#N/A	34		BX-101	BX-101				0	0	57.414		1		
BX-103	1971	2	SEND	-198		1440		#N/A	34	SU		BY-109			Omission	0	0	57.414		3	V	ARH-2074B-6
BX-103	1971	2	SEND	-899		541		#N/A	34	SU		BY-102				0	0	57.414		4	O	ARH-2074B-6
																0	0	57.414		4	O	ARH-2074B-6
BX-103	1971	2	STAT		541	541	51	#N/A	34	BL,CW,OWW,RIX				1196 from 101-BY, 899 to 102-BY, 198 to 109-BY								
BX-103	1971	3	REC	896		1437		#N/A	34	SU	C-104	C-104				0	0	57.414		1		
BX-103	1971	3	SEND	-70		1367		#N/A	34	SU		BY-102				0	0	57.414		4	O	ARH-2074D-6/ARH-2074C-5 SEND
BX-103	1971	3	SEND	-505		862		#N/A	34	SU		BY-109				0	0	57.414		4	O	ARH-2074C-6
BX-103	1971	3	SEND	-425		437		#N/A	34	SU		SX-103				0	0	57.414		4	O	ARH-2074C-6
																0	0	57.414		4	O	ARH-2074C-6
BX-103	1971	3	STAT		437	437	51	#N/A	34	CW,OWW				896 from 104-C, 425 to 103-SX, 70 to 102-BY, 505 to 109-BY								
BX-103	1971	4	REC	1230		1667		#N/A	34	SU	C-104	C-104				0	0	57.414		1		
BX-103	1971	4	SEND	-1260		407		#N/A	34	SU		BY-109				0	0	57.414		4	O	ARH-2074D-5
																0	0	57.414		4	O	ARH-2074D-6
BX-103	1971	4	STAT		406	406	54	-1	33	CW,OWW				1230 from 104-C, 1260 to 109-BY								
BX-103	1972	1	REC	1262		1668		#N/A	33	SU	C-104	C-104				0	0	57.414		1		
BX-103	1972	1	SEND	-1089		579		#N/A	33	SU		BY-109				0	0	57.414		4	O	ARH-2456A-4
BX-103	1972	1	SEND	-160		419		#N/A	33	SU		C-110				0	0	57.414		4	O	ARH-2456A-5
																0	0	57.414		4	O	ARH-2456A-4
BX-103	1972	1	STAT		420	420	54	1	34	CW,OWW				1,262 from 104-C, 1,089 to 109-BY 160 to 110-C								
BX-103	1972	2	REC	443		863		#N/A	34	SU	BX-101	BX-101				0	0	57.414		1		
																0	0	57.414		4	O	ARH-2456B-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
BX-103	1972	2	REC	315		1178		#N/A	34	SU	BX-105	BX-105				0	0	57.414		4	O	ARH-2456B-5
BX-103	1972	2	REC	135		1313		#N/A	34		BX-106	BX-106			Omission	0	0	57.414		2	V	ARH-2456B-5
BX-103	1972	2	REC	595		1908		#N/A	34	SU	C-104	C-104				0.00338983	2.0169	59.431	CWP2	4	O	ARH-2456B-4
BX-103	1972	2	SEND	-1365		543		#N/A	34	SU		BY-109				0	0	59.431		4	O	ARH-2456B-5
BX-103	1972	2	STAT		542	542	54	-1	33	P,SIX,BL,CW,OWW,RIX				443 from 101-BX, 315 from 105-BX, from 106B, 595 from 104-C, 1365 to 109-BY		0	0	59.431		1		
BX-103	1972	3	REC	104		646		#N/A	33	SU	BX-106	BX-106				0	0	59.431		4	O	ARH-2456C-4
BX-103	1972	3	REC	758		1404		#N/A	33	SU	C-104	C-104				0.00338983	2.5695	62.000	CWP2	4	O	ARH-2456C-4
BX-103	1972	3	SEND	-1042		362		#N/A	33	SU		BY-109				0	0	62.000		4	O	ARH-2456C-5
BX-103	1972	3	STAT		362	362	11	#N/A	33	BL,CW,OWW,RIX				104 from 106-BX, 758 from 104-C, 1042 to 109-BY		0	0	62.000		1		
BX-103	1972	4	XIN	6		368		#N/A	33	WTR		WTR	Omis.			0	0	62.000		2	V	ARH-2456D-5
BX-103	1972	4	REC	132		500		#N/A	33	SU	BX-106	BX-106			Omission	0	0	62.000		4	O	ARH-2456D-5
BX-103	1972	4	REC	918		1418		#N/A	33	SU	C-104	C-104				0	0	62.000		4	O	ARH-2456D-4
BX-103	1972	4	SEND	-986		432		#N/A	33			BY-109	LC BX-104 to BX-103		Omission	0	0	62.000		3	M/V	ARH-2456D-5
BX-103	1972	4	STAT		N/A	432	11	#N/A	33	CW,OWW			PHASING 399 TO N/A	132 from 106-BX, 918 from 104-C		0	0	62.000		1		
BX-103	1973	1	REC	130		562		#N/A	33	SU	BX-105	BX-105				0	0	62.000		4	O	ARH-2794A-5
BX-103	1973	1	REC	133		695		#N/A	33	SU	BX-106	BX-106				0	0	62.000		4	O	ARH-2794A-5
BX-103	1973	1	REC	611		1306		#N/A	33	SU	C-104	C-104				0	0	62.000		4	O	ARH-2794A-4
BX-103	1973	1	SEND	-980		326		#N/A	33	SU		BY-109				0	0	62.000		4	O	ARH-2794A-5
BX-103	1973	1	STAT		322	322	34	-4	29	IX,DW,BNW,PL,N				611 from 104-C, 130 from 105-BX, 133 from 106-BX, 980 to 109-BY		0	0	62.000		1		
BX-103	1973	2	REC	384		706		#N/A	29	SU	BX-105	BX-105				0	0	62.000		4	O	ARH-2794D-5
BX-103	1973	2	REC	566		1272		#N/A	29	SU	C-104	C-104				0	0	62.000		4	O	ARH-2794B-4
BX-103	1973	2	SEND	-785		487		#N/A	29	SU		BY-109				0	0	62.000		4	O	ARH-2794B-5
BX-103	1973	2	STAT		487	487	34	#N/A	29	IX,PL,BNW,N,LW,CW				566 from 104-C, 384 from 105-BX, 785 to 109-BY *Leak detection dry wells drilled: 21-03-03, 21-03-05, 21-03-12		0	0	62.000		1		
BX-103	1973	3	STAT		488	488	34	1	30	IX,PL,BNW,N,LW,CW						0	0	62.000		1		
BX-103	1973	4	XIN	11		499		#N/A	30	WTR		WTR	Omis. REC BXR-002, AND reports -71 pos typo									
BX-103	1973	4	STAT		503	503	46	4	34	PL,BNW,N,LW,EB					Omission	0	0	62.000		2	V	ARH-2794B-5
BX-103	1974	1	STAT		503	503	46	#N/A	34	IX,PL,BNW,N,LW,CW				71 from 002-BXR		0	0	62.000		1		
BX-103	1974	2	STAT		504	504	46	1	35	IX,PL,BNW,N,LW,CW						0	0	62.000		1		
BX-103	1974	3	STAT		504	504	46	#N/A	35	IX,PL,BNW,N,LW,EB						0	0	62.000		1		
BX-103	1974	4	REC	89		593		#N/A	35	SU	B-101	B-101				0	0	62.000		1		
BX-103	1974	4	SEND	-393		200		#N/A	35	SU		S-107	OC 92 to 393, AND reports 92			0	0	62.000		4	O	ARH-CD-133D-4
BX-103	1974	4	STAT		205	205	65	5	40	BL,IX,PL,BNW,N,LW,CW				92 to 107-S	Shows 393 not 92	0	0	62.000		3	V	ARH-CD-133D-5
BX-103	1975	1	REC	201		406		#N/A	40		B-101	B-101				0	0	62.000		1		
BX-103	1975	1	SEND	-114		292		#N/A	40	SU		SX-106			Omission	0	0	62.000		3	V	ARH-CD-336A-5
BX-103	1975	1	STAT		293	293	54	1	41	BL,IX,PL,BNW,N,LW,CW				201 from 101-B, 114 to 106-SX		0	0	62.000		4	O	ARH-CD-336A-5
BX-103	1975	2	REC	647		940		#N/A	41	SU	BX-104	BX-104				0	0	62.000		1		
BX-103	1975	2	SEND	-703		237		#N/A	41	SU		SX-106				0	0	62.000		4	O	ARH-CD-336B-5
BX-103	1975	2	STAT		238	238	54	1	42	IX				647 from 104-BX, 703 to 106-SX		0	0	62.000		4	O	ARH-CD-336B-5
BX-103	1975	3	REC	878		1116		#N/A	42	SU	BX-104	BX-104				0	0	62.000		1		
BX-103	1975	3	SEND	-618		498		#N/A	42	SU		SX-106				0	0	62.000		4	O	ARH-CD-336C-5
BX-103	1975	3	STAT		499	499	54	1	43	IX				878 from 104-BX, 618 to 106-SX		0	0	62.000		4	O	ARH-CD-336C-5
BX-103	1975	4	REC	275		774		#N/A	43		BX-104	BX-104				0	0	62.000		1		
BX-103	1975	4	SEND	-603		171		#N/A	43	SU		SX-110			Omission	0	0	62.000		3	M/V	ARH-CD-336D-5
																0	0	62.000		4	O	ARH-CD-336D-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-103	1975	4	STAT		169	169	54	-2	41	IX				275 from 104-BX, 603 to 110-SX		0	0	62.000		1		
BX-103	1976	1	REC	358		527		#N/A	41	SU	BX-104	BX-104				0	0	62.000		4	O	ARH-CD-702A-5
BX-103	1976	1	SEND	-322		205		#N/A	41	SU		SX-110				0	0	62.000		4	O	ARH-702A-5
BX-103	1976	1	STAT		208	208	54	3	44	IX				358 from 104-BX, 322 to 110-SX		0	0	62.000		1		
BX-103	1976	2	REC	253		461		#N/A	44	SU	BX-104	BX-104				0	0	62.000		4	O	ARH-CD-702B-5
BX-103	1976	2	SEND	-305		156		#N/A	44	SU		SX-110				0	0	62.000		4	O	ARH-CD-702B-5
BX-103	1976	2	STAT		158	158	54	2	46	IX				253 from 104-BX, 305 to 110-SX		0	0	62.000		1		
BX-103	1976	3	STAT		158	158	54	#N/A	46	EVAP				Low heat * Leak detection dry wells drilled: 21-03-07, 21-03-11		0	0	62.000		1		
BX-103	1976	4	rec	20		178		#N/A	46		A-102	A-102				0	0	62.000		0		
BX-103	1976	4	STAT		178	178	54	#N/A	46	EVAP				Low heat		0	0	62.000		1		
BX-103	1977	1	rec	11		189		#N/A	46		A-102	A-102				0	0	62.000		0		
BX-103	1977	1	STAT		189	189	76	#N/A	46	EVAP				Low heat		0	0	62.000		1		
BX-103	1977	2	send	-113		76		#N/A	46			A-102				0	0	62.000		0		
BX-103	1977	2	STAT		76	76	76	#N/A	46					Inactive-Salt well, pump salt well installed		0	0	62.000		1		
BX-103	1977	3	STAT		76	76	76	#N/A	46					Inactive-Salt well, pump salt well installed		0	0	62.000		1		
BX-103	1977	4	STAT		76	76	76	#N/A	46					Inactive-Salt well, pump salt well installed		0	0	62.000		1		
BX-103	1978	1	STAT		76	76	76	#N/A	46					Inactive - Salt well Installed		0	0	62.000		1		
BX-103	1978	2	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1978	3	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1978	4	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1979	1	STAT		76	76	76	#N/A	46					New Photo 3/8/79		0	0	62.000		1		
BX-103	1979	2	STAT		76	76	76	#N/A	46					New Photo 6/22/79		0	0	62.000		1		
BX-103	1979	3	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1979	4	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1980	1	STAT		76	76	76	#N/A	46					New Photo 2/7/80		0	0	62.000		1		
BX-103	1980	2	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1980	3	STAT		76	76	76	#N/A	46							0	0	62.000		1		
BX-103	1980	4	STAT		76	76	76	#N/A	46	EVAP						0	0	62.000		1		
BX-103	1983	4	send	-10		66		#N/A	46	swliq		AN-103				0	0	62.000		1		
BX-103	1993	2	STAT		66	66	62	#N/A	46	NCPLX						0	0	62.000		0		
BX-103	1993	4	STAT		66	66	62	#N/A	46							0	0	62.000		1		
BX-103	1994	1	STAT		66	66	62	#N/A	46							0	0	62.000		1		
BX-103	2000															0	0	62.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1900																					
BX-104	1949	1	CSEND	0		0		#N/A	0	SET	BX-105											
BX-104	1949	1	XIN	199		199		#N/A	0	MW		MW1					0	0.000		1		
BX-104	1949	1	XIN	90		289		#N/A	0	MW		MW1				0.01442139	2.8699	2.870	MW1	1		
BX-104	1949	1	XIN	229		518		#N/A	0	MW		MW1				0.01442139	1.2979	4.168	MW1	1		
BX-104	1949	1	STAT		518	518	0	#N/A	0	MW			And stats 1	Began filling in January		0.01442139	3.3025	7.470	MW1	1		
BX-104	1949	2	XIN	139		657		#N/A	0	MW		MW1				0	0	7.470		1		
BX-104	1949	2	XIN	132		789		#N/A	0	MW		MW1				0.01442139	2.0046	9.475	MW1	1		
BX-104	1949	2	XIN	106		895		#N/A	0	MW		MW1				0.01442139	1.9036	11.378	MW1	1		
BX-104	1949	2	send	-132		763		#N/A	0	cas		BX-105				0.01442139	1.5287	12.907	MW1	1		
BX-104	1949	2	send	-127		636		#N/A	0	cas		BX-105				0	0	12.907		0		
BX-104	1949	2	send	-106		530		#N/A	0	cas		BX-105				0	0	12.907		0		
BX-104	1949	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full in April		0	0	12.907		0		
BX-104	1949	3	XIN	83		613		#N/A	0	MW		MW1				0	0	12.907		1		
BX-104	1949	3	XIN	52		665		#N/A	0	MW		MW1				0.01442139	1.197	14.104	MW1	1		
BX-104	1949	3	XIN	108		773		#N/A	0	MW		MW1				0.01442139	0.7499	14.854	MW1	1		
BX-104	1949	3	send	-108		665		#N/A	0	cas		BX-105				0.01442139	1.5575	16.412	MW1	1		
BX-104	1949	3	send	-83		582		#N/A	0	cas		BX-105				0	0	16.412		0		
BX-104	1949	3	send	-52		530		#N/A	0	cas		BX-105				0	0	16.412		0		
BX-104	1949	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	16.412		0		
BX-104	1949	4	XIN	137		667		#N/A	0	MW		MW1				0	0	16.412		1		
BX-104	1949	4	XIN	116		783		#N/A	0	MW		MW1				0.01442139	1.9757	18.387	MW1	1		
BX-104	1949	4	XIN	145		928		#N/A	0	MW		MW1				0.01442139	1.6729	20.060	MW1	1		
BX-104	1949	4	send	-145		783		#N/A	0	cas		BX-105				0.01442139	2.0911	22.151	MW1	1		
BX-104	1949	4	send	-137		646		#N/A	0	cas		BX-105				0	0	22.151		0		
BX-104	1949	4	send	-116		530		#N/A	0	cas		BX-105				0	0	22.151		0		
BX-104	1949	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	22.151		0		
BX-104	1950	1	XIN	11		541		#N/A	0	MW		MW1				0	0	22.151		1		
BX-104	1950	1	send	-11		530		#N/A	0	cas		BX-105				0.01442139	0.1586	22.310	MW1	1		
BX-104	1950	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	22.310		0		
BX-104	1950	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	22.310		1		
BX-104	1950	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	22.310		1		
BX-104	1950	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	22.310		1		
BX-104	1951	1	XIN	150		680		#N/A	0	MW		MW1				0	0	22.310		1		
BX-104	1951	1	send	-150		530		#N/A	0	cas		BX-105				0.01442139	2.1632	24.473	MW1	1		
BX-104	1951	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full,overflows to 104-BY		0	0	24.473		0		
BX-104	1951	2	XIN	309		839		#N/A	0	MW		MW1				0	0	24.473		1		
BX-104	1951	2	XIN	242		1081		#N/A	0	MW		MW1				0.01442139	4.4562	28.929	MW1	1		
BX-104	1951	2	XIN	111		1192		#N/A	0	MW		MW1				0.01442139	3.49	32.419	MW1	1		
BX-104	1951	2	send	-309		883		#N/A	0	cas		BX-105				0.01442139	1.6008	34.020	MW1	1		
BX-104	1951	2	send	-242		641		#N/A	0	cas		BX-105				0	0	34.020		0		
BX-104	1951	2	send	-111		530		#N/A	0	cas		BX-105				0	0	34.020		0		
BX-104	1951	2	STAT		530	530	0	#N/A	0	MW			and stats at 523	Cascade full,overflows to 104-BY		0	0	34.020		0		
BX-104	1951	3	XIN	115		645		#N/A	0	MW		MW1				0	0	34.020		1		
BX-104	1951	3	XIN	164		809		#N/A	0	MW		MW1				0.01442139	1.6585	35.679	MW1	1		
BX-104	1951	3	XIN	184		993		#N/A	0	MW		MW1				0.01442139	2.3651	38.044	MW1	1		
BX-104	1951	3	send	-184		809		#N/A	0	cas		BX-105				0.01442139	2.6535	40.697	MW1	1		
BX-104	1951	3	send	-164		645		#N/A	0	cas		BX-105				0	0	40.697		0		
BX-104	1951	3	send	-115		530		#N/A	0	cas		BX-105				0	0	40.697		0		
BX-104	1951	3	STAT		N/A	530		#N/A	0							0	0	40.697		0		
BX-104	1951	4	XIN	21		551		#N/A	0	MW		MW1				0	0	40.697		1		
BX-104	1951	4	send	-21		530		#N/A	0	cas		BX-105				0.01442139	0.3028	41.000	MW1	1		
BX-104	1951	4	STAT		N/A	530		#N/A	0							0	0	41.000		0		
BX-104	1952	1	STAT		N/A	530		#N/A	0								0	41.000		1		
BX-104	1952	2	STAT		530	530	0	#N/A	0								0	41.000		1		
BX-104	1952	3	STAT		530	530	0	#N/A	0							0	0	41.000		1		
																0	0	41.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1952	4	STAT		530	530	0	#N/A	0	MW						0	0	41.000		1		
BX-104	1953	1	STAT		530	530	0	#N/A	0	MW						0	0	41.000		1		
BX-104	1953	2	STAT		530	530	0	#N/A	0	MW						0	0	41.000		1		
BX-104	1953	3	STAT		530	530	0	#N/A	0							0	0	41.000		1		
BX-104	1953	4	STAT		530	530	0	#N/A	0	MW						0	0	41.000		1		
BX-104	1954	1	STAT		530	530	0	#N/A	0	MW						0	0	41.000		1		
BX-104	1954	2	xin	430		960		#N/A	0			WTR				0	0	41.000		1		
BX-104	1954	2	SEND	-530		430		#N/A	0	SL		BX-106				0	0	41.000		0		
BX-104	1954	2	STAT		430	430	0	#N/A	0	MW				Supernatant supply to 244-BXR		0.000	0	41.000		1		
BX-104	1954	3	outx	-350		80		#N/A	0			UR				0	0	41.000		1		
BX-104	1954	3	STAT		80	80	80	#N/A	0	MW						0	0	41.000		0		
BX-104	1954	4	xin	65		145		#N/A	0			WTR		Active sluicing TK		0	0	41.000		1		
BX-104	1954	4	STAT		145	145	7	#N/A	0	MW				Active sluicing TK, slurry storage while sluicing 105-BX with 221-U inoperative		0	0	41.000		0		
BX-104	1955	1	outx	-125		20		#N/A	0			UR				0	0	41.000		1		
BX-104	1955	1	STAT		20	20	1	#N/A	0	MW						0	0	41.000		0		
BX-104	1955	2	STAT		0	0	0	-20	-20							0	0	41.000		1		
BX-104	1955	3	STAT		0	0	0	#N/A	-20							0	0	41.000		1		
BX-104	1955	4	STAT		0	0	0	#N/A	-20							0	0	41.000		1		
BX-104	1956	1	STAT		0	0	0	#N/A	-20							0	0	41.000		1		
BX-104	1956	2	REC	498		498		#N/A	-20	SU	BY-110	BY-110				0	0	41.000		1		
BX-104	1956	2	STAT		530	530	0	32	12							0	0	41.000		3	O	N-54-33
BX-104	1956	3	STAT		530	530	0	#N/A	12					Rec'd from IIC-BY, filled from 106-BY		0	0	41.000		1		
BX-104	1956	4	STAT		530	530	0	#N/A	12	TBP				filled from 106-BY		0	0	41.000		1		
BX-104	1957	1	OUTX	-444		86		#N/A	12	SU	B-026	CRIB			Shows 535 Ditch BC-13	0	0	41.000		1		
BX-104	1957	1	STAT		51	51	0	-35	-23	TBP				522 sent to I3-BC ditch, latest electrode reading		0	0	41.000		3	V	N-54-112
BX-104	1957	2	STAT		51	51	0	#N/A	-23	TBP						0	0	41.000		1		
BX-104	1957	3	STAT		54	54	0	3	-20							0	0	41.000		1		
BX-104	1957	4	STAT		54	54	0	#N/A	-20					Latest electrode reading		0	0	41.000		1		
BX-104	1958	1	STAT		54	54	0	#N/A	-20							0	0	41.000		1		
BX-104	1958	2	STAT		54	54	0	#N/A	-20							0	0	41.000		1		
BX-104	1958	3	STAT		54	54	0	#N/A	-20							0	0	41.000		1		
BX-104	1958	4	STAT		54	54	0	#N/A	-20							0	0	41.000		1		
BX-104	1959	1	STAT		54	54	0	#N/A	-20							0	0	41.000		1		
BX-104	1959	2	STAT		54	54	0	#N/A	-20							0	0	41.000		1		
BX-104	1959	3	STAT		54	54	0	#N/A	-20	TBP						0	0	41.000		1		
BX-104	1959	4	xin	3		57		#N/A	-20	ADJ	CORR	WTR				0	0	41.000		0		
BX-104	1959	4	STAT		76	76	0	19	-1	TBP						0	0	41.000		1		
BX-104	1960	1	STAT		57	57	0	-19	-20					New electrode installed		0	0	41.000		1		
BX-104	1960	2	STAT		57	57	0	#N/A	-20							0	0	41.000		1		
BX-104	1960	3	STAT		57	57	0	#N/A	-20							0	0	41.000		1		
BX-104	1960	4	STAT		57	57	0	#N/A	-20	TBP						0	0	41.000		1		
BX-104	1961	1	STAT		N/A	57		#N/A	-20								0	41.000		1		
BX-104	1961	2	STAT		59	59	0	2	-18	TBP				6 month report		0	0	41.000		1		
BX-104	1961	3	STAT		N/A	59		#N/A	-18								0	41.000		1		
BX-104	1961	4	xin	5		64		#N/A	-18	ADJ	CORR	WTR				0	0	41.000		0		
BX-104	1961	4	STAT		62	62	0	-2	-20	TBP				Latest electrode reading 6 month report		0	0	41.000		1		
BX-104	1962	1	STAT		N/A	62		#N/A	-20								0	41.000		1		
BX-104	1962	2	STAT		62	62	0	#N/A	-20	TBP						0	0	41.000		1		
BX-104	1962	3	STAT		N/A	62		#N/A	-20								0	41.000		1		
BX-104	1962	4	REC	468		530		#N/A	-20	SU	C-102	C-102	OC C-103 to C-102, total 468; OC 149 to 468,319+149		Rec C-102, Shows 468 not 140	0	0	41.000		3	V	HW-76223-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1962	4	REC	0		530		#N/A	-20	SU	C-102	C-102	inc. In 468 xfer				0	41.000		3	O	HW-76223-5
BX-104	1962	4	STAT		530	530	0	#N/A	-20	TBP,CW				468 from 102-C		0	0	41.000		1		
BX-104	1963	1	STAT		N/A	530		#N/A	-20								0	41.000		1		
BX-104	1963	2	xin	27		557		#N/A	-20	ADJ	CORR	WTR				0	0	41.000		0		
BX-104	1963	2	STAT		557	557	112	#N/A	-20	CW				Latest Electrode Reading		0	0	41.000		1		
BX-104	1963	3	STAT		N/A	557		#N/A	-20								0	41.000		1		
BX-104	1963	4	STAT		557	557	112	#N/A	-20	CW							0	41.000		1		
BX-104	1964	1	STAT		N/A	557		#N/A	-20								0	41.000		1		
BX-104	1964	2	XIN	12		569		#N/A	-20	CWP	C-108	CWP2	OC insert C-108		Rec C-108	0	0	41.000		3	V	HW-83308-5
BX-104	1964	2	STAT		569	569	112	#N/A	-20	CW				12 CW from 108-C		0	0	41.000		1		
BX-104	1964	3	STAT		N/A	569		#N/A	-20								0	41.000		1		
BX-104	1964	4	STAT		569	569	112	#N/A	-20	CW							0	41.000		1		
BX-104	1965	1	STAT		N/A	569		#N/A	-20								0	41.000		1		
BX-104	1965	2	STAT		571	571	87	2	-18								0	41.000		1		
BX-104	1965	3	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1965	4	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1966	1	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1966	2	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1966	3	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1966	4	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1967	1	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1967	2	STAT		571	571	87	#N/A	-18							0	0	41.000		1		
BX-104	1967	3	STAT		571	571	87	#N/A	-18	CW						0	0	41.000		1		
BX-104	1967	4	XIN	89		660		#N/A	-18	CSR		CSR	OC 72 to 89		Shows 89 not 72	0	0	41.000		3	V	ARH-326-6
BX-104	1967	4	SEND	-477		183		#N/A	-18	SU		BY-103				0	0	41.000		4	O	ARH-326-6
BX-104	1967	4	STAT		183	183	87	#N/A	-18	CW,IX,EB				477 to 103-BY, Received 89 IX and cell 23 bottom								
BX-104	1968	1	XIN	112		295		#N/A	-18	CSR		CSR				0	0	41.000		1		
BX-104	1968	1	XIN	359		654		#N/A	-18	CSR		CSR				0	0	41.000		4	O	ARH-534-6
BX-104	1968	1	rec	254		908		#N/A	-18		CELL 23	BY-112	Omis. evap B plant bottoms REC			0	0	41.000		4	O	ARH-534-6
BX-104	1968	1	SEND	-418		490		#N/A	-18	SU		BX-106			Omission	0	0	41.000		2	V	ARH-534-6
BX-104	1968	1	STAT		491	491	87	1	-17	EB,IX				Received 112 IX & 254 (Cell 23) 418 to 106-BX, received 359 IX		0	0	41.000		4	O	ARH-534-6
BX-104	1968	2	XIN	126		617		#N/A	-17	CSR		CSR				0	0	41.000		1		
BX-104	1968	2	SEND	-317		300		#N/A	-17	SU		BY-104				0	0	41.000		4	O	ARH-721-6
BX-104	1968	2	STAT		290	290	87	-10	-27	IX				317 to 104 BY 126 IX received		0	0	41.000		4	O	ARH-721-6
BX-104	1968	3	XIN	274		564		#N/A	-27	CSR		CSR				0	0	41.000		1		
BX-104	1968	3	SEND	-184		380		#N/A	-27	SU		BY-104				0	0	41.000		4	O	ARH-871-6
BX-104	1968	3	STAT		399	399	87	19	-8	IX				274 IX received, 184 to 104 BY		0	0	41.000		4	O	ARH-721-6
BX-104	1968	4	XIN	519		918		#N/A	-8	CSR		CSR				0	0	41.000		1		
BX-104	1968	4	SEND	-437		481		#N/A	-8	SU		BX-105				0	0	41.000		4	O	ARH-1061-6
BX-104	1968	4	STAT		481	481	73	#N/A	-8	IX				519 from 221-B (18-1), 437 to 105 BX		0	0	41.000		4	O	ARH-1061-6
BX-104	1969	1	XIN	261		742		#N/A	-8	CSR		CSR				0	0	41.000		1		
BX-104	1969	1	SEND	-516		226		#N/A	-8	SU		BX-106				0	0	41.000		4	O	ARH-1200A-6
BX-104	1969	1	STAT		227	227	90	1	-7	IX				261 from 221-B (18-1), 516 to 106 BX		0	0	41.000		4	O	ARH-1200A-6
BX-104	1969	2	XIN	769		996		#N/A	-7	CSR		CSR				0	0	41.000		1		
BX-104	1969	2	SEND	-452		544		#N/A	-7	SU		BX-108				0	0	41.000		4	O	ARH-1200B-6
BX-104	1969	2	SEND	-283		261		#N/A	-7	SU		BX-111				0	0	41.000		4	O	ARH-2794B-6
BX-104	1969	2	STAT		260	260	88	-1	-8	IX				769 from 221-B (18-1), 452 to 108 BX, 283 to 111 BX		0	0	41.000		4	O	ARH-1200B-6
BX-104	1969	3	XIN	611		871		#N/A	-8	CSR		CSR				0	0	41.000		1		
BX-104	1969	3	SEND	-165		706		#N/A	-8	SU		BX-107				0	0	41.000		4	O	ARH-1200C-6
																0	0	41.000		4	O	ARH-1200C-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1969	3	send	-33		673		#N/A	-8			BY-102				0	0	41.000		0		
BX-104	1969	3	SEND	-149		524		#N/A	-8	SU		BX-111				0	0	41.000		4	O	ARH-1200C-6
BX-104	1969	3	STAT		524	524	57	#N/A	-8	IX				611 from B Plant (18-1), 165 to 107 BX, 149 to 111 BX		0	0	41.000		1		
BX-104	1969	4	STAT		519	519	65	-5	-13	IX						0	0	41.000		1		
BX-104	1970	1	STAT		520	520	65	1	-12	IX						0	0	41.000		1		
BX-104	1970	2	REC	479		999		#N/A	-12	SU	BX-106	BX-106				0	0	41.000		4	O	ARH-1666B-6
BX-104	1970	2	REC	285		1284		#N/A	-12	SU	BX-110	BX-110				0	0	41.000		4	O	ARH-1666B-6
BX-104	1970	2	SEND	-1191		93		#N/A	-12	SU		C-110				0	0	41.000		4	O	ARH-1666B-5
BX-104	1970	2	STAT		96	96	65	3	-9	IX			REC total 764	764 from 106 & 110-BX, 1191 to 110-C		0	0	41.000		1		
BX-104	1970	3	REC	458		554		#N/A	-9	SU	BX-111	BX-111				0	0	41.000		4	O	ARH-1666C-6
BX-104	1970	3	SEND	-179		375		#N/A	-9	SU		B-102				0	0	41.000		4	O	ARH-1666C-5
BX-104	1970	3	SEND	-245		130		#N/A	-9	SU		C-107				0	0	41.000		4	O	ARH-1666C-5
BX-104	1970	3	SEND	-66		64		#N/A	-9	SU		C-110				0	0	41.000		4	O	ARH-1666C-5
BX-104	1970	3	REC	0		64		#N/A	-9	SU	C-110	C-110	SENT TO C-110				0	41.000		1		
BX-104	1970	3	send	0		64		#N/A	-9		BY-112		C-110 ERROR NO TRANSFER TO BY-112				0	41.000		1		
BX-104	1970	3	STAT		65	65	65	1	-8					458 from 111 BX, 490 to B & C farm		0	0	41.000		1		
BX-104	1970	4	XIN	5		70		#N/A	-8	WTR		WTR	OC 71q1 to 70q4		4th Qtr 1970	0	0	41.000		3	V	ARH-1666D-6
BX-104	1970	4	STAT		70	70	65	#N/A	-8	EB				5 from line leak check		0	0	41.000		1		
BX-104	1971	1	XIN	100		170		#N/A	-8	WTR		WTR				0	0	41.000		2		
BX-104	1971	1	REC	376		546		#N/A	-8	SU	SX-103	SX-103				0	0	41.000		4	O	ARH02074A-6
BX-104	1971	1	OUTX	-23		523		#N/A	-8	SU	CSR	CSR	OC 25 to23		Show 23 not 25	0	0	41.000		2	V	ARH02074A-6
BX-104	1971	1	STAT		523	523	68	#N/A	-8	H2O,R				Received 100 water, 376 from 103-SX, 25 (5 water and 18 RSN) were transferred from 104-BX to B Plant IX		0	0	41.000		1		
BX-104	1971	2	XIN	209		732		#N/A	-8	WTR		WTR				0	0	41.000		4	O	ARH02074B-6
BX-104	1971	2	REC	829		1561		#N/A	-8		SX-102	SX-102	OC omission		Omission	0	0	41.000		3	V	ARH02074B-6
BX-104	1971	2	REC	132		1693		#N/A	-8	SU	SX-103	SX-103				0	0	41.000		4	O	ARH02074B-6
BX-104	1971	2	REC	85		1778		#N/A	-8		BX-101	BX-101			Omission	0	0	41.000		3	V	ARH02074B-6
BX-104	1971	2	OUTX	-1311		467		#N/A	-8	SU	CSR	CSR				0	0	41.000		4	O	ARH02074B-6
BX-104	1971	2	STAT		466	466	68	-1	-9	H2O,R				85 from 101 BX, 829 from 102 SK, 132 from 103-SK, 209 dilution water, 1311 to B Plant (TK-17-2)		0	0	41.000		1		
BX-104	1971	3	XIN	274		740		#N/A	-9	WTR		WTR				0	0	41.000		4	O	ARH02074C-6
BX-104	1971	3	REC	1014		1754		#N/A	-9	SU	SX-102	SX-102				0	0	41.000		4	O	ARH02074C-6
BX-104	1971	3	OUTX	-1278		476		#N/A	-9	SU	CSR	CSR				0	0	41.000		4	O	ARH02074C-6
BX-104	1971	3	STAT		473	473	68	-3	-12	H2O,R				1014 from 102-SX, 274 dilution water, 1278 to B Plant (TK-17-2)		0	0	41.000		1		
BX-104	1971	4	XIN	244		717		#N/A	-12	WTR		WTR				0	0	41.000		4	O	ARH02074D-6
BX-104	1971	4	REC	1005		1722		#N/A	-12	SU	SX-102	SX-102				0	0	41.000		4	O	ARH02074D-6
BX-104	1971	4	OUTX	-1239		483		#N/A	-12	SU	CSR	CSR				0	0	41.000		4	O	ARH02074D-6
BX-104	1971	4	STAT		487	487	78	4	-8	R				1005 from 102-SX, 244 dilution water, 1239 to B Plant (TK-17-2)		0	0	41.000		1		
BX-104	1972	1	XIN	136		623		#N/A	-8	WTR		WTR				0	0	41.000		4	O	ARH-2456A-5
BX-104	1972	1	REC	670		1293		#N/A	-8	SU	SX-102	SX-102				0	0	41.000		4	O	ARH-2456A-5
BX-104	1972	1	OUTX	-850		443		#N/A	-8	SU	CSR	CSR				0	0	41.000		4	O	ARH-2456A-5
BX-104	1972	1	STAT		443	443	41	#N/A	-8	H2O,R				670 from 102-SX, 136 dilution water, 850 to B Plant (TK-17-2)		0	0	41.000		1		
BX-104	1972	2	XIN	38		481		#N/A	-8	WTR		WTR				0	0	41.000		4	O	ARH-2456B-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1972	2	REC	203		684		#N/A	-8	SU	SX-102	SX-102				0	0	41.000		4	O	ARH-2456B-5
BX-104	1972	2	OUTX	-440		244		#N/A	-8	SU	CSR	CSR				0	0	41.000		4	O	ARH-2456B-5
BX-104	1972	2	STAT		246	246	41	2	-6	H2O,R				230 from 102-SX, 38 dilution water, 440 to B Plant (TK-17-2)		0	0	41.000		1		
BX-104	1972	3	STAT		246	246	41	#N/A	-6	R						0	0	41.000		1		
BX-104	1972	4	XIN	749		995		#N/A	-6	CSR		CSR				0	0	41.000		4	O	ARH-2456D-5
BX-104	1972	4	XIN	6		1001		#N/A	-6	WTR		WTR				0	0	41.000		4	O	ARH-2456D-5
BX-104	1972	4	REC	199		1200		#N/A	-6	SU	B-101	B-101				0	0	41.000		4	O	ARH-2456D-5
BX-104	1972	4	SEND	-141		1059		#N/A	-6			C-105			Omission	0	0	41.000		3	V	ARH-2456D-4
BX-104	1972	4	SEND	-316		743		#N/A	-6	SU		T-105				0	0	41.000		4	O	ARH-2456D-5
BX-104	1972	4	SEND	-582		161		#N/A	-6	SU		TX-101				0	0	41.000		4	O	ARH-2456D-5
BX-104	1972	4	REC	205		366		#N/A	-6	SU	BX-101	BX-101				0	0	41.000		4	O	ARH-2456D-5
BX-104	1972	4	STAT		364	364	41	-2	-8	BL,IX				749 from B Plant IX, 199 from 101-B2 205 from 101-BX, 6 flush H20.		0	0	41.000		1		
BX-104	1973	1	XIN	961		1325		#N/A	-8	CSR		CSR				0	0	41.000		4	O	ARH-2794A-5
BX-104	1973	1	SEND	-63		1262		#N/A	-8	SU		T-105				0	0	41.000		4	O	ARH-2794A-6
BX-104	1973	1	SEND	-685		577		#N/A	-8	SU		T-107				0	0	41.000		4	O	ARH2794A-5
BX-104	1973	1	SEND	-558		19		#N/A	-8	SU		TX-101				0	0	41.000		4	O	ARH-2794A-5
BX-104	1973	1	REC	484		503		#N/A	-8	SU	B-101	B-101				0	0	41.000		4	O	ARH-2794A-4
BX-104	1973	1	STAT		512	512	62	9	1	BL,IX				961 from B Plant IX, 484 from 101-B to 105-T, 685 to 107-T, 558 to 101-TX,		0	0	41.000		1		
BX-104	1973	2	XIN	1272		1784		#N/A	1	CSR		CSR				0	0	41.000		4	O	ARH-2794B-5
BX-104	1973	2	SEND	-532		1252		#N/A	1	SU		BX-105				0	0	41.000		4	O	ARH-2794B-5
BX-104	1973	2	SEND	-184		1068		#N/A	1	SU		B-103				0	0	41.000		4	O	ARH-2794B-4
BX-104	1973	2	SEND	-573		495		#N/A	1	SU		T-107				0	0	41.000		4	O	ARH2794B-5
BX-104	1973	2	STAT		496	496	62	1	2	IX				1272 from B Plant IX, 184 to 103-B, 532 to 105-BX, 573 to 107-T. * Leak detection dry wells installed: 21-04-03, 21-04-06		0	0	41.000		1		
BX-104	1973	3	STAT		495	495	62	-1	1	IX						0	0	41.000		1		
BX-104	1973	4	STAT		501	501	62	6	7	IX						0	0	41.000		1		
BX-104	1974	1	XIN	10		511		#N/A	7	WTR		WTR	Omis. REC C-302 CT		Omission	0	0	41.000		3	V	ARH-CD-133A-5
BX-104	1974	1	SEND	-363		148		#N/A	7	SU		S-110				0	0	41.000		4	O	ARH-CD-133A-5
BX-104	1974	1	STAT		149	149	106	1	8	IX				10 from 302-C Catch Tank, 363 to ft0-S		0	0	41.000		1		
BX-104	1974	2	XIN	14		163		#N/A	8	WTR		WTR	Omis. REC ER-311 CT		Omission	0	0	41.000		3	V	ARH-CD-133B-5
BX-104	1974	2	REC	115		278		#N/A	8	SU	BX-101	BX-101				0	0	41.000		4	O	ARH-CD-133B-5
BX-104	1974	2	STAT		277	277	106	-1	7	BL,IX				14 from 311-ER Catch Tank,115 from 101-BX		0	0	41.000		1		
BX-104	1974	3	XIN	201		478		#N/A	7	CSR		CSR				0	0	41.000		2		
BX-104	1974	3	XIN	2		480		#N/A	7	WTR		WTR				0	0	41.000		2		
BX-104	1974	3	REC	1		481		#N/A	7	SU	BX-101	BX-101				0	0	41.000		2		
BX-104	1974	3	STAT		480	480	106	-1	6	BL,IX				201 from B Plant, 1 from 101-BX, 2 water		0	0	41.000		1		
BX-104	1974	4	SEND	-92		388		#N/A	6	SU		S-107				0	0	41.000		4	O	ARH-CD-133D-5
BX-104	1974	4	STAT		389	389	65	1	7	BL,IX				92 to 107-S		0	0	41.000		1		
BX-104	1975	1	XIN	204		593		#N/A	7	CSR		CSR				0	0	41.000		4	O	ARH-CD-336A-5
BX-104	1975	1	XIN	10		603		#N/A	7	WTR		WTR	Omis. REC BX-302A		Omission	0	0	41.000		3	V	ARH-CD-336A-5
BX-104	1975	1	XIN	78		681		#N/A	7	WTR		WTR	Omis. REC BXR-001		Omission	0	0	41.000		2	V	ARH-CD-336A-5
BX-104	1975	1	SEND	-278		403		#N/A	7	SU		S-107				0	0	41.000		4	O	ARH-CD-336A-5
BX-104	1975	1	STAT		403	403	65	#N/A	7	IX				204 from B Plant, 10 from BX-302-A, 78 from 001-BXR, 278 to 107-S		0	0	41.000		1		
BX-104	1975	2	XIN	605		1008		#N/A	7	CSR		CSR				0	0	41.000		4	O	ARH-CD-336B-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1975	2	XIN	34		1042		#N/A	7	WTR		WTR	Omis. REC BXR-001		Omission	0	0	41.000		3	V	ARH-CD-336B-5
BX-104	1975	2	XIN	7		1049		#N/A	7	WTR		WTR	Omis. REC BXR-011		Omission	0	0	41.000		3	V	ARH-CD-336B-5
BX-104	1975	2	SEND	-647		402		#N/A	7	SU		BX-103				0	0	41.000		4	O	ARH-CD-336B-5
BX-104	1975	2	REC	1		403		#N/A	7	SU	BX-101	BX-101				0	0	41.000		4	O	ARH-CD-336B-5
BX-104	1975	2	STAT		414	414	65	11	18	IX				605 from B Plant, 34 from 001-BXR, 7 from 003-BXR, 13 from 011-BXR, 1 from 101-BX 647 to 103-BX		0	0	41.000		1		
BX-104	1975	3	XIN	674		1088		#N/A	18	CSR		CSR				0	0	41.000		4	O	ARH-CD-336C-5
BX-104	1975	3	SEND	-878		210		#N/A	18	SU		BX-103				0	0	41.000		4	O	ARH-CD-336C-5
BX-104	1975	3	SEND	-1		209		#N/A	18	SU		BX-101				0	0	41.000		3	O	ARH-CD-336C-5
BX-104	1975	3	REC	1		210		#N/A	18	SU	BX-101	BX-101				0	0	41.000		4	O	ARH-CD-336C-5
BX-104	1975	3	STAT		211	211	65	1	19	IX				674 from B Plant, 1 from 101-BX, 878 to 103-BX		0	0	41.000		1		
BX-104	1975	4	XIN	359		570		#N/A	19	CSR		CSR	Omis.		Omission	0	0	41.000		2	V	ARH-CD-336D-5
BX-104	1975	4	XIN	2		572		#N/A	19	WTR		WTR				0	0	41.000		2		
BX-104	1975	4	SEND	-275		297		#N/A	19			BX-103			Omission	0	0	41.000		3	M/V	ARH-CD-336D-5
BX-104	1975	4	STAT		290	290	65	-7	12	IX			AND comment belongs in BX 105	2 water, 32 from 112-BY, 283 to 110-SX		0	0	41.000		1		
BX-104	1976	1	XIN	410		700		#N/A	12	CSR		CSR				0	0	41.000		4	O	ARH-CD-702A-5
BX-104	1976	1	XIN	7		707		#N/A	12	WTR		WTR	Omis. REC BXR--002		Omission	0	0	41.000		3	V	ARH-CD-702A-5
BX-104	1976	1	SEND	-358		349		#N/A	12	SU		BX-103				0	0	41.000		4	O	ARH-CD-702A-5
BX-104	1976	1	REC	1		350		#N/A	12	SU	BX-101	BX-101				0	0	41.000		4	O	ARH-CD-702A-5
BX-104	1976	1	outx	-310		40		#N/A	12			BYEVAP				0	0	41.000	BYEV	0		
BX-104	1976	1	xin	310		350		#N/A	12			BYSttCk				0	0	41.000	BYSttk	0		
BX-104	1976	1	STAT		351	351	179	1	13	IX				410 from B Plant, 358 to 103-BX, 7 from 002-BXR		0	0	41.000		1		
BX-104	1976	2	XIN	154		505		#N/A	13	CSR		CSR				0	0	41.000		4	O	ARH-CD-702B-5
BX-104	1976	2	SEND	-253		252		#N/A	13	SU		BX-103				0	0	41.000		4	O	ARH-CD-702B-5
BX-104	1976	2	REC	1		253		#N/A	13	SU	BX-101	BX-101				0	0	41.000		1		
BX-104	1976	2	STAT		252	252	65	-1	12	IX				154 from B Plant, 253 to 103-BX		0	0	41.000		1		
BX-104	1976	3	rec	47		299		#N/A	12		A-102	A-102				0	0	41.000		0		
BX-104	1976	3	STAT		299	299	65	#N/A	12	EVAP				Lo Heat		0	0	41.000		1		
BX-104	1976	4	send	-64		235		#N/A	12			A-102				0	0	41.000		0		
BX-104	1976	4	STAT		235	235	65	#N/A	12	EVAP				Lo Heat		0	0	41.000		1		
BX-104	1977	1	rec	212		447		#N/A	12		A-102	A-102				0	0	41.000		0		
BX-104	1977	1	STAT		447	447	65	#N/A	12	EVAP				Customer Waste Receiver, Evap. Feed Trans.		0	0	41.000		1		
BX-104	1977	2	send	-74		373		#N/A	12			A-102				0	0	41.000		0		
BX-104	1977	2	STAT		373	373	76	#N/A	12	EVAP				Customer Waste Receiver, Evap. Feed Trans. **Leak detection dry wells installed 2nd quarter 1977: 21-04-01, 21-04-04, 21-04-08, 21-04-11		0	0	41.000		1		
BX-104	1977	3	send	-132		241		#N/A	12			A-102				0	0	41.000		0		
BX-104	1977	3	STAT		241	241	79	#N/A	12	EVAP				Customer Waste Receiver, Evap. Feed Trans.		0	0	41.000		1		
BX-104	1977	4	send	-99		142		#N/A	12			A-102				0	0	41.000		0		
BX-104	1977	4	STAT		142	142	79	#N/A	12	EVAP				Customer Waste Receiver, Evap. Feed Trans.		0	0	41.000		1		
BX-104	1978	1	REC	204		346		#N/A	12	SU	C-103	C-103				0	0	41.000		1		
BX-104	1978	1	REC	64		410		#N/A	12	SU	C-103	C-103				0	0	41.000		1		
BX-104	1978	1	REC	54		464		#N/A	12	SU	C-103	C-103				0	0	41.000		1		
BX-104	1978	1	REC	50		514		#N/A	12	SU	C-103	C-103				0	0	41.000		1		
BX-104	1978	1	REC	45		559		#N/A	12	SU	C-103	C-103				0	0	41.000		1		
BX-104	1978	1	send	-280		279		#N/A	12			A-102				0	0	41.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1978	1	STAT		279	279	114	#N/A	12	NCPLX				Active Wst. received Evap. Feed Trans. TK.		0	0	41.000		1		
BX-104	1978	2	SEND	-250		29		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1978	2	rec	290		319		#N/A	12	SU	A-102	A-102	"-188 to			0	0	41.000		0		
BX-104	1978	2	SEND	-56		263		#N/A	12	SU		BX-105				0	0	41.000		1		
BX-104	1978	2	STAT		263	263	134	#N/A	12	NCPLX				Solids Level Detrn. 4/14/78		0	0	41.000		1		
BX-104	1978	3	SEND	-125		138		#N/A	12	SU		A-102	"+216 to 125			0	0	41.000		1		
BX-104	1978	3	REC	133		271		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1978	3	STAT		271	271	134	#N/A	12	NCPLX						0	0	41.000		1		
BX-104	1978	4	rec	558		829		#N/A	12	SU	A-102	A-102	"-138 to			0	0	41.000		0		
BX-104	1978	4	SEND	-213		616		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1978	4	SEND	-142		474		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1978	4	SEND	-77		397		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1978	4	SEND	-74		323		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1978	4	SEND	-11		312		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1978	4	STAT		312	312	136	#N/A	12	DSSF				Solids Level Adj. 12/14/78 Cross Site Transfer		0	0	41.000		1		
BX-104	1979	1	SEND	-176		136		#N/A	12	SU		A-102	"+189 to			0	0	41.000		1		
BX-104	1979	1	STAT		136	136	136	#N/A	12							0	0	41.000		1		
BX-104	1979	2	send	-117		19		#N/A	12			A-102				0	0	41.000		0		
BX-104	1979	2	REC	117		136		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	2	STAT		136	136	136	#N/A	12	CPLX						0	0	41.000		1		
BX-104	1979	3	REC	385		521		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	3	REC	328		849		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	3	REC	208		1057		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	3	SEND	-430		627		#N/A	12	SU		A-102	"+441 to			0	0	41.000		1		
BX-104	1979	3	SEND	-304		323		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1979	3	SEND	-176		147		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1979	3	STAT		147	147	136	#N/A	12	CPLX						0	0	41.000		1		
BX-104	1979	4	REC	295		442		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	4	REC	205		647		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	4	REC	200		847		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	4	REC	49		896		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1979	4	SEND	-161		735		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1979	4	SEND	-107		628		#N/A	12	SU		A-102	"+177 to			0	0	41.000		1		
BX-104	1979	4	SEND	-263		365		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1979	4	SEND	-149		216		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1979	4	STAT		216	216	136	#N/A	12	CPLX						0	0	41.000		1		
BX-104	1980	1	REC	204		420		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	1	REC	180		600		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	1	REC	171		771		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	1	REC	111		882		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	1	REC	85		967		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	1	REC	46		1013		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	1	SEND	-210		803		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	1	SEND	-48		755		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	1	rec	87		842		#N/A	12	SU	A-102	A-102	"-174 to			0	0	41.000		0		
BX-104	1980	1	SEND	-256		586		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	1	SEND	-179		407		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	1	SEND	-114		293		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	1	SEND	-91		202		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	1	SEND	-30		172		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	1	STAT		172	172	136	#N/A	12	DSSF				Liq. Level Adjusted		0	0	41.000		1		
BX-104	1980	2	REC	360		532		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	2	REC	326		858		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	2	REC	317		1175		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	2	REC	73		1248		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	2	REC	44		1292		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BX-104	1980	2	SEND	-191		1101		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	2	SEND	-87		1014		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	2	SEND	-45		969		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	2	SEND	-33		936		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	2	SEND	-315		621		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	2	SEND	-163		458		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	2	SEND	-106		352		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	2	STAT		352	352	136	#N/A	12	CPLX			*+389 to			0	0	41.000		1		
BX-104	1980	3	REC	289		641		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	279		920		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	187		1107		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	150		1257		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	138		1395		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	117		1512		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	74		1586		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	58		1644		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	36		1680		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	REC	4		1684		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	3	SEND	-61		1623		#N/A	12	SU		BX-105				0	0	41.000		1		
BX-104	1980	3	SEND	-254		1369		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	3	SEND	-239		1130		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	3	SEND	-126		1004		#N/A	12	SU		A-101				0	0	41.000		1		
BX-104	1980	3	SEND	-348		656		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	3	SEND	-300		356		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	3	SEND	-240		116		#N/A	12	SU		A-102				0	0	41.000		1		
BX-104	1980	3	rec	226		342		#N/A	12	SU	A-102	A-102	*-46 to			0	0	41.000		1		
BX-104	1980	3	STAT		342	342	136	#N/A	12	DSSF						0	0	41.000		0		
BX-104	1980	4	REC	221		563		#N/A	12	SU	BX-105	BX-105				0	0	41.000		1		
BX-104	1980	4	send	344		919		#N/A	12			A-102				0	0	41.000		1		
BX-104	1980	4	SEND	-86		233		#N/A	12	SU		AY-102				0	0	41.000		0		
BX-104	1980	4	SEND	-123		110		#N/A	12	SU		AZ-101				0	0	41.000		1		
BX-104	1980	4	STAT		110	110	90	#N/A	12	NCPLX				New Solids Level 11/17/80 *Deactivated		0	0	41.000		1		
BX-104	1983	4	send	-11		99		#N/A	12	swliq		AN-101				0	0	41.000		1		
BX-104	1993	2	STAT		99	99	96	#N/A	12	NCPLX						0	0	41.000		0		
BX-104	1993	4	STAT		99	99	96	#N/A	12							0	0	41.000		1		
BX-104	1994	1	STAT		99	99	96	#N/A	12							0	0	41.000		1		
BX-104	2000															0	0	41.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1900																					
BX-105	1949	1	CREC	0		0		#N/A	0	SET	BX-104						0	0.000		1		
BX-105	1949	1	CSEND	0		0		#N/A	0	SET	BX-106						0	0.000		1		
BX-105	1949	1	STAT		0	0	0	#N/A	0							0	0	0.000		1		
BX-105	1949	2	rec	132		132		#N/A	0	cas	BX-104	BX-104				0.01988759	2.6252	2.625	MW1	0		
BX-105	1949	2	rec	127		259		#N/A	0	cas	BX-104	BX-104				0.01988759	2.5257	5.151	MW1	0		
BX-105	1949	2	rec	106		365		#N/A	0	cas	BX-104	BX-104				0.01988759	2.1081	7.259	MW1	0		
BX-105	1949	2	STAT		365	365	0	#N/A	0	MW				Cascade began filling April		0	0	7.259		1		
BX-105	1949	3	rec	108		473		#N/A	0	cas	BX-104	BX-104				0.01988759	2.1479	9.407	MW1	0		
BX-105	1949	3	rec	83		556		#N/A	0	cas	BX-104	BX-104				0.01988759	1.6507	11.058	MW1	0		
BX-105	1949	3	rec	52		608		#N/A	0	cas	BX-104	BX-104				0.01988759	1.0342	12.092	MW1	0		
BX-105	1949	3	send	-78		530		#N/A	0	cas		BX-106				0.000	0	12.092		0		
BX-105	1949	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full in September		0	0	12.092		1		
BX-105	1949	4	rec	145		675		#N/A	0	cas	BX-104	BX-104				0.01988759	2.8837	14.975	MW1	0		
BX-105	1949	4	rec	137		812		#N/A	0	cas	BX-104	BX-104				0.01988759	2.7246	17.700	MW1	0		
BX-105	1949	4	rec	116		928		#N/A	0	cas	BX-104	BX-104				0.01988759	2.307	20.007	MW1	0		
BX-105	1949	4	send	-145		783		#N/A	0	cas		BX-106				0.000	0	20.007		0		
BX-105	1949	4	send	-137		646		#N/A	0	cas		BX-106				0.000	0	20.007		0		
BX-105	1949	4	send	-116		530		#N/A	0	cas		BX-106				0.000	0	20.007		0		
BX-105	1949	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	20.007		1		
BX-105	1950	1	rec	11		541		#N/A	0	cas	BX-104	BX-104				0.01988759	0.2188	20.226	MW1	0		
BX-105	1950	1	send	-11		530		#N/A	0	cas		BX-106				0.000	0	20.226		0		
BX-105	1950	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	20.226		1		
BX-105	1950	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	20.226		1		
BX-105	1950	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	20.226		1		
BX-105	1950	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	20.226		1		
BX-105	1951	1	rec	150		680		#N/A	0	cas	BX-104	BX-104				0.01988759	2.9831	23.209	MW1	0		
BX-105	1951	1	send	-150		530		#N/A	0	cas		BX-106				0.000	0	23.209		0		
BX-105	1951	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	23.209		1		
BX-105	1951	2	rec	309		839		#N/A	0	cas	BX-104	BX-104				0.01988759	6.1453	29.354	MW1	0		
BX-105	1951	2	rec	242		1081		#N/A	0	cas	BX-104	BX-104				0.01988759	4.8128	34.167	MW1	0		
BX-105	1951	2	rec	111		1192		#N/A	0	cas	BX-104	BX-104				0.01988759	2.2075	36.374	MW1	0		
BX-105	1951	2	send	-309		883		#N/A	0	cas		BX-106				0.000	0	36.374		0		
BX-105	1951	2	send	-242		641		#N/A	0	cas		BX-106				0.000	0	36.374		0		
BX-105	1951	2	send	-111		530		#N/A	0	cas		BX-106				0.000	0	36.374		0		
BX-105	1951	2	STAT		530	530	0	#N/A	0	MW			and stats at 523	Cascade full		0	0	36.374		1		
BX-105	1951	3	rec	184		714		#N/A	0	cas	BX-104	BX-104				0.01988759	3.6593	40.034	MW1	0		
BX-105	1951	3	rec	164		878		#N/A	0	cas	BX-104	BX-104				0.01988759	3.2616	43.295	MW1	0		
BX-105	1951	3	rec	115		993		#N/A	0	cas	BX-104	BX-104				0.01988759	2.2871	45.582	MW1	0		
BX-105	1951	3	send	-184		809		#N/A	0	cas		BX-106				0.000	0	45.582		0		
BX-105	1951	3	send	-164		645		#N/A	0	cas		BX-106				0.000	0	45.582		0		
BX-105	1951	3	send	-115		530		#N/A	0	cas		BX-106				0.000	0	45.582		0		
BX-105	1951	3	STAT		N/A	530		#N/A	0								0	45.582		1		
BX-105	1951	4	rec	21		551		#N/A	0	cas	BX-104	BX-104				0.01988759	0.4176	46.000	MW1	0		
BX-105	1951	4	send	-21		530		#N/A	0	cas		BX-106				0.000	0	46.000		0		
BX-105	1951	4	STAT		N/A	530		#N/A	0								0	46.000		1		
BX-105	1952	1	STAT		N/A	530		#N/A	0								0	46.000		1		
BX-105	1952	2	STAT		530	530	0	#N/A	0							0	0	46.000		1		
BX-105	1952	3	STAT		530	530	0	#N/A	0							0	0	46.000		1		
BX-105	1952	4	STAT		530	530	0	#N/A	0							0	0	46.000		1		
BX-105	1953	1	STAT		530	530	0	#N/A	0							0	0	46.000		1		
BX-105	1953	2	STAT		530	530	0	#N/A	0	MW						0	0	46.000		1		
BX-105	1953	3	STAT		530	530	0	#N/A	0							0	0	46.000		1		
BX-105	1953	4	STAT		530	530	0	#N/A	0	MW						0	0	46.000		1		
BX-105	1954	1	STAT		530	530	0	#N/A	0	MW						0	0	46.000		1		
BX-105	1954	2	xin	512		1042		#N/A	0			WTR				0	0	46.000		0		
BX-105	1954	2	SEND	-530		512		#N/A	0	SL		BX-106				0	0	46.000		1		
BX-105	1954	2	STAT		512	512	0	#N/A	0	MW				Transferred to 109-BY		0	0	46.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1954	3	outx	-464		48		#N/A	0			UR				0	0	46.000		0		
BX-105	1954	3	STAT		48	48	0	#N/A	0	MW				Contains water for sluicing		0	0	46.000		1		
BX-105	1954	4	STAT		54	54	5	6	6	MW				Active sluicing TK		0	0	46.000		1		
BX-105	1955	1	STAT		37	37	1	-17	-11	MW						0	0	46.000		1		
BX-105	1955	2	outx	-36		1		#N/A	-11			UR				0	0	46.000		0		
BX-105	1955	2	STAT		1	1	1	#N/A	-11							0	0	46.000		1		
BX-105	1955	3	STAT		1	1	0	#N/A	-11	MW						0	0	46.000		1		
BX-105	1955	4	xin	59		60		#N/A	-11			WTR				0	0	46.000		0		
BX-105	1955	4	STAT		60	60	0	#N/A	-11					Leach TK to recover U		0	0	46.000		1		
BX-105	1956	1	STAT		60	60	0	#N/A	-11					Leach TK to recover U		0	0	46.000		1		
BX-105	1956	2	STAT		60	60	0	#N/A	-11	MW				Leach TK to recover U		0	0	46.000		1		
BX-105	1956	3	REC	521		581		#N/A	-11	SU	BY-110	BY-110	AND reports BY-105			0	0	46.000		3	O	N-54-37
BX-105	1956	3	outx	-57		524		#N/A	-11			UR				0	0	46.000		0		
BX-105	1956	3	STAT		524	524	0	#N/A	-11					Filled from II0-BY		0	0	46.000		1		
BX-105	1956	4	STAT		524	524	0	#N/A	-11	TBP						0	0	46.000		1		
BX-105	1957	1	OUTX	-305		219		#N/A	-11	SU	B-027	CRIB	AND reports -275		BC-14 Trench	0	0	46.000		2	V	N-54-37
BX-105	1957	1	STAT		224	224	0	5	-6	TBP				275 to #14BC ditch, latest electrode reading		0	0	46.000		1		
BX-105	1957	2	STAT		224	224	0	#N/A	-6	TBP						0	0	46.000		1		
BX-105	1957	3	SEND	-162		62		#N/A	-6	SU		BY-102	OC 156 to 162		Shows 162 not 156	0	0	46.000		3	V	N-54-102
BX-105	1957	3	STAT		62	62	0	#N/A	-6	TBP				162 to 102-BY		0	0	46.000		1		
BX-105	1957	4	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	1	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	2	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	3	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	4	STAT		62	62	0	#N/A	-6	TBP						0	0	46.000		1		
BX-105	1959	1	STAT		98	98	0	36	30					New electrode reading		0	0	46.000		1		
BX-105	1959	2	STAT		98	98	0	#N/A	30							0	0	46.000		1		
BX-105	1959	3	STAT		98	98	0	#N/A	30							0	0	46.000		1		
BX-105	1959	4	xin	36		134		#N/A	30	ADJ	CORR	WTR				0	0	46.000		0		
BX-105	1959	4	STAT		98	98	0	-36	-6							0	0	46.000		1		
BX-105	1960	1	STAT		98	98	0	#N/A	-6							0	0	46.000		1		
BX-105	1960	2	STAT		98	98	0	#N/A	-6							0	0	46.000		1		
BX-105	1960	3	STAT		98	98	0	#N/A	-6							0	0	46.000		1		
BX-105	1960	4	STAT		98	98	0	#N/A	-6	TBP						0	0	46.000		1		
BX-105	1961	1	STAT		N/A	98		#N/A	-6								0	46.000		1		
BX-105	1961	2	STAT		98	98	0	#N/A	-6					6 month report		0	0	46.000		1		
BX-105	1961	3	STAT		N/A	98		#N/A	-6								0	46.000		1		
BX-105	1961	4	xin	3		101		#N/A	-6	ADJ	CORR	WTR				0	0	46.000		0		
BX-105	1961	4	STAT		101	101	0	#N/A	-6	TBP				Latest electrode reading 6 month report		0	0	46.000		1		
BX-105	1962	1	STAT		N/A	101		#N/A	-6								0	46.000		1		
BX-105	1962	2	STAT		101	101	0	#N/A	-6	TBP				6 month report		0	0	46.000		1		
BX-105	1962	3	STAT		N/A	101		#N/A	-6								0	46.000		1		
BX-105	1962	4	STAT		101	101	0	#N/A	-6	TBP				6 month report		0	0	46.000		1		
BX-105	1963	1	REC	185		286		#N/A	-6	SU	C-102	C-102				0	0	46.000		4	O	HW-78279-5
BX-105	1963	1	STAT		N/A	286		#N/A	-6								0	46.000		1		
BX-105	1963	2	REC	260		546		#N/A	-6	SU	C-102	C-102				0	0	46.000		4	O	HW-78279-5
BX-105	1963	2	STAT		546	546	106	#N/A	-6	CW			REC total 445	445 from 102-C 6 month report		0	0	46.000		1		
BX-105	1963	3	STAT		N/A	546		#N/A	-6								0	46.000		1		
BX-105	1963	4	STAT		546	546	106	#N/A	-6	CW				6 month report		0	0	46.000		1		
BX-105	1964	1	STAT		N/A	546		#N/A	-6								0	46.000		1		
BX-105	1964	2	SEND	-106		440		#N/A	-6	SU		BX-109				0	0	46.000		1		
BX-105	1964	2	STAT		440	440	106	#N/A	-6	CW				Pumping to 109-BX		0	0	46.000		1		
BX-105	1964	3	STAT		N/A	440		#N/A	-6								0	46.000		1		
BX-105	1964	4	REC	103		543		#N/A	-6	SU	C-102	C-102				0	0	46.000		4	O	RL-SEP-260-5
BX-105	1964	4	STAT		541	541	106	-2	-8	CW				103-CW from 102-C		0	0	46.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	soi vol%	TLM solids	Cum solids	soi type	QI	Q/A	Document/Pg #
BX-105	1965	1	STAT		N/A	541		#N/A	-8								0	46.000		1		
BX-105	1965	2	STAT		538	538	98	-3	-11	CW						0	0	46.000		1		
BX-105	1965	3	STAT		538	538	98	#N/A	-11	CW						0	0	46.000		1		
BX-105	1965	4	STAT		538	538	98	#N/A	-11	CW						0	0	46.000		1		
BX-105	1966	1	STAT		538	538	98	#N/A	-11	CW						0	0	46.000		1		
BX-105	1966	2	STAT		538	538	98	#N/A	-11	CW						0	0	46.000		1		
BX-105	1966	3	STAT		538	538	98	#N/A	-11	TBP,CW						0	0	46.000		1		
BX-105	1966	4	STAT		535	535	98	-3	-14	CW						0	0	46.000		1		
BX-105	1967	1	STAT		535	535	98	#N/A	-14	CW						0	0	46.000		1		
BX-105	1967	2	STAT		535	535	98	#N/A	-14	CW						0	0	46.000		1		
BX-105	1967	3	STAT		535	535	98	#N/A	-14	TBP,CW						0	0	46.000		1		
BX-105	1967	4	STAT		534	534	98	-1	-15	TBP,CW						0	0	46.000		1		
BX-105	1968	1	SEND	-321		213		#N/A	-15	SU		BY-103				0	0	46.000		4	O	ARH-534-6
BX-105	1968	1	REC	222		435		#N/A	-15		C-102	C-102			Omission	0	0	46.000		3	V	ARH-534-6
BX-105	1968	1	STAT		435	435	95	#N/A	-15	CW				321 to 103-BY, 222 from 102-C		0	0	46.000		1		
BX-105	1968	2	REC	103		538		#N/A	-15	SU	C-102	C-102				0	0	46.000		4	O	ARH-721-6
BX-105	1968	2	STAT		538	538	98	#N/A	-15	CW				103 from 102-C		0	0	46.000		1		
BX-105	1968	3	SEND	-429		109		#N/A	-15	SU		BY-103				0	0	46.000		4	O	ARH-871-6
BX-105	1968	3	STAT		109	109	98	#N/A	-15	CW				429 to 103-BY		0	0	46.000		1		
BX-105	1968	4	REC	437		546		#N/A	-15	SU	BX-104	BX-104				0	0	46.000		4	O	ARH-1061-6
BX-105	1968	4	STAT		546	546	98	#N/A	-15	IX				437 from 104-BX		0	0	46.000		1		
BX-105	1969	1	STAT		546	546	98	#N/A	-15	IX						0	0	46.000		1		
BX-105	1969	2	STAT		546	546	98	#N/A	-15	CW,IX						0	0	46.000		1		
BX-105	1969	3	send	-33		513		#N/A	-15			BY-102				0	0	46.000		0		
BX-105	1969	3	STAT		513	513	65	#N/A	-15	IX						0	0	46.000		1		
BX-105	1969	4	STAT		513	513	65	#N/A	-15	IX						0	0	46.000		1		
BX-105	1970	1	STAT		514	514	65	1	-14							0	0	46.000		1		
BX-105	1970	2	STAT		514	514	65	#N/A	-14	IX						0	0	46.000		1		
BX-105	1970	3	STAT		513	513	65	-1	-15							0	0	46.000		1		
BX-105	1970	4	STAT		513	513	65	#N/A	-15	IX						0	0	46.000		1		
BX-105	1971	1	STAT		514	514	65	1	-14	IX						0	0	46.000		1		
BX-105	1971	2	STAT		520	520	65	6	-8	IX						0	0	46.000		1		
BX-105	1971	3	STAT		523	523	65	3	-5					*Leak detection dry wells drilled: 21-05-02; 21-05-03; 21-05-05; 21-05-06; 21-05-10;21-05-12		0	0	46.000		1		
BX-105	1971	4	STAT		523	523	65	#N/A	-5	IX						0	0	46.000		1		
BX-105	1972	1	STAT		516	516	52	-7	-12	IX						0	0	46.000		1		
BX-105	1972	2	XIN	3		519		#N/A	-12	WTR		WTR				0	0	46.000		4	O	ARH-2456B-5
BX-105	1972	2	SEND	-315		204		#N/A	-12	SU		BX-103				0	0	46.000		4	O	ARH-2456B-5
BX-105	1972	2	STAT		201	201	52	-3	-15	IX				3 flush water, 315 to 103-BX		0	0	46.000		1		
BX-105	1972	3	STAT		194	194	52	-7	-22	IX						0	0	46.000		1		
BX-105	1972	4	SEND	-133		61		#N/A	-22	SU		BX-106				0	0	46.000		4	O	ARH-2456D-6
BX-105	1972	4	STAT		56	56	52	-5	-27	IX				133 to 106-BX		0	0	46.000		1		
BX-105	1973	1	REC	432		488		#N/A	-27	SU	BX-108	BX-108				0	0	46.000		4	O	ARH-2794A-5
BX-105	1973	1	SEND	-130		358		#N/A	-27	SU		BX-103				0	0	46.000		4	O	ARH-2794A-5
BX-105	1973	1	STAT		359	359	52	1	-26	IX				432 from 108-BX, 130 to 103-BX		0	0	46.000		1		
BX-105	1973	2	REC	532		891		#N/A	-26	SU	BX-104	BX-104				0	0	46.000		4	O	ARH-2794B-5
BX-105	1973	2	SEND	-384		507		#N/A	-26	SU		BX-103				0	0	46.000		4	O	ARH-2794D-5
BX-105	1973	2	SEND	-17		490		#N/A	-26	SU		BX-106				0	0	46.000		4	O	ARH-2794B-5
BX-105	1973	2	STAT		486	486	52	-4	-30	IX				531 from 104-BX, 384 to 103-BX, 17 to 106-BX		0	0	46.000		1		
BX-105	1973	3	STAT		485	485	52	-1	-31	IX						0	0	46.000		1		
BX-105	1973	4	STAT		481	481	52	-4	-35	IX						0	0	46.000		1		
BX-105	1974	1	SEND	-381		100		#N/A	-35	SU		S-110				0	0	46.000		4	O	ARH-CD-133A-5
BX-105	1974	1	STAT		101	101	52	1	-34	IX				381 to 110-S		0	0	46.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1974	2	REC	313		414		#N/A	-34	SU	BX-112	BX-112				0	0	46.000		4	O	ARH-CD-133B-5
BX-105	1974	2	STAT		411	411	52	-3	-37	EB,IX				313 from 112-BX		0	0	46.000		1		
BX-105	1974	3	STAT		416	416	52	5	-32	EB,IX						0	0	46.000		1		
BX-105	1974	4	STAT		417	417	54	1	-31	IX						0	0	46.000		1		
BX-105	1975	1	STAT		417	417	54	#N/A	-31	EB,IX						0	0	46.000		1		
BX-105	1975	2	REC	20		437		#N/A	-31	SU	BY-101	BY-101				0	0	46.000		1		
BX-105	1975	2	STAT		436	436	54	-1	-32	IX						0	0	46.000		4	O	ARH-CD-336B-5
BX-105	1975	3	STAT		436	436	54	#N/A	-32	EB,IX				20 from 101-BY		0	0	46.000		1		
BX-105	1975	4	XIN	2		438		#N/A	-32	WTR		WTR				0	0	46.000		1		
BX-105	1975	4	SEND	-283		155		#N/A	-32	SU		SX-110				0	0	46.000		4	O	ARH-CD-336D-5
BX-105	1975	4	REC	32		187		#N/A	-32	SU	BY-112	BY-112				0	0	46.000		4	O	ARH-CD-336D-5
BX-105	1975	4	STAT		189	189	54	2	-30	EB,IX						0	0	46.000		4	O	ARH-CD-336D-5
BX-105	1976	1	XIN	9		198		#N/A	-30	WTR		WTR	Omis. REC BXR-003	2 water, 32 from 112-BY, 283 to 110-SX		0	0	46.000		1		
BX-105	1976	1	REC	211		409		#N/A	-30	SU	BY-112	BY-112	OC 311 to 211		Omission	0	0	46.000		3	V	ARH-CD-702A-5
BX-105	1976	1	rec	99		508		#N/A	-30		BY-112	BY-112			Shows 211	0	0	46.000		4	O/V	ARH-CD-702A-5
BX-105	1976	1	outx	-463		45		#N/A	-30			BYEVAP				0	0	46.000		0		
BX-105	1976	1	xin	463		508		#N/A	-30			BYSltCk				0	0	46.000	BYEV	0		
BX-105	1976	1	STAT		508	508	54	#N/A	-30	IX						0	0	46.000	BYSlt	0		
BX-105	1976	2	STAT		508	508	54	#N/A	-30	EB,IX				211 From 112-BY, 9 from 003 BXR		0	0	46.000		1		
BX-105	1976	3	STAT		508	508	54	#N/A	-30	EVAP						0	0	46.000		1		
BX-105	1976	4	send	-72		436		#N/A	-30			A-102		Evap. feed bottoms		0	0	46.000		1		
BX-105	1976	4	STAT		436	436	54	#N/A	-30	EVAP						0	0	46.000		0		
BX-105	1977	1	rec	36		472		#N/A	-30		A-102	A-102				0	0	46.000		1		
BX-105	1977	1	STAT		472	472	54	#N/A	-30	EVAP						0	0	46.000		0		
BX-105	1977	2	send	-45		427		#N/A	-30			A-102		Active evap. feed concentrate;; Evap. feed storage		0	0	46.000		1		
BX-105	1977	2	STAT		427	427	62	#N/A	-30	EVAP						0	0	46.000		0		
BX-105	1977	3	send	-296		131		#N/A	-30			A-102		Active evap. feed concentrate;; Evap. feed storage		0	0	46.000		1		
BX-105	1977	3	STAT		131	131	79	#N/A	-30							0	0	46.000		0		
BX-105	1977	4	STAT		131	131	79	#N/A	-30	EVAP				Active salt well recovery; Evap. feed storage		0	0	46.000		1		
BX-105	1978	1	STAT		134	134	79	3	-27	NCPLX				Active salt well recovery;; Evap.feed storage		0	0	46.000		1		
BX-105	1978	2	send	-62		72		#N/A	-27			A-102		Active-Salt Well Receiver Evap. Feed Storage		0	0	46.000		1		
BX-105	1978	2	REC	56		128		#N/A	-27	SU	BX-104	BX-104				0	0	46.000		0		
BX-105	1978	2	STAT		128	128	62	#N/A	-27	NCPLX						0	0	46.000		1		
BX-105	1978	3	REC	2		130		#N/A	-27	SU	BY-101	BY-101		Cross Site Receiver		0	0	46.000		1		
BX-105	1978	3	REC	2		132		#N/A	-27	SU	BY-101	BY-101				0	0	46.000		1		
BX-105	1978	3	REC	1		133		#N/A	-27	SU	BY-101	BY-101				0	0	46.000		1		
BX-105	1978	3	REC	1		134		#N/A	-27	SU	BY-101	BY-101				0	0	46.000		1		
BX-105	1978	3	REC	1		135		#N/A	-27	SU	BY-101	BY-101				0	0	46.000		1		
BX-105	1978	3	REC	5		140		#N/A	-27	SU	BY-102	BY-102				0	0	46.000		1		
BX-105	1978	3	REC	3		143		#N/A	-27	SU	BY-102	BY-102				0	0	46.000		1		
BX-105	1978	3	REC	3		146		#N/A	-27	SU	BY-102	BY-102				0	0	46.000		1		
BX-105	1978	3	REC	1		147		#N/A	-27	SU	BY-102	BY-102				0	0	46.000		1		
BX-105	1978	3	REC	1		148		#N/A	-27	SU	BY-102	BY-102				0	0	46.000		1		
BX-105	1978	3	REC	1		149		#N/A	-27	SU	BY-102	BY-102				0	0	46.000		1		
BX-105	1978	3	rec	96		245		#N/A	-27		S-107	S-107				0	0	46.000		1		
BX-105	1978	3	SEND	-133		112		#N/A	-27	SU		BX-104				0	0	46.000		0		
BX-105	1978	3	REC	2		114		#N/A	-27	SU	BY-111	BY-111				0	0	46.000		1		
BX-105	1978	3	STAT		114	114	65	#N/A	-27	NCPLX						0	0	46.000		1		
BX-105	1978	4	rec	97		211		#N/A	-27		S-107	S-107				0	0	46.000		1		
																0	0	46.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1978	4	STAT		211	211	73	#N/A	-27	DSSF				Solids Level Adj. 12/14/78 Cross Site Transfer		0	0	46.000		1		
BX-105	1979	1	rec	36		247		#N/A	-27		S-107	S-107				0	0	46.000		0		
BX-105	1979	1	REC	30		277		#N/A	-27	SU	BY-110	BY-110				0	0	46.000		1		
BX-105	1979	1	REC	4		281		#N/A	-27	SU	BY-110	BY-110				0	0	46.000		1		
BX-105	1979	1	STAT		281	281	73	#N/A	-27	CPLX				New Photo 3/7/79		0	0	46.000		1		
BX-105	1979	2	rec	85		366		#N/A	-27		S-107	S-107				0	0	46.000		0		
BX-105	1979	2	SEND	-117		249		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	2	STAT		249	249	73	#N/A	-27	CPLX						0	0	46.000		1		
BX-105	1979	3	rec	738		987		#N/A	-27		S-107	S-107				0	0	46.000		0		
BX-105	1979	3	SEND	-385		602		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	3	SEND	-328		274		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	3	SEND	-208		66		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	3	REC	48		114		#N/A	-27	SU	BY-110	BY-110				0	0	46.000		1		
BX-105	1979	3	STAT		114	114	73	#N/A	-27	CPLX				PMP W/FLX Float		0	0	46.000		1		
BX-105	1979	4	REC	426		540		#N/A	-27	SU	SX-101	SX-101				0	0	46.000		1		
BX-105	1979	4	REC	348		888		#N/A	-27	SU	SX-101	SX-101				0	0	46.000		1		
BX-105	1979	4	REC	336		1224		#N/A	-27	SU	SX-101	SX-101				0	0	46.000		1		
BX-105	1979	4	REC	106		1330		#N/A	-27	SU	SX-101	SX-101				0	0	46.000		1		
BX-105	1979	4	SEND	-295		1035		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	4	SEND	-205		830		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	4	SEND	-200		630		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	4	SEND	-49		581		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1979	4	SEND	-469		112		#N/A	-27	SU		A-102	*+185 to			0	0	46.000		1		
BX-105	1979	4	STAT		112	112	73	#N/A	-27	CPLX						0	0	46.000		1		
BX-105	1980	1	REC	679		791		#N/A	-27	SU	S-107	S-107	*+185 to			0	0	46.000		1		
BX-105	1980	1	REC	92		883		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	1	REC	85		968		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	1	REC	1		969		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	1	SEND	-204		765		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	1	SEND	-180		585		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	1	SEND	-171		414		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	1	SEND	-111		303		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	1	SEND	-85		218		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	1	SEND	-46		172		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	1	STAT		172	172	73	#N/A	-27	DSSF				Cross-Site Transfer		0	0	46.000		1		
BX-105	1980	2	REC	551		723		#N/A	-27	SU	S-107	S-107	*+293 to			0	0	46.000		1		
BX-105	1980	2	REC	358		1081		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	2	REC	220		1301		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	2	REC	77		1378		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	2	REC	13		1391		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	2	REC	300		1691		#N/A	-27	SU	SX-101	SX-101				0	0	46.000		1		
BX-105	1980	2	SEND	-193		1498		#N/A	-27	SU		A-101				0	0	46.000		1		
BX-105	1980	2	SEND	-360		1138		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	2	SEND	-326		812		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	2	SEND	-317		495		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	2	SEND	-73		422		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	2	SEND	-44		378		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	2	STAT		378	378	57	#N/A	-27	CPLX				New Solids Level 6/30/80		0	0	46.000		1		
BX-105	1980	3	REC	292		670		#N/A	-27	SU	S-107	S-107	*+251 to			0	0	46.000		1		
BX-105	1980	3	REC	197		867		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	3	REC	195		1062		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	3	REC	191		1253		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	3	REC	164		1417		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	3	REC	110		1527		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	3	REC	49		1576		#N/A	-27	SU	S-107	S-107				0	0	46.000		1		
BX-105	1980	3	SEND	-289		1287		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-279		1008		#N/A	-27	SU		BX-104				0	0	46.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BX-105	1980	3	SEND	-187		821		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-150		671		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-138		533		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-117		416		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-74		342		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-58		284		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-36		248		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	SEND	-4		244		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	3	REC	61		305		#N/A	-27	SU	BX-104	BX-104				0	0	46.000		1		
BX-105	1980	3	STAT		305	305	57	#N/A	-27	DSSF						0	0	46.000		1		
BX-105	1980	4	REC	170		475		#N/A	-27	SU	SX-101	SX-101				0	0	46.000		1		
BX-105	1980	4	SEND	-221		254		#N/A	-27	SU		BX-104				0	0	46.000		1		
BX-105	1980	4	send	-172		82		#N/A	-27			A-102				0	0	46.000		1		
BX-105	1980	4	STAT		82	82	57	#N/A	-27	NCPLX				11/17/80 Deactivated		0	0	46.000		0		
BX-105	1987	2	send	-31		51		#N/A	-27	swliq		AN-101				0	0	46.000		1		
BX-105	1993	2	STAT		51	51	46	#N/A	-27	NCPLX						0	0	46.000		0		
BX-105	1993	4	STAT		51	51	46	#N/A	-27							0	0	46.000		1		
BX-105	1994	1	STAT		51	51	46	#N/A	-27							0	0	46.000		1		
BX-105	2000															0	0	46.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-106	1900																					
BX-106	1949	1	CREC	0		0		#N/A	0	SET	BX-105						0	0.000		1		
BX-106	1949	1	STAT		N/A	0		#N/A	0								0	0.000		1		
BX-106	1949	2	STAT		0	0	0	#N/A	0							0	0	0.000		1		
BX-106	1949	3	rec	78		78		#N/A	0	cas	BX-105	BX-105				0.001	0.1012	0.101	MW1	0		
BX-106	1949	3	STAT		78	78	0	#N/A	0	MW				Cascade began filling September		0	0	0.101		1		
BX-106	1949	4	rec	145		223		#N/A	0	cas	BX-105	BX-105				0.001	0.1881	0.289	MW1	0		
BX-106	1949	4	rec	137		360		#N/A	0	cas	BX-105	BX-105				0.001	0.1777	0.467	MW1	0		
BX-106	1949	4	rec	116		476		#N/A	0	cas	BX-105	BX-105				0.001	0.1505	0.617	MW1	0		
BX-106	1949	4	STAT		476	476	0	#N/A	0	MW			and stats at 470	Cascade		0	0	0.617		1		
BX-106	1950	1	rec	11		487		#N/A	0	cas	BX-105	BX-105				0.001	0.0143	0.632	MW1	0		
BX-106	1950	1	STAT		530	530	0	43	43				and stats at 523	Cascade filled in January		0	0	0.632		1		
BX-106	1950	2	STAT		530	530	0	#N/A	43				and stats at 523	Cascade full		0	0	0.632		1		
BX-106	1950	3	STAT		530	530	0	#N/A	43				and stats at 523	Cascade full		0	0	0.632		1		
BX-106	1950	4	STAT		530	530	0	#N/A	43				and stats at 523	Cascade full		0	0	0.632		1		
BX-106	1951	1	CSEND	0		530		#N/A	43	SET	BY-104						0	0.632		1		
BX-106	1951	1	rec	150		680		#N/A	43	cas	BX-105	BX-105				0.001	0.1946	0.826	MW1	0		
BX-106	1951	1	send	-150		530		#N/A	43	cas		BY-104				0	0	0.826		0		
BX-106	1951	1	STAT		530	530	0	#N/A	43				and stats at 523	Cascade full		0	0	0.826		1		
BX-106	1951	2	rec	309		839		#N/A	43	cas	BX-105	BX-105				0.001	0.4008	1.227	MW1	0		
BX-106	1951	2	rec	242		1081		#N/A	43	cas	BX-105	BX-105				0.001	0.3139	1.541	MW1	0		
BX-106	1951	2	rec	111		1192		#N/A	43	cas	BX-105	BX-105				0.001	0.144	1.685	MW1	0		
BX-106	1951	2	send	-309		883		#N/A	43	cas		BY-104				0	0	1.685		0		
BX-106	1951	2	send	-242		641		#N/A	43	cas		BY-104				0	0	1.685		0		
BX-106	1951	2	send	-111		530		#N/A	43	cas		BY-104				0	0	1.685		0		
BX-106	1951	2	STAT		530	530	0	#N/A	43				and stats at 523	Cascade full		0	0	1.685		1		
BX-106	1951	3	rec	184		714		#N/A	43	cas	BX-105	BX-105				0.001	0.2387	1.923	MW1	0		
BX-106	1951	3	rec	164		878		#N/A	43	cas	BX-105	BX-105				0.001	0.2127	2.136	MW1	0		
BX-106	1951	3	rec	115		993		#N/A	43	cas	BX-105	BX-105				0.001	0.1492	2.285	MW1	0		
BX-106	1951	3	send	-184		809		#N/A	43	cas		BY-104				0	0	2.285		0		
BX-106	1951	3	send	-164		645		#N/A	43	cas		BY-104				0	0	2.285		0		
BX-106	1951	3	send	-115		530		#N/A	43	cas		BY-104				0	0	2.285		0		
BX-106	1951	3	STAT		N/A	530		#N/A	43								0	2.285		1		
BX-106	1951	4	rec	21		551		#N/A	43	cas	BX-105	BX-105				0.001	0.0272	2.313	MW1	0		
BX-106	1951	4	send	-21		530		#N/A	43	cas		BY-104				0	0	2.313		0		
BX-106	1951	4	CSEND	0		530		#N/A	43	END	BY-104						0	2.313		1		
BX-106	1951	4	STAT		N/A	530		#N/A	43								0	2.313		1		
BX-106	1952	1	STAT		N/A	530		#N/A	43								0	2.313		1		
BX-106	1952	2	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1952	3	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1952	4	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1953	1	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1953	2	STAT		530	530	0	#N/A	43	MW						0	0	2.313		1		
BX-106	1953	3	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1953	4	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1954	1	STAT		530	530	0	#N/A	43							0	0	2.313		1		
BX-106	1954	2	REC	530		1060		#N/A	43	SL	BX-104	BX-104				0.001	0.6874	3.000	MW1	1		
BX-106	1954	2	REC	530		1590		#N/A	43	SL	BX-105	BX-105				0	0	3.000		1		
BX-106	1954	2	REC	328		1918		#N/A	43	SU	BY-104	BY-104				0	0	3.000		1		
BX-106	1954	2	REC	495		2413		#N/A	43	SU	BY-105	BY-105				0	0	3.000		1		
BX-106	1954	2	REC	509		2922		#N/A	43	SU	BY-111	BY-111				0	0	3.000		1		
BX-106	1954	2	OUTX	-272		2650		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1954	2	OUTX	-573		2077		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1954	2	outx	-1547		530		#N/A	43			UR				0	0	3.000		0		
BX-106	1954	2	STAT		530	530	0	#N/A	43	MW						0	0	3.000		1		
BX-106	1954	3	xin	1119		1649		#N/A	43			WTR				0	0	3.000		0		
BX-106	1954	3	OUTX	-526		1123		#N/A	43	SL	UR	UR				0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
BX-106	1954	3	OUTX	-662		461		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1954	3	OUTX	-460		1		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1954	3	STAT		1	1	0	#N/A	43	MW				Supernatant supply for 109-BY, pumped to 109-BY								
BX-106	1954	4	xin	254		255		#N/A	43			WTR				0	0	3.000		1		
BX-106	1954	4	OUTX	-80		175		#N/A	43	SL	UR	UR				0	0	3.000		0		
BX-106	1954	4	OUTX	-127		48		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1954	4	OUTX	-47		1		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1954	4	STAT		1	1	0	#N/A	43	MW						0	0	3.000		1		
BX-106	1955	1	xin	175		176		#N/A	43			WTR				0	0	3.000		1		
BX-106	1955	1	OUTX	-127		49		#N/A	43	SL	UR	UR				0	0	3.000		0		
BX-106	1955	1	OUTX	-15		34		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1955	1	STAT		34	34	0	#N/A	43	MW						0	0	3.000		1		
BX-106	1955	2	OUTX	-33		1		#N/A	43	SL	UR	UR				0	0	3.000		1		
BX-106	1955	2	STAT		0	0	0	-1	42							0	0	3.000		1		
BX-106	1955	3	STAT		0	0	0	#N/A	42							0	0	3.000		1		
BX-106	1955	4	STAT		0	0	0	#N/A	42							0	0	3.000		1		
BX-106	1956	1	STAT		0	0	0	#N/A	42							0	0	3.000		1		
BX-106	1956	2	REC	520		520		#N/A	42	SU	BY-106	BY-106				0	0	3.000		1		
BX-106	1956	2	STAT		524	524	0	4	46							0	0	3.000		3	O	N-54-36
BX-106	1956	3	STAT		524	524	0	#N/A	46					Filled from 108-BY		0	0	3.000		1		
BX-106	1956	4	STAT		524	524	0	#N/A	46	TBP						0	0	3.000		1		
BX-106	1957	1	STAT		505	505	0	-19	27	TBP						0	0	3.000		1		
BX-106	1957	2	STAT		521	521	0	16	43	TBP				Latest electrode reading		0	0	3.000		1		
BX-106	1957	3	SEND	-469		52		#N/A	43	SU		BY-102		Latest electrode reading		0	0	3.000		1		
BX-106	1957	3	STAT		57	57	0	5	48	TBP				Latest electrode reading, 467 to 102-BY		0	0	3.000		4	O	N-54-102
BX-106	1957	4	STAT		57	57	0	#N/A	48							0	0	3.000		1		
BX-106	1958	1	STAT		57	57	0	#N/A	48							0	0	3.000		1		
BX-106	1958	2	STAT		57	57	0	#N/A	48							0	0	3.000		1		
BX-106	1958	3	STAT		57	57	0	#N/A	48							0	0	3.000		1		
BX-106	1958	4	STAT		57	57	0	#N/A	48	TBP						0	0	3.000		1		
BX-106	1959	1	STAT		98	98	0	41	89							0	0	3.000		1		
BX-106	1959	2	STAT		98	98	0	#N/A	89					New electrode reading		0	0	3.000		1		
BX-106	1959	3	STAT		98	98	0	#N/A	89							0	0	3.000		1		
BX-106	1959	4	xin	41		139		#N/A	89	ADJ	CORR	WTR				0	0	3.000		1		
BX-106	1959	4	STAT		98	98	0	-41	48							0	0	3.000		0		
BX-106	1960	1	STAT		98	98	0	#N/A	48							0	0	3.000		1		
BX-106	1960	2	STAT		98	98	0	#N/A	48							0	0	3.000		1		
BX-106	1960	3	STAT		98	98	0	#N/A	48							0	0	3.000		1		
BX-106	1960	4	STAT		98	98	0	#N/A	48	TBP						0	0	3.000		1		
BX-106	1961	1	STAT		N/A	98		#N/A	48								0	3.000		1		
BX-106	1961	2	STAT		98	98	0	#N/A	48	TBP						0	0	3.000		1		
BX-106	1961	3	STAT		N/A	98		#N/A	48								0	3.000		1		
BX-106	1961	4	STAT		98	98	0	#N/A	48	TBP						0	0	3.000		1		
BX-106	1962	1	STAT		N/A	98		#N/A	48								0	3.000		1		
BX-106	1962	2	STAT		98	98	0	#N/A	48	TBP						0	0	3.000		1		
BX-106	1962	3	STAT		N/A	98		#N/A	48								0	3.000		1		
BX-106	1962	4	STAT		98	98	0	#N/A	48	TBP						0	0	3.000		1		
BX-106	1963	1	REC	184		282		#N/A	48	SU	C-102	C-102				0	0	3.000		4	O	HW-78279-5
BX-106	1963	1	STAT		N/A	282		#N/A	48								0	3.000		1		
BX-106	1963	2	REC	134		416		#N/A	48	SU	C-102	C-102				0	0	3.000		4	O	HW-78279-5
BX-106	1963	2	REC	125		541		#N/A	48	SU	C-102	C-102				0	0	3.000		4	O	HW-78279-5
BX-106	1963	2	STAT		541	541	0	#N/A	48	TBP,CW			REC total 443	443 from 102-C 6 month report		0	0	3.000		1		
BX-106	1963	3	STAT		N/A	541		#N/A	48								0	3.000		1		
BX-106	1963	4	STAT		541	541	0	#N/A	48	TBP,CW				6 month report		0	0	3.000		1		
BX-106	1964	1	STAT		N/A	541		#N/A	48								0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-106	1964	2	STAT		541	541	0	#N/A	48	TBP,CW						0	0	3.000		1		
BX-106	1964	3	STAT		N/A	541		#N/A	48								0	3.000		1		
BX-106	1964	4	STAT		543	543	0	2	50	TBP,CW						0	0	3.000		1		
BX-106	1965	1	STAT		N/A	543		#N/A	50								0	3.000		1		
BX-106	1965	2	STAT		543	543	54	#N/A	50	CW						0	0	3.000		1		
BX-106	1965	3	STAT		543	543	54	#N/A	50	CW						0	0	3.000		1		
BX-106	1965	4	STAT		543	543	54	#N/A	50	CW						0	0	3.000		1		
BX-106	1966	1	STAT		543	543	54	#N/A	50	CW						0	0	3.000		1		
BX-106	1966	2	STAT		543	543	54	#N/A	50	CW						0	0	3.000		1		
BX-106	1966	3	STAT		543	543	54	#N/A	50	CW						0	0	3.000		1		
BX-106	1966	4	STAT		543	543	54	#N/A	50	TBP,CW						0	0	3.000		1		
BX-106	1967	1	STAT		541	541	54	-2	48	CW						0	0	3.000		1		
BX-106	1967	2	STAT		541	541	54	#N/A	48	TBP,CW						0	0	3.000		1		
BX-106	1967	3	SEND	-476		65		#N/A	48	SU		BY-103				0	0	3.000		1		
BX-106	1967	3	STAT		65	65	54	#N/A	48	CW				476 to 103-BY		0	0	3.000		3	O	ARH-95-6
BX-106	1967	4	STAT		62	62	54	-3	45	CW						0	0	3.000		1		
BX-106	1968	1	REC	418		480		#N/A	45	SU	BX-104	BX-104				0	0	3.000		1		
BX-106	1968	1	STAT		480	480	54	#N/A	45	EB,IX						0	0	3.000		4	O	ARH-534-6
BX-106	1968	2	STAT		480	480	54	#N/A	45	CW,EB,IX				Received 418 from 104-BX		0	0	3.000		1		
BX-106	1968	3	REC	200		680		#N/A	45	SU	BX-112	BX-112				0	0	3.000		1		
BX-106	1968	3	SEND	-485		195		#N/A	45	SU		BY-103				0	0	3.000		4	O	ARH-871-6
BX-106	1968	3	REC	198		393		#N/A	45	SU	BX-111	BX-111				0	0	3.000		3	O	ARH-871-6
BX-106	1968	3	STAT		403	403	54	10	55	EB,CW				408 from III-BX & 112-BX, 485 to 103-BY		0	0	3.000		4	O	ARH-871-6
BX-106	1968	4	REC	431		834		#N/A	55	SU	BX-103	BX-103				0	0	3.000		1		
BX-106	1968	4	REC	158		992		#N/A	55	SU	BX-107	BX-107				0	0	3.000		4	O	ARH-1061-6
BX-106	1968	4	REC	443		1435		#N/A	55	SU	BX-108	BX-108				0	0	3.000		4	O	ARH-1061-6
BX-106	1968	4	REC	274		1709		#N/A	55	SU	BX-109	BX-109				0	0	3.000		4	O	ARH-1061-6
BX-106	1968	4	REC	236		1945		#N/A	55	SU	BX-111	BX-111				0	0	3.000		4	O	ARH-1061-6
BX-106	1968	4	REC	239		2184		#N/A	55	SU	BX-110	BX-110				0	0	3.000		4	O	ARH-1061-6
BX-106	1968	4	SEND	-2152		32		#N/A	55	SU		BY-103				0	0	3.000		4	O	ARH-1061-6
BX-106	1968	4	STAT		33	33	33	1	56					1782 from BX farm, 2152 to 103-BY		0	0	3.000		1		
BX-106	1969	1	REC	516		549		#N/A	56	SU	BX-104	BX-104				0	0	3.000		4	O	ARH-1200A-6
BX-106	1969	1	STAT		550	550	33	1	57	IX				516 from 104-BX		0	0	3.000		1		
BX-106	1969	2	STAT		552	552	33	2	59	IX						0	0	3.000		1		
BX-106	1969	3	send	-35		517		#N/A	59			BY-102				0	0	3.000		0		
BX-106	1969	3	STAT		517	517	0	#N/A	59	IX						0	0	3.000		1		
BX-106	1969	4	STAT		516	516	0	-1	58	IX						0	0	3.000		1		
BX-106	1970	1	STAT		514	514	0	-2	56	IX						0	0	3.000		1		
BX-106	1970	2	SEND	-479		35		#N/A	56	SU		BX-104				0	0	3.000		4	O	ARH-1666B-6
BX-106	1970	2	REC	299		334		#N/A	56	SU	BX-101	BX-101				0	0	3.000		4	O	ARH-1666B-6
BX-106	1970	2	STAT		334	334	0	#N/A	56	IX,BL				479 to 104-BX, 299 from 101-BX		0	0	3.000		1		
BX-106	1970	3	STAT		334	334	0	#N/A	56	IX,BL						0	0	3.000		1		
BX-106	1970	4	REC	1251		1585		#N/A	56	SU	BX-101	BX-101				0	0	3.000		4	O	ARH-1666D-6
BX-106	1970	4	SEND	-1048		537		#N/A	56	SU		TY-103				0	0	3.000		4	O	ARH-1666D-6
BX-106	1970	4	STAT		541	541	37	4	60	BL,OWW,RIX				1251 from 101-BX, 1048 to 103-TY		0	0	3.000		1		
BX-106	1971	1	REC	1027		1568		#N/A	60	SU	BX-101	BX-101				0	0	3.000		4	O	ARH-2074A-6
BX-106	1971	1	SEND	-356		1212		#N/A	60	SU		TY-103				0	0	3.000		4	O	ARH-2074A-6
BX-106	1971	1	SEND	-798		414		#N/A	60	SU		TX-118				0	0	3.000		4	O	ARH-2074A-6
BX-106	1971	1	STAT		411	411	43	-3	57	EB,RIX				1027 from 101-BX, 356 to 103-BY,798 to 118-TX		0	0	3.000		1		
BX-106	1971	2	REC	2297		2708		#N/A	57		BX-101	BX-101			Omission	0	0	3.000		2	V	ARH-2074B-6
BX-106	1971	2	SEND	-1205		1503		#N/A	57	SU		TX-101				0	0	3.000		4	O	ARH-2074B-6
BX-106	1971	2	SEND	-966		537		#N/A	57	SU		TX-105				0	0	3.000		4	O	ARH-2074B-6
BX-106	1971	2	SEND	-43		494		#N/A	57	SU		BY-102				0	0	3.000		4	O	ARH-2074B-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	CI/A	Document/Pg #
BX-106	1971	2	STAT		495	495	43	1	58	BL,CW,OWW,RIX				2297 from 101-BX, 1205 to 101-TX, 966 to 105-TX, 43 to 102-BY *Leak detection dry wells drilled: 21-06-01; 21-06-02; 21-06-03; 21-06-10 <		0	0	3.000		1		
BX-106	1971	3	SEND	-30		465		#N/A	58	SU		BY-109				0	0	3.000		4	O	ARH-2074C-6
BX-106	1971	3	STAT		466	466	43	1	59	BL,CW,OWW,RIX				30 to 109-BY		0	0	3.000		1		
BX-106	1971	4	STAT		466	466	51	#N/A	59	BL,CW,OWW,RIX						0	0	3.000		1		
BX-106	1972	1	STAT		465	465	65	-1	58	BL,CW,OWW,RIX						0	0	3.000		1		
BX-106	1972	2	SEND	-135		330		#N/A	58			BX-103			Omission	0	0	3.000		2	V	ARH-2456B-5
BX-106	1972	2	STAT		318	318	40	-12	46	BL,CW,OWW,RIX						0	0	3.000		1		
BX-106	1972	3	SEND	-104		214		#N/A	46	SU		BX-103				0	0	3.000		4	O	ARH-2456C-4
BX-106	1972	3	STAT		202	202	10	-12	34	BL,CW,OWW,RIX				104 to 103-BX		0	0	3.000		1		
BX-106	1972	4	SEND	-132		70		#N/A	34	SU		BX-103				0	0	3.000		4	O	ARH-2456D-5
BX-106	1972	4	REC	133		203		#N/A	34	SU	BX-105	BX-105				0	0	3.000		4	O	ARH-2456D-6
BX-106	1972	4	STAT		200	200	10	-3	31	BL,CW,OWW,IX				133 from 105-BX, 132 to 103-BX		0	0	3.000		1		
BX-106	1973	1	XIN	10		210		#N/A	31	WTR		WTR				0	0	3.000		4	O	ARH-2794A-5
BX-106	1973	1	SEND	-133		77		#N/A	31	SU		BX-103				0	0	3.000		4	O	ARH-2794A-5
BX-106	1973	1	STAT		73	73	10	-4	27	BL,CW,OWW,IX				10 flush water, 133 to 103-BX		0	0	3.000		1		
BX-106	1973	2	REC	271		344		#N/A	27	SU	BX-109	BX-109				0	0	3.000		4	O	ARH-2794B-5
BX-106	1973	2	REC	17		361		#N/A	27	SU	BX-105	BX-105				0	0	3.000		4	O	ARH-2794B-5
BX-106	1973	2	STAT		347	347	10	-14	13	BL,CW,OWW,IX				17 from 105-BX, 271 from 109-BX		0	0	3.000		1		
BX-106	1973	3	STAT		348	348	10	1	14	CW,OWW,IX						0	0	3.000		1		
BX-106	1973	4	REC	2		350		#N/A	14	SU	BX-109	BX-109				0	0	3.000		4	O	ARH-2794D-5
BX-106	1973	4	STAT		348	348	10	-2	12	BL,CW,OWW						0	0	3.000		1		
BX-106	1974	1	REC	43		391		#N/A	12	SU	BX-108	BX-108				0	0	3.000		4	O	ARH-CD-133A-5
BX-106	1974	1	STAT		394	394	10	3	15	BL,CW,OWW,IX				43 from 108-BX		0	0	3.000		1		
BX-106	1974	2	REC	2		396		#N/A	15	SU	BX-108	BX-108				0	0	3.000		4	O	ARH-CD-133B-5
BX-106	1974	2	SEND	-277		119		#N/A	15	SU		S-107				0	0	3.000		4	O	ARH-CD-133B-5
BX-106	1974	2	REC	64		183		#N/A	15	SU	B-101	B-101				0	0	3.000		4	O	ARH-CD-133B-4
BX-106	1974	2	STAT		182	182	10	-1	14	BL,CW,OWW,IX				64 from 101-B, 2 from 108-BX, 277 to 107-S		0	0	3.000		1		
BX-106	1974	3	REC	66		248		#N/A	14	SU	BX-107	BX-107				0	0	3.000		2		
BX-106	1974	3	REC	1		249		#N/A	14	SU	BX-108	BX-108				0	0	3.000		2		
BX-106	1974	3	STAT		251	251	10	2	16	BL,CW,OWW,IX				1 from 108-BX, 66 from 107-BX		0	0	3.000		1		
BX-106	1974	4	REC	1		252		#N/A	16	SU	BX-108	BX-108				0	0	3.000		4	O	ARH-CD-133D-5
BX-106	1974	4	REC	61		313		#N/A	16	SU	BY-112	BY-112				0	0	3.000		4	O	ARH-CD-133D-5
BX-106	1974	4	STAT		315	315	26	2	18	BL,CW,OWW,IX,EB				1 from 108-BX, 61 from 112-BY		0	0	3.000		1		
BX-106	1975	1	XIN	1		316		#N/A	18	WTR		WTR				0	0	3.000		4	O	ARH-CD-336A-5
BX-106	1975	1	REC	25		341		#N/A	18	SU	BY-107	BY-107				0	0	3.000		4	O	ARH-CD-336A-5
BX-106	1975	1	REC	123		464		#N/A	18	SU	BY-110	BY-110				0	0	3.000		4	O	ARH-CD-336A-5
BX-106	1975	1	STAT		464	464	26	#N/A	18	BL,CW,OWW,IX,EB				1 water, 25 from 107-BY, 123 from 110-BY		0	0	3.000		1		
BX-106	1975	2	SEND	-413		51		#N/A	18	SU		SX-106				0	0	3.000		4	O	ARH-CD-336B-5
BX-106	1975	2	REC	66		117		#N/A	18	SU	BY-112	BY-112				0	0	3.000		4	O	ARH-CD-336B-5
BX-106	1975	2	REC	114		231		#N/A	18	SU	BY-110	BY-110				0	0	3.000		4	O	ARH-CD-336B-5
BX-106	1975	2	STAT		230	230	26	-1	17	EB,IX,BL				114 from 110-BY, 66 from 112-BY, 413 to 106-SX		0	0	3.000		1		
BX-106	1975	3	STAT		230	230	26	#N/A	17	IX,BL						0	0	3.000		1		
BX-106	1975	4	STAT		230	230	26	#N/A	17	EB,IX,BL						0	0	3.000		1		
BX-106	1976	1	REC	46		276		#N/A	17	SU	BY-112	BY-112				0	0	3.000		4	O	ARH-CD-702A-5
BX-106	1976	1	outx	-267		9		#N/A	17			BYEVAP				0	0	3.000	BYEV	0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
BX-106	1976	1	xin	267		276		#N/A	17			BYSltCk				0.104869	28	31.000	BYSlt	0		
BX-106	1976	1	STAT		277	277	26	1	18	EB,IX,BL				46 from 112-BY		0	0	31.000		1		
BX-106	1976	2	REC	46		323		#N/A	18	SU	BY-112	BY-112				0	0	31.000		4	O	ARH-CD-702A-5
BX-106	1976	2	STAT		323	323	26	#N/A	18	EB,IX,BL				46 from 112-BY		0	0	31.000		1		
BX-106	1976	3	STAT		323	323	26	#N/A	18	EVAP				Lo Heat		0	0	31.000		1		
BX-106	1976	4	send	-222		101		#N/A	18			A-102				0	0	31.000		0		
BX-106	1976	4	STAT		101	101	26	#N/A	18	EVAP				Lo Heat		0	0	31.000		1		
BX-106	1977	1	rec	132		233		#N/A	18		A-102	A-102				0	0	31.000		0		
BX-106	1977	1	send	0		233		#N/A	18		A-102		REC NOT SEND				0	31.000		1		
BX-106	1977	1	STAT		233	233	26	#N/A	18	EVAP				Active - space - low heat		0	0	31.000		1		
BX-106	1977	2	send	-163		70		#N/A	18			A-102				0	0	31.000		0		
BX-106	1977	2	STAT		70	70	26	#N/A	18	EVAP				Active - space - low heat		0	0	31.000		1		
BX-106	1977	3	send	-27		43		#N/A	18			A-102				0	0	31.000		0		
BX-106	1977	3	STAT		43	43	29	#N/A	18					Inactive current		0	0	31.000		1		
BX-106	1977	4	STAT		43	43	29	#N/A	18	EVAP				Inactive current - open hole salt well		0	0	31.000		1		
BX-106	1978	1	STAT		43	43	29	#N/A	18					Inactive-Open Hole Salt Well		0	0	31.000		1		
BX-106	1978	2	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1978	3	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1978	4	STAT		43	43	29	#N/A	18					Pmp w/fix float new photo 11/2/78		0	0	31.000		1		
BX-106	1979	1	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1979	2	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1979	3	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1979	4	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1980	1	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1980	2	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1980	3	STAT		43	43	29	#N/A	18							0	0	31.000		1		
BX-106	1980	4	STAT		43	43	29	#N/A	18	NCPLX						0	0	31.000		1		
BX-106	1993	2	STAT		46	46	31	3	21	NCPLX						0	0	31.000		1		
BX-106	1993	4	STAT		46	46	31	#N/A	21							0	0	31.000		1		
BX-106	1994	1	STAT		46	46	31	#N/A	21							0	0	31.000		1		
BX-106	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-107	1900																					
BX-107	1948	3	CSEND	0		0		#N/A	0	SET	BX-108						0	0.000		1		
BX-107	1948	3	XIN	41		41		#N/A	0	1C		1C1				0.2163522	8.8704	8.870	1C1	1		
BX-107	1948	3	STAT		41	41	0	#N/A	0	1C				Began filling September		0	0	8.870		1		
BX-107	1948	4	XIN	77		118		#N/A	0	1C		1C1				0.2163522	16.659	25.530	1C1	1		
BX-107	1948	4	XIN	87		205		#N/A	0	1C		1C1				0.2163522	18.823	44.352	1C1	1		
BX-107	1948	4	XIN	132		337		#N/A	0	1C		1C1				0.2163522	28.558	72.911	1C1	1		
BX-107	1948	4	STAT		337	337	0	#N/A	0	1C			and stats at 332			0	0	72.911		1		
BX-107	1949	1	XIN	127		464		#N/A	0	1C		1C1				0.2163522	27.477	100.387	1C1	1		
BX-107	1949	1	XIN	58		522		#N/A	0	1C		1C1				0.2163522	12.548	112.936	1C1	1		
BX-107	1949	1	XIN	146		668		#N/A	0	1C		1C1				0.2163522	31.587	144.523	1C1	1		
BX-107	1949	1	send	-138		530		#N/A	0	cas		BX-108				0	0	144.523		0		
BX-107	1949	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full in March		0	0	144.523		1		
BX-107	1949	2	XIN	94		624		#N/A	0	1C		1C1				0.2163522	20.337	164.860	1C1	1		
BX-107	1949	2	XIN	85		709		#N/A	0	1C		1C1				0.2163522	18.39	183.250	1C1	1		
BX-107	1949	2	XIN	78		787		#N/A	0	1C		1C1				0.2163522	16.875	200.126	1C1	1		
BX-107	1949	2	send	-94		693		#N/A	0	cas		BX-108				0	0	200.126		0		
BX-107	1949	2	send	-85		608		#N/A	0	cas		BX-108				0	0	200.126		0		
BX-107	1949	2	send	-78		530		#N/A	0	cas		BX-108				0	0	200.126		0		
BX-107	1949	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	200.126		1		
BX-107	1949	3	XIN	75		605		#N/A	0	1C		1C1				0.2163522	16.226	216.352	1C1	1		
BX-107	1949	3	XIN	46		651		#N/A	0	1C		1C1				0.2163522	9.9522	226.304	1C1	1		
BX-107	1949	3	XIN	14		665		#N/A	0	1C		1C1				0.2163522	3.0289	229.333	1C1	1		
BX-107	1949	3	send	-75		590		#N/A	0	cas		BX-108				0	0	229.333		0		
BX-107	1949	3	send	-46		544		#N/A	0	cas		BX-108				0	0	229.333		0		
BX-107	1949	3	send	-14		530		#N/A	0	cas		BX-108				0	0	229.333		0		
BX-107	1949	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	0	229.333		1		
BX-107	1949	4	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	229.333		1		
BX-107	1950	1	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	229.333		1		
BX-107	1950	2	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	229.333		1		
BX-107	1950	3	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	229.333		1		
BX-107	1950	4	XIN	184		714		#N/A	0	1C		1C1				0.2163522	39.809	269.142	1C1	1		
BX-107	1950	4	XIN	216		930		#N/A	0	1C		1C1				0.2163522	46.732	315.874	1C1	1		
BX-107	1950	4	XIN	130		1060		#N/A	0	1C		1C1				0.2163522	28.126	344.000	1C1	1		
BX-107	1950	4	send	-216		844		#N/A	0	cas		BX-108				0	0	344.000		0		
BX-107	1950	4	send	-184		660		#N/A	0	cas		BX-108				0	0	344.000		0		
BX-107	1950	4	send	-130		530		#N/A	0	cas		BX-108				0	0	344.000		0		
BX-107	1950	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	344.000		1		
BX-107	1951	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	344.000		1		
BX-107	1951	2	STAT		530	530	0	#N/A	0	1C			and stats at 523	Cascade		0	0	344.000		1		
BX-107	1951	3	STAT		N/A	530		#N/A	0								0	344.000		1		
BX-107	1951	4	STAT		N/A	530		#N/A	0								0	344.000		1		
BX-107	1952	1	STAT		N/A	530		#N/A	0								0	344.000		1		
BX-107	1952	2	STAT		530	530	0	#N/A	0	1C						0	0	344.000		1		
BX-107	1952	3	STAT		530	530	0	#N/A	0	1C						0	0	344.000		1		
BX-107	1952	4	SEND	-93		437		#N/A	0	SU		B-106				0	0	344.000		1		
BX-107	1952	4	STAT		437	437	0	#N/A	0	1C				Finished pumping 12/18/52;: down to sludge		0	0	344.000		1		
BX-107	1953	1	STAT		437	437	437	#N/A	0							0	0	344.000		1		
BX-107	1953	2	CSEND	0		437		#N/A	0	SET	BX-108						0	344.000		1		
BX-107	1953	2	XIN	201		638		#N/A	0	UR		UR				0	0	344.000		1		
BX-107	1953	2	XIN	412		1050		#N/A	0	UR		UR				0	0	344.000		1		
BX-107	1953	2	send	-412		638		#N/A	0	cas		BX-108				0	0	344.000		0		
BX-107	1953	2	send	-108		530		#N/A	0	cas		BX-108				0	0	344.000		0		
BX-107	1953	2	STAT		530	530	437	#N/A	0	TBP						0	0	344.000		1		
BX-107	1953	3	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1953	4	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1954	1	STAT		530	530	437	#N/A	0							0	0	344.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
BX-107	1954	2	CSEND	0		530		#N/A	0	END	BX-108						0	344.000		1		
BX-107	1954	2	STAT		530	530	437	#N/A	0					Overflow to 108-BX; plugged		0	0	344.000		1		
BX-107	1954	3	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1954	4	STAT		530	530	437	#N/A	0	TBP						0	0	344.000		1		
BX-107	1955	1	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1955	2	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1955	3	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1955	4	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1956	1	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1956	2	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1956	3	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1956	4	STAT		530	530	437	#N/A	0							0	0	344.000		1		
BX-107	1957	1	STAT		530	530	437	#N/A	0	TBP						0	0	344.000		1		
BX-107	1957	2	STAT		565	565	437	35	35	TBP				Latest electrode reading		0	0	344.000		1		
BX-107	1957	3	STAT		565	565	437	#N/A	35					Latest electrode reading		0	0	344.000		1		
BX-107	1957	4	STAT		565	565	437	#N/A	35							0	0	344.000		1		
BX-107	1958	1	STAT		565	565	437	#N/A	35	TBP						0	0	344.000		1		
BX-107	1958	2	STAT		563	563	437	-2	33							0	0	344.000		1		
BX-107	1958	3	STAT		563	563	437	#N/A	33					Latest electrode reading		0	0	344.000		1		
BX-107	1958	4	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1959	1	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1959	2	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1959	3	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1959	4	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1960	1	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1960	2	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1960	3	STAT		563	563	437	#N/A	33							0	0	344.000		1		
BX-107	1960	4	STAT		563	563	437	#N/A	33	TBP						0	0	344.000		1		
BX-107	1961	1	STAT		N/A	563		#N/A	33								0	344.000		1		
BX-107	1961	2	STAT		563	563	437	#N/A	33	TBP				6 month report		0	0	344.000		1		
BX-107	1961	3	STAT		N/A	563		#N/A	33								0	344.000		1		
BX-107	1961	4	STAT		565	565	437	2	35	TBP				Latest electrode reading 6 month report		0	0	344.000		1		
BX-107	1962	1	STAT		N/A	565		#N/A	35								0	344.000		1		
BX-107	1962	2	STAT		563	563	437	-2	33	TBP				Latest electrode reading 6 month report		0	0	344.000		1		
BX-107	1962	3	STAT		N/A	563		#N/A	33								0	344.000		1		
BX-107	1962	4	STAT		563	563	437	#N/A	33	TBP				6 month report		0	0	344.000		1		
BX-107	1963	1	STAT		N/A	563		#N/A	33								0	344.000		1		
BX-107	1963	2	STAT		560	560	447	-3	30	TBP				6 month report		0	0	344.000		1		
BX-107	1963	3	STAT		N/A	560		#N/A	30								0	344.000		1		
BX-107	1963	4	STAT		560	560	447	#N/A	30	TBP				6 month report		0	0	344.000		1		
BX-107	1964	1	STAT		N/A	560		#N/A	30								0	344.000		1		
BX-107	1964	2	STAT		558	558	447	-2	28	TBP				6 month report		0	0	344.000		1		
BX-107	1964	3	STAT		N/A	558		#N/A	28								0	344.000		1		
BX-107	1964	4	STAT		549	549	447	-9	19	TBP				New electrode (reading confirmed) 6 month report		0	0	344.000		1		
BX-107	1965	1	STAT		N/A	549		#N/A	19								0	344.000		1		
BX-107	1965	2	STAT		563	563	428	14	33	TBP				New electrode		0	0	344.000		1		
BX-107	1965	3	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1965	4	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1966	1	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1966	2	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1966	3	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1966	4	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1967	1	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1967	2	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-107	1967	3	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1967	4	STAT		563	563	428	#N/A	33	1C,TBP						0	0	344.000		1		
BX-107	1968	1	STAT		567	567	428	4	37	1C,TBP						0	0	344.000		1		
BX-107	1968	2	STAT		568	568	428	1	38	1C,TBP						0	0	344.000		1		
BX-107	1968	3	STAT		567	567	428	-1	37	1C,TBP						0	0	344.000		1		
BX-107	1968	4	SEND	-158		409		#N/A	37	SU		BX-106				0	0	344.000		1		
BX-107	1968	4	STAT		409	409	409	#N/A	37							0	0	344.000		4	O	ARH-1061-6
BX-107	1969	1	STAT		409	409	409	#N/A	37					158 to 106-BX		0	0	344.000		1		
BX-107	1969	2	STAT		409	409	409	#N/A	37							0	0	344.000		1		
BX-107	1969	3	REC	165		574		#N/A	37	SU	BX-104	BX-104				0	0	344.000		1		
BX-107	1969	3	send	-33		541		#N/A	37			BY-102				0	0	344.000		4	O	ARH-1200C-6
BX-107	1969	3	STAT		541	541	376	#N/A	37							0	0	344.000		0		
BX-107	1969	4	STAT		541	541	376	#N/A	37					165 from 107-BX		0	0	344.000		1		
BX-107	1970	1	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	2	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	3	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	4	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1971	1	STAT		541	541	376	#N/A	37	IX						0	0	344.000		1		
BX-107	1971	2	STAT		538	538	376	-3	34							0	0	344.000		1		
BX-107	1971	3	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1971	4	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	1	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	2	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	3	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	4	STAT		538	538	376	#N/A	34	IX						0	0	344.000		1		
BX-107	1973	1	STAT		537	537	376	-1	33	IX						0	0	344.000		1		
BX-107	1973	2	STAT		537	537	376	#N/A	33	IX						0	0	344.000		1		
BX-107	1973	3	STAT		541	541	376	4	37	IX						0	0	344.000		1		
BX-107	1973	4	STAT		539	539	376	-2	35	IX				* Leak detection dry wells drilled: 21-07-03; 21-07-06		0	0	344.000		1		
BX-107	1974	1	STAT		539	539	376	#N/A	35							0	0	344.000		1		
BX-107	1974	2	STAT		539	539	376	#N/A	35							0	0	344.000		1		
BX-107	1974	3	SEND	-66		473		#N/A	35	SU		BX-106				0	0	344.000		2		
BX-107	1974	3	STAT		474	474	376	1	36	IX				66 to 106-BX		0	0	344.000		1		
BX-107	1974	4	STAT		472	472	376	-2	34					Awaiting solidification		0	0	344.000		1		
BX-107	1975	1	STAT		472	472	376	#N/A	34					Awaiting solidification		0	0	344.000		1		
BX-107	1975	2	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1975	3	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1975	4	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1976	1	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1976	2	STAT		472	472	376	#N/A	34	IX						0	0	344.000		1		
BX-107	1976	3	STAT		472	472	376	#N/A	34	EVAP				Evap. feed dil.		0	0	344.000		1		
BX-107	1976	4	STAT		475	475	376	3	37							0	0	344.000		1		
BX-107	1977	1	STAT		475	475	376	#N/A	37	EVAP				Evap. feed dil.		0	0	344.000		1		
BX-107	1977	2	send	-99		376		#N/A	37			A-102				0	0	344.000		0		
BX-107	1977	2	STAT		376	376	376	#N/A	37					Evap. feed dil.		0	0	344.000		1		
BX-107	1977	3	STAT		376	376	376	#N/A	37					Inactive current		0	0	344.000		1		
BX-107	1977	4	STAT		376	376	376	#N/A	37					Inactive current; open hole salt well		0	0	344.000		1		
BX-107	1978	1	STAT		376	376	376	#N/A	37					Inactive		0	0	344.000		1		
BX-107	1978	2	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1978	3	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1978	4	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1979	1	STAT		376	376	376	#N/A	37					New photo 3/9/79		0	0	344.000		1		
BX-107	1979	2	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1979	3	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1979	4	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1980	1	STAT		376	376	376	#N/A	37							0	0	344.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-107	1980	2	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1980	3	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1980	4	STAT		376	376	376	#N/A	37	EVAP						0	0	344.000		1		
BX-107	1987	2	send	-31		345		#N/A	37	swliq		AN-101				0	0	344.000		0		
BX-107	1993	2	STAT		345	345	344	#N/A	37	NCPLX						0	0	344.000		1		
BX-107	1993	4	STAT		345	345	344	#N/A	37							0	0	344.000		1		
BX-107	1994	1	STAT		345	345	344	#N/A	37							0	0	344.000		1		
BX-107	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-108	1900																					
BX-108	1948	3	CREC	0		0		#N/A	0	SET	BX-107						0	0.000		1		
BX-108	1948	3	CSEND	0		0		#N/A	0	SET	BX-109						0	0.000		1		
BX-108	1948	4	STAT		0	0	0	#N/A	0							0	0	0.000		1		
BX-108	1949	1	rec	138		138		#N/A	0	cas	BX-107	BX-107				0.0245283	3.3849	3.385	1C1	0		
BX-108	1949	1	STAT		138	138	0	#N/A	0	1C				Cascade begin fill March		0	0	3.385		1		
BX-108	1949	2	rec	94		232		#N/A	0	cas	BX-107	BX-107				0.0245283	2.3057	5.691	1C1	0		
BX-108	1949	2	rec	85		317		#N/A	0	cas	BX-107	BX-107				0.0245283	2.0849	7.775	1C1	0		
BX-108	1949	2	rec	78		395		#N/A	0	cas	BX-107	BX-107				0.0245283	1.9132	9.689	1C1	0		
BX-108	1949	2	STAT		395	395	0	#N/A	0	1C				Cascade		0	0	9.689		1		
BX-108	1949	3	CSEND	0		395		#N/A	0	SET	BX-109						0	9.689		1		
BX-108	1949	3	rec	75		470		#N/A	0	cas	BX-107	BX-107				0.0245283	1.8396	11.528	1C1	0		
BX-108	1949	3	rec	46		516		#N/A	0	cas	BX-107	BX-107				0.0245283	1.1283	12.657	1C1	0		
BX-108	1949	3	rec	14		530		#N/A	0	cas	BX-107	BX-107				0.0245283	0.3434	13.000	1C1	0		
BX-108	1949	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade filled in September		0	0	13.000		1		
BX-108	1949	4	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	13.000		1		
BX-108	1950	1	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	13.000		1		
BX-108	1950	2	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	13.000		1		
BX-108	1950	3	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	0	13.000		1		
BX-108	1950	4	rec	216		746		#N/A	0	cas	BX-107	BX-107				0.0245283	5.2981	18.298	1C1	0		
BX-108	1950	4	rec	184		930		#N/A	0	cas	BX-107	BX-107				0.0245283	4.5132	22.811	1C1	0		
BX-108	1950	4	rec	130		1060		#N/A	0	cas	BX-107	BX-107				0.0245283	3.1887	26.000	1C1	0		
BX-108	1950	4	send	-216		844		#N/A	0	cas		BX-109				0	0	26.000		0		
BX-108	1950	4	send	-184		660		#N/A	0	cas		BX-109				0	0	26.000		0		
BX-108	1950	4	send	-130		530		#N/A	0	cas		BX-109				0	0	26.000		0		
BX-108	1950	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	26.000		1		
BX-108	1951	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	0	26.000		1		
BX-108	1951	2	STAT		530	530	0	#N/A	0	1C			and stats at 523	Cascade		0	0	26.000		1		
BX-108	1951	3	STAT		N/A	530		#N/A	0								0	26.000		1		
BX-108	1951	4	STAT		N/A	530		#N/A	0								0	26.000		1		
BX-108	1952	1	STAT		N/A	530		#N/A	0								0	26.000		1		
BX-108	1952	2	STAT		530	530	0	#N/A	0								0	26.000		1		
BX-108	1952	3	STAT		530	530	0	#N/A	0	1C						0	0	26.000		1		
BX-108	1952	4	SEND	-486		44		#N/A	0	SU		B-106				0	0	26.000		1		
BX-108	1952	4	outx	-23		21		#N/A	0	LEAK	CORR	LEAK				0	0	26.000		1		
BX-108	1952	4	STAT		21	21	0	#N/A	0	1C				Finished pumping to 11,000 heel, 1-1- 23,000 gallons of 1C supernate was low to ground from 108-BX pumping operation on 12-16-52.		0	0	26.000		2		
BX-108	1953	1	SEND	-11		10		#N/A	0	SU		B-106				0	0	26.000		1		
BX-108	1953	1	STAT		10	10	10	#N/A	0							0	0	26.000		1		
BX-108	1953	2	CREC	0		10		#N/A	0	SET	BX-107			Pumped down to Heel 1-1-53		0	0	26.000		1		
BX-108	1953	2	rec	412		422		#N/A	0	cas	BX-107	BX-107						26.000		1		
BX-108	1953	2	rec	108		530		#N/A	0	cas	BX-107	BX-107				0	0	26.000		0		
BX-108	1953	2	STAT		530	530	10	#N/A	0	TBP						0	0	26.000		0		
BX-108	1953	3	STAT		530	530	10	#N/A	0							0	0	26.000		1		
BX-108	1953	4	STAT		530	530	10	#N/A	0	TBP						0	0	26.000		1		
BX-108	1954	1	outx	-254		276		#N/A	0			UR				0	0	26.000		1		
BX-108	1954	1	STAT		276	276	10	#N/A	0	TBP			UR sluicing outx to UR	Trans. to 106-B on 3-21-54		0	0	26.000		0		
BX-108	1954	2	xin	254		530		#N/A	0			WTR				0	0	26.000		1		
BX-108	1954	2	CREC	0		530		#N/A	0	END	BX-107						0	26.000		0		
BX-108	1954	2	STAT		530	530	10	#N/A	0				UR sluicing WTR in	Received from 109-BX		0	0	26.000		1		
BX-108	1954	3	STAT		530	530	10	#N/A	0							0	0	26.000		1		
BX-108	1954	4	STAT		530	530	10	#N/A	0	TBP						0	0	26.000		1		
BX-108	1955	1	STAT		530	530	88	#N/A	0							0	0	26.000		1		
BX-108	1955	2	STAT		530	530	88	#N/A	0							0	0	26.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-108	1955	3	STAT		530	530	88	#N/A	0							0	0	26.000		1		
BX-108	1955	4	STAT		530	530	88	#N/A	0							0	0	26.000		1		
BX-108	1956	1	STAT		530	530	88	#N/A	0							0	0	26.000		1		
BX-108	1956	2	STAT		530	530	88	#N/A	0							0	0	26.000		1		
BX-108	1956	3	STAT		530	530	88	#N/A	0							0	0	26.000		1		
BX-108	1956	4	STAT		530	530	88	#N/A	0	TBP						0	0	26.000		1		
BX-108	1957	1	STAT		535	535	88	5	5	TBP				Latest electrode reading		0	0	26.000		1		
BX-108	1957	2	STAT		568	568	88	33	38					New electrode reading		0	0	26.000		1		
BX-108	1957	3	STAT		568	568	88	#N/A	38	TBP						0	0	26.000		1		
BX-108	1957	4	OUTX	-481		87		#N/A	38	T28	C-112	TFeCN	AND reports -481		Shows 413 not 443	0	0	26.000		2	V	N-54-272
BX-108	1957	4	STAT		87	87	87	#N/A	38					481 scavenged		0	0	26.000		1		
BX-108	1958	1	STAT		87	87	87	#N/A	38							0	0	26.000		1		
BX-108	1958	2	STAT		84	84	80	-3	35					Latest electrode reading		0	0	26.000		1		
BX-108	1958	3	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1958	4	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1959	1	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1959	2	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1959	3	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1959	4	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1960	1	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1960	2	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1960	3	STAT		84	84	80	#N/A	35							0	0	26.000		1		
BX-108	1960	4	STAT		84	84	80	#N/A	35	TBP						0	0	26.000		1		
BX-108	1961	1	STAT		N/A	84		#N/A	35								0	26.000		1		
BX-108	1961	2	STAT		84	84	80	#N/A	35	TBP				6 month report		0	0	26.000		1		
BX-108	1961	3	STAT		N/A	84		#N/A	35								0	26.000		1		
BX-108	1961	4	STAT		90	90	80	6	41	TBP				New electrode 6 month report		0	0	26.000		1		
BX-108	1962	1	STAT		N/A	90		#N/A	41								0	26.000		1		
BX-108	1962	2	STAT		90	90	80	#N/A	41	TBP				6 month report		0	0	26.000		1		
BX-108	1962	3	STAT		N/A	90		#N/A	41								0	26.000		1		
BX-108	1962	4	STAT		90	90	80	#N/A	41					6 month report		0	0	26.000		1		
BX-108	1963	1	STAT		N/A	90		#N/A	41								0	26.000		1		
BX-108	1963	2	STAT		92	92	57	2	43	TBP				6 month report		0	0	26.000		1		
BX-108	1963	3	STAT		N/A	92		#N/A	43								0	26.000		1		
BX-108	1963	4	STAT		90	90	57	-2	41	TBP				6 month report		0	0	26.000		1		
BX-108	1964	1	STAT		N/A	90		#N/A	41								0	26.000		1		
BX-108	1964	2	REC	454		544		#N/A	41	SU	C-108	C-108				0	0	26.000		4	O	HW-83308-5
BX-108	1964	2	STAT		544	544	57	#N/A	41	TBP,CW				454 from 108-C		0	0	26.000		1		
BX-108	1964	3	STAT		N/A	544		#N/A	41								0	26.000		1		
BX-108	1964	4	STAT		544	544	57	#N/A	41	TBP,CW						0	0	26.000		1		
BX-108	1965	1	STAT		N/A	544		#N/A	41								0	26.000		1		
BX-108	1965	2	STAT		530	530	90	-14	27					New electrode		0	0	26.000		1		
BX-108	1965	3	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1965	4	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1966	1	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1966	2	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1966	3	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1966	4	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1967	1	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1967	2	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1967	3	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1967	4	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1968	1	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1968	2	STAT		530	530	90	#N/A	27							0	0	26.000		1		
BX-108	1968	3	STAT		530	530	90	#N/A	27	CW						0	0	26.000		1		
BX-108	1968	4	SEND	-443		87		#N/A	27	SU		BX-106				0	0	26.000		4	O	ARH-1061-6
BX-108	1968	4	STAT		87	87	87	#N/A	27					443 to 106-BX		0	0	26.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CN	Q/A	Document/Pg #
BX-108	1969	1	STAT		87	87	87	#N/A	27							0	0	26.000		1		
BX-108	1969	2	REC	452		539		#N/A	27	SU	BX-104	BX-104				0	0	26.000		4	O	ARH-2794B-6
BX-108	1969	2	STAT		539	539	87	#N/A	27	IX						0	0	26.000		1		
BX-108	1969	3	send	-33		506		#N/A	27			BY-102		452 from 104-BX		0	0	26.000		0		
BX-108	1969	3	STAT		506	506	54	#N/A	27							0	0	26.000		1		
BX-108	1969	4	STAT		506	506	54	#N/A	27							0	0	26.000		1		
BX-108	1970	1	STAT		506	506	54	#N/A	27							0	0	26.000		1		
BX-108	1970	2	STAT		506	506	54	#N/A	27							0	0	26.000		1		
BX-108	1970	3	STAT		506	506	54	#N/A	27	IX						0	0	26.000		1		
BX-108	1970	4	STAT		508	508	54	2	29							0	0	26.000		1		
BX-108	1971	1	STAT		508	508	54	#N/A	29	IX						0	0	26.000		1		
BX-108	1971	2	STAT		505	505	54	-3	26							0	0	26.000		1		
BX-108	1971	3	STAT		505	505	54	#N/A	26	IX						0	0	26.000		1		
BX-108	1971	4	STAT		506	506	54	1	27	IX				* Leak detection dry well 21-08-12 drilled		0	0	26.000		1		
BX-108	1972	1	STAT		505	505	54	-1	26	IX				** Leak detection dry wells drilled: 21-08-06;; 21-08-07		0	0	26.000		1		
BX-108	1972	2	STAT		502	502	34	-3	23	IX						0	0	26.000		1		
BX-108	1972	3	STAT		505	505	34	3	26	IX				* Leak detection dry well 21-08-02 drilled.		0	0	26.000		1		
BX-108	1972	4	STAT		508	508	34	3	29	IX						0	0	26.000		1		
BX-108	1973	1	SEND	-432		76		#N/A	29	SU		BX-105				0	0	26.000		1		
BX-108	1973	1	STAT		74	74	34	-2	27	IX				432 to 105-BX		0	0	26.000		4	O	ARH-2794A-5
BX-108	1973	2	STAT		72	72	34	-2	25					* Leak detection dry wells drilled: 21-08-04, 21-08-05, 21-08-10		0	0	26.000		1		
BX-108	1973	3	STAT		72	72	34	#N/A	25	IX						0	0	26.000		1		
BX-108	1973	4	STAT		71	71	34	-1	24	IX						0	0	26.000		1		
BX-108	1974	1	SEND	-43		28		#N/A	24	SU		BX-106		Suspect leaker		0	0	26.000		1		
BX-108	1974	1	STAT		34	34	34	6	30							0	0	26.000		4	O	ARH-CD-133A-5
BX-108	1974	2	SEND	-2		32		#N/A	30	SU		BX-106		Tank leaks, 43 to 106-BX		0	0	26.000		1		
BX-108	1974	2	STAT		34	34	34	2	32							0	0	26.000		4	O	ARH-CD-133B-5
BX-108	1974	3	SEND	-1		33		#N/A	32	SU		BX-106		Tank leaks, 2 to 106-BX		0	0	26.000		1		
BX-108	1974	3	STAT		34	34	34	1	33							0	0	26.000		2		
BX-108	1974	4	SEND	-1		33		#N/A	33	SU		BX-106		Tank leaks, 1 to 106-BX		0	0	26.000		2		
BX-108	1974	4	STAT		15	15	13	-18	15	IX						0	0	26.000		4	O	ARH-CD-133D-5
BX-108	1975	1	STAT		15	15	13	#N/A	15					Tank leaks, 1 to 106-BX		0	0	26.000		1		
BX-108	1975	2	STAT		15	15	13	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1975	3	STAT		15	15	13	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1975	4	STAT		15	15	13	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1976	1	STAT		15	15	13	#N/A	15	IX				Tank leaks		0	0	26.000		1		
BX-108	1976	2	STAT		15	15	15	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1976	3	STAT		15	15	15	#N/A	15					Tank leaks, salt well pumped		0	0	26.000		1		
BX-108	1976	4	STAT		15	15	15	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1977	1	STAT		15	15	15	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1977	2	STAT		15	15	15	#N/A	15					Tank leaks		0	0	26.000		1		
BX-108	1977	3	STAT		15	15	15	#N/A	15					Inactive, leaker stabilized Phase I		0	0	26.000		1		
BX-108	1977	4	STAT		15	15	15	#N/A	15					Inactive, leaker stabilized Phase I		0	0	26.000		1		
BX-108	1978	1	STAT		26	26	26	11	26					Leaker-Primary stabilized - New Solids Rdg. 3/31/78		0	0	26.000		1		
BX-108	1978	2	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1978	3	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1978	4	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1979	1	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1979	2	STAT		26	26	26	#N/A	26							0	0	26.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-108	1979	3	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1979	4	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1980	1	STAT		26	26	26	#N/A	26					New photo 2/29/80		0	0	26.000		1		
BX-108	1980	2	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1980	3	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1980	4	STAT		26	26	26	#N/A	26	IX						0	0	26.000		1		
BX-108	1993	2	STAT		26	26	26	#N/A	26	NCPLX						0	0	26.000		1		
BX-108	1993	4	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	1994	1	STAT		26	26	26	#N/A	26							0	0	26.000		1		
BX-108	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-109	1900																					
BX-109	1948	3	CREC	0		0		#N/A	0	SET	BX-108											
BX-109	1949	1	STAT		N/A	0		#N/A	0								0	0.000		1		
BX-109	1949	2	STAT		N/A	0		#N/A	0								0	0.000		1		
BX-109	1949	3	CREC	0		0		#N/A	0	SET	BX-108						0	0.000		1		
BX-109	1949	3	STAT		N/A	0		#N/A	0								0	0.000		1		
BX-109	1949	4	STAT		N/A	0		#N/A	0					Not used			0	0.000		1		
BX-109	1950	1	STAT		N/A	0		#N/A	0					Not used			0	0.000		1		
BX-109	1950	2	STAT		N/A	0		#N/A	0					Not used			0	0.000		1		
BX-109	1950	3	STAT		N/A	0		#N/A	0					Not used			0	0.000		1		
BX-109	1950	4	rec	216		216		#N/A	0	cas	BX-108	BX-108		Not used			0	0.000		1		
BX-109	1950	4	rec	184		400		#N/A	0	cas	BX-108	BX-108				0.06415094	13.857	13.857	1C1	0		
BX-109	1950	4	rec	130		530		#N/A	0	cas	BX-108	BX-108				0.06415094	11.804	25.660	1C1	0		
BX-109	1950	4	STAT		N/A	530	0	#N/A	0	1C						0.06415094	8.3396	34.000	1C1	0		
BX-109	1951	1	STAT		N/A	530	0	#N/A	0				stat prob? 160 to N/A	Began filling November		0	0	34.000		1		
BX-109	1951	2	STAT		N/A	530	0	#N/A	0				stat prob? 160 to N/A	Cascade		0	0	34.000		1		
BX-109	1951	3	STAT		N/A	530		#N/A	0				stat prob? 160 to N/A	Cascade		0	0	34.000		1		
BX-109	1951	4	STAT		N/A	530		#N/A	0								0	34.000		1		
BX-109	1952	1	STAT		N/A	530		#N/A	0								0	34.000		1		
BX-109	1952	2	STAT		530	530	0	#N/A	0	1C							0	34.000		1		
BX-109	1952	3	STAT		530	530	0	#N/A	0							0	0	34.000		1		
BX-109	1952	4	STAT		530	530	0	#N/A	0							0	0	34.000		1		
BX-109	1953	1	CSEND	0		530		#N/A	0	SET	BY-107					0	0	34.000		1		
BX-109	1953	1	XIN	580		1110		#N/A	0	UR		UR						34.000		1		
BX-109	1953	1	XIN	658		1768		#N/A	0	UR		UR				0.02533057	14.692	48.692	UR	1		
BX-109	1953	1	send	-658		1110		#N/A	0	cas		BY-107				0.02533057	16.668	65.359	UR	1		
BX-109	1953	1	send	-84		1026		#N/A	0	cas		BY-107				0	0	65.359		0		
BX-109	1953	1	SEND	-496		530		#N/A	0	SU		B-106				0	0	65.359		0		
BX-109	1953	1	CSEND	0		530		#N/A	0	END	BY-107					0	0	65.359		1		
BX-109	1953	1	STAT		530	530	34	#N/A	0					Pumped down to Heel 1-22-53,Cascade to 107-BY on 2-27-53		0	0	65.359		1		
BX-109	1953	2	STAT		530	530	34	#N/A	0	TBP						0	0	65.359		1		
BX-109	1953	3	STAT		524	524	34	-6	-6	TBP						0	0	65.359		1		
BX-109	1953	4	XIN	318		842		#N/A	-6	UR		UR				0.02533057	8.0551	73.414	UR	1		
BX-109	1953	4	XIN	676		1518		#N/A	-6	UR		UR				0.02533057	17.123	90.538	UR	1		
BX-109	1953	4	XIN	511		2029		#N/A	-6	UR		UR				0.02533057	12.944	103.482	UR	1		
BX-109	1953	4	SEND	-675		1354		#N/A	-6	SU		B-106				0	0	103.482		1		
BX-109	1953	4	SEND	-635		719		#N/A	-6	SU		B-106				0	0	103.482		1		
BX-109	1953	4	SEND	-542		177		#N/A	-6	SU		B-106				0	0	103.482		1		
BX-109	1953	4	STAT		183	183	34	6	0	TBP				Transferred to 106-B & rec'd TBP waste;; active TBP waste receiver pumps to 106-B Evap. feed Tank pumped supernatant to ditch		0	0	103.482		1		
BX-109	1954	1	XIN	371		554		#N/A	0	UR		UR				0.02533057	9.3976	112.879	UR	1		
BX-109	1954	1	XIN	566		1120		#N/A	0	UR		UR				0.02533057	14.337	127.216	UR	1		
BX-109	1954	1	XIN	82		1202		#N/A	0	UR		UR				0.02533057	2.0771	129.294	UR	1		
BX-109	1954	1	xin	193		1395		#N/A	0			WTR				0	0	129.294		0		
BX-109	1954	1	SEND	-536		859		#N/A	0	SU		B-106				0	0	129.294		1		
BX-109	1954	1	SEND	-258		601		#N/A	0	SU		B-106				0	0	129.294		1		
BX-109	1954	1	SEND	-252		349		#N/A	0	SU		B-106				0	0	129.294		1		
BX-109	1954	1	STAT		349	349	34	#N/A	0	TBP				Active TBP waste receiver pumps to 106-B Evap. feed tank		0	0	129.294		1		
BX-109	1954	2	XIN	530		879		#N/A	0	UR		UR				0.02533057	13.425	142.719	UR	1		
BX-109	1954	2	XIN	902		1781		#N/A	0	UR		UR				0.02533057	22.848	165.567	UR	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
BX-109	1954	2	XIN	384		2165		#N/A	0	UR		UR				0.02533057	9.7269	175.294	UR	1		
BX-109	1954	2	SEND	-717		1448		#N/A	0	SU		B-106				0	0	175.294		1		
BX-109	1954	2	SEND	-521		927		#N/A	0	SU		B-106				0	0	175.294		1		
BX-109	1954	2	SEND	-357		570		#N/A	0	SU		B-106				0	0	175.294		1		
BX-109	1954	2	outx	-193		377		#N/A	0			UR				0	0	175.294		0		
BX-109	1954	2	STAT		377	377	34	#N/A	0	TBP				Active TBP waste receiver pumps to 106-B Evap. feed tank		0	0	175.294		1		
BX-109	1954	3	XIN	291		668		#N/A	0	UR		UR				0.02533057	7.3712	182.665	UR	1		
BX-109	1954	3	XIN	140		808		#N/A	0	UR		UR				0.02533057	3.5463	186.211	UR	1		
BX-109	1954	3	XIN	268		1076		#N/A	0	UR		UR				0.02533057	6.7886	193.000	UR	1		
BX-109	1954	3	SEND	-336		740		#N/A	0	SU		B-106				0	0	193.000		1		
BX-109	1954	3	SEND	-220		520		#N/A	0	SU		B-106				0	0	193.000		1		
BX-109	1954	3	STAT		520	520	314	#N/A	0					In active TBP waste receiver, received TBP waste		0	0	193.000		1		
BX-109	1954	4	STAT		520	520	314	#N/A	0	TBP						0	0	193.000		1		
BX-109	1955	1	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1955	2	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1955	3	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1955	4	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1956	1	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1956	2	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1956	3	STAT		520	520	298	#N/A	0							0	0	193.000		1		
BX-109	1956	4	STAT		520	520	298	#N/A	0	TBP						0	0	193.000		1		
BX-109	1957	1	STAT		519	519	298	-1	-1	TBP				Latest electrode reading		0	0	193.000		1		
BX-109	1957	2	STAT		552	552	320	33	32	TBP				New electrode, latestest electrode reading		0	0	193.000		1		
BX-109	1957	3	STAT		549	549	320	-3	29	TBP				Latest electrode reading		0	0	193.000		1		
BX-109	1957	4	OUTX	-218		331		#N/A	29	T29	C-108	TFeCN	AND reports -245			0	0	193.000		3	O	N-54-273
BX-109	1957	4	STAT		304	304	298	-27	2	TBP				245 scavenged		0	0	193.000		1		
BX-109	1958	1	STAT		307	307	298	3	5	TBP				Latest electrode reading		0	0	193.000		1		
BX-109	1958	2	STAT		304	304	298	-3	2					Latest electrode reading		0	0	193.000		1		
BX-109	1958	3	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1958	4	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1959	1	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1959	2	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1959	3	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1959	4	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1960	1	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1960	2	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1960	3	STAT		304	304	298	#N/A	2							0	0	193.000		1		
BX-109	1960	4	STAT		304	304	298	#N/A	2	TBP						0	0	193.000		1		
BX-109	1961	1	STAT		N/A	304		#N/A	2									193.000		1		
BX-109	1961	2	STAT		301	301	298	-3	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1961	3	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1961	4	STAT		301	301	298	#N/A	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1962	1	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1962	2	STAT		301	301	298	#N/A	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1962	3	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1962	4	STAT		301	301	298	#N/A	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1963	1	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1963	2	STAT		301	301	298	#N/A	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1963	3	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1963	4	STAT		301	301	298	#N/A	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1964	1	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1964	2	send	-106		195		#N/A	-1			A-102	sluicing			0	0	193.000		0		
BX-109	1964	2	REC	106		301		#N/A	-1	SU	BX-105	BX-105				0	0	193.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BX-109	1964	2	STAT		301	301	244	#N/A	-1	TBP				6 month report		0	0	193.000		1		
BX-109	1964	3	STAT		N/A	301		#N/A	-1								0	193.000		1		
BX-109	1964	4	REC	240		541		#N/A	-1	SU	C-102	C-102				0	0	193.000		4	O	RL-SEP-260-5
BX-109	1964	4	STAT		541	541	244	#N/A	-1	TBP,CW				240 CW from I02-C 6 month report		0	0	193.000		1		
BX-109	1965	1	STAT		N/A	541		#N/A	-1								0	193.000		1		
BX-109	1965	2	STAT		541	541	296	#N/A	-1	CW						0	0	193.000		1		
BX-109	1965	3	STAT		541	541	296	#N/A	-1	CW						0	0	193.000		1		
BX-109	1965	4	STAT		541	541	296	#N/A	-1	CW						0	0	193.000		1		
BX-109	1966	1	STAT		541	541	296	#N/A	-1	CW						0	0	193.000		1		
BX-109	1966	2	STAT		541	541	296	#N/A	-1	CW						0	0	193.000		1		
BX-109	1966	3	STAT		541	541	296	#N/A	-1	TBP,CW						0	0	193.000		1		
BX-109	1966	4	STAT		538	538	296	-3	-4	CW						0	0	193.000		1		
BX-109	1967	1	STAT		538	538	296	#N/A	-4	CW						0	0	193.000		1		
BX-109	1967	2	STAT		538	538	296	#N/A	-4	CW						0	0	193.000		1		
BX-109	1967	3	STAT		538	538	296	#N/A	-4	TBP,CW						0	0	193.000		1		
BX-109	1967	4	XIN	18		556		#N/A	-4	CSR		CSR				0	0	193.000		4	O	ARH-326-6
BX-109	1967	4	STAT		556	556	296	#N/A	-4	TBP,CW				Received 18 IX test runs.		0	0	193.000		1		
BX-109	1968	1	STAT		557	557	296	1	-3	CW						0	0	193.000		1		
BX-109	1968	2	STAT		557	557	296	#N/A	-3	CW						0	0	193.000		1		
BX-109	1968	3	STAT		557	557	296	#N/A	-3	TBP,CW						0	0	193.000		1		
BX-109	1968	4	SEND	-274		283		#N/A	-3	SU		BX-106				0	0	193.000		4	O	ARH-1061-6
BX-109	1968	4	STAT		283	283	283	#N/A	-3					274 to 106-BX.		0	0	193.000		1		
BX-109	1969	1	XIN	231		514		#N/A	-3	CSR		CSR				0	0	193.000		4	O	ARH-1200A-6
BX-109	1969	1	STAT		514	514	283	#N/A	-3					231 from 221-B (18-1)		0	0	193.000		1		
BX-109	1969	2	STAT		514	514	283	#N/A	-3	IX						0	0	193.000		1		
BX-109	1969	3	send	-27		487		#N/A	-3			BY-102				0	0	193.000		0		
BX-109	1969	3	STAT		487	487	250	#N/A	-3	IX						0	0	193.000		1		
BX 109	1969	4	STAT		486	486	250	-1	-4							0	0	193.000		1		
BX-109	1970	1	STAT		486	486	250	#N/A	-4							0	0	193.000		1		
BX-109	1970	2	STAT		486	486	250	#N/A	-4							0	0	193.000		1		
BX-109	1970	3	STAT		486	486	250	#N/A	-4	IX						0	0	193.000		1		
BX-109	1970	4	STAT		483	483	250	-3	-7	IX						0	0	193.000		1		
BX-109	1971	1	STAT		484	484	250	1	-6	IX						0	0	193.000		1		
BX-109	1971	2	STAT		486	486	250	2	-4	IX						0	0	193.000		1		
BX-109	1971	3	STAT		475	475	250	-11	-15							0	0	193.000		1		
BX-109	1971	4	STAT		475	475	250	#N/A	-15	IX						0	0	193.000		1		
BX-109	1972	1	STAT		473	473	250	-2	-17	IX						0	0	193.000		1		
BX-109	1972	2	STAT		475	475	211	2	-15	IX						0	0	193.000		1		
BX-109	1972	3	STAT		473	473	211	-2	-17	IX						0	0	193.000		1		
BX-109	1972	4	STAT		491	491	211	18	1	IX						0	0	193.000		1		
BX-109	1973	1	STAT		488	488	211	-3	-2	IX						0	0	193.000		1		
BX-109	1973	2	XIN	4		492		#N/A	-2	WTR		WTR				0	0	193.000		4	O	ARH-2794B-5
BX-109	1973	2	SEND	-271		221		#N/A	-2	SU		BX-106				0	0	193.000		4	O	ARH-2794B-5
BX-109	1973	2	STAT		213	213	211	-8	-10	IX				4 flush water. 271 to 106-BX * Leak detection dry wells drilled: 21-09-02, 21-09-04, 21-09-08, 21-09-12		0	0	193.000		1		
BX-109	1973	3	STAT		211	211	211	-2	-12							0	0	193.000		1		
BX-109	1973	4	SEND	-2		209		#N/A	-12	SU		BX-106				0	0	193.000		4	O	ARH-2794D-5
BX-109	1973	4	STAT		211	211	211	2	-10					2 to 106-BX.		0	0	193.000		1		
BX-109	1974	1	STAT		211	211	211	#N/A	-10							0	0	193.000		1		
BX-109	1974	2	STAT		211	211	211	#N/A	-10							0	0	193.000		1		
BX-109	1974	3	STAT		211	211	211	#N/A	-10							0	0	193.000		1		
BX-109	1974	4	STAT		205	205	200	-6	-16	IX				Salt filled.		0	0	193.000		1		
BX-109	1975	1	STAT		205	205	200	#N/A	-16	IX				Salt filled.		0	0	193.000		1		
BX-109	1975	2	STAT		205	205	200	#N/A	-16					Phosphoric prototype.		0	0	193.000		1		
BX-109	1975	3	STAT		205	205	200	#N/A	-16	IX				Phosphoric prototype.		0	0	193.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-109	1975	4	STAT		208	208	200	3	-13					Phosphoric prototype.		0	0	193.000		1		
BX-109	1976	1	STAT		208	208	200	#N/A	-13	IX				Phosphoric prototype-removed from service		0	0	193.000		1		
BX-109	1976	2	STAT		208	208	208	#N/A	-13					Removed from service.		0	0	193.000		1		
BX-109	1976	3	STAT		208	208	208	#N/A	-13					Needs longer salt well.		0	0	193.000		1		
BX-109	1976	4	STAT		208	208	208	#N/A	-13					Needs longer salt well.		0	0	193.000		1		
BX-109	1977	1	STAT		208	208	208	#N/A	-13					Contains salt, needs longer salt well		0	0	193.000		1		
BX-109	1977	2	STAT		208	208	208	#N/A	-13					Contains salt, needs longer salt well		0	0	193.000		1		
BX-109	1977	3	STAT		208	208	208	#N/A	-13					Inactive current, needs longer salt well		0	0	193.000		1		
BX-109	1977	4	STAT		208	208	208	#N/A	-13					Inactive current, needs longer salt well		0	0	193.000		1		
BX-109	1978	1	STAT		208	208	208	#N/A	-13					Inactive - Salt Well Installed		0	0	193.000		1		
BX-109	1978	2	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1978	3	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1978	4	STAT		208	208	208	#N/A	-13					P-10 Pmp removed		0	0	193.000		1		
BX-109	1979	1	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1979	2	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1979	3	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1979	4	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1980	1	STAT		208	208	208	#N/A	-13					New photo 2/28/80		0	0	193.000		1		
BX-109	1980	2	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1980	3	STAT		208	208	208	#N/A	-13							0	0	193.000		1		
BX-109	1980	4	STAT		208	208	208	#N/A	-13	IX						0	0	193.000		1		
BX-109	1990	3	send	-15		193		#N/A	-13	swtiq		AN-101				0	0	193.000		0		
BX-109	1993	2	STAT		193	193	193	#N/A	-13	NCPLX						0	0	193.000		1		
BX-109	1993	4	STAT		193	193	193	#N/A	-13							0	0	193.000		1		
BX-109	1994	1	STAT		193	193	193	#N/A	-13							0	0	193.000		1		
BX-109	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-110	1900																					
BX-110	1949	3	CSEND	0		0		#N/A	0	SET	BX-111						0	0.000		1		
BX-110	1949	3	XIN	67		67		#N/A	0	1C		1C1				0.14716981	9.8604	9.860	1C1	1		
BX-110	1949	3	STAT		67	67	0	#N/A	0	1C				Began filling September.		0	0	9.860		1		
BX-110	1949	4	XIN	117		184		#N/A	0	1C		1C1				0.14716981	17.219	27.079	1C1	1		
BX-110	1949	4	XIN	112		296		#N/A	0	1C		1C1				0.14716981	16.483	43.562	1C1	1		
BX-110	1949	4	XIN	124		420		#N/A	0	1C		1C1				0.14716981	18.249	61.811	1C1	1		
BX-110	1949	4	STAT		414	414	0	-6	-6	1C						0	0	61.811		1		
BX-110	1950	1	XIN	130		544		#N/A	-6	1C		1C1				0.14716981	19.132	80.943	1C1	1		
BX-110	1950	1	XIN	115		659		#N/A	-6	1C		1C1				0.14716981	16.925	97.868	1C1	1		
BX-110	1950	1	XIN	149		808		#N/A	-6	1C		1C1				0.14716981	21.928	119.796	1C1	1		
BX-110	1950	1	send	-149		659		#N/A	-6	cas		BX-111				0	0	119.796		0		
BX-110	1950	1	send	-115		544		#N/A	-6	cas		BX-111				0	0	119.796		0		
BX-110	1950	1	send	-14		530		#N/A	-6	cas		BX-111				0	0	119.796		0		
BX-110	1950	1	STAT		530	530	0	#N/A	-6				and stats at 523	Cascade full in January.		0	0	119.796		1		
BX-110	1950	2	XIN	124		654		#N/A	-6	1C		1C1				0.14716981	18.249	138.045	1C1	1		
BX-110	1950	2	XIN	122		776		#N/A	-6	1C		1C1				0.14716981	17.955	156.000	1C1	1		
BX-110	1950	2	send	-124		652		#N/A	-6	cas		BX-111				0	0	156.000		0		
BX-110	1950	2	send	-122		530		#N/A	-6	cas		BX-111				0	0	156.000		0		
BX-110	1950	2	STAT		530	530	0	#N/A	-6				and stats at 523	Full.		0	0	156.000		1		
BX-110	1950	3	STAT		530	530	0	#N/A	-6				and stats at 523	Full.		0	0	156.000		1		
BX-110	1950	4	STAT		530	530	0	#N/A	-6				and stats at 523			0	0	156.000		1		
BX-110	1951	1	STAT		530	530	0	#N/A	-6				and stats at 523			0	0	156.000		1		
BX-110	1951	2	STAT		530	530	0	#N/A	-6	1C			and stats at 523			0	0	156.000		1		
BX-110	1951	3	STAT		N/A	530		#N/A	-6								0	156.000		1		
BX-110	1951	4	STAT		N/A	530		#N/A	-6								0	156.000		1		
BX-110	1952	1	STAT		N/A	530		#N/A	-6								0	156.000		1		
BX-110	1952	2	STAT		530	530	0	#N/A	-6							0	0	156.000		1		
BX-110	1952	3	STAT		530	530	0	#N/A	-6							0	0	156.000		1		
BX-110	1952	4	STAT		530	530	0	#N/A	-6	1C						0	0	156.000		1		
BX-110	1953	1	STAT		530	530	133	#N/A	-6							0	0	156.000		1		
BX-110	1953	2	STAT		530	530	133	#N/A	-6	1C						0	0	156.000		1		
BX-110	1953	3	STAT		530	530	133	#N/A	-6	1C						0	0	156.000		1		
BX-110	1953	4	OUTX	-208		322		#N/A	-6	SU	B-039	CRIB				0	0	156.000		1		
BX-110	1953	4	STAT		322	322	133	#N/A	-6	1C						0	0	156.000		1		
BX-110	1954	1	OUTX	-86		236		#N/A	-6	SU	B-039	CRIB				0	0	156.000		1		
BX-110	1954	1	STAT		276	276	276	40	34	1C						0	0	156.000		1		
BX-110	1954	2	send	-40		236		#N/A	34	cas		BX-111				0	0	156.000		0		
BX-110	1954	2	REC	294		530		#N/A	34	SU	B-105	B-105				0	0	156.000		1		
BX-110	1954	2	STAT		530	530	236	#N/A	34					Received from 105-B.		0	0	156.000		1		
BX-110	1954	3	CSEND	0		530		#N/A	34	END	BX-111						0	156.000		1		
BX-110	1954	3	STAT		530	530	236	#N/A	34					Received from 105-B.		0	0	156.000		1		
BX-110	1954	4	STAT		530	530	236	#N/A	34	EB						0	0	156.000		1		
BX-110	1955	1	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1955	2	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1955	3	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1955	4	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1956	1	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1956	2	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1956	3	STAT		530	530	236	#N/A	34							0	0	156.000		1		
BX-110	1956	4	STAT		530	530	236	#N/A	34	EB						0	0	156.000		1		
BX-110	1957	1	STAT		497	497	236	-33	1	EB				Latest electrode reading.		0	0	156.000		1		
BX-110	1957	2	STAT		527	527	248	30	31					Latest electrode reading.		0	0	156.000		1		
BX-110	1957	3	STAT		527	527	248	#N/A	31	EB						0	0	156.000		1		
BX-110	1957	4	OUTX	-201		326		#N/A	31	T26	C-111	TFeCN	, AND reports -201		Shows -320 not -201	0	0	156.000		2	V	N-54-270
BX-110	1957	4	STAT		326	326	326	#N/A	31					201 Scavenged.		0	0	156.000		1		
BX-110	1958	1	STAT		326	326	326	#N/A	31							0	0	156.000		1		
BX-110	1958	2	STAT		367	367	326	41	72					New electrode reading.		0	0	156.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-110	1958	3	STAT		367	367	326	#N/A	72							0	0	156.000		1		
BX-110	1958	4	xin	38		405		#N/A	72	ADJ	CORR	WTR				0	0	156.000		0		
BX-110	1958	4	STAT		367	367	326	-38	34							0	0	156.000		1		
BX-110	1959	1	STAT		367	367	326	#N/A	34	EB						0	0	156.000		1		
BX-110	1959	2	STAT		368	368	326	1	35							0	0	156.000		1		
BX-110	1959	3	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1959	4	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	1	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	2	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	3	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	4	STAT		368	368	326	#N/A	35	EB						0	0	156.000		1		
BX-110	1961	1	STAT		N/A	368		#N/A	35								0	156.000		1		
BX-110	1961	2	STAT		367	367	326	-1	34	EB				6 month report		0	0	156.000		1		
BX-110	1961	3	STAT		N/A	367		#N/A	34								0	156.000		1		
BX-110	1961	4	XIN	22		389		#N/A	34	FLSH		WTR	OC 25 to 22		Shows 22 not 25	0	0	156.000		3	V	HW-72625-5
BX-110	1961	4	STAT		389	389	326	#N/A	34	EB				22 flush from BXR Vault 6 month report		0	0	156.000		1		
BX-110	1962	1	STAT		N/A	389		#N/A	34								0	156.000		1		
BX-110	1962	2	STAT		392	392	326	3	37	EB				Latest electrode reading. 6 month report		0	0	156.000		1		
BX-110	1962	3	STAT		N/A	392		#N/A	37								0	156.000		1		
BX-110	1962	4	STAT		395	395	326	3	40	EB				Latest electrode reading 6 month report		0	0	156.000		1		
BX-110	1963	1	STAT		N/A	395		#N/A	40								0	156.000		1		
BX-110	1963	2	STAT		395	395	197	#N/A	40	1C,EB				6 month report		0	0	156.000		1		
BX-110	1963	3	STAT		N/A	395		#N/A	40								0	156.000		1		
BX-110	1963	4	STAT		392	392	197	-3	37	1C,EB				Latest electrode reading. 6 month report		0	0	156.000		1		
BX-110	1964	1	STAT		N/A	392		#N/A	37								0	156.000		1		
BX-110	1964	2	STAT		392	392	197	#N/A	37	1C,EB				6 month report		0	0	156.000		1		
BX-110	1964	3	STAT		N/A	392		#N/A	37								0	156.000		1		
BX-110	1964	4	REC	154		546		#N/A	37	SU	C-102	C-102				0	0	156.000		4	O	RL-SEP-260-5
BX-110	1964	4	STAT		546	546	197	#N/A	37	1C,EB,CW				154 CW from 102-C. 6 month report		0	0	156.000		1		
BX-110	1965	1	STAT		N/A	546		#N/A	37								0	156.000		1		
BX-110	1965	2	STAT		543	543	277	-3	34	CW						0	0	156.000		1		
BX-110	1965	3	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1965	4	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	1	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	2	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	3	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	4	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	1	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	2	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	3	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	4	STAT		543	543	277	#N/A	34	EB,CW						0	0	156.000		1		
BX-110	1968	1	XIN	11		554		#N/A	34	WTR		WTR				0	0	156.000		4	O	ARH-534-6
BX-110	1968	1	STAT		554	554	277	#N/A	34	CW				Received 11 from Catch Tank.		0	0	156.000		1		
BX-110	1968	2	STAT		554	554	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1968	3	STAT		554	554	277	#N/A	34	EB,CW						0	0	156.000		1		
BX-110	1968	4	SEND	-239		315		#N/A	34	SU		BX-106				0	0	156.000		4	O	ARH-1061-6
BX-110	1968	4	STAT		315	315	277	#N/A	34	EB				239 to 106-BX.		0	0	156.000		1		
BX-110	1969	1	XIN	229		544		#N/A	34	CSR		CSR				0	0	156.000		4	O	ARH-1200A-6
BX-110	1969	1	STAT		542	542	277	-2	32	IX				229 from 221-B (18-1)		0	0	156.000		1		
BX-110	1969	2	STAT		542	542	277	#N/A	32	EB,IX						0	0	156.000		1		
BX-110	1969	3	send	-33		509		#N/A	32			BY-102				0	0	156.000		0		
BX-110	1969	3	STAT		509	509	156	#N/A	32	IX						0	0	156.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans, tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-110	1969	4	STAT		509	509	156	#N/A	32	IX						0	0	156.000		1		
BX-110	1970	1	STAT		509	509	156	#N/A	32	EB,IX						0	0	156.000		1		
BX-110	1970	2	SEND	-285		224		#N/A	32	SU		BX-104				0	0	156.000		4	O	ARH-1666B-6
BX-110	1970	2	STAT		224	224	156	#N/A	32	EB				285 to 104-BX.		0	0	156.000		1		
BX-110	1970	3	STAT		227	227	156	3	35							0	0	156.000		1		
BX-110	1970	4	STAT		227	227	156	#N/A	35							0	0	156.000		1		
BX-110	1971	1	STAT		227	227	156	#N/A	35	EB						0	0	156.000		1		
BX-110	1971	2	STAT		231	231	156	4	39	EB						0	0	156.000		1		
BX-110	1971	3	STAT		224	224	156	-7	32	EB				* Leak detection dry wells drilled: 21-10-01;; 21-10-05; 21-10-07; 21-10-11		0	0	156.000		1		
BX-110	1971	4	STAT		231	231	156	7	39	EB						0	0	156.000		1		
BX-110	1972	1	REC	813		1044		#N/A	39	SU	BY-109	BY-109				0	0	156.000		1		
BX-110	1972	1	send	-580		464		#N/A	39			BY-112				0	0	156.000		0		
BX-110	1972	1	GREC	0		464		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1972	1	STAT		464	464	290	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1972	2	rec	27		491		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1972	2	GREC	0		491		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1972	2	STAT		491	491	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1972	3	rec	1		492		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1972	3	GREC	0		492		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1972	3	STAT		492	492	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1972	4	rec	2		494		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1972	4	GREC	0		494		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1972	4	STAT		494	494	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	1	rec	16		510		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1973	1	GREC	0		510		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1973	1	STAT		510	510	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	2	rec	4		514		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1973	2	GREC	0		514		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1973	2	STAT		514	514	238	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	3	send	-13		501		#N/A	39			BY-112				0	0	156.000		0		
BX-110	1973	3	GREC	0		501		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1973	3	STAT		501	501	238	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	4	send	-2		499		#N/A	39			BY-112				0	0	156.000		0		
BX-110	1973	4	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1973	4	STAT		499	499	236	#N/A	39	EB				ITS bottoms and recycle. * Leak detection dry well 21-10-03 drilled.		0	0	156.000		1		
BX-110	1974	1	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1974	1	STAT		499	499	288	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1974	2	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1974	2	STAT		500	500	288	1	40					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1974	3	GREC	0		500		#N/A	40	ITS	BY-112						0	156.000		1		
BX-110	1974	3	STAT		500	500	288	#N/A	40	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1974	4	GREC	0		500		#N/A	40	ITS	BY-112						0	156.000		1		
BX-110	1974	4	STAT		499	499	249	-1	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	1	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1975	1	STAT		499	499	249	#N/A	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	2	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1975	2	STAT		499	499	249	#N/A	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	3	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1975	3	STAT		499	499	249	#N/A	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	4	GREC	0		499		#N/A	39	ITS	BY-112						0	156.000		1		
BX-110	1975	4	STAT		499	499	249	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1976	1	outx	-343		156		#N/A	39			BYEVAP				0	0	156.000	BYEV	0		
BX-110	1976	1	xin	343		499		#N/A	39			BYSltCk				0.122449	42	198.000	BYSlt	0		
BX-110	1976	1	GREC	0		499		#N/A	39	ITS	BY-112						0	198.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-110	1976	1	STAT		499	499	250	#N/A	39	EB				ITS bottoms and recycle.		0	0	198.000		1		
BX-110	1976	2	GREC	0		499		#N/A	39	ITS	BY-109						0	198.000		1		
BX-110	1976	2	STAT		499	499	249	#N/A	39	EB				ITS bottoms and recycle.		0	0	198.000		1		
BX-110	1976	3	STAT		499	499	249	#N/A	39					Activity restricted.		0	0	198.000		1		
BX-110	1976	4	STAT		499	499	249	#N/A	39							0	0	198.000		1		
BX-110	1977	1	STAT		499	499	249	#N/A	39	EVAP				(189 sludge & 60 salt cake) Evap. feed concentrate		0	0	198.000		1		
BX-110	1977	2	send	-250		249		#N/A	39			A-102				0	0	198.000		0		
BX-110	1977	2	STAT		249	249	249	#N/A	39					(189 sludge & 60 salt cake) Inactive salt well, pump salt well installed		0	0	198.000		1		
BX-110	1977	3	STAT		249	249	249	#N/A	39					Inactive current, salt well installed		0	0	198.000		1		
BX-110	1977	4	STAT		249	249	249	#N/A	39					Inactive current, salt well installed		0	0	198.000		1		
BX-110	1978	1	STAT		249	249	249	#N/A	39					Inactive - Salt Well Installed		0	0	198.000		1		
BX-110	1978	2	STAT		249	249	249	#N/A	39					Questionable Integrity Tank		0	0	198.000		1		
BX-110	1978	3	STAT		249	249	249	#N/A	39							0	0	198.000		1		
BX-110	1978	4	STAT		249	249	249	#N/A	39					New Photo 11/14/78		0	0	198.000		1		
BX-110	1979	1	STAT		249	249	249	#N/A	39							0	0	198.000		1		
BX-110	1979	2	STAT		249	249	249	#N/A	39							0	0	198.000		1		
BX-110	1979	3	STAT		249	249	249	#N/A	39							0	0	198.000		1		
BX-110	1979	4	STAT		249	249	249	#N/A	39							0	0	198.000		1		
BX-110	1980	1	send	-47		202		#N/A	39			A-102				0	0	198.000		0		
BX-110	1980	1	STAT		202	202	200	#N/A	39					New Photo 2/19/80		0	0	198.000		1		
BX-110	1980	2	STAT		202	202	200	#N/A	39							0	0	198.000		1		
BX-110	1980	3	STAT		202	202	200	#N/A	39							0	0	198.000		1		
BX-110	1980	4	STAT		202	202	200	#N/A	39	EVAP						0	0	198.000		1		
BX-110	1983	4	send	-3		199		#N/A	39	swliq		AY-102				0	0	198.000		0		
BX-110	1988	2	send	-1		198		#N/A	39	swliq		AN-101				0	0	198.000		0		
BX-110	1993	2	STAT		199	199	198	1	40	NCPLX						0	0	198.000		1		
BX-110	1993	4	STAT		198	198	198	-1	39							0	0	198.000		1		
BX-110	1994	1	STAT		198	198	198	#N/A	39							0	0	198.000		1		
BX-110	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-111	1900																					
BX-111	1949	3	CREC	0		0		#N/A	0	SET	BX-110						0	0.000		1		
BX-111	1949	4	CSEND	0		0		#N/A	0	SET	BX-112						0	0.000		1		
BX-111	1949	4	STAT		0	0	0	#N/A	0							0	0	0.000		1		
BX-111	1950	1	rec	149		149		#N/A	0	cas	BX-110	BX-110				0.061069	9.0992	9.099	1C1	0		
BX-111	1950	1	rec	115		264		#N/A	0	cas	BX-110	BX-110				0.061069	7.0229	16.122	1C1	0		
BX-111	1950	1	rec	14		278		#N/A	0	cas	BX-110	BX-110				0.061069	0.855	16.977	1C1	0		
BX-111	1950	1	STAT		281	281	0	3	3	1C				Cascade began filling January.		0	0	16.977		1		
BX-111	1950	2	rec	124		405		#N/A	3	cas	BX-110	BX-110				0.061069	7.5725	24.550	1C1	0		
BX-111	1950	2	rec	122		527		#N/A	3	cas	BX-110	BX-110				0.061069	7.4504	32.000	1C1	0		
BX-111	1950	2	STAT		530	530	0	3	6				and stats at 523	Full in May.		0	0	32.000		1		
BX-111	1950	3	STAT		530	530	0	#N/A	6				and stats at 523	Full.		0	0	32.000		1		
BX-111	1950	4	STAT		530	530	0	#N/A	6	1C			and stats at 523			0	0	32.000		1		
BX-111	1951	1	STAT		530	530	0	#N/A	6				and stats at 523			0	0	32.000		1		
BX-111	1951	2	STAT		530	530	0	#N/A	6	1C			and stats at 523			0	0	32.000		1		
BX-111	1951	3	STAT		N/A	530		#N/A	6							0	0	32.000		1		
BX-111	1951	4	STAT		N/A	530		#N/A	6								0	32.000		1		
BX-111	1952	1	STAT		N/A	530		#N/A	6								0	32.000		1		
BX-111	1952	2	STAT		525	525	0	-5	1								0	32.000		1		
BX-111	1952	3	STAT		525	525	0	#N/A	1							0	0	32.000		1		
BX-111	1952	4	STAT		525	525	0	#N/A	1							0	0	32.000		1		
BX-111	1953	1	STAT		525	525	0	#N/A	1	1C						0	0	32.000		1		
BX-111	1953	2	STAT		530	530	0	5	6	1C						0	0	32.000		1		
BX-111	1953	3	STAT		530	530	0	#N/A	6							0	0	32.000		1		
BX-111	1953	4	STAT		530	530	0	#N/A	6	1C						0	0	32.000		1		
BX-111	1954	1	CSEND	0		530		#N/A	6	END	BX-112					0	0	32.000		1		
BX-111	1954	1	STAT		530	530	32	#N/A	6	1C							0	32.000		1		
BX-111	1954	2	rec	40		570		#N/A	6	cas	BX-110	BX-110				0	0	32.000		1		
BX-111	1954	2	REC	247		817		#N/A	6	SU	B-105	B-105				0	0	32.000		0		
BX-111	1954	2	OUTX	-457		360		#N/A	6	SU	B-040	CRIB				0	0	32.000		1		
BX-111	1954	2	outx	-104		256		#N/A	6			CRIB				0	0	32.000		2		
BX-111	1954	2	STAT		256	256	32	#N/A	6	1C,EB						0	0	32.000		0		
BX-111	1954	3	REC	274		530		#N/A	6	SU	B-105	B-105		Pumped to Crib No. 2.		0	0	32.000		1		
BX-111	1954	3	CREC	0		530		#N/A	6	END	BX-110					0	0	32.000		1		
BX-111	1954	3	STAT		530	530	32	#N/A	6	EB							0	32.000		1		
BX-111	1954	4	STAT		530	530	32	#N/A	6	1C,EB						0	0	32.000		1		
BX-111	1955	1	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1955	2	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1955	3	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1955	4	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1956	1	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1956	2	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1956	3	STAT		530	530	32	#N/A	6	EB						0	0	32.000		1		
BX-111	1956	4	STAT		530	530	32	#N/A	6	1C,EB						0	0	32.000		1		
BX-111	1957	1	xin	32		562		#N/A	6	ADJ	CORR	WTR				0	0	32.000		1		
BX-111	1957	1	STAT		535	535	32	-27	-21	1C,EB						0	0	32.000		0		
BX-111	1957	2	STAT		568	568	62	33	12	EB				Latest electrode reading.		0	0	32.000		1		
BX-111	1957	3	STAT		568	568	62	#N/A	12	1C,EB				Latest electrode reading.		0	0	32.000		1		
BX-111	1957	4	OUTX	-514		54		#N/A	12	T27	C-109	TFeCN	AND reports -514	Latest electrode reading.		0	0	32.000		1		
BX-111	1957	4	STAT		51	51	51	-3	9							0	0	32.000		3	O	N-54-271
BX-111	1958	1	STAT		51	51	51	#N/A	9					514 scavenged.		0	0	32.000		1		
BX-111	1958	2	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1958	3	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1958	4	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1959	1	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1959	2	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1959	3	STAT		51	51	51	#N/A	9							0	0	32.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-111	1959	4	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1960	1	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1960	2	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1960	3	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1960	4	STAT		51	51	51	#N/A	9							0	0	32.000		1		
BX-111	1961	1	STAT		N/A	51		#N/A	9								0	32.000		1		
BX-111	1961	2	STAT		51	51	51	#N/A	9								0	32.000		1		
BX-111	1961	3	STAT		N/A	51		#N/A	9					6 month report		0	0	32.000		1		
BX-111	1961	4	xin	6		57		#N/A	9	ADJ	CORR	WTR					0	32.000		1		
BX-111	1961	4	STAT		57	57	51	#N/A	9	1C						0	0	32.000		0		
BX-111	1962	1	STAT		N/A	57		#N/A	9					New electrode reading.6 Month		0	0	32.000		1		
BX-111	1962	2	STAT		N/A	57		#N/A	9								0	32.000		1		
BX-111	1962	3	STAT		N/A	57		#N/A	9								0	32.000		1		
BX-111	1962	4	STAT		N/A	57		#N/A	9								0	32.000		1		
BX-111	1963	1	STAT		N/A	57		#N/A	9								0	32.000		1		
BX-111	1963	2	STAT		57	57	51	#N/A	9	1C							0	32.000		1		
BX-111	1963	3	STAT		N/A	57		#N/A	9					6 Month report		0	0	32.000		1		
BX-111	1963	4	STAT		57	57	51	#N/A	9	1C							0	32.000		1		
BX-111	1964	1	STAT		N/A	57		#N/A	9					6 month report		0	0	32.000		1		
BX-111	1964	2	REC	487		544		#N/A	9		C-108	C-108					0	32.000		1		
BX-111	1964	2	REC	12		556		#N/A	9		C-108	C-108	Omis.		Omission	0	0	32.000		3	V	HW-83308-5
BX-111	1964	2	STAT		544	544	51	-12	-3	1C,CW				487 from 108-C. 6 month report	Omission	0	0	32.000		2	V	HW-83308-5
BX-111	1964	3	STAT		N/A	544		#N/A	-3							0	0	32.000		1		
BX-111	1964	4	STAT		543	543	51	-1	-4	1C,CW							0	32.000		1		
BX-111	1965	1	STAT		N/A	543		#N/A	-4					6 month report		0	0	32.000		1		
BX-111	1965	2	STAT		541	541	79	-2	-6								0	32.000		1		
BX-111	1965	3	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1965	4	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1966	1	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1966	2	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1966	3	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1966	4	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1967	1	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1967	2	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1967	3	STAT		541	541	79	#N/A	-6							0	0	32.000		1		
BX-111	1967	4	STAT		541	541	79	#N/A	-6	CW						0	0	32.000		1		
BX-111	1968	1	STAT		540	540	79	-1	-7							0	0	32.000		1		
BX-111	1968	2	STAT		540	540	79	#N/A	-7	CW						0	0	32.000		1		
BX-111	1968	3	SEND	-198		342		#N/A	-7	SU		BX-106				0	0	32.000		4	O	ARH-871-6
BX-111	1968	3	STAT		343	343	79	1	-6	CW				198 to 106-BX.		0	0	32.000		1		
BX-111	1968	4	SEND	-236		107		#N/A	-6	SU		BX-106				0	0	32.000		4	O	ARH-1061-6
BX-111	1968	4	STAT		107	107	79	#N/A	-6	CW				236 to 106-BX.		0	0	32.000		1		
BX-111	1969	1	STAT		107	107	79	#N/A	-6	CW						0	0	32.000		1		
BX-111	1969	2	REC	283		390		#N/A	-6	SU	BX-104	BX-104				0	0	32.000		4	O	ARH-1200B-6
BX-111	1969	2	STAT		390	390	79	#N/A	-6	CW,IX				283 from 104-BX.		0	0	32.000		1		
BX-111	1969	3	send	-33		357		#N/A	-6			BY-102				0	0	32.000		0		
BX-111	1969	3	REC	149		506		#N/A	-6	SU	BX-104	BX-104				0	0	32.000		4	O	ARH-1200C-6
BX-111	1969	3	STAT		506	506	33	#N/A	-6	CW,IX				149 from 104-BX.		0	0	32.000		1		
BX-111	1969	4	STAT		505	505	33	-1	-7	IX						0	0	32.000		1		
BX-111	1970	1	STAT		505	505	33	#N/A	-7	IX						0	0	32.000		1		
BX-111	1970	2	STAT		505	505	33	#N/A	-7	CW,IX						0	0	32.000		1		
BX-111	1970	3	SEND	-458		47		#N/A	-7	SU		BX-104				0	0	32.000		4	O	ARH-1666C-6
BX-111	1970	3	STAT		47	47	33	#N/A	-7	CW				458 to 104-BX.		0	0	32.000		1		
BX-111	1970	4	STAT		48	48	33	1	-6	CW						0	0	32.000		1		
BX-111	1971	1	STAT		51	51	33	3	-3	CW						0	0	32.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
BX-111	1971	2	STAT		47	47	33	-4	-7	CW				*Leak detection dry wells drilled: 21-11-04, 21-11-05, 21-11-07, 21-11-10, 21-11-11		0	0	32.000		1		
BX-111	1971	3	rec	55		102		#N/A	-7		BY-112	BY-112				0	0	32.000		0		
BX-111	1971	3	STAT		102	102	33	#N/A	-7	EB						0	0	32.000		1		
BX-111	1971	4	rec	133		235		#N/A	-7		BY-112	BY-112				0	0	32.000		0		
BX-111	1971	4	STAT		235	235	33	#N/A	-7	EB						0	0	32.000		1		
BX-111	1972	1	rec	160		395		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1972	1	GREC	0		395		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1972	1	STAT		395	395	118	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1972	2	send	-33		362		#N/A	-7			BY-112				0	0	32.000		0		
BX-111	1972	2	GREC	0		362		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1972	2	STAT		362	362	68	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1972	3	rec	1		363		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1972	3	GREC	0		363		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1972	3	STAT		363	363	68	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1972	4	rec	37		400		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1972	4	GREC	0		400		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1972	4	STAT		400	400	68	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1973	1	send	-161		239		#N/A	-7			BY-112				0	0	32.000		0		
BX-111	1973	1	GREC	0		239		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1973	1	STAT		239	239	68	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1973	2	rec	56		295		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1973	2	REC	13		308		#N/A	-7	SU	BY-109	BY-109				0	0	32.000		1		
BX-111	1973	2	GREC	0		308		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1973	2	STAT		308	308	128	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1973	3	send	-27		281		#N/A	-7			BY-112				0	0	32.000		0		
BX-111	1973	3	GREC	0		281		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1973	3	STAT		281	281	128	#N/A	-7	EB				ITS bottoms and recycle. * Leak detection dry well 21-11-03 drilled.		0	0	32.000		1		
BX-111	1973	4	rec	40		321		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1973	4	GREC	0		321		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1973	4	STAT		321	321	128	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1974	1	send	-5		316		#N/A	-7			BY-112				0	0	32.000		0		
BX-111	1974	1	REC	71		387		#N/A	-7	SU	BY-109	BY-109				0	0	32.000		1		
BX-111	1974	1	GREC	0		387		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1974	1	STAT		387	387	234	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1974	2	rec	17		404		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1974	2	GREC	0		404		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1974	2	STAT		404	404	234	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1974	3	rec	2		406		#N/A	-7	ITS	BY-112	BY-112				0	0	32.000		0		
BX-111	1974	3	REC	102		508		#N/A	-7	SU	BY-102	BY-102				0	0	32.000		1		
BX-111	1974	3	GREC	0		508		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1974	3	STAT		508	508	234	#N/A	-7	EB				ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1974	4	GREC	0		508		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1974	4	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1975	1	GREC	0		508		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1975	1	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1975	2	GREC	0		508		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1975	2	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1975	3	GREC	0		508		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1975	3	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.		0	0	32.000		1		
BX-111	1975	4	GREC	0		508		#N/A	-7	ITS	BY-112							32.000		1		
BX-111	1975	4	STAT		508	508	216	#N/A	-7	EB				ITS -bottoms and recycle.		0	0	32.000		1		
BX-111	1976	1	outx	-378		130		#N/A	-7			BYEVAP				0	0	32.000	BYEV	0		
BX-111	1976	1	xin	378		508		#N/A	-7			BYSltCk				0.473545	179	211.000	BYSlt	0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-111	1976	1	GREC	0		508		#N/A	-7	ITS	BY-112						0	211.000		1		
BX-111	1976	1	STAT		510	510	216	2	-5					ITS bottoms and recycle.		0	0	211.000		1		
BX-111	1976	2	GREC	0		510		#N/A	-5	ITS	BY-109						0	211.000		1		
BX-111	1976	2	STAT		510	510	216	#N/A	-5	EB				ITS bottoms and recycle.		0	0	211.000		1		
BX-111	1976	3	STAT		510	510	216	#N/A	-5					Activity restricted.		0	0	211.000		1		
BX-111	1976	4	STAT		510	510	216	#N/A	-5	EVAP						0	0	211.000		1		
BX-111	1977	1	send	-35		475		#N/A	-5			A-102				0	0	211.000		0		
BX-111	1977	1	STAT		475	475	216	#N/A	-5	EVAP				(68 sludge & 148 salt cake) Evap.feed concentrate salt well installed		0	0	211.000		1		
BX-111	1977	2	send	-215		260		#N/A	-5			A-102				0	0	211.000		0		
BX-111	1977	2	STAT		260	260	216	#N/A	-5	EVAP				(68 sludge & 148 salt cake) Active restricted, Evap. feed conc. SW installed		0	0	211.000		1		
BX-111	1977	3	send	-30		230		#N/A	-5			A-102				0	0	211.000		0		
BX-111	1977	3	STAT		230	230	216	#N/A	-5	EVAP				(68 sludge & 148 salt cake) Inactive current;; salt well installed		0	0	211.000		1		
BX-111	1977	4	rec	3		233		#N/A	-5		A-102	A-102				0	0	211.000		0		
BX-111	1977	4	STAT		233	233	211	#N/A	-5	EVAP				(68 sludge & 143 salt cake) Inactive current;; salt well installed		0	0	211.000		1		
BX-111	1978	1	STAT		233	233	211	#N/A	-5					Inactive - Salt Well Installed		0	0	211.000		1		
BX-111	1978	2	STAT		233	233	211	#N/A	-5					Questionable Integrity Tank		0	0	211.000		1		
BX-111	1978	3	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1978	4	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1979	1	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1979	2	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1979	3	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1979	4	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1980	1	STAT		233	233	211	#N/A	-5					New Photo 3/6/80		0	0	211.000		1		
BX-111	1980	2	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1980	3	STAT		233	233	211	#N/A	-5							0	0	211.000		1		
BX-111	1980	4	STAT		233	233	211	#N/A	-5	NCPLX						0	0	211.000		1		
BX-111	1984	2	send	-3		230		#N/A	-5	swliq		AN-101				0	0	211.000		0		
BX-111	1989	3	send	-17		213		#N/A	-5	swliq		AN-101				0	0	211.000		0		
BX-111	1993	2	STAT		230	230	211	17	12	NCPLX						0	0	211.000		1		
BX-111	1993	4	STAT		211	211	211	-19	-7							0	0	211.000		1		
BX-111	1994	1	STAT		211	211	211	#N/A	-7							0	0	211.000		1		
BX-111	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-112	1900																					
BX-112	1949	4	CREC	0		0		#N/A	0	SET	BX-111											
BX-112	1951	3	XIN	157		157		#N/A	0	1C		1C1					0	0.000		1		
BX-112	1951	4	XIN	189		346		#N/A	0	1C		1C1				0.137736	21.625	21.625	1C1	1		
BX-112	1951	4	XIN	179		525		#N/A	0	1C		1C1				0.137736	26.032	47.657	1C1	1		
BX-112	1951	4	XIN	5		530		#N/A	0	1C		1C1				0.137736	24.655	72.311	1C1	1		
BX-112	1952	1	STAT		N/A	530		#N/A	0							0.137736	0.6887	73.000	1C1	1		
BX-112	1952	2	STAT		530	530	0	#N/A	0	1C							0	73.000		1		
BX-112	1952	3	STAT		530	530	0	#N/A	0							0	0	73.000		1		
BX-112	1952	4	STAT		530	530	0	#N/A	0							0	0	73.000		1		
BX-112	1953	1	STAT		530	530	239	#N/A	0							0	0	73.000		1		
BX-112	1953	2	STAT		530	530	239	#N/A	0	1C						0	0	73.000		1		
BX-112	1953	3	STAT		530	530	239	#N/A	0	1C						0	0	73.000		1		
BX-112	1953	4	OUTX	-210		320		#N/A	0	SU	B-039	CRIB				0	0	73.000		1		
BX-112	1953	4	STAT		323	323	239	3	3	1C				Pumping supernatant to ditch.		0	0	73.000		1		
BX-112	1954	1	CREC	0		323		#N/A	3	END	BX-111						0	73.000		1		
BX-112	1954	1	STAT		323	323	270	#N/A	3	1C						0	0	73.000		1		
BX-112	1954	2	STAT		320	320	270	-3	0	1C						0	0	73.000		1		
BX-112	1954	3	REC	71		391		#N/A	0	SU	B-105	B-105				0	0	73.000		1		
BX-112	1954	3	STAT		391	391	270	#N/A	0	EB				To be spare for TBP scavenged waste.		0	0	73.000		1		
BX-112	1954	4	STAT		391	391	270	#N/A	0	EB				To be spare for TBP scavenged waste.		0	0	73.000		1		
BX-112	1955	1	STAT		391	391	270	#N/A	0	1C,EB				Spare for TBP scavenged waste.		0	0	73.000		1		
BX-112	1955	2	STAT		391	391	270	#N/A	0	EB,EB				Spare for TBP scavenged waste.		0	0	73.000		1		
BX-112	1955	3	STAT		391	391	270	#N/A	0	EB				Spare for TBP scavenged waste.		0	0	73.000		1		
BX-112	1955	4	outx	-259		132		#N/A	0			BEVAP				0	0	73.000	BEVA	0		
BX-112	1955	4	xin	259		391		#N/A	0			BSltCk				0.351351	91	164.000	BSltCl	0		
BX-112	1955	4	STAT		391	391	270	#N/A	0	EB				Spare for TBP scavenged waste.		0	0	164.000		1		
BX-112	1956	1	STAT		391	391	270	#N/A	0	EB				Spare for TBP scavenged waste.		0	0	164.000		1		
BX-112	1956	2	STAT		391	391	270	#N/A	0	EB						0	0	164.000		1		
BX-112	1956	3	STAT		391	391	270	#N/A	0	EB						0	0	164.000		1		
BX-112	1956	4	STAT		391	391	270	#N/A	0	1C,EB						0	0	164.000		1		
BX-112	1957	1	xin	42		433		#N/A	0	ADJ	CORR	WTR				0	0	164.000		0		
BX-112	1957	1	STAT		398	398	270	-35	-35	1C,EB				Estimated reading. Latest electrode reading		0	0	164.000		1		
BX-112	1957	2	STAT		433	433	287	35	0	EB				New e1ectrode reading.		0	0	164.000		1		
BX-112	1957	3	STAT		433	433	287	#N/A	0	EB						0	0	164.000		1		
BX-112	1957	4	outx	-31		402		#N/A	0	ADJ	CORR	COND				0	0	164.000		1		
BX-112	1957	4	STAT		433	433	287	31	31	EB						0	0	164.000		1		
BX-112	1958	1	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1958	2	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1958	3	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1958	4	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1959	1	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1959	2	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1959	3	STAT		433	433	287	#N/A	31	EB						0	0	164.000		1		
BX-112	1959	4	STAT		433	433	287	#N/A	31	1C,EB						0	0	164.000		1		
BX-112	1960	1	STAT		439	439	287	6	37	EB				New electrode installed.		0	0	164.000		1		
BX-112	1960	2	STAT		439	439	287	#N/A	37	1C,EB						0	0	164.000		1		
BX-112	1960	3	STAT		441	441	287	2	39	EB				Latest electrode reading.		0	0	164.000		1		
BX-112	1960	4	STAT		441	441	287	#N/A	39	1C,EB						0	0	164.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-112	1961	1	STAT		N/A	441		#N/A	39								0	164.000		1		
BX-112	1961	2	STAT		450	450	287	9	48	1C,EB				6 month report		0	0	164.000		1		
BX-112	1961	3	STAT		N/A	450		#N/A	48								0	164.000		1		
BX-112	1961	4	xin	20		470		#N/A	48	ADJ	CORR	WTR					0	164.000		1		
BX-112	1961	4	STAT		453	453	287	-17	31	1C,EB				Latest electrode reading. 6 month report.		0	0	164.000		0		
BX-112	1962	1	STAT		N/A	453		#N/A	31							0	0	164.000		1		
BX-112	1962	2	STAT		450	450	287	-3	28	1C,EB							0	164.000		1		
BX-112	1962	3	STAT		N/A	450		#N/A	28							0	0	164.000		1		
BX-112	1962	4	STAT		450	450	287	#N/A	28	1C,EB							0	164.000		1		
BX-112	1963	1	STAT		N/A	450		#N/A	28							0	0	164.000		1		
BX-112	1963	2	STAT		453	453	271	3	31	1C,EB							0	164.000		1		
BX-112	1963	3	STAT		N/A	453		#N/A	31							0	0	164.000		1		
BX-112	1963	4	STAT		453	453	271	#N/A	31	1C,EB							0	164.000		1		
BX-112	1964	1	STAT		N/A	453		#N/A	31							0	0	164.000		1		
BX-112	1964	2	STAT		450	450	271	-3	28	1C,EB							0	164.000		1		
BX-112	1964	3	STAT		N/A	450		#N/A	28							0	0	164.000		1		
BX-112	1964	4	REC	99		549		#N/A	28	SU	C-102	C-102					0	164.000		1		
BX-112	1964	4	STAT		549	549	271	#N/A	28	1C,EB,CW				99 CW from 102-C.		0	0	164.000		4	O	RL-SEP-260-5
BX-112	1965	1	STAT		N/A	549		#N/A	28							0	0	164.000		1		
BX-112	1965	2	STAT		546	546	318	-3	25	EB,CW							0	164.000		1		
BX-112	1965	3	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1965	4	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1966	1	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1966	2	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1966	3	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1966	4	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1967	1	STAT		546	546	318	#N/A	25	EB,CW							0	164.000		1		
BX-112	1967	2	STAT		546	546	318	#N/A	25	1C,EB,CW							0	164.000		1		
BX-112	1967	3	STAT		541	541	318	-5	20	EB,CW							0	164.000		1		
BX-112	1967	4	STAT		541	541	318	#N/A	20	1C,EB,CW							0	164.000		1		
BX-112	1968	1	XIN	13		554		#N/A	20	WTR		WTR					0	164.000		1		
BX-112	1968	1	STAT		554	554	318	#N/A	20	EB,CW							0	164.000		4	O	ARH-534-6
BX-112	1968	2	STAT		554	554	318	#N/A	20	1C,EB,CW				Received 13 from CT.			0	164.000		1		
BX-112	1968	3	SEND	-200		354		#N/A	20	SU		BX-106					0	164.000		1		
BX-112	1968	3	STAT		354	354	318	#N/A	20	EB							0	164.000		4	O	ARH-871-6
BX-112	1968	4	STAT		354	354	318	#N/A	20	EB				200 to 106-BX.			0	164.000		1		
BX-112	1969	1	XIN	179		533		#N/A	20	CSR	221-B	CSR	Omis.				0	164.000		1		
BX-112	1969	1	STAT		532	532	318	-1	19	IX					Omission		0	164.000		3	V	ARH-1200A-6
BX-112	1969	2	STAT		532	532	318	#N/A	19	EB,IX				179 from 221-B (18-1)			0	164.000		1		
BX-112	1969	3	send	-33		499		#N/A	19			BY-102					0	164.000		1		
BX-112	1969	3	STAT		499	499	134	#N/A	19	IX							0	164.000		0		
BX-112	1969	4	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1970	1	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1970	2	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1970	3	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1970	4	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1971	1	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1971	2	STAT		499	499	134	#N/A	19	IX							0	164.000		1		
BX-112	1971	3	STAT		499	499	134	#N/A	19	IX				* Leak detection dry wells drilled: 21-12-02, 21-12-05, 21-12-07, 21-12-10			0	164.000		1		
BX-112	1971	4	STAT		499	499	134	#N/A	19	EB,IX							0	164.000		1		
BX-112	1972	1	STAT		498	498	134	-1	18	EB,IX							0	164.000		1		
BX-112	1972	2	STAT		497	497	134	-1	17	EB,IX							0	164.000		1		
BX-112	1972	3	STAT		496	496	232	-1	16	EB,IX							0	164.000		1		
BX-112	1972	4	STAT		508	508	232	12	28	EB,IX							0	164.000		1		
BX-112	1973	1	STAT		512	512	216	4	32	EB,IX							0	164.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-112	1973	2	STAT		511	511	216	-1	31	EB,IX				** Leak detection dry well 21-12-12 drilled.		0	0	164.000		1		
BX-112	1973	3	STAT		497	497	216	-14	17	EB,IX						0	0	164.000		1		
BX-112	1973	4	STAT		496	496	216	-1	16	EB,IX						0	0	164.000		1		
BX-112	1974	1	STAT		495	495	216	-1	15	EB,IX						0	0	164.000		1		
BX-112	1974	2	SEND	-313		182		#N/A	15	SU		BX-105				0	0	164.000		1		
BX-112	1974	2	STAT		216	216	216	34	49							0	0	164.000		4	O	ARH-CD-133B-5
BX-112	1974	3	STAT		216	216	216	#N/A	49					313 to 105-BX.		0	0	164.000		1		
BX-112	1974	4	STAT		194	194	178	-22	27	IX						0	0	164.000		1		
BX-112	1975	1	STAT		194	194	178	#N/A	27	IX				Awaiting solidification.		0	0	164.000		1		
BX-112	1975	2	STAT		194	194	178	#N/A	27	IX						0	0	164.000		1		
BX-112	1975	3	STAT		194	194	178	#N/A	27	IX						0	0	164.000		1		
BX-112	1975	4	STAT		194	194	178	#N/A	27	IX						0	0	164.000		1		
BX-112	1976	1	STAT		194	194	178	#N/A	27	IX						0	0	164.000		1		
BX-112	1976	2	STAT		194	194	178	#N/A	27	EB,IX						0	0	164.000		1		
BX-112	1976	3	STAT		202	202	178	8	35							0	0	164.000		1		
BX-112	1976	4	STAT		202	202	178	#N/A	35					Evap. Feed dil.		0	0	164.000		1		
BX-112	1977	1	STAT		202	202	178	#N/A	35	EVAP						0	0	164.000		1		
BX-112	1977	2	send	-24		178		#N/A	35			A-102		Evap. feed dil.		0	0	164.000		1		
BX-112	1977	2	STAT		178	178	178	#N/A	35					Evap. feed dil - salt well installed		0	0	164.000		0		
BX-112	1977	3	STAT		178	178	178	#N/A	35					Inactive spare current		0	0	164.000		1		
BX-112	1977	4	STAT		178	178	178	#N/A	35					Inactive current salt well installed		0	0	164.000		1		
BX-112	1978	1	STAT		178	178	178	#N/A	35					Inactive - Salt Well Insta11ed		0	0	164.000		1		
BX-112	1978	2	STAT		178	178	178	#N/A	35							0	0	164.000		1		
BX-112	1978	3	STAT		178	178	178	#N/A	35	EVAP						0	0	164.000		1		
BX-112	1978	4	send	-9		169		#N/A	35			A-102				0	0	164.000		0		
BX-112	1978	4	STAT		169	169	169	#N/A	35					Solids Level Adj. 11/3/78		0	0	164.000		1		
BX-112	1979	1	STAT		169	169	169	#N/A	35							0	0	164.000		1		
BX-112	1979	2	STAT		169	169	169	#N/A	35							0	0	164.000		1		
BX-112	1979	3	STAT		169	169	169	#N/A	35							0	0	164.000		1		
BX-112	1979	4	STAT		169	169	169	#N/A	35	EVAP						0	0	164.000		1		
BX-112	1980	1	STAT		169	169	169	#N/A	35					New Photo 3/10/80		0	0	164.000		1		
BX-112	1980	2	STAT		169	169	169	#N/A	35	EVAP						0	0	164.000		1		
BX-112	1980	3	STAT		169	169	169	#N/A	35							0	0	164.000		1		
BX-112	1980	4	STAT		169	169	169	#N/A	35	EVAP						0	0	164.000		1		
BX-112	1983	3	send	-4		165		#N/A	35	swliq		AN-101				0	0	164.000		0		
BX-112	1993	2	STAT		165	165	164	#N/A	35							0	0	164.000		1		
BX-112	1993	4	STAT		165	165	164	#N/A	35							0	0	164.000		1		
BX-112	1994	1	STAT		165	165	164	#N/A	35							0	0	164.000		1		
BX-112	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-101	1900																					
BY-101	1949	4	CREC	0		0		#N/A	0	SET	BX-103						0	0.000		1		
BY-101	1949	4	CSEND	0		0		#N/A	0	SET	BY-102						0	0.000		1		
BY-101	1949	4	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-101	1950	1	rec	159		159		#N/A	0	cas	BX-103	BX-103				0.01762744	2.8028	2.803	MW1	0		
BY-101	1950	1	rec	126		285		#N/A	0	cas	BX-103	BX-103				0.01762744	2.2211	5.024	MW1	0		
BY-101	1950	1	STAT		290	290	0	5	5	MW			fkj-switched stat/liq columns	Began filling March.		0	0	5.024		1		
BY-101	1950	2	rec	136		426		#N/A	5	cas	BX-103	BX-103				0.01762744	2.3973	7.421	MW1	0		
BY-101	1950	2	rec	125		551		#N/A	5	cas	BX-103	BX-103				0.01762744	2.2034	9.625	MW1	0		
BY-101	1950	2	rec	116		667		#N/A	5	cas	BX-103	BX-103				0.01762744	2.0448	11.669	MW1	0		
BY-101	1950	2	STAT		661	661	0	-6	-1	MW			fkj-switched stat/liq columns			0	0	11.669		1		
BY-101	1950	3	rec	221		882		#N/A	-1	cas	BX-103	BX-103				0.01762744	3.8957	15.565	MW1	0		
BY-101	1950	3	rec	183		1065		#N/A	-1	cas	BX-103	BX-103				0.01762744	3.2258	18.791	MW1	0		
BY-101	1950	3	rec	167		1232		#N/A	-1	cas	BX-103	BX-103				0.01762744	2.9438	21.735	MW1	0		
BY-101	1950	3	send	-291		941		#N/A	-1	cas		BY-102				0	0	21.735		0		
BY-101	1950	3	send	-183		758		#N/A	-1	cas		BY-102				0	0	21.735		0		
BY-101	1950	3	STAT		758	758	0	#N/A	-1				and stats at 744	Cascade full September.		0	0	21.735		1		
BY-101	1950	4	rec	243		1001		#N/A	-1	cas	BX-103	BX-103				0.01762744	4.2835	26.018	MW1	0		
BY-101	1950	4	rec	185		1186		#N/A	-1	cas	BX-103	BX-103				0.01762744	3.2611	29.279	MW1	0		
BY-101	1950	4	send	-243		943		#N/A	-1	cas		BY-102				0	0	29.279		0		
BY-101	1950	4	send	-185		758		#N/A	-1	cas		BY-102				0	0	29.279		0		
BY-101	1950	4	STAT		758	758	0	#N/A	-1				and stats at 744	Cascade full September		0	0	29.279		1		
BY-101	1951	1	rec	243		1001		#N/A	-1	cas	BX-103	BX-103				0.01762744	4.2835	33.563	MW1	0		
BY-101	1951	1	rec	136		1137		#N/A	-1	cas	BX-103	BX-103				0.01762744	2.3973	35.960	MW1	0		
BY-101	1951	1	rec	30		1167		#N/A	-1	cas	BX-103	BX-103				0.01762744	0.5288	36.489	MW1	0		
BY-101	1951	1	rec	29		1196		#N/A	-1	cas	BX-103	BX-103				0.01762744	0.5112	37.000	MW1	0		
BY-101	1951	1	send	-243		953		#N/A	-1	cas		BY-102				0	0	37.000		0		
BY-101	1951	1	send	-136		817		#N/A	-1	cas		BY-102				0	0	37.000		0		
BY-101	1951	1	send	-30		787		#N/A	-1	cas		BY-102				0	0	37.000		0		
BY-101	1951	1	send	-29		758		#N/A	-1	cas		BY-102				0	0	37.000		0		
BY-101	1951	1	CREC	0		758		#N/A	-1	END	BX-103						0	37.000		1		
BY-101	1951	1	STAT		758	758	0	#N/A	-1				and stats at 744	Cascade full.		0	0	37.000		1		
BY-101	1951	2	STAT		758	758	0	#N/A	-1	MW			and stats at 744			0	0	37.000		1		
BY-101	1951	3	STAT		N/A	758		#N/A	-1								0	37.000		1		
BY-101	1951	4	STAT		N/A	758		#N/A	-1								0	37.000		1		
BY-101	1952	1	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1952	2	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1952	3	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1952	4	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1953	1	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1953	2	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1953	3	STAT		758	758	0	#N/A	-1								0	37.000		1		
BY-101	1953	4	STAT		758	758	0	#N/A	-1	MW							0	37.000		1		
BY-101	1954	1	SEND	-758		0		#N/A	-1	SU		BX-103					0	37.000		1		
BY-101	1954	1	STAT		1	1	0	1	0	MW				Transfer to 103-BY.		0	0	37.000		1		
BY-101	1954	2	STAT		0	0	0	-1	-1					Was emptied on May 17, 1954.		0	0	37.000		1		
BY-101	1954	3	STAT		N/A	0		#N/A	-1								0	37.000		1		
BY-101	1954	4	STAT		N/A	0		#N/A	-1								0	37.000		1		
BY-101	1955	1	REC	660		660		#N/A	-1	SU	BY-108	BY-108	OC qtr2 to qtr1		1st Qtr 55	0	0	37.000		2	V	N-54-6
BY-101	1955	1	CSEND	0		660		#N/A	-1	END	BY-102						0	37.000		1		
BY-101	1955	1	STAT		681	681	0	21	20	TBP				Received from 108-BY.		0	0	37.000		1		
BY-101	1955	2	xin	69		750		#N/A	20			WTR	LC added as per Scvg. rules				0	37.000		0		
BY-101	1955	2	REC	0		750		#N/A	20	SU	BY-110	BY-110	OC rec at BY-102 100 to 0		REC at BY-102		0	37.000		2	V	N-54-102
BY-101	1955	2	STAT		750	750	0	#N/A	20							0	0	37.000		1		
BY-101	1955	3	STAT		750	750	0	#N/A	20							0	0	37.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	C/A	Document/Pg #
BY-101	1955	4	STAT		750	750	0	#N/A	20							0	0	37.000		1		
BY-101	1956	1	STAT		750	750	0	#N/A	20					Scvg. waste awaiting rework.		0	0	37.000		1		
BY-101	1956	2	STAT		750	750	0	#N/A	20	TBP				Scvg. waste awaiting rework.		0	0	37.000		1		
BY-101	1956	3	STAT		750	750	0	#N/A	20	MW						0	0	37.000		1		
BY-101	1956	4	STAT		750	750	0	#N/A	20	TBP						0	0	37.000		1		
BY-101	1957	1	STAT		717	717	0	-33	-13	TBP						0	0	37.000		1		
BY-101	1957	2	SEND	-455		262		#N/A	-13			C-101	actually scavenged directly to C-112 and C-109 in 1957q3		Omission	0	0	37.000		2	V	HW-51348-5
BY-101	1957	2	STAT		262	262	0	#N/A	-13	TBP						0	0	37.000		1		
BY-101	1957	3	xin	486		748		#N/A	-13			WTR				0	0	37.000		0		
BY-101	1957	3	OUTX	-474		274		#N/A	-13	T15	C-112	TFeCN				0	0	37.000		3	O	N-54-289
BY-101	1957	3	OUTX	-234		40		#N/A	-13	T16	C-109	TFeCN	AND reports -255			0	0	37.000		3	O	N-54-290
BY-101	1957	3	STAT		40	40	0	#N/A	-13	TBP				225m scavenged. Latest electrode reading		0	0	37.000		1		
BY-101	1957	4	STAT		40	40	0	#N/A	-13							0	0	37.000		1		
BY-101	1958	1	STAT		40	40	0	#N/A	-13	TBP						0	0	37.000		1		
BY-101	1958	2	STAT		59	59	0	19	6					New electrode reading.		0	0	37.000		1		
BY-101	1958	3	STAT		59	59	0	#N/A	6							0	0	37.000		1		
BY-101	1958	4	STAT		59	59	0	#N/A	6							0	0	37.000		1		
BY-101	1959	1	STAT		59	59	0	#N/A	6							0	0	37.000		1		
BY-101	1959	2	STAT		59	59	0	#N/A	6							0	0	37.000		1		
BY-101	1959	3	STAT		59	59	0	#N/A	6	TBP						0	0	37.000		1		
BY-101	1959	4	STAT		60	60	0	1	7							0	0	37.000		1		
BY-101	1960	1	STAT		60	60	0	#N/A	7					Latest electrode reading.		0	0	37.000		1		
BY-101	1960	2	STAT		60	60	0	#N/A	7							0	0	37.000		1		
BY-101	1960	3	STAT		60	60	0	#N/A	7	TBP						0	0	37.000		1		
BY-101	1960	4	REC	257		317		#N/A	7	SU	C-108	C-108	AND reports 275 pos error			0	0	37.000		4	O	HW-68291-4
BY-101	1960	4	REC	77		394		#N/A	7	SU	C-108	C-108				0	0	37.000		4	O	HW-68292-4
BY-101	1960	4	STAT		394	394	0	#N/A	7	TBP				Received 275m CW from 108-C. Received 77m from 108-C.		0	0	37.000		1		
BY-101	1961	1	STAT		N/A	394		#N/A	7								0	37.000		1		
BY-101	1961	2	REC	89		483		#N/A	7	SU	C-108	C-108				0	0	37.000		4	O	HW-71610-5
BY-101	1961	2	STAT		483	483	0	#N/A	7	TBP,CW				Received 89m from 108-C		0	0	37.000		1		
BY-101	1961	3	REC	245		728		#N/A	7	SU	C-107	C-107	OC 258 to 245		Shows 245 not 258	0	0	37.000		3	V	HW-72625-5
BY-101	1961	3	STAT		N/A	728		#N/A	7								0	37.000		1		
BY-101	1961	4	STAT		728	728	0	#N/A	7	TBP,1C,CW				Received 245m from 107-C.		0	0	37.000		1		
BY-101	1962	1	STAT		N/A	728		#N/A	7								0	37.000		1		
BY-101	1962	2	STAT		728	728	0	#N/A	7	TBP,1C,CW						0	0	37.000		1		
BY-101	1962	3	STAT		N/A	728		#N/A	7								0	37.000		1		
BY-101	1962	4	STAT		728	728	0	#N/A	7	TBP,1C,CW						0	0	37.000		1		
BY-101	1963	1	STAT		N/A	728		#N/A	7								0	37.000		1		
BY-101	1963	2	STAT		730	730	37	2	9	TBP,1C,CW						0	0	37.000		1		
BY-101	1963	3	STAT		N/A	730		#N/A	9								0	37.000		1		
BY-101	1963	4	STAT		741	741	37	11	20	TBP,1C,CW				New electrode installed.		0	0	37.000		1		
BY-101	1964	1	STAT		N/A	741		#N/A	20								0	37.000		1		
BY-101	1964	2	STAT		744	744	37	3	23	TBP,1C,CW						0	0	37.000		1		
BY-101	1964	3	STAT		N/A	744		#N/A	23								0	37.000		1		
BY-101	1964	4	STAT		744	744	37	#N/A	23	TBP,1C,CW						0	0	37.000		1		
BY-101	1965	1	STAT		N/A	744		#N/A	23								0	37.000		1		
BY-101	1965	2	REC	143		887		#N/A	23	SU	BY-103	BY-103				0	0	37.000		4	O	RL-SEP-659-5
BY-101	1965	2	REC	457		1344		#N/A	23	SU	BY-112	BY-112				0	0	37.000		4	O	RL-SEP-659-5
BY-101	1965	2	outx	-762		582		#N/A	23	cond	crib	BYCOND				0	0	37.000		2		
BY-101	1965	2	GROUP	0		582		#N/A	23	ITS					Shows 762 not 0		0	37.000		2	V	RL-SEP-659-5
BY-101	1965	2	STAT		582	582	0	#N/A	23	CW				762m ITS boil-off.		0	0	37.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-101	1965	3	REC	1149		1731		#N/A	23	SU	BY-103	BY-103	*-521 to			0	0	37.000		4	O	RL-SEP-821-5
BY-101	1965	3	outx	-502		1229		#N/A	23	cond	crib	BYCOND				0	0	37.000		2		
BY-101	1965	3	outx	-628		601		#N/A	23			BYCOND				0	0	37.000		0		
BY-101	1965	3	GROUP	0		601		#N/A	23	ITS					Shows 502 not 0		0	37.000		2	V	RL-SEP-821-5
BY-101	1965	3	send	0		601		#N/A	23		A-102		*-628 TO 0				0	37.000		1		
BY-101	1965	3	STAT		601	601	0	#N/A	23	CW				502m ITS boil-off.		0	0	37.000		1		
BY-101	1965	4	REC	233		834		#N/A	23	SU	BY-103	BY-103				0	0	37.000		4	O	RL-SEP-923-5
BY-101	1965	4	outx	-260		574		#N/A	23	cond	crib	BYCOND	*293 to -260			0	0	37.000		0		
BY-101	1965	4	send	-33		541		#N/A	23			B-109	ITSprototype			0	0	37.000		0		
BY-101	1965	4	GROUP	0		541		#N/A	23	ITS					Shows 293 not 0		0	37.000		2	V	RL-SEP-923-5
BY-101	1965	4	STAT		541	541	0	#N/A	23	CW				293m ITS boil-off.		0	0	37.000		1		
BY-101	1966	1	REC	289		830		#N/A	23	SU	BY-103	BY-103				0	0	37.000		4	O	ISO-226-5
BY-101	1966	1	outx	-240		590		#N/A	23	cond	crib	BYCOND				0	0	37.000		0		
BY-101	1966	1	GROUP	0		590		#N/A	23	ITS					Shows 240 not 0		0	37.000		2	V	ISO-226-5
BY-101	1966	1	STAT		590	590	0	#N/A	23	CW				240m ITS boil-off.		0	0	37.000		1		
BY-101	1966	2	REC	432		1022		#N/A	23	SU	BY-103	BY-103				0	0	37.000		4	O	ISO-404-5
BY-101	1966	2	outx	-410		612		#N/A	23	cond	crib	BYCOND				0	0	37.000		2		
BY-101	1966	2	GROUP	0		612		#N/A	23	ITS					Shows 410 not 0		0	37.000		2	V	ISO-404-5
BY-101	1966	2	STAT		612	612	0	#N/A	23	CW				410m ITS boil-off.		0	0	37.000		1		
BY-101	1966	3	REC	994		1606		#N/A	23	SU	BY-103	BY-103	*-461 to			0	0	37.000		4	O	ISO-538-5
BY-101	1966	3	OUTX	-488		1118		#N/A	23	COND	CRIB?	BYCOND	Omis.		Omission	0	0	37.000		2	V	ISO-538-5
BY-101	1966	3	outx	-533		585		#N/A	23			BYCOND				0	0	37.000		0		
BY-101	1966	3	GREC	0		585		#N/A	23	ITS			Omis. REC 28 GROUP TXN		Omission		0	37.000		2	V	ISO-674-4
BY-101	1966	3	send	0		585		#N/A	23		A-102		*-533 TO 0				0	37.000		1		
BY-101	1966	3	STAT		585	585	0	#N/A	23	CW						0	0	37.000		1		
BY-101	1966	4	SEND	-119		466		#N/A	23			BY-105			Omission	0	0	37.000		2	V	ISO-674-5
BY-101	1966	4	send	-57		409		#N/A	23			BY-102				0	0	37.000		0		
BY-101	1966	4	STAT		409	409	0	#N/A	23					28m recovered butts.		0	0	37.000		1		
BY-101	1967	1	STAT		409	409	0	#N/A	23	CW				Status not determined.		0	0	37.000		1		
BY-101	1967	2	STAT		407	407	0	-2	21	CW				Status not determined.		0	0	37.000		1		
BY-101	1967	3	STAT		407	407	109	#N/A	21	CW				Demonstrating solidification.		0	0	37.000		1		
BY-101	1967	4	STAT		406	406	376	-1	20	CW				Demonstrating solidification.		0	0	37.000		1		
BY-101	1968	1	STAT		406	406	378	#N/A	20	CW				Demonstrating solidification.		0	0	37.000		1		
BY-101	1968	2	STAT		406	406	378	#N/A	20	EB				Demonstrating solidification.		0	0	37.000		1		
BY-101	1968	3	STAT		407	407	378	1	21	EB				Demonstrating solidification.		0	0	37.000		1		
BY-101	1968	4	STAT		407	407	29	#N/A	21	EB						0	0	37.000		1		
BY-101	1969	1	STAT		407	407	281	#N/A	21	EB				Demonstrating solidification.		0	0	37.000		1		
BY-101	1969	2	STAT		407	407	274	#N/A	21	EB				Demonstrating solidification.		0	0	37.000		1		
BY-101	1969	3	REC	331		738		#N/A	21	SU	BY-105	BY-105				0	0	37.000		4	O	ARH-1200C-6
BY-101	1969	3	STAT		739	739	310	1	22	EB				331 from 105-BY.		0	0	37.000		1		
BY-101	1969	4	STAT		737	737	332	-2	20	EB				Demonstrating solidification.		0	0	37.000		1		
BY-101	1970	1	STAT		737	737	337	#N/A	20	EB						0	0	37.000		1		
BY-101	1970	2	STAT		744	744	337	7	27	EB						0	0	37.000		1		
BY-101	1970	3	STAT		743	743	337	-1	26	EB						0	0	37.000		1		
BY-101	1970	4	STAT		747	747	340	4	30	EB						0	0	37.000		1		
BY-101	1971	1	STAT		745	745	340	-2	28	EB						0	0	37.000		1		
BY-101	1971	2	REC	769		1514		#N/A	28	SU	BY-108	BY-108				0	0	37.000		4	O	ARH-2074B-6
BY-101	1971	2	SEND	-782		732		#N/A	28	SU		BX-101				0	0	37.000		4	O	ARH-2074B-6
BY-101	1971	2	STAT		733	733	386	1	29	EB				769 from 108-BY;; 782 to 101 BX.		0	0	37.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ct	C/A	Document/Pg #
BY-101	1971	3	STAT		736	736	386	3	32	EB				* Dry Wells No.'s 22-01-01, 22-01-04, and 22-01-07 were drilled		0	0	37.000		1		
BY-101	1971	4	STAT		737	737	398	1	33	EB						0	0	37.000		1		
BY-101	1972	1	GREC	0		737		#N/A	33	ITS	BY-112						0	37.000		1		
BY-101	1972	1	STAT		737	737	398	#N/A	33	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1972	2	GREC	0		737		#N/A	33	ITS	BY-112						0	37.000		1		
BY-101	1972	2	STAT		739	739	398	2	35	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1972	3	REC	1		740		#N/A	35	SU	BY-109	BY-109	*+190 to			0	0	37.000		1		
BY-101	1972	3	GREC	0		740		#N/A	35	ITS	BY-112						0	37.000		1		
BY-101	1972	3	STAT		740	740	418	#N/A	35	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1972	4	GREC	0		740		#N/A	35	ITS	BY-112						0	37.000		1		
BY-101	1972	4	STAT		734	734	418	-6	29	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1973	1	GREC	0		734		#N/A	29	ITS	BY-112						0	37.000		1		
BY-101	1973	1	STAT		738	738	418	4	33	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1973	2	GREC	0		738		#N/A	33	ITS	BY-112						0	37.000		1		
BY-101	1973	2	STAT		737	737	418	-1	32	EB				ITS - bottoms and recycle		0	0	37.000		1		
BY-101	1973	3	GREC	0		737		#N/A	32	ITS	BY-112						0	37.000		1		
BY-101	1973	3	STAT		738	738	418	1	33	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1973	4	GREC	0		738		#N/A	33	ITS	BY-112						0	37.000		1		
BY-101	1973	4	STAT		739	739	418	1	34	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1974	1	GREC	0		739		#N/A	34	ITS	BY-112						0	37.000		1		
BY-101	1974	1	STAT		740	740	418	1	35	EB				ITS - bottoms and recycle		0	0	37.000		1		
BY-101	1974	2	GREC	0		740		#N/A	35	ITS	BY-112						0	37.000		1		
BY-101	1974	2	STAT		746	746	418	6	41	EB				ITS - bottoms and recycle		0	0	37.000		1		
BY-101	1974	3	GREC	0		746		#N/A	41	ITS	BY-112						0	37.000		1		
BY-101	1974	3	STAT		748	748	418	2	43	EB				ITS - bottoms and recycle **Dry Wells No.'s 22-01-03, and 22-01-10 were drilled.		0	0	37.000		1		
BY-101	1974	4	XIN	1		749		#N/A	43	WTR		WTR	Omis.		Omission	0	0	37.000		3	V	ARH-CD-133D-5
BY-101	1974	4	SEND	-6		743		#N/A	43	SU		BY-109				0	0	37.000		4	O	ARH-CD-133D-5
BY-101	1974	4	GREC	0		743		#N/A	43	ITS	BY-112						0	37.000		1		
BY-101	1974	4	STAT		747	747	398	4	47					ITS - bottoms and recycle 6 to 109-BY (1 water).		0	0	37.000		1		
BY-101	1975	1	GREC	0		747		#N/A	47	ITS	BY-112						0	37.000		1		
BY-101	1975	1	STAT		747	747	398	#N/A	47	EB				ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1975	2	SEND	-20		727		#N/A	47	SU		BX-105				0	0	37.000		4	O	ARH-CD-336B-5
BY-101	1975	2	GREC	0		727		#N/A	47	ITS	BY-112						0	37.000		1		
BY-101	1975	2	STAT		728	728	398	1	48					ITS - bottoms and recycle 20 to 105-BX.		0	0	37.000		1		
BY-101	1975	3	GREC	0		728		#N/A	48	ITS	BY-112						0	37.000		1		
BY-101	1975	3	STAT		728	728	398	#N/A	48							0	0	37.000		1		
BY-101	1975	4	GREC	0		728		#N/A	48	ITS	BY-112						0	37.000		1		
BY-101	1975	4	STAT		728	728	398	#N/A	48					ITS - bottoms and recycle.		0	0	37.000		1		
BY-101	1976	1	outx	-691		37		#N/A	48			BYEVAP				0	0	37.000	BYEV	0		
BY-101	1976	1	xin	691		728		#N/A	48			BYSIICk				0.506512	350	387.000	BYSIN	0		
BY-101	1976	1	GREC	0		728		#N/A	48	ITS	BY-112						0	387.000		1		
BY-101	1976	1	STAT		728	728	398	#N/A	48					ITS - bottoms and recycle.		0	0	387.000		1		
BY-101	1976	2	GREC	0		728		#N/A	48	ITS	BY-109						0	387.000		1		
BY-101	1976	2	STAT		728	728	398	#N/A	48	EB				ITS - bottoms and recycle. Con. feed.		0	0	387.000		1		
BY-101	1976	3	STAT		733	733	398	5	53	EVAP						0	0	387.000		1		
BY-101	1976	4	send	-154		579		#N/A	53			A-102				0	0	387.000		0		
BY-101	1976	4	STAT		579	579	398	#N/A	53	EVAP						0	0	387.000		1		
BY-101	1977	1	send	-121		458		#N/A	53			A-102				0	0	387.000		0		
BY-101	1977	1	STAT		458	458	398	#N/A	53	EVAP				Salt Well Pumped		0	0	387.000		1		
BY-101	1977	2	send	-11		447		#N/A	53			A-102				0	0	387.000		0		
BY-101	1977	2	STAT		447	447	439	#N/A	53					Salt Well Pumped		0	0	387.000		1		
BY-101	1977	3	STAT		447	447	439	#N/A	53					Inactive Current		0	0	387.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-101	1977	4	STAT		447	447	439	#N/A	53	EVAP				Inactive Current		0	0	387.000		1		
BY-101	1978	1	STAT		450	450	439	3	56					Inactive		0	0	387.000		1		
BY-101	1978	2	STAT		450	450	439	#N/A	56	NCPLX						0	0	387.000		1		
BY-101	1978	3	SEND	-2		448		#N/A	56	SU		BX-105				0	0	387.000		1		
BY-101	1978	3	SEND	-2		446		#N/A	56	SU		BX-105				0	0	387.000		1		
BY-101	1978	3	SEND	-1		445		#N/A	56	SU		BX-105				0	0	387.000		1		
BY-101	1978	3	SEND	-1		444		#N/A	56	SU		BX-105				0	0	387.000		1		
BY-101	1978	3	SEND	-1		443		#N/A	56	SU		BX-105				0	0	387.000		1		
BY-101	1978	3	STAT		447	447	439	4	60							0	0	387.000		1		
BY-101	1978	4	STAT		447	447	439	#N/A	60							0	0	387.000		1		
BY-101	1979	1	STAT		447	447	439	#N/A	60							0	0	387.000		1		
BY-101	1979	2	STAT		447	447	439	#N/A	60							0	0	387.000		1		
BY-101	1979	3	STAT		447	447	439	#N/A	60							0	0	387.000		1		
BY-101	1979	4	STAT		447	447	439	#N/A	60							0	0	387.000		1		
BY-101	1980	1	STAT		447	447	439	#N/A	60							0	0	387.000		1		
BY-101	1980	2	STAT		447	447	439	#N/A	60					New Photo 3-20-80		0	0	387.000		1		
BY-101	1980	3	STAT		447	447	439	#N/A	60	NCPLX						0	0	387.000		1		
BY-101	1980	4	STAT		443	443	439	-4	56	NCPLX						0	0	387.000		1		
BY-101	1985	2	send	-57		386		#N/A	56	swliq		AW-105				0	0	387.000		1		
BY-101	1992	4	send	-4		382		#N/A	56	swliq		AW-106				0	0	387.000		0		
BY-101	1993	2	STAT		387	387	387	5	61	NCPLX						0	0	387.000		0		
BY-101	1993	4	STAT		387	387	387	#N/A	61							0	0	387.000		1		
BY-101	1994	1	STAT		387	387	387	#N/A	61							0	0	387.000		1		
BY-101	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-102	1900																					
BY-102	1949	3	STAT		N/A	0		#N/A	0					* Dry Well No. 22-02-07 was drilled.			0	0.000		1		
BY-102	1949	4	CREC	0		0		#N/A	0	SET	BY-101						0	0.000		1		
BY-102	1949	4	CSEND	0		0		#N/A	0	SET	BY-103						0	0.000		1		
BY-102	1949	4	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-102	1950	1	STAT		N/A	0		#N/A	0							0	0	0.000		1		
BY-102	1950	2	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-102	1950	3	rec	291		291		#N/A	0	cas	BY-101	BY-101				0	0	0.000		1		
BY-102	1950	3	rec	183		474		#N/A	0	cas	BY-101	BY-101				0.01343284	3.909	3.909	MW1	0		
																0.01343284	2.4582	6.367	MW1	0		
BY-102	1950	3	STAT		480	480	0	6	6	MW				Cascade began filling September		0	0	6.367		1		
BY-102	1950	4	rec	243		723		#N/A	6	cas	BY-101	BY-101				0.01343284	3.2642	9.631	MW1	0		
BY-102	1950	4	rec	185		908		#N/A	6	cas	BY-101	BY-101				0.01343284	2.4851	12.116	MW1	0		
BY-102	1950	4	send	-150		758		#N/A	6	cas		BY-103				0	0	12.116		0		
BY-102	1950	4	STAT		758	758	0	#N/A	6				and stats at 744	Cascade full in October.		0	0	12.116		1		
BY-102	1951	1	rec	243		1001		#N/A	6	cas	BY-101	BY-101				0.01343284	3.2642	15.381	MW1	0		
BY-102	1951	1	rec	136		1137		#N/A	6	cas	BY-101	BY-101				0.01343284	1.8269	17.207	MW1	0		
BY-102	1951	1	rec	30		1167		#N/A	6	cas	BY-101	BY-101				0.01343284	0.403	17.610	MW1	0		
BY-102	1951	1	rec	29		1196		#N/A	6	cas	BY-101	BY-101				0.01343284	0.3896	18.000	MW1	0		
BY-102	1951	1	send	-243		953		#N/A	6	cas		BY-103				0	0	18.000		0		
BY-102	1951	1	send	-136		817		#N/A	6	cas		BY-103				0	0	18.000		0		
BY-102	1951	1	send	-30		787		#N/A	6	cas		BY-103				0	0	18.000		0		
BY-102	1951	1	send	-29		758		#N/A	6	cas		BY-103				0	0	18.000		0		
BY-102	1951	1	STAT		758	758	0	#N/A	6				and stats at 744			0	0	18.000		0		
BY-102	1951	2	STAT		758	758	0	#N/A	6	MW			and stats at 744	Cascade full.		0	0	18.000		1		
BY-102	1951	3	STAT		N/A	758		#N/A	6							0	0	18.000		1		
BY-102	1951	4	STAT		N/A	758		#N/A	6								0	18.000		1		
BY-102	1952	1	STAT		758	758	0	#N/A	6								0	18.000		1		
BY-102	1952	2	STAT		758	758	0	#N/A	6							0	0	18.000		1		
BY-102	1952	3	STAT		758	758	0	#N/A	6							0	0	18.000		1		
BY-102	1952	4	STAT		758	758	0	#N/A	6							0	0	18.000		1		
BY-102	1953	1	xin	70		828		#N/A	6			WTR				0	0	18.000		1		
BY-102	1953	1	SEND	-70		758		#N/A	6	SU		B-103				0	0	18.000		0		
BY-102	1953	1	STAT		758	758	0	#N/A	6							0	0	18.000		1		
BY-102	1953	2	xin	162		920		#N/A	6			WTR				0	0	18.000		1		
BY-102	1953	2	SEND	-162		758		#N/A	6	SU		C-106				0	0	18.000		0		
BY-102	1953	2	STAT		758	758	0	#N/A	6							0	0	18.000		1		
BY-102	1953	3	STAT		758	758	0	#N/A	6							0	0	18.000		1		
BY-102	1953	4	STAT		758	758	0	#N/A	6	MW						0	0	18.000		1		
BY-102	1954	1	xin	265		1023		#N/A	6			WTR				0	0	18.000		1		
BY-102	1954	1	SEND	-526		497		#N/A	6	SU		BX-103				0	0	18.000		0		
BY-102	1954	1	STAT		497	497	0	#N/A	6	MW						0	0	18.000		1		
BY-102	1954	2	STAT		N/A	497		#N/A	6					Supernatant blend supply.		0	0	18.000		1		
BY-102	1954	3	outx	-497		0		#N/A	6			UR					0	18.000		1		
BY-102	1954	3	STAT		0	0	0	#N/A	6					Was emptied on July 13, 1954.		0	0	18.000		0		
BY-102	1954	4	STAT		N/A	0		#N/A	6								0	18.000		1		
BY-102	1955	1	xin	377		377		#N/A	6			WTR					0	18.000		1		
BY-102	1955	1	SEND	-51		326		#N/A	6	CAS		BY-103	Omis. Qtr 2 to qtr 1			0	0	18.000		0		
BY-102	1955	1	CREC	0		326		#N/A	6	END	BY-101				Omission	0	0	18.000		2	V	N-54-102/103
BY-102	1955	1	CSEND	0		326		#N/A	6	END	BY-103						0	18.000		1		
BY-102	1955	1	STAT		326	326	0	#N/A	6	TBP							0	18.000		1		
BY-102	1955	2	REC	333		659		#N/A	6	SU	BY-105	BY-105		Received from 105-BY.		0	0	18.000		1		
																0	0	18.000		3	O	N-54-102
BY-102	1955	2	REC	495		1154		#N/A	6	SU	BY-110	BY-110	OC 100 diff in line below, misdirection in transaction		Shows 595 notm 495	0	0	18.000		2	M/O	N-54-102

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
BY-102	1955	2	REC	100		1254		#N/A	6	SU	BY-110	BY-110	Omission changed from BY-101 to BY-102, misdirection in transaction		Show REC at BY-102	0	0	18.000		1	M/V	
BY-102	1955	2	outx	-534		720		#N/A	6			UR				0	0	18.000		0		
BY-102	1955	2	STAT		720	720	0	#N/A	6							0	0	18.000		1		
BY-102	1955	3	STAT		720	720	0	#N/A	6							0	0	18.000		1		
BY-102	1955	4	STAT		720	720	0	#N/A	6							0	0	18.000		1		
BY-102	1956	1	STAT		720	720	0	#N/A	6					Scvg. waste awaiting rework.		0	0	18.000		1		
BY-102	1956	2	STAT		720	720	0	#N/A	6	TBP				Scvg. waste awaiting rework.		0	0	18.000		1		
BY-102	1956	3	STAT		720	720	0	#N/A	6	MW						0	0	18.000		1		
BY-102	1956	4	STAT		720	720	0	#N/A	6	TBP						0	0	18.000		1		
BY-102	1957	1	STAT		722	722	0	2	8	TBP						0	0	18.000		1		
BY-102	1957	2	REC	471		1193		#N/A	8	SU	C-112	C-112	AND reports -483			0	0	18.000		3	O	N-54-102
BY-102	1957	2	OUTX	-308		885		#N/A	8	T13	C-109	TFeCN	C-101 to C-109		Shows 337 xfer to C-109	0	0	18.000		2	V	N-54-287
BY-102	1957	2	OUTX	-398		487		#N/A	8	T14	C-111	TFeCN			Shows 436 not 398	0	0	18.000		2	V	N-54-288
BY-102	1957	2	STAT		488	488	0	1	9	TBP						0	0	18.000		1		
BY-102	1957	3	REC	162		650		#N/A	9	SU	BX-105	BX-105	OC 156 to 162		Shows 162 not 156	0	0	18.000		3	V	N-54-102
BY-102	1957	3	REC	469		1119		#N/A	9	SU	BX-106	BX-106				0	0	18.000		4	O	N-54-102
BY-102	1957	3	REC	50		1169		#N/A	9	SU	C-105	C-105				0	0	18.000		4	O	HW-52932-4
BY-102	1957	3	OUTX	-297		872		#N/A	9	SU	B-032	CRIB			Shows BC-19 trench	0	0	18.000		4	O	N-54-102
BY-102	1957	3	OUTX	-498		374		#N/A	9	SU	B-032	CRIB	OC 518 to 498		Shows 498 not 518	0	0	18.000		3	V	N-54-102
BY-102	1957	3	STAT		400	400	18	26	35	TBP			REC total 681	Received 28m;		0	0	18.000		1		
BY-102	1957	4	REC	311		711		#N/A	35	SU	BY-107	BY-107				0	0	18.000		4	O	HW-54067-5
BY-102	1957	4	OUTX	-132		579		#N/A	35	SU	B-033	CRIB			BC-20 Trench	0	0	18.000		4	O	N-54-102
BY-102	1957	4	OUTX	-113		466		#N/A	35	SU	B-034	CRIB			BC-21 Trench	0	0	18.000		4	O	N-54-102
BY-102	1957	4	OUTX	-434		32		#N/A	35	SU	B-035	CRIB	OC 423 to 434		Shows 434 to BC-22	0	0	18.000		3	V	N-54-252
BY-102	1957	4	STAT		43	43	18	11	46	TBP				132m to BC-20;; 107m to BC-21;; 311m from 107-BY;; 429m to 1C-22.								
BY-102	1958	1	STAT		43	43	18	#N/A	46							0	0	18.000		1		
BY-102	1958	2	STAT		43	43	18	#N/A	46							0	0	18.000		1		
BY-102	1958	3	STAT		43	43	18	#N/A	46							0	0	18.000		1		
BY-102	1958	4	STAT		43	43	18	#N/A	46							0	0	18.000		1		
BY-102	1959	1	STAT		43	43	18	#N/A	46	TBP						0	0	18.000		1		
BY-102	1959	2	STAT		46	46	18	3	49	TBP						0	0	18.000		1		
BY-102	1959	3	STAT		46	46	18	#N/A	49							0	0	18.000		1		
BY-102	1959	4	STAT		46	46	18	#N/A	49	TBP						0	0	18.000		1		
BY-102	1960	1	STAT		46	46	18	#N/A	49	TBP				New electrode installed.		0	0	18.000		1		
BY-102	1960	2	STAT		48	48	18	2	51	TBP						0	0	18.000		1		
BY-102	1960	3	STAT		48	48	18	#N/A	51							0	0	18.000		1		
BY-102	1960	4	STAT		48	48	18	#N/A	51							0	0	18.000		1		
BY-102	1961	1	STAT		N/A	48		#N/A	51								0	18.000		1		
BY-102	1961	2	STAT		48	48	18	#N/A	51	TBP				6 month report		0	0	18.000		1		
BY-102	1961	3	STAT		N/A	48		#N/A	51								0	18.000		1		
BY-102	1961	4	STAT		51	51	18	3	54	TBP				Latest electrode reading. 6 month report		0	0	18.000		1		
BY-102	1962	1	STAT		N/A	51		#N/A	54								0	18.000		1		
BY-102	1962	2	STAT		51	51	18	#N/A	54	TBP				6 month report		0	0	18.000		1		
BY-102	1962	3	STAT		N/A	51		#N/A	54								0	18.000		1		
BY-102	1962	4	STAT		54	54	18	3	57	TBP				Latest electrode reading. 6 month report		0	0	18.000		1		
BY-102	1963	1	STAT		N/A	54		#N/A	57								0	18.000		1		
BY-102	1963	2	STAT		48	48	29	-6	51	TBP				Latest electrode reading.		0	0	18.000		1		
BY-102	1963	3	STAT		N/A	48		#N/A	51					6 month report			0	18.000		1		
BY-102	1963	4	STAT		48	48	29	#N/A	51	TBP				6 month report		0	0	18.000		1		
BY-102	1964	1	STAT		N/A	48		#N/A	51								0	18.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-102	1964	2	STAT		48	48	29	#N/A	51	TBP				6 month report		0	0	18.000		1		
BY-102	1964	3	STAT		N/A	48		#N/A	51								0	18.000		1		
BY-102	1964	4	REC	394		442		#N/A	51	SU	C-102	C-102				0	0	18.000		4	O	RL-SEP-260-5
BY-102	1964	4	STAT		442	442	29	#N/A	51	TBP,CW				394 CW from 102-C. 6 month report		0	0	18.000		1		
BY-102	1965	1	STAT		N/A	442		#N/A	51								0	18.000		1		
BY-102	1965	2	REC	258		700		#N/A	51	SU	C-102	C-102				0	0	18.000		4	O	RL-SEP-659-5
BY-102	1965	2	STAT		700	700	0	#N/A	51	TBP,CW				Received 258m CW from 102-C.		0	0	18.000		1		
BY-102	1965	3	REC	28		728		#N/A	51	SU	C-102	C-102				0	0	18.000		4	O	RL-SEP-821-5
BY-102	1965	3	STAT		728	728	0	#N/A	51	TBP,CW				28m from 102-C.		0	0	18.000		1		
BY-102	1965	4	STAT		728	728	0	#N/A	51	TBP,CW						0	0	18.000		1		
BY-102	1966	1	STAT		730	730	0	2	53	TBP,CW						0	0	18.000		1		
BY-102	1966	2	STAT		733	733	0	3	56	CW						0	0	18.000		1		
BY-102	1966	3	STAT		733	733	0	#N/A	56	TBP,CW						0	0	18.000		1		
BY-102	1966	4	rec	57		790		#N/A	56		BY-101	BY-101				0	0	18.000		1		
BY-102	1966	4	REC	50		840		#N/A	56	SU	BY-103	BY-103				0	0	18.000		0		
BY-102	1966	4	outx	-99		741		#N/A	56	cond	crib	BYCOND	*-61 to									ISO-674-4/ISO-674-5
BY-102	1966	4	send	-19		722		#N/A	56			C-102				0	0	18.000		4	O	SEND
BY-102	1966	4	GROUP	0		722		#N/A	56	ITS						0	0	18.000		0		
BY-102	1966	4	STAT		722	722	0	#N/A	56	CW					Shows 61 not 0		0	18.000		0		
BY-102	1967	1	REC	547		1269		#N/A	56	SU	BY-103	BY-103		61m recovered by ITS		0	0	18.000		2	V	ISO-674-4
BY-102	1967	1	outx	-638		631		#N/A	56	cond	crib	BYCOND				0	0	18.000		1		
BY-102	1967	1	GROUP	0		631		#N/A	56	ITS						0	0	18.000		4	O	ISO-806-5
BY-102	1967	1	STAT		631	631	0	#N/A	56	CW					Show 638 not 0		0	18.000		2		
BY-102	1967	2	rec	734		1365		#N/A	56	ITS	BY-103	BY-103		638m reclaimed by ITS		0	0	18.000		2	V	ISO-806-5
BY-102	1967	2	outx	-772		593		#N/A	56	cond	crib	BYCOND				0	0	18.000		1		
BY-102	1967	2	GROUP	0		593		#N/A	56	ITS	BY-103				Shows772not0	0	0	18.000		3	V	ISO-967-5
BY-102	1967	2	STAT		593	593	0	#N/A	56	CW						0	0	18.000		0		
BY-102	1967	3	rec	36		629		#N/A	56		B-110	B-110		722m reclaimed by ITS	Shows 772 not 0		0	18.000		2	V	ISO-967-5
BY-102	1967	3	rec	565		1194		#N/A	56	ITS	BY-103	BY-103				0	0	18.000		2		
BY-102	1967	3	outx	-597		597		#N/A	56	cond	crib	BYCOND	*-506 to			0	0	18.000		0		
BY-102	1967	3	GROUP	0		597		#N/A	56	ITS	BY-103,BY-105				Shows506not0	0	0	18.000		3	V	ARH-95-6
BY-102	1967	3	REC	0		597		#N/A	56	SU	C-102	C-102	OC 469 to 0, rec at BY-106			0	0	18.000		2		
BY-102	1967	3	STAT		597	597	0	#N/A	56	CW					Shows 506 not 0		0	18.000		2	V	ARH-95-6
BY-102	1967	4	rec	32		629		#N/A	56		B-110	B-110			REC at BY-106		0	18.000		2	V	ARH-95-6
BY-102	1967	4	rec	477		1106		#N/A	56	ITS	BY-103	BY-103		506m reclaimed by ITS		0	0	18.000		1		
BY-102	1967	4	outx	-498		608		#N/A	56	cond	crib	BYCOND	*-521 to			0	0	18.000		0		
BY-102	1967	4	GROUP	0		608		#N/A	56	ITS	BY-103,BY-105				Shows521not0	0	0	18.000		3	V	ARH-326-6
BY-102	1967	4	STAT		608	608	0	#N/A	56	CW						0	0	18.000		2		
BY-102	1968	1	rec	994		1602		#N/A	56	ITS	BY-103	BY-103		521m reclaimed by ITS	Shows 521 not 0		0	18.000		2	V	ARH-326-6
BY-102	1968	1	send	-531		1071		#N/A	56			BY-112	sharedITS#1&2			0	0	18.000		1		
BY-102	1968	1	outx	-231		840		#N/A	56	cond	crib	BYCOND			Shows231not0	0	0	18.000		3	V	ARH-534-6
BY-102	1968	1	SEND	-279		561		#N/A	56			BY-105				0	0	18.000		0		
BY-102	1968	1	GROUP	0		561		#N/A	56	ITS	BY-103					0	0	18.000		2		
BY-102	1968	1	STAT		561	561	0	#N/A	56	CW					Omission	0	0	18.000		3	V	ARH-534-6
BY-102	1968	2	rec	2652		3213		#N/A	56	ITS	BY-103	BY-103		231m reclaimed by ITS by No. 1	Shows 231 not 0		0	18.000		2	V	ARH-534-6
BY-102	1968	2	send	-2366		847		#N/A	56			BY-112	sharedITS#1&2			0	0	18.000		1		
BY-102	1968	2	outx	-254		593		#N/A	56	cond	crib	BYCOND			Shows520not0	0	0	18.000		2	V	ARH-721-6
BY-102	1968	2	GROUP	0		593		#N/A	56	ITS	BY-103					0	0	18.000		0		
BY-102	1968	2	STAT		593	593	0	#N/A	56	EB					Shows 520 not 0		0	18.000		0		
BY-102	1968	3	rec	1027		1620		#N/A	56	ITS	BY-103	BY-103		520m reclaimed by ITS by No. 1		0	0	18.000		2	V	ARH-721-6
BY-102	1968	3	REC	199		1819		#N/A	56	SU	BY-109	BY-109				0	0	18.000		1		
BY-102	1968	3	send	-414		1405		#N/A	56			BY-112	sharedITS#1&2		Shows548not0	0	0	18.000		2	V	ARH-871-6
BY-102	1968	3	outx	-548		857		#N/A	56	cond	crib	BYCOND				0	0	18.000		1		
																0	0	18.000		0		
																0	0	18.000		2		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BY-102	1968	3	SEND	-256		601		#N/A	56			BY-105			Omission	0	0	18.000		3	V	ARH-871-6
BY-102	1968	3	GROUP	0		601		#N/A	56	ITS	BY-103				Shows 548 not 0		0	18.000		2	V	ARH-871-6
BY-102	1968	3	STAT		601	601	314	#N/A	56	EB				548m reclaimed by ITS by No. 1		0	0	18.000		1		
BY-102	1968	4	REC	814		1415		#N/A	56	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1061-6
BY-102	1968	4	outx	-507		908		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1968	4	SEND	-330		578		#N/A	56			BY-105			Omission	0	0	18.000		3	V	ARH01061-6
BY-102	1968	4	GROUP	0		578		#N/A	56	ITS					Shows 507 not 0		0	18.000		2	V	ARH-1061-6
BY-102	1968	4	STAT		578	578	250	#N/A	56	EB				507m reclaimed by ITS by No. 1		0	0	18.000		1		
BY-102	1969	1	REC	693		1271		#N/A	56	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200A-6
BY-102	1969	1	outx	-353		918		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	1	SEND	-408		510		#N/A	56			BY-105			Omission	0	0	18.000		3	V	ARH-1200A-6
BY-102	1969	1	GROUP	0		510		#N/A	56	ITS					Shows 353 Evp.		0	18.000		2	V	ARH-1200A-6
BY-102	1969	1	STAT		510	510	250	#N/A	56	EB				353m reclaimed by ITS No 1		0	0	18.000		1		
BY-102	1969	2	REC	696		1206		#N/A	56	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200B-6
BY-102	1969	2	outx	-617		589		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	2	GROUP	0		589		#N/A	56	ITS					Shows 617 Evp.		0	18.000		2	V	ARH-1200B-6
BY-102	1969	2	STAT		590	590	250	1	57	EB				617m evaporated by ITS No.1		0	0	18.000		1		
BY-102	1969	3	rec	33		623		#N/A	57		BX-103	BX-103				0	0	18.000		0		
BY-102	1969	3	rec	33		656		#N/A	57		BX-104	BX-104				0	0	18.000		0		
BY-102	1969	3	rec	33		689		#N/A	57		BX-105	BX-105				0	0	18.000		0		
BY-102	1969	3	rec	35		724		#N/A	57		BX-106	BX-106				0	0	18.000		0		
BY-102	1969	3	rec	33		757		#N/A	57		BX-107	BX-107				0	0	18.000		0		
BY-102	1969	3	rec	33		790		#N/A	57		BX-108	BX-108				0	0	18.000		0		
BY-102	1969	3	rec	27		817		#N/A	57		BX-109	BX-109				0	0	18.000		0		
BY-102	1969	3	rec	33		850		#N/A	57		BX-110	BX-110				0	0	18.000		0		
BY-102	1969	3	rec	33		883		#N/A	57		BX-111	BX-111				0	0	18.000		0		
BY-102	1969	3	rec	33		916		#N/A	57		BX-112	BX-112				0	0	18.000		0		
BY-102	1969	3	REC	620		1536		#N/A	57	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200C-6
BY-102	1969	3	outx	-450		1086		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	3	outx	-325		761		#N/A	57			BYCOND				0	0	18.000		0		
BY-102	1969	3	SEND	-154		607		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-1200C-6
BY-102	1969	3	GROUP	0		607		#N/A	57	ITS					Shows 450 Evp.		0	18.000		2	V	ARH-1200C-6
BY-102	1969	3	STAT		607	607	250	#N/A	57	EB				154 to 105-BY. 450 evaportated by ITS No. 1		0	0	18.000		1		
BY-102	1969	4	REC	657		1264		#N/A	57	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200D-6
BY-102	1969	4	outx	-500		764		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	4	SEND	-182		582		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-1200D-6
BY-102	1969	4	GROUP	0		582		#N/A	57	ITS					Shows 500 Evp.		0	18.000		2	V	ARH-1200D-6
BY-102	1969	4	STAT		583	583	250	1	58	EB				657 from 103-BY;; 182 to 105-BY. 500 evaporated by ITS No.1		0	0	18.000		1		
BY-102	1970	1	REC	399		982		#N/A	58	SU	BX-102	BX-102				0	0	18.000		4	O	ARH-1666A-6
BY-102	1970	1	REC	293		1275		#N/A	58		BY-103	BY-103			Omission	0	0	18.000		3	V	ARH-1666A-6
BY-102	1970	1	outx	-573		702		#N/A	58	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1970	1	SEND	-70		632		#N/A	58	SU		BY-105				0	0	18.000		4	O	ARH-1666A-6
BY-102	1970	1	GROUP	0		632		#N/A	58	ITS					Shows 573 Evp.		0	18.000		2	V	ARH-1666A-6
BY-102	1970	1	STAT		630	630	250	-2	56	EB				293 from 103-BY;; 399 from 102-BX;; 70 to 105-BY;; 573 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1970	2	REC	213		843		#N/A	56	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-1666B-6
BY-102	1970	2	outx	-160		683		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1970	2	SEND	-89		594		#N/A	56	SU		BY-105				0	0	18.000		4	O	ARH-1666B-6
BY-102	1970	2	GROUP	0		594		#N/A	56	ITS					Shows 160 Evp.		0	18.000		2	V	ARH-1666B-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BY-102	1970	2	STAT		596	596	250	2	58	EB				213 from 103-BX;; 89 to 105-BY;; 106 evaporated by ITS No. 1 * Dry Wells No.'s 22-02-1 and 22-02-09 were drilled.		0	0	18.000		1		
BY-102	1970	3	REC	603		1199		#N/A	58	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-1666C-6
BY-102	1970	3	outx	-493		706		#N/A	58	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1970	3	SEND	-66		640		#N/A	58	SU		BY-109				0	0	18.000		4	O	ARH-1666C-6
BY-102	1970	3	GROUP	0		640		#N/A	58	ITS					Shows 493 Evp.		0	18.000		2	V	ARH-1666C-6
BY-102	1970	3	STAT		639	639	250	-1	57	EB				603 from 103-BX;; 66 to 105-BY;; 493 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1970	4	REC	780		1419		#N/A	57	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-1666D-6
BY-102	1970	4	outx	-603		816		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1970	4	SEND	-286		530		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-1666D-6
BY-102	1970	4	GROUP	0		530		#N/A	57	ITS					Shows 603 Evp.		0	18.000		2	V	ARH-1666D-6
BY-102	1970	4	STAT		530	530	250	#N/A	57	EB				780 from 103-BX;; 286 to 105-BY;; 603 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1971	1	REC	1147		1677		#N/A	57	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-2074A-6
BY-102	1971	1	outx	-562		1115		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1971	1	SEND	-514		601		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-2074A-6
BY-102	1971	1	GROUP	0		601		#N/A	57	ITS					Shows 562 Evp.		0	18.000		2	V	ARH-2074A-6
BY-102	1971	1	STAT		601	601	250	#N/A	57	EB				1147 from 103-BX;; 514 to 105-BY;; 562 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1971	2	REC	899		1500		#N/A	57	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-2074B-6
BY-102	1971	2	REC	43		1543		#N/A	57	SU	BX-106	BX-106				0	0	18.000		4	O	ARH-2074B-6
BY-102	1971	2	outx	-538		1005		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1971	2	SEND	-367		638		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-2074B-6
BY-102	1971	2	GROUP	0		638		#N/A	57	ITS					Shows 538 Evp.		0	18.000		2	V	ARH-2074B-6
BY-102	1971	2	STAT		637	637	155	-1	56	EB				899 from 103-BX;; 43 from 106-BX;; 367 to (105-BY); 538 evaporated by Its-I.		0	0	18.000		1		
BY-102	1971	3	REC	70		707		#N/A	56	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-2074C-6
BY-102	1971	3	send	-84		623		#N/A	56			BY-112				0	0	18.000		0		
BY-102	1971	3	GREC	0		623		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1971	3	GROUP	0		623		#N/A	56	ITS							0	18.000		2	V	ARH-2074C-6
BY-102	1971	3	STAT		623	623	155	#N/A	56	EB				ITS - 1 cooler and recycle 70 from 103-BX		0	0	18.000		1		
BY-102	1971	4	send	-44		579		#N/A	56			BY-112				0	0	18.000		0		
BY-102	1971	4	GREC	0		579		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1971	4	GROUP	0		579		#N/A	56	ITS							0	18.000		1		
BY-102	1971	4	STAT		579	579	155	#N/A	56	EB				ITS - 1 cooler and recycle.		0	0	18.000		1		
BY-102	1972	1	rec	51		630		#N/A	56	ITS	BY-112	BY-112				0	0	18.000		0		
BY-102	1972	1	GREC	0		630		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1972	1	STAT		630	630	197	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1972	2	send	-12		618		#N/A	56			BY-112				0	0	18.000		0		
BY-102	1972	2	GREC	0		618		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1972	2	STAT		618	618	197	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1972	3	send	-9		609		#N/A	56			BY-112	*-18 to			0	0	18.000		0		
BY-102	1972	3	GREC	0		609		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1972	3	STAT		609	609	197	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1972	4	send	-19		590		#N/A	56			BY-112				0	0	18.000		0		
BY-102	1972	4	GREC	0		590		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1972	4	STAT		590	590	246	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1973	1	GREC	0		590		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1973	1	STAT		590	590	194	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-102	1973	2	rec	41		631		#N/A	56	ITS	BY-112	BY-112				0	0	18.000		0		
BY-102	1973	2	GREC	0		631		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1973	2	STAT		631	631	194	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1973	3	rec	6		637		#N/A	56	ITS	BY-112	BY-112				0	0	18.000		1		
BY-102	1973	3	GREC	0		637		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1973	3	STAT		637	637	194	#N/A	56	EB				ITS - bottoms and recycle. * Dry Well's No.'s 22-02-02 and 22-02-05 were-drilled.		0	0	18.000		1		
BY-102	1973	4	send	-2		635		#N/A	56			BY-112				0	0	18.000		0		
BY-102	1973	4	GREC	0		635		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1973	4	STAT		635	635	208	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1974	1	send	-5		630		#N/A	56			BY-112				0	0	18.000		0		
BY-102	1974	1	GREC	0		630		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1974	1	STAT		630	630	208	#N/A	56	EB				ITS - bottoms and recycle.		0	0	18.000		1		
BY-102	1974	2	rec	11		641		#N/A	56	ITS	BY-112	BY-112				0	0	18.000		0		
BY-102	1974	2	SEND	-12		629		#N/A	56	SU		BY-110				0	0	18.000		4	O	ARH-CD-133B-5
BY-102	1974	2	GREC	0		629		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1974	2	STAT		629	629	208	#N/A	56	EB				ITS - bottoms and recycle;; 12 to II0-BY.		0	0	18.000		1		
BY-102	1974	3	REC	98		727		#N/A	56	SU	BY-112	BY-112				0	0	18.000		1		
BY-102	1974	3	rec	3		730		#N/A	56	ITS	BY-112	BY-112				0	0	18.000		0		
BY-102	1974	3	SEND	-102		628		#N/A	56	SU		BX-111				0	0	18.000		1		
BY-102	1974	3	GREC	0		628		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1974	3	STAT		628	628	208	#N/A	56	EB				ITS- bottoms and recycle 102 to 111-BX;; 98 from 112-BY		0	0	18.000		1		
BY-102	1974	4	rec	1		629		#N/A	56	ITS	BY-112	BY-112				0	0	18.000		0		
BY-102	1974	4	GREC	0		629		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1974	4	STAT		629	629	200	#N/A	56					ITS- bottoms and recycle.		0	0	18.000		1		
BY-102	1975	1	GREC	0		629		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1975	1	STAT		629	629	200	#N/A	56					ITS- bottoms and recycle.		0	0	18.000		1		
BY-102	1975	2	GREC	0		629		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1975	2	STAT		629	629	200	#N/A	56					ITS- bottoms and recycle.		0	0	18.000		1		
BY-102	1975	3	GREC	0		629		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1975	3	STAT		629	629	200	#N/A	56					Tank leaks.		0	0	18.000		1		
BY-102	1975	4	GREC	0		629		#N/A	56	ITS	BY-112						0	18.000		1		
BY-102	1975	4	STAT		629	629	200	#N/A	56					ITS- bottoms and recycle.		0	0	18.000		1		
BY-102	1976	1	outx	-611		18		#N/A	56			BYEVAP				0	0	18.000	BYEV	0		
BY-102	1976	1	xin	611		629		#N/A	56			BYSltCk				0.510638	312	330.000	BYSlt	0		
BY-102	1976	1	GREC	0		629		#N/A	56	ITS	BY-112						0	330.000		1		
BY-102	1976	1	STAT		629	629	200	#N/A	56	EB				ITS- bottoms and recycle.		0	0	330.000		1		
BY-102	1976	2	GREC	0		629		#N/A	56	ITS	BY-109						0	330.000		1		
BY-102	1976	2	STAT		626	626	200	-3	53	EB				ITS- bottoms and recycle.		0	0	330.000		1		
BY-102	1976	3	STAT		626	626	200	#N/A	53					Active restricted.		0	0	330.000		1		
BY-102	1976	4	STAT		626	626	200	#N/A	53	EVAP						0	0	330.000		1		
BY-102	1977	1	send	-33		593		#N/A	53			A-102				0	0	330.000		1		
BY-102	1977	1	STAT		593	593	200	#N/A	53	EVAP						0	0	330.000		0		
BY-102	1977	2	send	-143		450		#N/A	53			A-102		Evap. Feed Con.		0	0	330.000		1		
BY-102	1977	2	STAT		450	450	233	#N/A	53	EVAP						0	0	330.000		0		
BY-102	1977	3	send	-14		436		#N/A	53			A-102		Contain Salt		0	0	330.000		1		
BY-102	1977	3	STAT		436	436	436	#N/A	53							0	0	330.000		0		
BY-102	1977	4	STAT		436	436	436	#N/A	53					Inactive Current		0	0	330.000		1		
BY-102	1978	1	STAT		436	436	436	#N/A	53	EVAP				Inactive Current		0	0	330.000		1		
BY-102	1978	2	send	-19		417		#N/A	53			A-102				0	0	330.000		1		
BY-102	1978	2	STAT		417	417	417	#N/A	53							0	0	330.000		0		
BY-102	1978	3	SEND	-5		412		#N/A	53	SU		BX-105		Solid Level Adj. 6/30/78		0	0	330.000		1		
BY-102	1978	3	SEND	-3		409		#N/A	53	SU		BX-105				0	0	330.000		1		
BY-102	1978	3	SEND	-3		406		#N/A	53	SU		BX-105				0	0	330.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-102	1978	3	SEND	-1		405		#N/A	53	SU		BX-105				0	0	330.000		1		
BY-102	1978	3	SEND	-1		404		#N/A	53	SU		BX-105				0	0	330.000		1		
BY-102	1978	3	SEND	-1		403		#N/A	53	SU		BX-105				0	0	330.000		1		
BY-102	1978	3	STAT		417	417	417	14	67							0	0	330.000		1		
BY-102	1978	4	STAT		417	417	417	#N/A	67							0	0	330.000		1		
BY-102	1979	1	STAT		417	417	417	#N/A	67							0	0	330.000		1		
BY-102	1979	2	STAT		417	417	417	#N/A	67							0	0	330.000		1		
BY-102	1979	3	STAT		417	417	417	#N/A	67							0	0	330.000		1		
BY-102	1979	4	STAT		417	417	417	#N/A	67					New photo 9/27/79		0	0	330.000		1		
BY-102	1980	1	STAT		417	417	417	#N/A	67							0	0	330.000		1		
BY-102	1980	2	STAT		417	417	417	#N/A	67					Unknown Pool volume		0	0	330.000		1		
BY-102	1980	3	STAT		417	417	417	#N/A	67							0	0	330.000		1		
BY-102	1980	4	STAT		417	417	417	#N/A	67	EVAP						0	0	330.000		1		
BY-102	1983	4	send	-25		392		#N/A	67	swliq		AN-103				0	0	330.000		1		
BY-102	1991	3	send	-51		341		#N/A	67	swliq		AN-101				0	0	330.000		0		
BY-102	1993	2	STAT		341	341	341	#N/A	67							0	0	330.000		0		
BY-102	1993	4	STAT		341	341	341	#N/A	67							0	0	330.000		1		
BY-102	1994	1	STAT		341	341	341	#N/A	67							0	0	330.000		1		
BY-102	2000															0	0	330.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-103	1900																					
BY-103	1949	4	CREC	0		0		#N/A	0	SET	BY-102											
BY-103	1950	1	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-103	1950	2	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-103	1950	3	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-103	1950	4	rec	150		150		#N/A	0	cas	BY-102	BY-102				0	0	0.000		1		
																0	0	0.000		0		
BY-103	1950	4	STAT		N/A	150	0	#N/A	0	MW			cas phasing prob 429 to N/A	Cascade began filling October								
BY-103	1951	1	xin	156		306		#N/A	0			WTR				0	0	0.000		1		
BY-103	1951	1	rec	243		549		#N/A	0	cas	BY-102	BY-102				0	0	0.000		0		
BY-103	1951	1	rec	136		685		#N/A	0	cas	BY-102	BY-102				0	0	0.000		0		
BY-103	1951	1	rec	30		715		#N/A	0	cas	BY-102	BY-102				0	0	0.000		0		
BY-103	1951	1	rec	29		744		#N/A	0	cas	BY-102	BY-102				0	0	0.000		0		
BY-103	1951	1	STAT		744	744	0	#N/A	0							0	0	0.000		0		
BY-103	1951	2	STAT		744	744	0	#N/A	0	MW				Full in March.		0	0	0.000		1		
BY-103	1951	3	STAT		N/A	744		#N/A	0							0	0	0.000		1		
BY-103	1951	4	STAT		N/A	744		#N/A	0								0	0.000		1		
BY-103	1952	1	outx	-80		664		#N/A	0			UR					0	0.000		1		
BY-103	1952	1	STAT		664	664	0	#N/A	0							0	0	0.000		0		
BY-103	1952	2	STAT		664	664	0	#N/A	0							0	0	0.000		1		
BY-103	1952	3	STAT		664	664	0	#N/A	0							0	0	0.000		1		
BY-103	1952	4	xin	108		772		#N/A	0			WTR				0	0	0.000		1		
BY-103	1952	4	SEND	-108		664		#N/A	0	SU		C-103				0	0	0.000		0		
BY-103	1952	4	STAT		664	664	0	#N/A	0							0	0	0.000		1		
BY-103	1953	1	STAT		664	664	0	#N/A	0	MW						0	0	0.000		1		
BY-103	1953	2	xin	81		745		#N/A	0			WTR				0	0	0.000		1		
BY-103	1953	2	STAT		745	745	0	#N/A	0							0	0	0.000		0		
BY-103	1953	3	STAT		745	745	0	#N/A	0							0	0	0.000		1		
BY-103	1953	4	STAT		745	745	0	#N/A	0	MW						0	0	0.000		1		
BY-103	1954	1	xin	183		928		#N/A	0			WTR				0	0	0.000		1		
BY-103	1954	1	SEND	-546		382		#N/A	0	SU		BX-103				0	0	0.000		0		
BY-103	1954	1	STAT		382	382	0	#N/A	0	MW						0	0	0.000		1		
BY-103	1954	2	outx	-382		0		#N/A	0			UR		Transfer to 104, 5-C.		0	0	0.000		1		
																0	0	0.000		0		
BY-103	1954	2	STAT		0	0	0	#N/A	0					Transfer to 109-BY Tank was emptied on June 3, 1954.								
BY-103	1954	3	STAT		N/A	0		#N/A	0							0	0	0.000		1		
BY-103	1954	4	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-103	1955	1	REC	51		51		#N/A	0	CAS	BY-102	BY-102	Omis. Qtr 2 to qtr 1			0	0	0.000		1		
BY-103	1955	1	REC	144		195		#N/A	0	SU	BY-110	BY-110			Omission	0	0	0.000		2	V	N-54-102/103
BY-103	1955	1	CREC	0		195		#N/A	0	END	BY-102					0	0	0.000		3	O	N-54-4
																	0	0.000		1		
BY-103	1955	1	STAT		N/A	195	0	#N/A	0	TBP			CAS phasing error 128 to N/A	Received from II0-BY.								
BY-103	1955	2	REC	561		756		#N/A	0	SU	BY-107	BY-107				0	0	0.000		1		
BY-103	1955	2	STAT		739	739	0	-17	-17							0	0	0.000		3	O	N-54-9
BY-103	1955	3	STAT		739	739	0	#N/A	-17							0	0	0.000		1		
BY-103	1955	4	STAT		739	739	0	#N/A	-17							0	0	0.000		1		
																0	0	0.000		1		
BY-103	1956	1	STAT		739	739	0	#N/A	-17					Scvg. waste awaiting rework.								
BY-103	1956	2	STAT		739	739	0	#N/A	-17	TBP				Scvg. waste awaiting rework.		0	0	0.000		1		
BY-103	1956	3	STAT		739	739	0	#N/A	-17	MW						0	0	0.000		1		
BY-103	1956	4	STAT		739	739	0	#N/A	-17	TBP						0	0	0.000		1		
BY-103	1957	1	STAT		732	732	0	-7	-24	TBP						0	0	0.000		1		
BY-103	1957	2	STAT		733	733	0	1	-23	TBP						0	0	0.000		1		
BY-103	1957	3	OUTX	-462		271		#N/A	-23	T17	C-111	TFeCN				0	0	0.000		3	O	N-54-291
BY-103	1957	3	OUTX	-257		14		#N/A	-23	T18	C-111	TFeCN				0	0	0.000		3	O	N-54-292

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-103	1957	3	STAT		26	26	0	12	-11	TBP				550m scavenged - 157m scvg. Received 421m from 106-C.		0	0	0.000		1		
BY-103	1957	4	REC	456		482		#N/A	-11	SU	C-106	C-106	OC 418 to 456, AND reports 421		Shows 456 not 418	0	0	0.000		3	V	HW-54067-4
BY-103	1957	4	STAT		447	447	0	-35	-46	TBP,P						0	0	0.000		1		
BY-103	1958	1	REC	286		733		#N/A	-46	SU	C-103	C-103				0	0	0.000		4	O	HW-54916-4
BY-103	1958	1	STAT		736	736	0	3	-43	TBP,P				286m from 103-C.		0	0	0.000		1		
BY-103	1958	2	STAT		730	730	0	-6	-49	P				New electrode reading.		0	0	0.000		1		
BY-103	1958	3	STAT		730	730	0	#N/A	-49	P						0	0	0.000		1		
BY-103	1958	4	STAT		730	730	0	#N/A	-49	TBP,P						0	0	0.000		1		
BY-103	1959	1	STAT		728	728	0	-2	-51	TBP,P						0	0	0.000		1		
BY-103	1959	2	STAT		722	722	0	-6	-57	P						0	0	0.000		1		
BY-103	1959	3	STAT		722	722	0	#N/A	-57	P						0	0	0.000		1		
BY-103	1959	4	STAT		722	722	0	#N/A	-57	P						0	0	0.000		1		
BY-103	1960	1	STAT		722	722	0	#N/A	-57	P						0	0	0.000		1		
BY-103	1960	2	STAT		722	722	0	#N/A	-57	P						0	0	0.000		1		
BY-103	1960	3	STAT		722	722	0	#N/A	-57	P						0	0	0.000		1		
BY-103	1960	4	STAT		722	722	0	#N/A	-57	TBP,P						0	0	0.000		1		
BY-103	1961	1	STAT		N/A	722		#N/A	-57								0	0.000		1		
BY-103	1961	2	STAT		722	722	0	#N/A	-57	TBP,P						0	0	0.000		1		
BY-103	1961	3	STAT		N/A	722		#N/A	-57								0	0.000		1		
BY-103	1961	4	STAT		736	736	0	14	-43	TBP,P				Latest electrode reading.		0	0	0.000		1		
BY-103	1962	1	STAT		N/A	736		#N/A	-43								0	0.000		1		
BY-103	1962	2	STAT		725	725	0	-11	-54	TBP,P				Latest electrode reading.		0	0	0.000		1		
BY-103	1962	3	STAT		N/A	725		#N/A	-54								0	0.000		1		
BY-103	1962	4	STAT		725	725	0	#N/A	-54	TBP,P						0	0	0.000		1		
BY-103	1963	1	STAT		N/A	725		#N/A	-54								0	0.000		1		
BY-103	1963	2	STAT		722	722	21	-3	-57	TBP,P						0	0	0.000		1		
BY-103	1963	3	STAT		N/A	722		#N/A	-57								0	0.000		1		
BY-103	1963	4	STAT		722	722	21	#N/A	-57	TBP,P						0	0	0.000		1		
BY-103	1964	1	STAT		N/A	722		#N/A	-57								0	0.000		1		
BY-103	1964	2	STAT		714	714	21	-8	-65	TBP,P				New electrode.		0	0	0.000		1		
BY-103	1964	3	STAT		N/A	714		#N/A	-65								0	0.000		1		
BY-103	1964	4	STAT		739	739	21	25	-40	TBP,P				New electrode (reading confirmed)		0	0	0.000		1		
BY-103	1965	1	STAT		N/A	739		#N/A	-40								0	0.000		1		
BY-103	1965	2	SEND	-143		596		#N/A	-40	SU		BY-101				0	0	0.000		4	O	RL-SEP-659-5
BY-103	1965	2	STAT		596	596	0	#N/A	-40	TBP,P				143m to 101-BY (TTS) (ITS decant. tank)		0	0	0.000		1		
BY-103	1965	3	XIN	628		1224		#N/A	-40	CWP		CWP2				0.00775194	4.8682	4.868	CWP2	4	O	RL-SEP-821-5
BY-103	1965	3	REC	372		1596		#N/A	-40	SU	BY-111	BY-111				0	0	4.868		4	O	RL-SEP-821-5
BY-103	1965	3	REC	256		1852		#N/A	-40	SU	BY-112	BY-112				0	0	4.868		4	O	RL-SEP-821-5
BY-103	1965	3	SEND	-1149		703		#N/A	-40	SU		BY-101	"-521 to			0	0	4.868		4	O	RL-SEP-821-5
BY-103	1965	3	STAT		703	703	0	#N/A	-40	CW				Received 628m;; 521m to 101-BY.		0	0	4.868		1		
BY-103	1965	4	REC	24		727		#N/A	-40	SU	BY-111	BY-111				0	0	4.868		4	O	RL-SEP-923-5
BY-103	1965	4	SEND	-233		494		#N/A	-40	SU		BY-101				0	0	4.868		4	O	RL-SEP-923-5
BY-103	1965	4	STAT		494	494	0	#N/A	-40	CW				24m from 111-BY;; 233m to 101-BY.		0	0	4.868		1		
BY-103	1966	1	REC	314		808		#N/A	-40	SU	BY-111	BY-111				0	0	4.868		4	O	ISO-226-5
BY-103	1966	1	SEND	-289		519		#N/A	-40	SU		BY-101				0	0	4.868		4	O	ISO-226-5
BY-103	1966	1	STAT		519	519	0	#N/A	-40	CW				314m from 111-BY;; 289m to 101-BY.		0	0	4.868		1		
BY-103	1966	2	REC	503		1022		#N/A	-40	SU	BY-105	BY-105				0	0	4.868		4	O	ISO-404-5
BY-103	1966	2	SEND	-432		590		#N/A	-40	SU		BY-101				0	0	4.868		4	O	ISO-404-5
BY-103	1966	2	STAT		590	590	0	#N/A	-40	CW				503m from 102-BY;; 432m to 101-BY.		0	0	4.868		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	Q/A	Document/Pg #
BY-103	1966	3	XIN	533		1123		#N/A	-40	CWP		CWP2	OC 553 to 533		Shows 533 not 553	0.00775194	4.1318	9.000	CWP2	3	V	ISO-538-5
BY-103	1966	3	REC	30		1153		#N/A	-40		BY-105	BY-105			Omission	0	0	9.000		2	V	ISO-538-5
BY-103	1966	3	REC	503		1656		#N/A	-40	SU	BY-109	BY-109				0	0	9.000		4	O	ISO-538-5
BY-103	1966	3	SEND	-994		662		#N/A	-40	SU		BY-101	"-461 to			0	0	9.000		4	O	ISO-538-5
BY-103	1966	3	STAT		662	662	0	#N/A	-40	CW				Received 533m;; 461m to 101-BY.								
BY-103	1966	4	REC	127		789		#N/A	-40	SU	C-102	C-102				0	0	9.000		1		
BY-103	1966	4	SEND	-50		739		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ISO-674-5
BY-103	1966	4	STAT		739	739	0	#N/A	-40	CW				127m from 102-C:; 50m to 102-BY.		0	0	9.000		4	O	ISO-674-4/ISO-674-5 SEND
BY-103	1967	1	REC	349		1088		#N/A	-40	SU	BY-106	BY-106				0	0	9.000		1		
BY-103	1967	1	SEND	-547		541		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ISO-806-5
BY-103	1967	1	STAT		541	541	0	#N/A	-40	CW				349 from 106-BY;;547 TO 102-BY.		0	0	9.000		4	O	ISO-806-5
BY-103	1967	2	REC	514		1055		#N/A	-40	SU	BY-104	BY-104				0	0	9.000		1		
BY-103	1967	2	REC	294		1349		#N/A	-40		BY-106	BY-106				0	0	9.000		4	O	ISO-967-5
BY-103	1967	2	send	-734		615		#N/A	-40	ITS		BY-102			Omission	0	0	9.000		3	V	ISO-967-5
BY-103	1967	2	GREC	0		615		#N/A	-40	ITS	BY-102				Shows772not0	0	0	9.000		3	V	ISO-967-5
BY-103	1967	2	STAT		615	615	0	#N/A	-40	CW							0	9.000		3	O	
BY-103	1967	3	REC	476		1091		#N/A	-40	SU	BX-106	BX-106		ITS - feed tank.		0	0	9.000		1		
BY-103	1967	3	send	-565		526		#N/A	-40	ITS		BY-102				0	0	9.000		3	O	ARH-95-6
BY-103	1967	3	GREC	0		526		#N/A	-40	ITS	BY-102				Shows506not0	0	0	9.000		3	V	ARH-95-6
BY-103	1967	3	STAT		526	526	0	#N/A	-40						Shows 506 not 0		0	9.000		3	O	ARH-95-6
BY-103	1967	4	send	-477		49		#N/A	-40	ITS		BY-102		ITS - feed tank.		0	0	9.000		1		
BY-103	1967	4	REC	477		526		#N/A	-40	SU	BX-104	BX-104			Shows521not0	0	0	9.000		3	V	ARH-326-6
BY-103	1967	4	GREC	0		526		#N/A	-40	ITS	BY-102					0	0	9.000		4	O	ARH-326-6
BY-103	1967	4	STAT		526	526	0	#N/A	-40	CW					Shows 521 not 0		0	9.000		3	O	ARH-326-6
BY-103	1968	1	REC	321		847		#N/A	-40	SU	BX-105	BX-105		ITS - feed tank.		0	0	9.000		1		
BY-103	1968	1	REC	716		1563		#N/A	-40	SU	BY-111	BY-111				0	0	9.000		4	O	ARH-534-6
BY-103	1968	1	send	-994		569		#N/A	-40	ITS		BY-102				0	0	9.000		4	O	ARH-534-6
BY-103	1968	1	GREC	0		569		#N/A	-40	ITS	BY-102				Shows231not0	0	0	9.000		3	V	ARH-534-6
BY-103	1968	1	STAT		569	569	0	#N/A	-40						Shows 231 not 0		0	9.000		3	O	ARH-534-6
BY-103	1968	2	REC	500		1069		#N/A	-40	SU	BY-104	BY-104		ITS - No. 1&2 feed tank.		0	0	9.000		1		
BY-103	1968	2	REC	486		1555		#N/A	-40		BY-106	BY-106				0	0	9.000		4	O	ARH-721-6
BY-103	1968	2	REC	1116		2671		#N/A	-40	SU	BY-109	BY-109			Omission	0	0	9.000		3	V	ARH-721-6
BY-103	1968	2	REC	550		3221		#N/A	-40	SU	BX-102	BX-102				0	0	9.000		4	O	ARH-721-6/ISO-967-5 SEND
BY-103	1968	2	send	-2652		569		#N/A	-40	ITS		BY-102				0	0	9.000		4	O	ARH-721-6
BY-103	1968	2	GREC	0		569		#N/A	-40	ITS	BY-102				Shows520not0	0	0	9.000		2	V	ARH-721-6
BY-103	1968	2	STAT		569	569	0	#N/A	-40	CW					Shows 520 not 0		0	9.000		2	V	ARH-721-6
BY-103	1968	3	REC	429		998		#N/A	-40	SU	BX-105	BX-105		ITS - No. 1&2 feed tank.		0	0	9.000		1		
BY-103	1968	3	REC	485		1483		#N/A	-40	SU	BX-106	BX-106				0	0	9.000		4	O	ARH-871-6
BY-103	1968	3	send	-1027		456		#N/A	-40	ITS		BY-102				0	0	9.000		3	O	ARH-871-6
BY-103	1968	3	GREC	0		456		#N/A	-40	ITS	BY-102				Shows548not0	0	0	9.000		2	V	ARH-871-6
BY-103	1968	3	STAT		456	456	0	#N/A	-40	CW					Shows 548 not 0		0	9.000		2	V	ARH-871-6
BY-103	1968	4	REC	2152		2608		#N/A	-40	SU	BX-106	BX-106		ITS - No. 1 feed tank.		0	0	9.000		1		
BY-103	1968	4	SEND	-814		1794		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ARH-1061-6
BY-103	1968	4	SEND	-1276		518		#N/A	-40			BY-109				0	0	9.000		4	O	ARH-1061-6
BY-103	1968	4	STAT		519	519	0	1	-39	CW,OWW				2,153 from 106-BX;; 814 to 102-BY	Omission	0	0	9.000		2	V	ARH-1061-6
BY-103	1969	1	REC	506		1025		#N/A	-39	SU	B-102	B-102				0	0	9.000		1		
BY-103	1969	1	REC	706		1731		#N/A	-39	SU	B-103	B-103				0	0	9.000		4	O	ARH-1200A-6/ARH-1000A-5 SEND
BY-103	1969	1	REC	373		2104		#N/A	-39		B-101	B-101				0	0	9.000		4	O	ARH-1200A-6
BY-103	1969	1	SEND	-693		1411		#N/A	-39	SU		BY-102			Omission	0	0	9.000		4	O	ARH-1200A-5
BY-103	1969	1	SEND	-1197		214		#N/A	-39	SU		BY-109				0	0	9.000		3	V	ARH-1200A-6
																0	0	9.000		4	O	ARH-1200A-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-103	1969	1	STAT		213	213	0	-1	-40	CW			fkj-typo-and-stat, REC total 11585	1,585 from 101-B;; 102-B and 103-B; 693 to 102-BY; 1,197 to 109-BY		0	0	9.000		1		
BY-103	1969	2	REC	2425		2638		#N/A	-40	SU	B-103	B-103				0	0	9.000		4	O	ARH-1200B-6
BY-103	1969	2	SEND	-1376		1262		#N/A	-40	SU		BY-109				0	0	9.000		4	O	ARH-1200B-6
BY-103	1969	2	SEND	-696		566		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ARH-1200B-6
BY-103	1969	2	STAT		566	566	0	#N/A	-40	CW,OWW				2,425 from 103-B;; 696 to 102-BY;; 1,376 to 109-BY.		0	0	9.000		1		
BY-103	1969	3	REC	2095		2661		#N/A	-40	SU	B-103	B-103				0	0	9.000		4	O	ARH-1200C-6
BY-103	1969	3	SEND	-620		2041		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ARH-1200C-6
BY-103	1969	3	SEND	-1558		483		#N/A	-40	SU		BY-109				0	0	9.000		4	O	ARH-1200C-6
BY-103	1969	3	STAT		483	483	1	#N/A	-40	CW,OWW				2,095 from 103-B;; 620 to 102-BY;; 1,558 to 109-BY.		0	0	9.000		1		
BY-103	1969	4	REC	1888		2371		#N/A	-40	SU	BX-102	BX-102				0	0	9.000		4	O	ARH-1200D-6
BY-103	1969	4	SEND	-657		1714		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ARH-1200D-6
BY-103	1969	4	SEND	-1172		542		#N/A	-40	SU		BY-109				0	0	9.000		4	O	ARH-1200D-6
BY-103	1969	4	STAT		542	542	8	#N/A	-40	OWW				1,888 from 102-BX;; 657 to 102-BY;; 1,172 to 109-BY.		0	0	9.000		1		
BY-103	1970	1	REC	608		1150		#N/A	-40	SU	BX-102	BX-102				0	0	9.000		4	O	ARH-1666A-6
BY-103	1970	1	SEND	-617		533		#N/A	-40	SU		BY-109				0	0	9.000		4	O	ARH-1666A-6
BY-103	1970	1	SEND	-293		240		#N/A	-40			BY-102			Omission	0	0	9.000		3	V	ARH-1666A-6
BY-103	1970	1	STAT		239	239	3	-1	-41	CW,OWW				608 from 102-BY;; 293 to 102-BY;; 617 to 109-BY * Dry Wells No.'s 22-03-01, 22-03-05 and 22-03-09 were drilled.		0	0	9.000		1		
BY-103	1970	2	REC	202		441		#N/A	-41	SU	BY-105	BY-105				0	0	9.000		4	O	ARH-1666B-6
BY-103	1970	2	STAT		442	442	4	1	-40	CW,OWW,EB				202 from 105-BY.		0	0	9.000		1		
BY-103	1970	3	STAT		439	439	4	-3	-43	CW,OWW,EB						0	0	9.000		1		
BY-103	1970	4	REC	261		700		#N/A	-43		BY-105	BY-105			Omission	0	0	9.000		3	V	ARH-1666D-6
BY-103	1970	4	STAT		700	700	9	#N/A	-43	CW,OWW,EB				261 from 105-BY.		0	0	9.000		1		
BY-103	1971	1	send	-125		575		#N/A	-43			BY-112				0	0	9.000		0		
BY-103	1971	1	REC	136		711		#N/A	-43	SU	BY-109	BY-109				0	0	9.000		1		
BY-103	1971	1	GREC	0		711		#N/A	-43	ITS	BY-112				No indication of REC		0	9.000		2	V	ARH-2074A-6
BY-103	1971	1	STAT		711	711	65	#N/A	-43	EB				To ITS- 2 bottom service in January		0	0	9.000		1		
BY-103	1971	2	send	-22		689		#N/A	-43	ITS		BY-109				0	0	9.000		0		
BY-103	1971	2	GREC	0		689		#N/A	-43	ITS	BY-109						0	9.000		1		
BY-103	1971	2	STAT		689	689	128	#N/A	-43	EB				ITS - 2 bottoms and recycle.		0	0	9.000		1		
BY-103	1971	3	REC	22		711		#N/A	-43	SU	BY-109	BY-109				0	0	9.000		1		
BY-103	1971	3	GREC	0		711		#N/A	-43	ITS	BY-112						0	9.000		1		
BY-103	1971	3	STAT		714	714	142	3	-40	EB				ITS - 2 bottoms and recycle.		0	0	9.000		1		
BY-103	1971	4	send	-616		98		#N/A	-40			BY-112				0	0	9.000		0		
BY-103	1971	4	REC	300		398		#N/A	-40	SU	BY-109	BY-109				0	0	9.000		1		
BY-103	1971	4	GREC	0		398		#N/A	-40	ITS	BY-112						0	9.000		1		
BY-103	1971	4	STAT		398	398	202	#N/A	-40	EB				ITS - 2 bottoms and recycle.		0	0	9.000		1		
BY-103	1972	1	REC	582		980		#N/A	-40	SU	BY-109	BY-109				0	0	9.000		1		
BY-103	1972	1	send	-537		443		#N/A	-40			BY-112				0	0	9.000		0		
BY-103	1972	1	GREC	0		443		#N/A	-40	ITS	BY-112						0	9.000		1		
BY-103	1972	1	STAT		443	443	298	#N/A	-40	EB				ITS - bottoms and recycle.		0	0	9.000		1		
BY-103	1972	2	rec	11		454		#N/A	-40		BY-112	BY-112				0	0	9.000		0		
BY-103	1972	2	STAT		454	454	351	#N/A	-40	EB				ITS - bottoms and recycle.		0	0	9.000		1		
BY-103	1972	3	REC	732		1186		#N/A	-40	SU	BY-109	BY-109				0	0	9.000		1		
BY-103	1972	3	send	-566		620		#N/A	-40			BY-112				0	0	9.000		0		
BY-103	1972	3	GREC	0		620		#N/A	-40	ITS	BY-112						0	9.000		1		
BY-103	1972	3	STAT		620	620	428	#N/A	-40	EB				ITS - bottoms and recycle. ** Dry Wells No.'s 22-03-04, and 22-03-06 were drilled.		0	0	9.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Gl	Q/A	Document/Pg #
BY-103	1972	4	send	-144		476		#N/A	-40			BY-112				0	0	9.000		0		
BY-103	1972	4	GREC	0		476		#N/A	-40	ITS	BY-112						0	9.000		1		
BY-103	1972	4	STAT		476	476	48	#N/A	-40	EB			anomalous solids of 48?	ITS - bottoms and recycle.		0	0	9.000		1		
BY-103	1973	1	send	-465		11		#N/A	-40			BY-112				0	0	9.000		1		
BY-103	1973	1	REC	458		469		#N/A	-40	SU	BY-109	BY-109				0	0	9.000		0		
BY-103	1973	1	GREC	0		469		#N/A	-40	ITS	BY-112					0	0	9.000		1		
BY-103	1973	1	STAT		469	469	469	#N/A	-40	EB							0	9.000		1		
BY-103	1973	2	rec	14		483		#N/A	-40		BY-112	BY-112		ITS - bottoms and recycle.		0	0	9.000		1		
BY-103	1973	2	STAT		483	483	469	#N/A	-40	EB						0	0	9.000		0		
BY-103	1973	3	SEND	-25		458		#N/A	-40	SU		BY-109		Tank leaks.		0	0	9.000		1		
BY-103	1973	3	STAT		461	461	458	3	-37	EB						0	0	9.000		4	O	ARH-2794C-5
BY-103	1973	4	SEND	-4		457		#N/A	-37	SU		BY-109		Tank leaks, 25 to 109-BY. *** Dry Wells No.'s 22-03-07, 22-03-08, 22-03-10 were drilled.		0	0	9.000		1		
BY-103	1973	4	STAT		464	464	458	7	-30	EB						0	0	9.000		4	O	ARH-2794D-5
BY-103	1974	1	STAT		464	464	458	#N/A	-30	EB				Tank leaks, 4 to 109-BY.		0	0	9.000		1		
BY-103	1974	2	SEND	-5		459		#N/A	-30	SU		BY-109		Tank leaks.		0	0	9.000		1		
BY-103	1974	2	STAT		464	464	458	5	-25	EB						0	0	9.000		4	O	ARH-CD-133B-5
BY-103	1974	3	SEND	-13		451		#N/A	-25	SU		BY-109		Tank leaks, 5 to 109-BY.		0	0	9.000		1		
BY-103	1974	3	STAT		469	469	469	18	-7							0	0	9.000		2		
BY-103	1974	4	STAT		461	461	461	-8	-15					Tank leaks, 13 to 109-BY.		0	0	9.000		1		
BY-103	1975	1	SEND	-5		456		#N/A	-15	SU		BY-109		Tank leaks.		0	0	9.000		1		
BY-103	1975	1	STAT		461	461	461	5	-10							0	0	9.000		4	O	ARH-CD-336A-5
BY-103	1975	2	STAT		461	461	461	#N/A	-10					Tank leaks, 5 to 109-BY.		0	0	9.000		1		
BY-103	1975	3	STAT		461	461	461	#N/A	-10					Tank leaks.		0	0	9.000		1		
BY-103	1975	4	SEND	-4		457		#N/A	-10	SU		BY-109		Tank leaks.		0	0	9.000		1		
BY-103	1975	4	STAT		461	461	461	4	-6							0	0	9.000		4	O	ARH-CD-336D-5
BY-103	1976	1	SEND	-5		456		#N/A	-6	SU		BY-109		Tank leaks, 4 to 109-BY.		0	0	9.000		1		
BY-103	1976	1	outx	-452		4		#N/A	-6			BYEVAP				0	0	9.000		4	O	ARH-CD 702A-5
BY-103	1976	1	xin	452		456		#N/A	-6			BYSltCk				0	0	9.000	BYEV	0		
BY-103	1976	1	STAT		461	461	461	5	-1							0.865044	391	400.000	BYSlt	0		
BY-103	1976	2	SEND	-1		460		#N/A	-1	SU		BY-109		Tank leaks, 5 to 109-BY.		0	0	400.000		1		
BY-103	1976	2	STAT		461	461	461	1	0							0	0	400.000		4	O	ARH-CD-702B-5
BY-103	1976	3	STAT		461	461	461	#N/A	0					Tank leaks, 1 to 109-BY.		0	0	400.000		1		
BY-103	1976	4	STAT		461	461	461	#N/A	0					Tank leaks.		0	0	400.000		1		
BY-103	1977	1	STAT		461	461	461	#N/A	0					Tank leaks.		0	0	400.000		1		
BY-103	1977	2	STAT		461	461	461	#N/A	0					Leaker Stabilized		0	0	400.000		1		
BY-103	1977	3	STAT		461	461	461	#N/A	0					Leaker Stablilized		0	0	400.000		1		
BY-103	1977	4	STAT		461	461	461	#N/A	0					Leaker Stablilized		0	0	400.000		1		
BY-103	1978	1	STAT		461	461	461	#N/A	0					Leaker Salt Well Installed		0	0	400.000		1		
BY-103	1978	2	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1978	3	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1978	4	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1979	1	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1979	2	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1979	3	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1979	4	STAT		461	461	461	#N/A	0					New Photo 8/2/79		0	0	400.000		1		
BY-103	1980	1	STAT		461	461	461	#N/A	0							0	0	400.000		1		
BY-103	1980	2	STAT		461	461	461	#N/A	0					Unknown Pool Volume New Photo 1/17/80		0	0	400.000		1		
BY-103	1980	3	STAT		461	461	461	#N/A	0	EVAP				Solids Level Taken 2/1/80		0	0	400.000		1		
BY-103	1980	4	STAT		461	461	458	#N/A	0	EVAP						0	0	400.000		1		
BY-103	1984	3	send	-61		400		#N/A	0	swliq		AN-101				0	0	400.000		1		
BY-103	1993	2	STAT		400	400	400	#N/A	0	NCPLX						0	0	400.000		0		
BY-103	1993	4	STAT		400	400	400	#N/A	0							0	0	400.000		1		
BY-103	1994	1	STAT		400	400	400	#N/A	0							0	0	400.000		1		
BY-103	2000															0	0	400.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-104	1900																					
BY-104	1950	1	STAT		11	11	0	11	11							0	0	0.000		1		
BY-104	1950	2	STAT		8	8	0	-3	8	MW						0	0	0.000		1		
BY-104	1950	3	STAT		11	11	0	3	11							0	0	0.000		1		
BY-104	1950	4	STAT		11	11	0	#N/A	11	MW						0	0	0.000		1		
BY-104	1951	1	CREC	0		11		#N/A	11	SET	BX-106						0	0.000		1		
BY-104	1951	1	CSEND	0		11		#N/A	11	SET	BY-105						0	0.000		1		
BY-104	1951	1	rec	150		161		#N/A	11	cas	BX-106	BX-106					0	0.000		1		
BY-104	1951	1	STAT		N/A	161	0	#N/A	11	MW			LC 200 to N/A, cascade phasing.	Began filling March		0	0	0.000		0		
BY-104	1951	2	rec	309		470		#N/A	11	cas	BX-106	BX-106				0	0	0.000		1		
BY-104	1951	2	rec	242		712		#N/A	11	cas	BX-106	BX-106				0	0	0.000		0		
BY-104	1951	2	rec	111		823		#N/A	11	cas	BX-106	BX-106				0	0	0.000		0		
BY-104	1951	2	send	-65		758		#N/A	11	cas		BY-105				0	0	0.000		0		
BY-104	1951	2	STAT		758	758	0	#N/A	11	MW			and stats at 744	Cascade filled in June.		0	0	0.000		0		
BY-104	1951	3	rec	184		942		#N/A	11	cas	BX-106	BX-106				0	0	0.000		1		
BY-104	1951	3	rec	164		1106		#N/A	11	cas	BX-106	BX-106				0	0	0.000		0		
BY-104	1951	3	rec	115		1221		#N/A	11	cas	BX-106	BX-106				0	0	0.000		0		
BY-104	1951	3	send	-184		1037		#N/A	11	cas		BY-105				0	0	0.000		0		
BY-104	1951	3	send	-164		873		#N/A	11	cas		BY-105				0	0	0.000		0		
BY-104	1951	3	send	-115		758		#N/A	11	cas		BY-105				0	0	0.000		0		
BY-104	1951	3	STAT		N/A	758		#N/A	11							0	0	0.000		0		
BY-104	1951	4	rec	21		779		#N/A	11	cas	BX-106	BX-106					0	0.000		1		
BY-104	1951	4	send	-21		758		#N/A	11	cas		BY-105				0	0	0.000		0		
BY-104	1951	4	CREC	0		758		#N/A	11	END	BX-106					0	0	0.000		0		
BY-104	1951	4	STAT		N/A	758		#N/A	11								0	0.000		1		
BY-104	1952	1	STAT		758	758	0	#N/A	11								0	0.000		1		
BY-104	1952	2	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1952	3	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1952	4	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1953	1	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1953	2	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1953	3	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1953	4	STAT		758	758	0	#N/A	11							0	0	0.000		1		
BY-104	1954	1	STAT		758	758	0	#N/A	11	MW						0	0	0.000		1		
BY-104	1954	2	SEND	-430		328		#N/A	11	SU		BX-103	LC qtr1 to qtr2			0	0	0.000		1		
BY-104	1954	2	SEND	-328		0		#N/A	11	SU		BX-106				0	0	0.000		1		
BY-104	1954	2	STAT		N/A	0		#N/A	11					Transferred to 109-BY and 244-BXR.			0	0.000		1		
BY-104	1954	3	STAT		0	0	0	#N/A	11							0	0	0.000		1		
BY-104	1954	4	STAT		N/A	0		#N/A	11								0	0.000		1		
BY-104	1955	1	STAT		N/A	0		#N/A	11								0	0.000		1		
BY-104	1955	2	REC	113		113		#N/A	11	SU	BY-107	BY-107					0	0.000		1		
BY-104	1955	2	STAT		112	112	0	-1	10	TBP						0	0	0.000		3	O	N-54-9
BY-104	1955	3	REC	604		716		#N/A	10	SU	BY-110	BY-110				0	0	0.000		1		
BY-104	1955	3	STAT		714	714	0	-2	8	TBP						0	0	0.000		3	O	N-54-12
BY-104	1955	4	OUTX	-630		84		#N/A	8	SU	B-049	CRIB				0	0	0.000		1		
BY-104	1955	4	STAT		78	78	0	-6	2	TBP				Caverned during month.	Shows BY-7 Cavern	0	0	0.000		3	O	N-54-104
BY-104	1956	1	STAT		78	78	0	#N/A	2							0	0	0.000		1		
BY-104	1956	2	STAT		78	78	0	#N/A	2	TBP						0	0	0.000		1		
BY-104	1956	3	REC	55		133		#N/A	2	SL	BY-106	BY-106				0	0	0.000		1		
BY-104	1956	3	REC	50		183		#N/A	2	SL	BY-108	BY-106				0.27624309	15.193	15.193	PFeCl	3	O	N-54-42
BY-104	1956	3	REC	107		290		#N/A	2	SL	BY-107	BY-107				0.27624309	13.812	29.006	PFeCl	3	O	N-54-38
BY-104	1956	3	REC	36		326		#N/A	2	SL	BY-107	BY-107				0.27624309	29.558	58.564	PFeCl	3	O	N-54-43
BY-104	1956	3	REC	41		367		#N/A	2	SL	BY-108	BY-108				0.27624309	9.9448	68.508	PFeCl	3	O	N-54-39
BY-104	1956	3	REC	28		395		#N/A	2	SL	BY-110	BY-110				0.27624309	11.326	79.834	PFeCl	3	O	N-54-40
BY-104	1956	3	STAT		403	403	303	8	10	MW						0.27624309	7.7348	87.569	PFeCl	3	O	N-54-41
BY-104	1956	4	REC	25		428		#N/A	10	SL	BY-106	BY-106		Received from 107-BY.		0	0	87.569		1		
																0.27624309	6.9061	94.475	PFeCl	3	O	N-54-46

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	Q/A	Document/Pg #
BY-104	1956	4	REC	66		494		#N/A	10	SL	BY-108	BY-108				0.27624309	18.232	112.707	PFeCl	3	O	N-54-44
BY-104	1956	4	REC	45		539		#N/A	10	SL	BY-110	BY-110				0.27624309	12.431	125.138	PFeCl	3	O	N-54-45
BY-104	1956	4	REC	26		565		#N/A	10	SL	BY-110	BY-110				0.27624309	7.1823	132.320	PFeCl	3	O	N-54-49
BY-104	1956	4	STAT		546	546	323	-19	-9	TBP				Received from 106, 8 and 110-BY.								
BY-104	1957	1	STAT		563	563	323	17	8	TBP				Latest electrode reading.		0	0	132.320		1		
BY-104	1957	2	REC	16		579		#N/A	8	SL	BY-108	BY-108				0	0	132.320		1		
BY-104	1957	2	STAT		571	571	277	-8	0	TBP				8m received from 108-BY.		0.27624309	4.4199	136.740	PFeCl	4	O	N-54-55
BY-104	1957	3	REC	48		619		#N/A	0	SL	BY-108	BY-108	AND reports 27			0	0	136.740		1		
BY-104	1957	3	outx	-65		554		#N/A	0	ADJ	CORR	COND				0.27624309	13.26	150.000	PFeCl	3	O	N-54-106
BY-104	1957	3	rec	0		554		#N/A	0	SL	BY-108	BY-108				0	0	150.000		0		
BY-104	1957	3	STAT		598	598	244	44	44	TBP							0	150.000		1		
BY-104	1957	4	STAT		574	574	244	-24	20					Received 27m from 108-BY.		0	0	150.000		1		
BY-104	1958	1	STAT		574	574	244	#N/A	20					Latest electrode reading. New electrode reading.		0	0	150.000		1		
BY-104	1958	2	STAT		574	574	244	#N/A	20							0	0	150.000		1		
BY-104	1958	3	STAT		574	574	244	#N/A	20	TBP						0	0	150.000		1		
BY-104	1958	4	STAT		571	571	244	-3	17							0	0	150.000		1		
BY-104	1959	1	STAT		571	571	244	#N/A	17					New electrode reading.		0	0	150.000		1		
BY-104	1959	2	STAT		571	571	244	#N/A	17	TBP						0	0	150.000		1		
BY-104	1959	3	STAT		567	567	244	-4	13							0	0	150.000		1		
BY-104	1959	4	STAT		567	567	244	#N/A	13					Installed new electrode.		0	0	150.000		1		
BY-104	1960	1	STAT		567	567	244	#N/A	13	TBP						0	0	150.000		1		
BY-104	1960	2	STAT		563	563	244	-4	9							0	0	150.000		1		
BY-104	1960	3	STAT		563	563	244	#N/A	9					Electrode being rechecked.		0	0	150.000		1		
BY-104	1960	4	STAT		563	563	244	#N/A	9	TBP						0	0	150.000		1		
BY-104	1961	1	STAT		N/A	563		#N/A	9							0	0	150.000		1		
BY-104	1961	2	STAT		565	565	244	2	11	TBP							0	150.000		1		
BY-104	1961	3	REC	138		703		#N/A	11	SU	C-107	C-107	OC 133 to 138			0	0	150.000		1		
BY-104	1961	3	STAT		N/A	703		#N/A	11						Shows 138 not 133	0	0	150.000		3	V	HW-72625-5
BY-104	1961	4	STAT		703	703	244	#N/A	11	TBP,CW							0	150.000		1		
BY-104	1962	1	STAT		N/A	703		#N/A	11					138m from 107-C.		0	0	150.000		1		
BY-104	1962	2	REC	14		717		#N/A	11	SU	C-107	C-107					0	150.000		1		
BY-104	1962	2	STAT		717	717	244	#N/A	11	TBP,CW						0	0	150.000		4	O	HW-74647-5
BY-104	1962	3	STAT		N/A	717		#N/A	11					14m from 107-C.		0	0	150.000		1		
BY-104	1962	4	STAT		717	717	244	#N/A	11	TBP,CW							0	150.000		1		
BY-104	1963	1	STAT		N/A	717		#N/A	11							0	0	150.000		1		
BY-104	1963	2	STAT		714	714	263	-3	8	TBP,CW							0	150.000		1		
BY-104	1963	3	STAT		N/A	714		#N/A	8							0	0	150.000		1		
BY-104	1963	4	STAT		714	714	263	#N/A	8	TBP,CW							0	150.000		1		
BY-104	1964	1	STAT		N/A	714		#N/A	8							0	0	150.000		1		
BY-104	1964	2	STAT		714	714	263	#N/A	8	TBP,CW							0	150.000		1		
BY-104	1964	3	STAT		N/A	714		#N/A	8							0	0	150.000		1		
BY-104	1964	4	STAT		714	714	263	#N/A	8	TBP,CW							0	150.000		1		
BY-104	1965	1	STAT		N/A	714		#N/A	8							0	0	150.000		1		
BY-104	1965	2	STAT		717	717	227	3	11	CW							0	150.000		1		
BY-104	1965	3	STAT		717	717	227	#N/A	11	CW						0	0	150.000		1		
BY-104	1965	4	STAT		717	717	227	#N/A	11	CW						0	0	150.000		1		
BY-104	1966	1	STAT		717	717	227	#N/A	11	CW						0	0	150.000		1		
BY-104	1966	2	STAT		717	717	227	#N/A	11	CW						0	0	150.000		1		
BY-104	1966	3	STAT		717	717	227	#N/A	11	TBP,CW						0	0	150.000		1		
BY-104	1966	4	STAT		719	719	227	2	13	CW				119m concentrate from 101-BY.		0	0	150.000		1		
BY-104	1967	1	STAT		719	719	227	#N/A	13	TBP,CW						0	0	150.000		1		
BY-104	1967	2	SEND	-514		205		#N/A	13	SU		BY-103				0	0	150.000		4	O	ISO-967-5
BY-104	1967	2	STAT		205	205	205	#N/A	13	TBP				514m to 103-BY.		0	0	150.000		1		
BY-104	1967	3	REC	44		249		#N/A	13	SU	C-102	C-102				0	0	150.000		4	O	ARH-95-6
BY-104	1967	3	STAT		249	249	244	#N/A	13	CW				Received 44m from 102-C.		0	0	150.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-104	1967	4	REC	404		653		#N/A	13	SU	C-102	C-102				0	0	150.000		4	O	ARH-326-6
BY-104	1967	4	STAT		653	653	244	#N/A	13	CW				Received 404m from 102-C.		0	0	150.000		1		
BY-104	1968	1	REC	77		730		#N/A	13		C-102	C-102			Omission	0	0	150.000		3	V	ARH-534-6
BY-104	1968	1	STAT		730	730	244	#N/A	13	CW				Received 77m from 102-C.		0	0	150.000		1		
BY-104	1968	2	SEND	-500		230		#N/A	13	SU		BY-103				0	0	150.000		4	O	ARH-721-6
BY-104	1968	2	REC	317		547		#N/A	13	SU	BX-104	BX-104				0	0	150.000		4	O	ARH-721-6
BY-104	1968	2	STAT		546	546	212	-1	12	IX				500 to 103-BY;; 317 from 104-BX.		0	0	150.000		1		
BY-104	1968	3	REC	184		730		#N/A	12	SU	BX-104	BX-104				0	0	150.000		4	O	ARH-721-6
BY-104	1968	3	STAT		741	741	244	11	23					184 from 104-BX.		0	0	150.000		1		
BY-104	1968	4	STAT		741	741	244	#N/A	23							0	0	150.000		1		
BY-104	1969	1	STAT		741	741	244	#N/A	23	IX						0	0	150.000		1		
BY-104	1969	2	STAT		741	741	233	#N/A	23	IX						0	0	150.000		1		
BY-104	1969	3	STAT		740	740	244	-1	22	IX						0	0	150.000		1		
BY-104	1969	4	STAT		748	748	240	8	30	IX				New measuring tape.		0	0	150.000		1		
BY-104	1970	1	SEND	-377		371		#N/A	30	SU		A-103										ARH-1666A-10, ARH-1666A-6 SEND
BY-104	1970	1	SEND	-151		220		#N/A	30	SU		C-110				0	0	150.000		4	O	
BY-104	1970	1	STAT		211	211	206	-9	21	IX						0	0	150.000		4	O	ARH-1200B-5
BY-104	1970	2	rec	368		579		#N/A	21		BY-112	BY-112		377 to 103-A, 151 to 110-C		0	0	150.000		1		
BY-104	1970	2	STAT		579	579	44	#N/A	21	EB				Placed in bottoms in June by receiving from II0-BY. * Dry Wells No.'s 22-04-01, 22-04-05, 22-04-09 were drilled.		0	0	150.000		1		
BY-104	1970	3	rec	44		623		#N/A	21	ITS	BY-112	BY-112			NoindicationofXFER	0	0	150.000		2	V	ARH-1666C-6
BY-104	1970	3	GREC	0		623		#N/A	21	ITS	BY-112				No indication of XFER		0	150.000		2	V	ARH-1666C-6
BY-104	1970	3	STAT		623	623	112	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150.000		1		
BY-104	1970	4	rec	41		664		#N/A	21	ITS	BY-112	BY-112			NoindicationofXFER	0	0	150.000		2	V	ARH-1666D-6
BY-104	1970	4	GREC	0		664		#N/A	21	ITS	BY-112				No indication of XFER		0	150.000		2	V	ARH-1666D-6
BY-104	1970	4	STAT		664	664	131	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150.000		1		
BY-104	1971	1	send	-33		631		#N/A	21			BY-112				0	0	150.000		0		
BY-104	1971	1	REC	46		677		#N/A	21	SU	BY-109	BY-109				0	0	150.000		1		
BY-104	1971	1	GREC	0		677		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1971	1	STAT		677	677	150	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150.000		1		
BY-104	1971	2	rec	24		701		#N/A	21	ITS	BY-109	BY-109				0	0	150.000		0		
BY-104	1971	2	GREC	0		701		#N/A	21	ITS	BY-109						0	150.000		1		
BY-104	1971	2	STAT		701	701	150	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150.000		1		
BY-104	1971	3	send	-467		234		#N/A	21			BY-112				0	0	150.000		0		
BY-104	1971	3	REC	428		662		#N/A	21	SU	BY-109	BY-109				0	0	150.000		1		
BY-104	1971	3	GREC	0		662		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1971	3	STAT		662	662	425	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150.000		1		
BY-104	1971	4	REC	965		1627		#N/A	21	SU	BY-109	BY-109				0	0	150.000		1		
BY-104	1971	4	send	-965		662		#N/A	21			BY-112				0	0	150.000		0		
BY-104	1971	4	GREC	0		662		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1971	4	STAT		662	662	618	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150.000		1		
BY-104	1972	1	STAT		662	662	618	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		
BY-104	1972	2	rec	8		670		#N/A	21	ITS	BY-112	BY-112				0	0	150.000		0		
BY-104	1972	2	GREC	0		670		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1972	2	STAT		670	670	618	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		
BY-104	1972	3	send	-6		664		#N/A	21			BY-112				0	0	150.000		0		
BY-104	1972	3	GREC	0		664		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1972	3	STAT		664	664	310	#N/A	21	EB				ITS - bottoms and recyc1e.		0	0	150.000		1		
BY-104	1972	4	rec	43		707		#N/A	21	ITS	BY-112	BY-112				0	0	150.000		0		
BY-104	1972	4	GREC	0		707		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1972	4	STAT		707	707	310	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		
BY-104	1973	1	send	-39		668		#N/A	21			BY-112				0	0	150.000		0		
BY-104	1973	1	GREC	0		668		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1973	1	STAT		668	668	469	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg.#
BY-104	1973	2	rec	25		693		#N/A	21	ITS	BY-112	BY-112				0	0	150.000		0		
BY-104	1973	2	GREC	0		693		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1973	2	STAT		693	693	469	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		
BY-104	1973	3	rec	4		697		#N/A	21	ITS	BY-112	BY-112				0	0	150.000		0		
BY-104	1973	3	GREC	0		697		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1973	3	STAT		697	697	469	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		
BY-104	1973	4	send	-40		657		#N/A	21			BY-112				0	0	150.000		0		
BY-104	1973	4	GREC	0		657		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1973	4	STAT		657	657	628	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150.000		1		
BY-104	1974	1	rec	61		718		#N/A	21	ITS	BY-112	BY-112				0	0	150.000		0		
BY-104	1974	1	GREC	0		718		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1974	1	STAT		718	718	469	#N/A	21	EB				ITS - bottoms and recycle		0	0	150.000		1		
BY-104	1974	2	rec	1		719		#N/A	21	ITS	BY-112	BY-112				0	0	150.000		0		
BY-104	1974	2	GREC	0		719		#N/A	21	ITS	BY-112						0	150.000		1		
BY-104	1974	2	STAT		719	719	469	#N/A	21	EB				ITS - bottoms and recycle		0	0	150.000		1		
BY-104	1974	3	STAT		718	718	469	-1	20	EB				ITS - bottoms and recycle * Dry Wells No.'s 22-04-07 and 22-04-11 were drilled.		0	0	150.000		1		
BY-104	1974	4	GREC	0		718		#N/A	20	ITS	BY-112						0	150.000		1		
BY-104	1974	4	STAT		717	717	469	-1	19					ITS - bottoms and recycle		0	0	150.000		1		
BY-104	1975	1	GREC	0		717		#N/A	19	ITS	BY-112						0	150.000		1		
BY-104	1975	1	STAT		717	717	469	#N/A	19					ITS - bottoms and recycle		0	0	150.000		1		
BY-104	1975	2	GREC	0		717		#N/A	19	ITS	BY-112						0	150.000		1		
BY-104	1975	2	STAT		717	717	469	#N/A	19					ITS - bottoms and recycle		0	0	150.000		1		
BY-104	1975	3	GREC	0		717		#N/A	19	ITS	BY-112						0	150.000		1		
BY-104	1975	3	STAT		717	717	469	#N/A	19							0	0	150.000		1		
BY-104	1975	4	GREC	0		717		#N/A	19	ITS	BY-112						0	150.000		1		
BY-104	1975	4	STAT		717	717	469	#N/A	19					ITS - bottoms and recycle		0	0	150.000		1		
BY-104	1976	1	outx	-567		150		#N/A	19			BYEVAP				0	0	150.000	BYEV	0		
BY-104	1976	1	xin	567		717		#N/A	19			BYSltCk				0.451499	256	406.000	BYSlt	0		
BY-104	1976	1	GREC	0		717		#N/A	19	ITS	BY-112						0	406.000		1		
BY-104	1976	1	STAT		717	717	469	#N/A	19					ITS - bottoms and recycle		0	0	406.000		1		
BY-104	1976	2	GREC	0		717		#N/A	19	ITS	BY-109						0	406.000		1		
BY-104	1976	2	STAT		717	717	469	#N/A	19	EB				ITS - bottoms and recycle		0	0	406.000		1		
BY-104	1976	3	STAT		719	719	469	?	21	EVAP				Evaporator feed bottoms		0	0	406.000		1		
BY-104	1976	4	send	-49		670		#N/A	21			A-102				0	0	406.000		0		
BY-104	1976	4	STAT		670	670	469	#N/A	21	EVAP						0	0	406.000		1		
BY-104	1977	1	send	-36		634		#N/A	21			A-102				0	0	406.000		0		
BY-104	1977	1	STAT		634	634	469	#N/A	21					Evap. Feed Con. Salt Well Installed		0	0	406.000		1		
BY-104	1977	2	STAT		634	634	469	#N/A	21	EVAP				Evap. Feed Con. Salt Well Installed		0	0	406.000		1		
BY-104	1977	3	STAT		631	631	623	-3	18					Inactive Current Pump removed		0	0	406.000		1		
BY-104	1977	4	STAT		631	631	623	#N/A	18	EVAP				Inactive Current Pump removed		0	0	406.000		1		
BY-104	1978	1	STAT		634	634	623	3	21					Inactive		0	0	406.000		1		
BY-104	1978	2	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1978	3	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1978	4	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1979	1	STAT		634	634	623	#N/A	21					P-10 PMP Removed		0	0	406.000		1		
BY-104	1979	2	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1979	3	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1979	4	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1980	1	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1980	2	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1980	3	STAT		634	634	623	#N/A	21							0	0	406.000		1		
BY-104	1980	4	STAT		634	634	623	#N/A	21	NCPLX						0	0	406.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BY-104	1982	3	send	-228		406		#N/A	21			AW-102	salt-wellpumped									
BY-104	1985	4	send	-82		324		#N/A	21	swliq		AN-101				0	0	406.000		0		
BY-104	1993	2	STAT		326	326	326	2	23	NCPLX						0	0	406.000		0		
BY-104	1993	4	STAT		326	326	326	#N/A	23				126" from surface level data-Husa			0	0	406.000		1		
BY-104	1994	1	STAT		326	326	326	#N/A	23				126" from surface level data-Husa			0	0	406.000		1		
BY-104	2000												126" from surface level data-Husa			0	0	406.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BY-105	1900																					
BY-105	1951	1	CREC	0		0		#N/A	0	SET	BY-104											
BY-105	1951	1	CSEND	0		0		#N/A	0	SET	BY-106						0	0.000		1		
BY-105	1951	1	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-105	1951	2	rec	65		65		#N/A	0	cas	BY-104	BY-104				0	0	0.000		1		
BY-105	1951	2	STAT		20	20	0	-45	-45	MW						0.029144	1.8944	1.894	MW1	0		
BY-105	1951	3	rec	184		204		#N/A	-45	cas	BY-104	BY-104		Cascade began filling June.		0	0	1.894		1		
BY-105	1951	3	rec	164		368		#N/A	-45	cas	BY-104	BY-104				0.029144	5.3625	7.257	MW1	0		
BY-105	1951	3	rec	115		483		#N/A	-45	cas	BY-104	BY-104				0.029144	4.7796	12.036	MW1	0		
BY-105	1951	3	STAT		N/A	483		#N/A	-45							0.029144	3.3515	15.388	MW1	0		
BY-105	1951	4	rec	21		504		#N/A	-45	cas	BY-104	BY-104					0	15.388		1		
BY-105	1951	4	STAT		N/A	504		#N/A	-45							0.029144	0.612	16.000	MW1	0		
BY-105	1952	1	STAT		491	491	0	-13	-58								0	16.000		1		
BY-105	1952	2	STAT		491	491	0	#N/A	-58							0	0	16.000		1		
BY-105	1952	3	STAT		491	491	0	#N/A	-58							0	0	16.000		1		
BY-105	1952	4	STAT		491	491	0	#N/A	-58							0	0	16.000		1		
BY-105	1953	1	STAT		491	491	0	#N/A	-58	MW						0	0	16.000		1		
BY-105	1953	2	STAT		495	495	0	4	-54	MW						0	0	16.000		1		
BY-105	1953	3	STAT		497	497	0	2	-52							0	0	16.000		1		
BY-105	1953	4	STAT		497	497	0	#N/A	-52							0	0	16.000		1		
BY-105	1954	1	STAT		497	497	0	#N/A	-52							0	0	16.000		1		
BY-105	1954	2	xin	495		992		#N/A	-52			WTR				0	0	16.000		1		
BY-105	1954	2	SEND	-495		497		#N/A	-52	SU		BX-106				0	0	16.000		0		
BY-105	1954	2	STAT		497	497	0	#N/A	-52	MW						0	0	16.000		1		
BY-105	1954	3	outx	-496		1		#N/A	-52			UR				0	0	16.000		1		
BY-105	1954	3	STAT		1	1	0	#N/A	-52	MW						0	0	16.000		0		
BY-105	1954	4	REC	318		319		#N/A	-52	SU	BY-107	BY-107		For TBP scvg sludge.		0	0	16.000		1		
BY-105	1954	4	REC	138		457		#N/A	-52	SU	BY-110	BY-110				0	0	16.000		3	O	N-54-2
BY-105	1954	4	outx	-58		399		#N/A	-52			UR				0	0	16.000		3	O	N-54-1
BY-105	1954	4	STAT		399	399	14	#N/A	-52	TBP				est Received from 107 and 110 BY.		0	0	16.000		0		
BY-105	1955	1	REC	121		520		#N/A	-52	SU	BY-110	BY-110				0	0	16.000		1		
BY-105	1955	1	outx	-298		222		#N/A	-52			UR				0	0	16.000		3	O	N-54-4
BY-105	1955	1	STAT		222	222	16	#N/A	-52							0	0	16.000		0		
BY-105	1955	2	xin	333		555		#N/A	-52			WTR		Received from 110-BY.		0	0	16.000		1		
BY-105	1955	2	SEND	-333		222		#N/A	-52	SU		BY-102				0	0	16.000		0		
BY-105	1955	2	STAT		222	222	16	#N/A	-52	TBP						0	0	16.000		3	O	N-54-102
BY-105	1955	3	xin	38		260		#N/A	-52			WTR				0	0	16.000		1		
BY-105	1955	3	STAT		260	260	16	#N/A	-52	TBP						0	0	16.000		0		
BY-105	1955	4	REC	80		340		#N/A	-52	SU	BY-107	BY-107				0	0	16.000		1		
BY-105	1955	4	REC	91		431		#N/A	-52	SL	BY-108	BY-108				0	0	16.000		3	O	N-54-19
BY-105	1955	4	REC	19		450		#N/A	-52	SU	BY-106	BY-106				0	0	16.000		3	O	N-54-20
BY-105	1955	4	outx	-79		371		#N/A	-52			CRIB				0	0	16.000		3	O	N-54-17
BY-105	1955	4	STAT		371	371	16	#N/A	-52	TBP						0	0	16.000		0		
BY-105	1956	1	xin	129		500		#N/A	-52			WTR		Cribbed during month.		0	0	16.000		1		
BY-105	1956	1	REC	21		521		#N/A	-52	SL	BY-106	BY-106				0	0	16.000		0		
BY-105	1956	1	REC	18		539		#N/A	-52	SL	BY-107	BY-107				0.57959184	12.171	28.171	PFeCl	3	O	N-54-26
BY-105	1956	1	REC	12		551		#N/A	-52	SL	BY-110	BY-110				0.57959184	10.433	38.604	PFeCl	3	O	N-54-27
BY-105	1956	1	STAT		551	551	350	#N/A	-52	TBP						0.57959184	6.9551	45.559	PFeCl	3	O	N-54-25
BY-105	1956	2	REC	28		579		#N/A	-52	SL	BY-106	BY-106				0	0	45.559		1		
BY-105	1956	2	REC	30		609		#N/A	-52	SL	BY-107	BY-107				0.57959184	16.229	61.788	PFeCl	3	O	N-54-34
BY-105	1956	2	REC	33		642		#N/A	-52	SL	BY-108	BY-108				0.57959184	17.388	79.176	PFeCl	3	O	N-54-35
BY-105	1956	2	REC	25		667		#N/A	-52	SL	BY-108	BY-108				0.57959184	19.127	98.302	PFeCl	3	O	N-54-28
BY-105	1956	2	REC	44		711		#N/A	-52	SL	BY-110	BY-110				0.57959184	14.49	112.792	PFeCl	3	O	N-54-36
BY-105	1956	2	REC	34		745		#N/A	-52	SL	BY-110	BY-110				0.57959184	25.502	138.294	PFeCl	3	O	N-54-33
BY-105	1956	2	STAT		708	708	384	-37	-89	TBP						0.57959184	19.706	158.000	PFeCl	3	O	N-54-29
BY-105	1956	3	outx	-305		403		#N/A	-89			UR				0	0	158.000		1		
BY-105	1956	3	STAT		403	403	384	#N/A	-89	MW						0	0	158.000		0		
																0	0	158.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-105	1956	4	xin	303		706		#N/A	-89			WTR				0	0	158.000		0		
BY-105	1956	4	STAT		706	706	384	#N/A	-89							0	0	158.000		1		
BY-105	1957	1	STAT		706	706	384	#N/A	-89	TBP						0	0	158.000		1		
BY-105	1957	2	OUTX	-296		410		#N/A	-89	SU	B-029	CRIB	OC 262 to 296			0	0	158.000		1		
BY-105	1957	2	STAT		409	409	384	-1	-90	TBP					Shows 296 not 262	0	0	158.000		3	V	N-54-245
BY-105	1957	3	XIN	8		417		#N/A	-90	WTR		WTR	Omis.	297m to No. 16 BC trench .		0	0	158.000		1		
BY-105	1957	3	STAT		417	417	213	#N/A	-90	TBP					Omission	0	0	158.000		2	V	HW-51858-5
BY-105	1957	4	STAT		428	428	213	11	-79					8m line flush.		0	0	158.000		1		
BY-105	1958	1	STAT		428	428	213	#N/A	-79	TBP				New electrode reading.		0	0	158.000		1		
BY-105	1958	2	STAT		431	431	213	3	-76							0	0	158.000		1		
BY-105	1958	3	STAT		431	431	213	#N/A	-76	TBP				Latest electrode reading.		0	0	158.000		1		
BY-105	1958	4	STAT		429	429	213	-2	-78	TBP						0	0	158.000		1		
BY-105	1959	1	STAT		428	428	213	-1	-79							0	0	158.000		1		
BY-105	1959	2	STAT		428	428	213	#N/A	-79					New electrode reading.		0	0	158.000		1		
BY-105	1959	3	STAT		428	428	213	#N/A	-79							0	0	158.000		1		
BY-105	1959	4	STAT		428	428	213	#N/A	-79							0	0	158.000		1		
BY-105	1960	1	STAT		428	428	213	#N/A	-79							0	0	158.000		1		
BY-105	1960	2	STAT		428	428	213	#N/A	-79							0	0	158.000		1		
BY-105	1960	3	STAT		428	428	213	#N/A	-79							0	0	158.000		1		
BY-105	1960	4	STAT		428	428	213	#N/A	-79	TBP						0	0	158.000		1		
BY-105	1961	1	STAT		N/A	428		#N/A	-79							0	0	158.000		1		
BY-105	1961	2	REC	91		519		#N/A	-79	SU	C-108	C-108					0	158.000		1		
BY-105	1961	2	STAT		519	519	213	#N/A	-79	TBP,CW				Received 91m from 108-C. 6 Mo.Report		0	0	158.000		4	O	HW-71610-5
BY-105	1961	3	REC	20		539		#N/A	-79	SU	C-107	C-107				0	0	158.000		1		
BY-105	1961	3	STAT		N/A	539		#N/A	-79							0	0	158.000		4	O	HW-72625-5
BY-105	1961	4	REC	172		711		#N/A	-79	SU	C-107	C-107	AND reports 192 pos typo error				0	158.000		1		
BY-105	1961	4	STAT		711	711	213	#N/A	-79	TBP,CW				192m from 107-C. 6 Month Report		0	0	158.000		4	O	HW-72625-5
BY-105	1962	1	STAT		N/A	711		#N/A	-79							0	0	158.000		1		
BY-105	1962	2	STAT		711	711	213	#N/A	-79	TBP,CW				6 Month Report		0	0	158.000		1		
BY-105	1962	3	STAT		N/A	711		#N/A	-79							0	0	158.000		1		
BY-105	1962	4	STAT		711	711	213	#N/A	-79	TBP,CW				6 Month Report		0	0	158.000		1		
BY-105	1963	1	STAT		N/A	711		#N/A	-79							0	0	158.000		1		
BY-105	1963	2	STAT		711	711	222	#N/A	-79	TBP,CW				6 Month Report		0	0	158.000		1		
BY-105	1963	3	STAT		N/A	711		#N/A	-79							0	0	158.000		1		
BY-105	1963	4	STAT		711	711	222	#N/A	-79	TBP,CW				6 Month Report		0	0	158.000		1		
BY-105	1964	1	STAT		N/A	711		#N/A	-79							0	0	158.000		1		
BY-105	1964	2	STAT		708	708	222	-3	-82	TBP,CW				6 month Report		0	0	158.000		1		
BY-105	1964	3	STAT		N/A	708		#N/A	-82							0	0	158.000		1		
BY-105	1964	4	STAT		708	708	222	#N/A	-82	TBP,CW				6 Month Report		0	0	158.000		1		
BY-105	1965	1	STAT		N/A	708		#N/A	-82							0	0	158.000		1		
BY-105	1965	2	STAT		711	711	186	3	-79	CW				6 Month Report		0	0	158.000		1		
BY-105	1965	3	STAT		711	711	186	#N/A	-79	CW						0	0	158.000		1		
BY-105	1965	4	STAT		711	711	186	#N/A	-79	CW						0	0	158.000		1		
BY-105	1966	1	STAT		711	711	186	#N/A	-79	TBP,CW						0	0	158.000		1		
BY-105	1966	2	SEND	-503		208		#N/A	-79	SU		BY-103				0	0	158.000		4	O	ISO-404-5
BY-105	1966	2	STAT		208	208	186	#N/A	-79	TBP				503m to 103-BY		0	0	158.000		1		
BY-105	1966	3	SEND	-30		178		#N/A	-79			BY-103			Omission	0	0	158.000		2	V	ISO-538-5
BY-105	1966	3	STAT		178	178	0	#N/A	-79	TBP						0	0	158.000		1		
BY-105	1966	4	REC	119		297		#N/A	-79		BY-101	BY-101			Omission	0	0	158.000		2	V	ISO-674-5
BY-105	1966	4	STAT		326	326	0	29	-50	CW						0	0	158.000		1		
BY-105	1967	1	STAT		323	323	0	-3	-53					Status not determined.		0	0	158.000		1		
BY-105	1967	2	STAT		323	323	0	#N/A	-53	CW						0	0	158.000		1		
BY-105	1967	3	GREC	0		323		#N/A	-53	ITS	BY-102						0	158.000		1		
BY-105	1967	3	STAT		326	326	39	3	-50	CW				ITS bottoms receiver.		0	0	158.000		1		
BY-105	1967	4	GREC	0		326		#N/A	-50	ITS	BY-102						0	158.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-105	1967	4	STAT		326	326	88	#N/A	-50	CW				ITS bottoms receiver.		0	0	158.000		1		
BY-105	1968	1	REC	279		605		#N/A	-50		BY-102	BY-102			Omission	0	0	158.000		3	V	ARH-534-6
BY-105	1968	1	STAT		605	605	88	#N/A	-50	EB				Received 279m from 102-BY.		0	0	158.000		1		
BY-105	1968	2	SEND	-110		495		#N/A	-50	SU		BY-109				0	0	158.000		4	O	ARH-721-6
BY-105	1968	2	STAT		495	495	88	#N/A	-50	EB				110 to 109-BY.		0	0	158.000		1		
BY-105	1968	3	REC	256		751		#N/A	-50		BY-102	BY-102			Omission	0	0	158.000		3	V	ARH-871-6
BY-105	1968	3	SEND	-340		411		#N/A	-50	SU		BY-109				0	0	158.000		4	O	ARH-871-6
BY-105	1968	3	STAT		411	411	158	#N/A	-50	EB				340 to 109-BY;; 256 from 102-BY.		0	0	158.000		1		
BY-105	1968	4	REC	330		741		#N/A	-50		BY-102	BY-102			Omission	0	0	158.000		3	V	ARH01061-6
BY-105	1968	4	STAT		741	741	158	#N/A	-50	EB				330 from 102-BY.		0	0	158.000		1		
BY-105	1969	1	REC	408		1149		#N/A	-50		BY-102	BY-102			Omission	0	0	158.000		3	V	ARH-1200A-6
BY-105	1969	1	SEND	-481		668		#N/A	-50	SU		BY-106				0	0	158.000		4	O	ARH-1200A-6
BY-105	1969	1	STAT		670	670	165	2	-48	EB				408 from 102-BY;; 481 to 106 BY.		0	0	158.000		1		
BY-105	1969	2	STAT		671	671	153	1	-47	EB				330 from 102-BY.		0	0	158.000		1		
BY-105	1969	3	SEND	-331		340		#N/A	-47	SU		BY-101				0	0	158.000		4	O	ARH-1200C-6
BY-105	1969	3	REC	154		494		#N/A	-47	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-1200C-6
BY-105	1969	3	STAT		494	494	194	#N/A	-47	EB				154 from 102-BY;; 331 to 101 BY.		0	0	158.000		1		
BY-105	1969	4	REC	182		676		#N/A	-47	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-1200D-6
BY-105	1969	4	STAT		675	675	189	-1	-48	EB				182 from 102-BY.		0	0	158.000		1		
BY-105	1970	1	REC	70		745		#N/A	-48	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-1666A-6
BY-105	1970	1	STAT		745	745	191	#N/A	-48	EB				70 from 102-BY.		0	0	158.000		1		
BY-105	1970	2	REC	89		834		#N/A	-48	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-1666B-6
BY-105	1970	2	SEND	-202		632		#N/A	-48	SU		BY-103				0	0	158.000		4	O	ARH-1666B-6
BY-105	1970	2	STAT		631	631	216	-1	-49	EB				202 to 103-BY;; 89 from 102-BY		0	0	158.000		1		
BY-105	1970	3	send	-543		88		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1970	3	REC	634		722		#N/A	-49	SU	BY-109	BY-109				0	0	158.000		1		
BY-105	1970	3	GREC	0		722		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1970	3	STAT		722	722	299	#N/A	-49	EB				To ITS- 2 bottoms service in August. * Dry Wells NO.'s 22-05-01, 22-05-05 and 22-05-09 were drilled. <		0	0	158.000		1		
BY-105	1970	4	send	-66		656		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1970	4	REC	286		942		#N/A	-49	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-1666D-6
BY-105	1970	4	SEND	-261		681		#N/A	-49			BY-103			Omission	0	0	158.000		3	V	ARH-1666D-6
BY-105	1970	4	GREC	0		681		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1970	4	STAT		681	681	299	#N/A	-49	EB				266 from 102-BY;; ITS 2 bottoms.		0	0	158.000		1		
BY-105	1971	1	send	-620		61		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1971	1	REC	514		575		#N/A	-49	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-2074A-6
BY-105	1971	1	REC	100		675		#N/A	-49	SU	BY-109	BY-109				0	0	158.000		1		
BY-105	1971	1	GREC	0		675		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1971	1	STAT		675	675	340	#N/A	-49	EB				514 from 102-BY;; ITS - 2 bottoms.		0	0	158.000		1		
BY-105	1971	2	XIN	4		679		#N/A	-49	WTR		WTR	Omis.		Omission	0	0	158.000		3	V	ARH-2074B-6
BY-105	1971	2	send	-378		301		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1971	2	REC	367		668		#N/A	-49	SU	BY-102	BY-102				0	0	158.000		4	O	ARH-2074B-6
BY-105	1971	2	GREC	0		668		#N/A	-49	ITS	BY-109						0	158.000		1		
BY-105	1971	2	STAT		668	668	469	#N/A	-49	EB				ITS - 2 bottoms;; 367 from 102-BY, 4 H20.		0	0	158.000		1		
BY-105	1971	3	rec	32		700		#N/A	-49	ITS	BY-112	BY-112				0	0	158.000		0		
BY-105	1971	3	GREC	0		700		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1971	3	STAT		700	700	469	#N/A	-49	EB												
BY-105	1971	4	rec	11		711		#N/A	-49		BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	158.000		1		
																0	0	158.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QN	QA	Document/Pg #
BY-105	1971	4	STAT		711	711	653	#N/A	-49	EB				ITS - 2 bottoms and recycle.		0	0	158.000		1		
BY-105	1972	1	send	-33		678		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1972	1	GREC	0		678		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1972	1	STAT		678	678	653	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1972	2	rec	23		701		#N/A	-49	ITS	BY-112	BY-112				0	0	158.000		0		
BY-105	1972	2	GREC	0		701		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1972	2	STAT		701	701	653	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1972	3	send	-59		642		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1972	3	GREC	0		642		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1972	3	STAT		642	642	591	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1972	4	rec	22		664		#N/A	-49	ITS	BY-112	BY-112				0	0	158.000		0		
BY-105	1972	4	GREC	0		664		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1972	4	STAT		664	664	591	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1973	1	rec	2		666		#N/A	-49	ITS	BY-112	BY-112				0	0	159.000		0		
BY-105	1973	1	GREC	0		666		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1973	1	STAT		666	666	628	#N/A	-49					ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1973	2	GREC	0		666		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1973	2	STAT		666	666	628	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1973	3	send	-9		657		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1973	3	GREC	0		657		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1973	3	STAT		657	657	628	#N/A	-49					ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1973	4	GREC	0		657		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1973	4	STAT		657	657	628	#N/A	-49	EB				ITS - bottoms and recycle		0	0	158.000		1		
BY-105	1974	1	send	-1		656		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1974	1	GREC	0		656		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1974	1	STAT		656	656	628	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1974	2	send	-4		652		#N/A	-49			BY-112				0	0	158.000		0		
BY-105	1974	2	GREC	0		652		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1974	2	STAT		652	652	628	#N/A	-49	EB				ITS - bottoms and recycle.		0	0	158.000		1		
BY-105	1974	3	rec	5		657		#N/A	-49	SU	BY-109	BY-109	*-73 to			0	0	158.000		2		
BY-105	1974	3	SEND	-29		628		#N/A	-49	SU		BY-106				0	0	158.000		2		
BY-105	1974	3	GREC	0		628		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1974	3	STAT		628	628	626	#N/A	-49					ITS - bottoms and recycle;; 73 to 109-BY, 29 to 106-BY.		0	0	158.000		1		
BY-105	1974	4	XIN	2		630		#N/A	-49	WTR		WTR				0	0	158.000		4	O	ARH-CD-133D-5
BY-105	1974	4	rec	12		642		#N/A	-49	ITS	BY-112	BY-112				0	0	158.000		0		
BY-105	1974	4	SEND	-16		626		#N/A	-49	SU		BY-109				0	0	158.000		4	O	ARH-CD-133D-5
BY-105	1974	4	GREC	0		626		#N/A	-49	ITS	BY-112						0	158.000		1		
BY-105	1974	4	STAT		626	626	626	#N/A	-49					Removed from service (2 water) 16 to 109-BY.		0	0	158.000		1		
BY-105	1975	1	SEND	-4		622		#N/A	-49	SU		BY-109				0	0	158.000		4	O	ARH-CD-336A-5
BY-105	1975	1	STAT		626	626	626	4	-45					Removed from service, 4 to 109-BY.		0	0	158.000		1		
BY-105	1975	2	SEND	-27		599		#N/A	-45	SU		BY-109				0	0	158.000		4	O	ARH-CD-336B-5
BY-105	1975	2	STAT		626	626	626	27	-18					Removed from service, 27 to 109-BY.		0	0	158.000		1		
BY-105	1975	3	SEND	-11		615		#N/A	-18	SU		BY-109				0	0	158.000		4	O	ARH-CD-336C-5
BY-105	1975	3	STAT		626	626	626	11	-7					Removed from service, 11 to 109-BY.		0	0	158.000		1		
BY-105	1975	4	SEND	-6		620		#N/A	-7	SU		BY-109				0	0	158.000		4	O	ARH-CD-336D-5
BY-105	1975	4	STAT		626	626	626	6	-1					Removed from service, 6 to 109-BY.		0	0	158.000		1		
BY-105	1976	1	SEND	-2		624		#N/A	-1			BY-109			Omission	0	0	158.000		4	V	ARH-CD-702A-5
BY-105	1976	1	outx	-468		156		#N/A	-1			BYEVAP				0	0	158.000	BYEV	0		
BY-105	1976	1	xin	468		624		#N/A	-1			BYSltCk				0.720085	337	495.000	BYSlt	0		
BY-105	1976	1	STAT		626	626	626	2	1					Removed from service.		0	0	495.000		1		
BY-105	1976	2	STAT		626	626	626	#N/A	1					Removed from service.		0	0	495.000		1		
BY-105	1976	3	STAT		626	626	626	#N/A	1					Inactive salt well pumping.		0	0	495.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-105	1976	4	STAT		626	626	626	#N/A	1							0	0	495.000		1		
BY-105	1977	1	XIN	8		634		#N/A	1	CON		CEM	63*.12kgals/ton			1	8	503.000	CEM	1		
BY-105	1977	1	STAT		626	626	626	-8	-7					Salt Well Pumped 63 T cement added		0	0	503.000		1		
BY-105	1977	2	STAT		626	626	626	#N/A	-7					Salt Well Pumped 63 T cement added		0	0	503.000		1		
BY-105	1977	3	STAT		626	626	626	#N/A	-7					Inactive Current 63 T Cement added		0	0	503.000		1		
BY-105	1977	4	STAT		626	626	626	#N/A	-7					Inactive Current 63 T Cement added		0	0	503.000		1		
BY-105	1978	1	STAT		626	626	626	#N/A	-7					Primary stabilized		0	0	503.000		1		
BY-105	1978	2	STAT		626	626	626	#N/A	-7					Questionable Integrity		0	0	503.000		1		
BY-105	1978	3	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1978	4	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1979	1	STAT		626	626	626	#N/A	-7					P-10 Pmp removed		0	0	503.000		1		
BY-105	1979	2	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1979	3	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1979	4	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1980	1	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1980	2	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1980	3	STAT		626	626	626	#N/A	-7							0	0	503.000		1		
BY-105	1980	4	STAT		626	626	626	#N/A	-7	EVAP						0	0	503.000		1		
BY-105	1982	3	send	-123		503		#N/A	-7			AW-102	salt-wellpumped			0	0	503.000		1		
BY-105	1993	2	STAT		503	503	503	#N/A	-7	NCPLX						0	0	503.000		0		
BY-105	1993	4	STAT		503	503	503	#N/A	-7							0	0	503.000		1		
BY-105	1994	1	STAT		503	503	503	#N/A	-7							0	0	503.000		1		
BY-105	2000															0	0	503.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-106	1900																					
BY-106	1951	1	CREC	0		0		#N/A	0	SET	BY-105						0	0.000		1		
BY-106	1951	4	STAT		0	0	0	#N/A	0							0	0	0.000		1		
BY-106	1952	1	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-106	1952	2	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-106	1952	3	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-106	1952	4	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-106	1953	1	STAT		0	0	0	#N/A	0	MW							0	0.000		1		
BY-106	1953	2	xin	758		758		#N/A	0			WTR	UNK in assn. to WTR Pumped to trench in 54q4			0	0	0.000		1		
BY-106	1953	2	STAT		758	758	0	#N/A	0							0	0	0.000		0		
BY-106	1953	3	STAT		758	758	0	#N/A	0	1C						0	0	0.000		1		
BY-106	1953	4	STAT		755	755	0	-3	-3	1C						0	0	0.000		1		
BY-106	1954	1	STAT		756	756	0	1	-2							0	0	0.000		1		
BY-106	1954	2	STAT		756	756	0	#N/A	-2							0	0	0.000		1		
BY-106	1954	3	STAT		756	756	0	#N/A	-2	1C						0	0	0.000		1		
BY-106	1954	4	outx	-741		15		#N/A	-2			CRIB		To be pumped to trench.		0	0	0.000		1		
BY-106	1954	4	STAT		15	15	0	#N/A	-2	TBP						0	0	0.000		0		
BY-106	1955	1	XIN	760		775		#N/A	-2	P07	UR	PFeCN1		For TBP scvg. sludge.		0	0	0.000		1		
BY-106	1955	1	OUTX	-712		63		#N/A	-2	SU	B-045	CRIB				0.036961	28.09	28.090	PFeCl	3	O	N-54-7
															BY-3 Crib	0	0	28.090		3	O	N-54-7
BY-106	1955	1	STAT		N/A	63	40	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-106	1955	2	XIN	701		764		#N/A	-2	P11	UR	PFeCN1		Received from WR Vault.		0	0	28.090		1		
BY-106	1955	2	OUTX	-525		239		#N/A	-2	SU	B-048	CRIB				0.036961	25.91	54.000	PFeCl	3	O	N-54-11
															BY-8 Crib	0	0	54.000		3	O	N-54-11
BY-106	1955	2	STAT		N/A	239	107	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
																0	0	54.000		1		
BY-106	1955	3	STAT		N/A	239	107	#N/A	-2				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-106	1955	4	XIN	534		773		#N/A	-2	P21	UR	PFeCN2				0	0	54.000		1		
BY-106	1955	4	OUTX	-578		195		#N/A	-2	SU	B-014	CRIB				0.00914761	4.8846	58.885	PFeCl	3	O	N-54-21
															BC-1 Ditch	0	0	58.885		3	O	N-54-21
BY-106	1955	4	STAT		N/A	195	120	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	O.K. to be cribbed.								
BY-106	1956	1	XIN	586		781		#N/A	-2	P26	UR	PFeCN2				0	0	58.885		1		
BY-106	1956	1	SEND	-21		760		#N/A	-2	SL		BY-105				0.00914761	5.3605	64.245	PFeCl	3	O	N-54-26
BY-106	1956	1	OUTX	-558		202		#N/A	-2	SU	B-018	CRIB				0	0	64.245		3	O	N-54-26
															BC-5 Crib	0	0	64.245		3	O	N-54-26
BY-106	1956	1	STAT		N/A	202	150	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-106	1956	2	XIN	564		766		#N/A	-2	P30	UR	PFeCN2		Scvg. waste receiver.		0	0	64.245		1		
BY-106	1956	2	XIN	578		1344		#N/A	-2	P34	UR	PFeCN2				0.00914761	5.1593	69.405	PFeCl	3	O	N-54-30
BY-106	1956	2	XIN	584		1928		#N/A	-2	P38	UR	PFeCN2				0.00914761	5.2873	74.692	PFeCl	3	O	N-54-34
BY-106	1956	2	SEND	-28		1900		#N/A	-2	SL		BY-105				0.00914761	5.3422	80.034	PFeCl	3	O	N-54-38
																0	0	80.034		3	O	N-54-34
BY-106	1956	2	SEND	-558		1342		#N/A	-2	SU		BY-109										ARH-CD-702B-5/N-54-34
BY-106	1956	2	OUTX	-580		762		#N/A	-2	SU	B-015	CRIB				0	0	80.034		3	O	SEND
															BC-2 Crib	0	0	80.034		3	O	N-54-30
BY-106	1956	2	STAT		N/A	762	180	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped to RC-2 crib. S.S. active receiver.								
BY-106	1956	3	XIN	595		1357		#N/A	-2	P42	UR	PFeCN2				0	0	80.034		1		
BY-106	1956	3	SEND	-446		911		#N/A	-2	SU		BX-101				0.00914761	5.4428	85.477	PFeCl	3	O	N-54-42
BY-106	1956	3	SEND	-55		856		#N/A	-2	SL		BY-104				0	0	85.477		3	O	N-54-38
BY-106	1956	3	SEND	-50		806		#N/A	-2	SL		BY-104				0	0	85.477		3	O	N-54-42
BY-106	1956	3	SEND	-99		707		#N/A	-2	SU		BY-112				0	0	85.477		3	O	N-54-38
BY-106	1956	3	OUTX	-539		168		#N/A	-2	SU	B-021	CRIB				0	0	85.477		3	O	N-54-38
															BC-8 Ditch	0	0	85.477		4	O	N-54-42

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	C/A	Document/Pg #
BY-106	1956	3	STAT		N/A	168	164	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-106	1956	4	XIN	588		756		#N/A	-2	P46	UR	PFeCN2		S.S. 539m to No. 8 BC ditch.		0	0	85.477		1		
BY-106	1956	4	XIN	586		1342		#N/A	-2	P50	UR	PFeCN2				0.00914761	5.3788	90.856	PFeCl	3	O	N-54-46
BY-106	1956	4	SEND	-25		1317		#N/A	-2	SL		BY-104				0.00914761	5.3605	96.216	PFeCl	3	O	N-54-50
BY-106	1956	4	OUTX	-484		833		#N/A	-2	SU	B-023	CRIB				0	0	96.216		3	O	N-54-46
BY-106	1956	4	OUTX	-82		751		#N/A	-2	SU	B-024	CRIB			BC-10 Ditch	0	0	96.216		4	O	N-54-46
															BC-11 Ditch	0	0	96.216		4	O	N-54-46
BY-106	1956	4	STAT		717	717	168	-34	-36	TBP				S.S. 484m to BC No. 10 ditch. S.S. received from 241-WR and ditched 77m gallons.		0	0	96.216		1		
BY-106	1957	1	XIN	195		912		#N/A	-36	P54	UR	PFeCN2				0.00914761	1.7838	98.000	PFeCl	3	O	N-54-54
BY-106	1957	1	OUTX	-190		722		#N/A	-36	SU	B-026	CRIB	AND reports -176		BC-13 Trench	0	0	98.000		3	O	N-54-50
BY-106	1957	1	STAT		722	722	111	#N/A	-36	TBP				176m pumped to B-C 86;; S. S. active TBP receiving		0	0	98.000		1		
BY-106	1957	2	STAT		725	725	111	3	-33	TBP				Increase due to flushes.		0	0	98.000		1		
BY-106	1957	3	XIN	14		739		#N/A	-33	WTR		WTR	Omis.		Omission	0	0	98.000		3	V	HW-51858-5
BY-106	1957	3	STAT		739	739	111	#N/A	-33	TBP				14m line flush.		0	0	98.000		1		
BY-106	1957	4	OUTX	-487		252		#N/A	-33	SU	B-015	CRIB	OC 484 to 487		Shows 487 not 484	0	0	98.000		3	V	N-54-202
BY-106	1957	4	STAT		257	257	111	5	-28	TBP				482m to BC-2 crib.		0	0	98.000		1		
BY-106	1958	1	STAT		257	257	111	#N/A	-28							0	0	98.000		1		
BY-106	1958	2	STAT		257	257	111	#N/A	-28							0	0	98.000		1		
BY-106	1958	3	STAT		257	257	111	#N/A	-28							0	0	98.000		1		
BY-106	1958	4	STAT		257	257	111	#N/A	-28	TBP						0	0	98.000		1		
BY-106	1959	1	STAT		241	241	111	-16	-44	TBP						0	0	98.000		1		
BY-106	1959	2	STAT		252	252	111	11	-33					New electrode reading.		0	0	98.000		1		
BY-106	1959	3	STAT		252	252	111	#N/A	-33					New electrode.		0	0	98.000		1		
BY-106	1959	4	STAT		252	252	111	#N/A	-33							0	0	98.000		1		
BY-106	1960	1	STAT		252	252	111	#N/A	-33							0	0	98.000		1		
BY-106	1960	2	STAT		252	252	111	#N/A	-33							0	0	98.000		1		
BY-106	1960	3	STAT		252	252	111	#N/A	-33							0	0	98.000		1		
BY-106	1960	4	STAT		252	252	111	#N/A	-33	TBP						0	0	98.000		1		
BY-106	1961	1	STAT		N/A	252		#N/A	-33							0	0	98.000		1		
BY-106	1961	2	STAT		249	249	111	-3	-36	TBP							0	98.000		1		
BY-106	1961	3	STAT		N/A	249		#N/A	-36					6 Month Report		0	0	98.000		1		
BY-106	1961	4	REC	256		505		#N/A	-36	SU	C-107	C-107	OC 250 to 256					98.000		1		
															Shows 256 not 250	0	0	98.000		3	V	HW-74647-5
BY-106	1961	4	STAT		505	505	111	#N/A	-36	TBP,CW				256m from 107-C. 6 Month Report.								
BY-106	1962	1	STAT		N/A	505		#N/A	-36							0	0	98.000		1		
BY-106	1962	2	REC	118		623		#N/A	-36	SU	C-107	C-107						98.000		1		
																0	0	98.000		4	O	HW-74647-5
BY-106	1962	2	STAT		623	623	111	#N/A	-36	TBP				118m from 107-C. 6 months report								
BY-106	1962	3	STAT		N/A	623		#N/A	-36							0	0	98.000		1		
BY-106	1962	4	STAT		623	623	111	#N/A	-36	TBP,CW								98.000		1		
BY-106	1963	1	STAT		N/A	623		#N/A	-36					6 months report		0	0	98.000		1		
BY-106	1963	2	STAT		620	620	150	-3	-39	TBP,CW								98.000		1		
BY-106	1963	3	STAT		N/A	620		#N/A	-39					6 months report		0	0	98.000		1		
BY-106	1963	4	STAT		620	620	150	#N/A	-39	TBP,CW								98.000		1		
BY-106	1964	1	STAT		N/A	620		#N/A	-39					6 months report		0	0	98.000		1		
BY-106	1964	2	STAT		620	620	150	#N/A	-39	TBP,CW								98.000		1		
BY-106	1964	3	STAT		N/A	620		#N/A	-39					6 months report		0	0	98.000		1		
BY-106	1964	4	STAT		620	620	150	#N/A	-39	TBP,CW								98.000		1		
BY-106	1965	1	STAT		N/A	620		#N/A	-39					6 months report		0	0	98.000		1		
BY-106	1965	2	STAT		620	620	103	#N/A	-39	CW								98.000		1		
BY-106	1965	3	STAT		620	620	103	#N/A	-39	CW						0	0	98.000		1		
BY-106	1965	4	STAT		620	620	103	#N/A	-39	CW						0	0	98.000		1		
BY-106	1966	1	STAT		620	620	103	#N/A	-39	CW						0	0	98.000		1		
																0	0	98.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-106	1966	2	STAT		620	620	103	#N/A	-39	TBP,CW						0	0	98.000		1		
BY-106	1966	3	REC	124		744		#N/A	-39		C-102	C-102			Omission	0	0	98.000		3	V	ISO-538-5
BY-106	1966	3	STAT		744	744	103	#N/A	-39	CW				124m from 102-C.		0	0	98.000		1		
BY-106	1966	4	STAT		744	744	103	#N/A	-39	TBP,CW						0	0	98.000		1		
BY-106	1967	1	SEND	-349		395		#N/A	-39	SU		BY-103				0	0	98.000		4	O	ISO-806-5
BY-106	1967	1	STAT		395	395	103	#N/A	-39	TBP,CW				349 to 103-BY		0	0	98.000		1		
BY-106	1967	2	SEND	-294		101		#N/A	-39			BY-103			Omission	0	0	98.000		3	V	ISO-967-5
BY-106	1967	2	REC	171		272		#N/A	-39	SU	C-102	C-102				0	0	98.000		4	O	ISO-967-5
BY-106	1967	2	STAT		272	272	103	#N/A	-39	CW				294m to 103-BY;; 171m from 102-C.								
BY-106	1967	3	REC	469		741		#N/A	-39		C-102	C-102	OC BY-102 to BY-106			0	0	98.000		1		
BY-106	1967	3	STAT		741	741	103	#N/A	-39	CW					Omission, Xfer to BY-106	0	0	98.000		3	M/V	ARH-95-6
BY-106	1967	4	STAT		740	740	103	-1	-40	CW				Received 469m from 102-C.		0	0	98.000		1		
BY-106	1968	1	STAT		739	739	103	-1	-41	CW						0	0	98.000		1		
BY-106	1968	2	SEND	-486		253		#N/A	-41			BY-103				0	0	98.000		1		
BY-106	1968	2	STAT		253	253	103	#N/A	-41						Omission	0	0	98.000		3	V	ARH-721-6
BY-106	1968	3	STAT		253	253	103	#N/A	-41					486 to 103-BY.		0	0	98.000		1		
BY-106	1968	4	STAT		253	253	103	#N/A	-41	CW						0	0	98.000		1		
BY-106	1969	1	REC	481		734		#N/A	-41	SU	BY-105	BY-105				0	0	98.000		1		
BY-106	1969	1	STAT		736	736	105	2	-39	CW,CW						0	0	98.000		4	O	ARH-1200A-6
BY-106	1969	2	STAT		737	737	93	1	-38	CW,EB				481 from 106-BY.		0	0	98.000		1		
BY-106	1969	3	STAT		732	732	96	-5	-43	CW,EB						0	0	98.000		1		
BY-106	1969	4	STAT		732	732	95	#N/A	-43	CW,EB						0	0	98.000		1		
BY-106	1970	1	send	0		732		#N/A	-43		BY-112		MOVED TO 70Q3			0	0	98.000		1		
BY-106	1970	1	STAT		733	733	103	1	-42	CW,EB						0	0	98.000		1		
BY-106	1970	2	STAT		743	743	96	10	-32	CW,EB				* Dry Wells No.'s 22-06-01, 22-06-05 and 22-06-09 were drilled.								
BY-106	1970	3	send	-68		675		#N/A	-32			BY-112				0	0	98.000		1		
BY-106	1970	3	STAT		689	689	98	14	-18	EB						0	0	98.000		0		
BY-106	1970	4	STAT		675	675	164	-14	-32	EB				To bottoms service in August.		0	0	98.000		1		
BY-106	1971	1	send	-193		482		#N/A	-32			BY-112		ITS - 2 bottoms and recycle.		0	0	98.000		1		
BY-106	1971	1	REC	207		689		#N/A	-32	SU	BY-109	BY-109				0	0	98.000		0		
BY-106	1971	1	GREC	0		689		#N/A	-32	ITS	BY-112					0	0	98.000		1		
BY-106	1971	1	STAT		689	689	249	#N/A	-32	EB							0	98.000		1		
BY-106	1971	2	rec	17		706		#N/A	-32	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	98.000		1		
BY-106	1971	2	GREC	0		706		#N/A	-32	ITS	BY-109					0	0	98.000		0		
BY-106	1971	2	STAT		706	706	288	#N/A	-32	EB							0	98.000		1		
BY-106	1971	3	send	-36		670		#N/A	-32			BY-112		ITS - 2 bottoms and recycle.		0	0	98.000		1		
BY-106	1971	3	STAT		670	670	288	#N/A	-32	EB						0	0	98.000		0		
BY-106	1971	4	rec	36		706		#N/A	-32	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	98.000		1		
BY-106	1971	4	GREC	0		706		#N/A	-32	ITS	BY-112					0	0	98.000		0		
BY-106	1971	4	STAT		706	706	288	#N/A	-32	EB							0	98.000		1		
BY-106	1972	1	send	-175		531		#N/A	-32			BY-112		ITS - 2 mini-cooler and recycle.		0	0	98.000		1		
BY-106	1972	1	REC	49		580		#N/A	-32	SU	BY-109	BY-109				0	0	98.000		0		
BY-106	1972	1	GREC	0		580		#N/A	-32	ITS	BY-112					0	0	98.000		1		
BY-106	1972	1	STAT		580	580	296	#N/A	-32	EB							0	98.000		1		
BY-106	1972	2	rec	75		655		#N/A	-32	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1972	2	GREC	0		655		#N/A	-32	ITS	BY-112					0	0	98.000		0		
BY-106	1972	2	STAT		655	655	296	#N/A	-32	EB							0	98.000		1		
BY-106	1972	3	rec	42		697		#N/A	-32	ITS	BY-112	BY-112		ITS _ bottoms and recycle.		0	0	98.000		1		
BY-106	1972	3	GREC	0		697		#N/A	-32	ITS	BY-112					0	0	98.000		0		
BY-106	1972	3	STAT		697	697	296	#N/A	-32	EB							0	98.000		1		
BY-106	1972	4	REC	1139		1836		#N/A	-32	SU	BY-109	BY-109		ITS - bottoms and recycle. * Dry well No. 22-06-07		0	0	98.000		1		
BY-106	1972	4	send	-1132		704		#N/A	-32			BY-112				0	0	98.000		1		
																0	0	98.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QN	Q/A	Document/Pg #
BY-106	1972	4	GREC	0		704		#N/A	-32	ITS	BY-112						0	98.000		1		
BY-106	1972	4	STAT		704	704	563	#N/A	-32	EB				ITS _ bottoms and recycle		0	0	98.000		1		
BY-106	1973	1	rec	6		710		#N/A	-32	ITS	BY-112	BY-112				0	0	98.000		1		
BY-106	1973	1	GREC	0		710		#N/A	-32	ITS	BY-112						0	98.000		0		
BY-106	1973	1	STAT		710	710	447	#N/A	-32	EB							0	98.000		1		
BY-106	1973	2	send	-44		666		#N/A	-32			BY-112		ITS _ bottoms and recycle.		0	0	98.000		1		
BY-106	1973	2	REC	11		677		#N/A	-32	SU	BY-109	BY-109				0	0	98.000		0		
BY-106	1973	2	GREC	0		677		#N/A	-32	ITS	BY-112						0	98.000		1		
BY-106	1973	2	STAT		677	677	494	#N/A	-32	EB							0	98.000		1		
BY-106	1973	3	rec	27		704		#N/A	-32	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1973	3	GREC	0		704		#N/A	-32	ITS	BY-112					0	0	98.000		0		
BY-106	1973	3	STAT		704	704	494	#N/A	-32	EB							0	98.000		1		
BY-106	1973	4	send	-12		692		#N/A	-32			BY-112		ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1973	4	GREC	0		692		#N/A	-32	ITS	BY-112					0	0	98.000		0		
BY-106	1973	4	STAT		692	692	494	#N/A	-32	EB							0	98.000		1		
BY-106	1974	1	GREC	0		692		#N/A	-32	ITS	BY-112			ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1974	1	STAT		692	692	494	#N/A	-32	EB							0	98.000		1		
BY-106	1974	2	rec	9		701		#N/A	-32	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1974	2	GREC	0		701		#N/A	-32	ITS	BY-112					0	0	98.000		0		
BY-106	1974	2	STAT		701	701	494	#N/A	-32	EB							0	98.000		1		
BY-106	1974	3	XIN	2		703		#N/A	-32	WTR		WTR		ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1974	3	rec	1		704		#N/A	-32	ITS	BY-112	BY-112				0	0	98.000		2		
BY-106	1974	3	REC	29		733		#N/A	-32	SU	BY-105	BY-105				0	0	98.000		0		
BY-106	1974	3	SEND	-36		697		#N/A	-32	SU		BY-109				0	0	98.000		2		
BY-106	1974	3	GREC	0		697		#N/A	-32	ITS	BY-112					0	0	98.000		2		
BY-106	1974	3	STAT		697	697	494	#N/A	-32	EB				ITS - bottoms and recycle 29 from 105-BY, 2 water, 36 to 109-BY. * Dry Well No. 22-06-11 was drilled.			0	98.000		1		
BY-106	1974	4	GREC	0		697		#N/A	-32	ITS	BY-112					0	0	98.000		1		
BY-106	1974	4	STAT		697	697	420	#N/A	-32	EB							0	98.000		1		
BY-106	1975	1	GREC	0		697		#N/A	-32	ITS	BY-112			ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1975	1	STAT		697	697	420	#N/A	-32	EB							0	98.000		1		
BY-106	1975	2	GREC	0		697		#N/A	-32	ITS	BY-112			ITS - bottoms and recycle.		0	0	98.000		1		
BY-106	1975	2	STAT		697	697	351	#N/A	-32	EB							0	98.000		1		
BY-106	1975	3	STAT		697	697	351	#N/A	-32	EB				ITS _ bottoms and recycle.		0	0	98.000		1		
BY-106	1975	4	SEND	-16		681		#N/A	-32	SU		BY-109				0	0	98.000		1		
BY-106	1975	4	GREC	0		681		#N/A	-32	ITS	BY-112					0	0	98.000		4	O	ARH-CD-336D-5
BY-106	1975	4	GREC	0		681		#N/A	-32	ITS	BY-112						0	98.000		1		
BY-106	1975	4	STAT		681	681	351	#N/A	-32	EB				ITS - bottoms and recycle, 16 to 109-BY.			0	98.000		1		
BY-106	1976	1	outx	-583		98		#N/A	-32			BYEVAP				0	0	98.000		1		
BY-106	1976	1	xin	583		681		#N/A	-32			BYSltCk				0	0	98.000	BYEV	0		
BY-106	1976	1	GREC	0		681		#N/A	-32	ITS	BY-112					0.933105	544	642.000	BYSlt	0		
BY-106	1976	1	GREC	0		681		#N/A	-32	ITS	BY-112						0	642.000		1		
BY-106	1976	1	STAT		681	681	351	#N/A	-32								0	642.000		1		
BY-106	1976	2	GREC	0		681		#N/A	-32	ITS	BY-109			ITS - bottoms and recycle.		0	0	642.000		1		
BY-106	1976	2	GREC	0		681		#N/A	-32	ITS	BY-109						0	642.000		1		
BY-106	1976	2	STAT		681	681	351	#N/A	-32	EB							0	642.000		1		
BY-106	1976	3	STAT		684	684	351	3	-29	EVAP				ITS - bottoms and recycle.		0	0	642.000		1		
BY-106	1976	4	STAT		684	684	351	#N/A	-29	EVAP				Active restricted.		0	0	642.000		1		
BY-106	1977	1	send	-91		593		#N/A	-29			A-102				0	0	642.000		1		
BY-106	1977	1	STAT		593	593	593	#N/A	-29	EVAP						0	0	642.000		0		
BY-106	1977	2	STAT		593	593	593	#N/A	-29					Salt Well Pumping		0	0	642.000		1		
BY-106	1977	3	rec	33		626		#N/A	-29		A-102	A-102		Salt Well Pumping		0	0	642.000		1		
BY-106	1977	3	STAT		626	626	626	#N/A	-29	EVAP				Inactive Current-Salt Well Installed		0	0	642.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-106	1977	4	STAT		626	626	626	#N/A	-29					Inactive Current-Salt Well Installed		0	0	642.000		1		
BY-106	1978	1	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1978	2	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1978	3	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1978	4	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1979	1	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1979	2	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1979	3	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1979	4	STAT		626	626	626	#N/A	-29					New Photo 8/22/79		0	0	642.000		1		
BY-106	1980	1	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1980	2	STAT		626	626	626	#N/A	-29					Liquid Pools		0	0	642.000		1		
BY-106	1980	3	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1980	4	STAT		626	626	626	#N/A	-29							0	0	642.000		1		
BY-106	1993	2	STAT		642	642	642	16	-13	NCPLX						0	0	642.000		1		
BY-106	1993	4	STAT		642	642	642	#N/A	-13							0	0	642.000		1		
BY-106	1994	1	STAT		642	642	642	#N/A	-13							0	0	642.000		1		
BY-106	2000															0	0	642.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-107	1900																					
BY-107	1950	3	CSEND	0		0		#N/A	0	SET	BY-108						0	0.000		1		
BY-107	1950	3	XIN	11		11		#N/A	0	1C		1C1				0.009927	0.1092	0.109	1C1	1		
BY-107	1950	3	STAT		11	11	0	#N/A	0	1C				September		0	0	0.109		1		
BY-107	1950	4	XIN	95		106		#N/A	0	1C		1C1				0.009927	0.9431	1.052	1C1	1		
BY-107	1950	4	STAT		106	106	0	#N/A	0	1C				Began filling in December.		0	0	1.052		1		
BY-107	1951	1	XIN	248		354		#N/A	0	1C		1C1				0.009927	2.4619	3.514	1C1	1		
BY-107	1951	1	XIN	198		552		#N/A	0	1C		1C1				0.009927	1.9656	5.480	1C1	1		
BY-107	1951	1	XIN	213		765		#N/A	0	1C		1C1				0.009927	2.1145	7.594	1C1	1		
BY-107	1951	1	send	-7		758		#N/A	0	cas		BY-108				0	0	7.594		0		
BY-107	1951	1	STAT		758	758	0	#N/A	0				and stats at 744	Cascade filled in March.		0	0	7.594		1		
BY-107	1951	2	XIN	190		948		#N/A	0	1C		1C1				0.009927	1.8862	9.480	1C1	1		
BY-107	1951	2	XIN	228		1176		#N/A	0	1C		1C1				0.009927	2.2634	11.744	1C1	1		
BY-107	1951	2	XIN	99		1275		#N/A	0	1C		1C1				0.009927	0.9828	12.727	1C1	1		
BY-107	1951	2	send	-228		1047		#N/A	0	cas		BY-108				0	0	12.727		0		
BY-107	1951	2	send	-190		857		#N/A	0	cas		BY-108				0	0	12.727		0		
BY-107	1951	2	send	-99		758		#N/A	0	cas		BY-108				0	0	12.727		0		
BY-107	1951	2	STAT		758	758	0	#N/A	0	1C			and stats at 744	Cascade.		0	0	12.727		1		
BY-107	1951	3	XIN	90		848		#N/A	0	1C		1C1				0.009927	0.8934	13.620	1C1	1		
BY-107	1951	3	XIN	139		987		#N/A	0	1C		1C1				0.009927	1.3799	15.000	1C1	1		
BY-107	1951	3	send	-139		848		#N/A	0	cas		BY-108				0	0	15.000		0		
BY-107	1951	3	send	-90		758		#N/A	0	cas		BY-108				0	0	15.000		0		
BY-107	1951	3	STAT		N/A	758		#N/A	0								0	15.000		1		
BY-107	1951	4	STAT		N/A	758		#N/A	0								0	15.000		1		
BY-107	1952	1	STAT		758	758	0	#N/A	0							0	0	15.000		1		
BY-107	1952	2	STAT		758	758	0	#N/A	0	1C						0	0	15.000		1		
BY-107	1952	3	SEND	-424		334		#N/A	0	SU		B-106	LC 414 TO 424			0	0	15.000		1		
BY-107	1952	3	STAT		334	334	0	#N/A	0	1C				Partially pumped 9/25 to 9/28		0	0	15.000		1		
BY-107	1952	4	SEND	-333		1		#N/A	0	SU		B-106	LC 343 TO 333			0	0	15.000		1		
BY-107	1952	4	STAT		1	1	0	#N/A	0	1C,TBP				Pumped to 106-B--not complete;; pumped to liquid heel 12/6/52; no supernate pumped to 106-B in November.		0	0	15.000		1		
BY-107	1953	1	CREC	0		1		#N/A	0	SET	BX-109						0	15.000		1		
BY-107	1953	1	rec	658		659		#N/A	0	cas	BX-109	BX-109					0	15.000		0		
BY-107	1953	1	rec	84		743		#N/A	0	cas	BX-109	BX-109				0	0	15.000		0		
BY-107	1953	1	CREC	0		743		#N/A	0	END	BX-109					0	0	15.000		1		
BY-107	1953	1	STAT		743	743	1	#N/A	0	1C,TBP				Cascade 109-BX - 107-BY. Abandoned 3/25/53.								
BY-107	1953	2	XIN	248		991		#N/A	0	UR		UR				0	0	15.000		1		
BY-107	1953	2	XIN	448		1439		#N/A	0	UR		UR				0.0281294	6.9761	21.976	UR	1		
BY-107	1953	2	send	-448		991		#N/A	0	cas		BY-108				0.0281294	12.602	34.578	UR	1		
BY-107	1953	2	send	-233		758		#N/A	0	cas		BY-108				0	0	34.578		0		
BY-107	1953	2	STAT		758	758	1	#N/A	0	TBP						0	0	34.578		0		
BY-107	1953	3	STAT		758	758	1	#N/A	0	TBP						0	0	34.578		1		
BY-107	1953	4	STAT		758	758	1	#N/A	0	1C,TBP						0	0	34.578		1		
BY-107	1954	1	XIN	15		773		#N/A	0	UR		UR				0	0	34.578		1		
BY-107	1954	1	send	-15		758		#N/A	0	cas		BY-108				0.0281294	0.4219	35.000	UR	1		
BY-107	1954	1	STAT		758	758	1	#N/A	0	TBP						0	0	35.000		0		
BY-107	1954	2	STAT		758	758	1	#N/A	0	1C,TBP						0	0	35.000		1		
BY-107	1954	3	SEND	-578		180		#N/A	0	SU		B-106				0	0	35.000		1		
BY-107	1954	3	SEND	-79		101		#N/A	0	SU		B-106				0	0	35.000		1		
BY-107	1954	3	STAT		N/A	101	44	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev.0.	Pumping to 106-B to be used for TBP scvg. waste.		0	0	35.000		1		
BY-107	1954	4	XIN	653		754		#N/A	0	P02	UR	PFeCN1				0.013279	8.6711	43.671	PFeCl	3	O	N-54-2

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-107	1954	4	SEND	-318		436		#N/A	0	SU		BY-105				0	0	43.671		3	O	N-54-2
BY-107	1954	4	OUTX	-399		37		#N/A	0	SU	B-044	CRIB			BY-2 Cavern	0	0	43.671		3	O	N-54-2
BY-107	1954	4	STAT		N/A	37	1	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	TBP scvg. waste receiver.								
BY-107	1955	1	XIN	704		741		#N/A	0	P05	UR	PFeCN1				0	0	43.671		1		
BY-107	1955	1	OUTX	-671		70		#N/A	0	SU	B-044	CRIB				0.013279	9.3483	53.019	PFeCl	3	O	N-54-5
															BY-2 CRIB	0	0	53.019		3	O	N-54-5
BY-107	1955	1	STAT		N/A	70	72	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.								
BY-107	1955	2	XIN	668		738		#N/A	0	P09	UR	PFeCN1				0	0	53.019		1		
BY-107	1955	2	SEND	-561		177		#N/A	0	SU		BY-103				0.013279	8.8703	61.890	PFeCl	3	O	N-54-9
BY-107	1955	2	SEND	-113		64		#N/A	0	SU		BY-104				0	0	61.890		3	O	N-54-9
																0	0	61.890		3	O	N-54-9
BY-107	1955	2	STAT		N/A	64	45	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.								
BY-107	1955	3	XIN	680		744		#N/A	0	P13	UR	PFeCN1				0	0	61.890		1		
BY-107	1955	3	XIN	625		1369		#N/A	0	P16	UR	PFeCN1				0.013279	9.0296	70.919	PFeCl	3	O	N-54-13
BY-107	1955	3	OUTX	-617		752		#N/A	0	SU	B-046	CRIB				0.013279	8.2993	79.219	PFeCl	3	O	N-54-16
															BY-4 Crib		0	79.219		3	O	N-54-13
BY-107	1955	3	STAT		N/A	752	142	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Going to BY No. 4 cavern at scvg. waste receiver.								
BY-107	1955	4	XIN	586		1338		#N/A	0	P19	UR	PFeCN1				0	0	79.219		1		
BY-107	1955	4	SEND	-80		1258		#N/A	0	SU		BY-105				0.013279	7.7814	87.000	PFeCl	3	O	N-54-19
BY-107	1955	4	OUTX	-591		667		#N/A	0	SU	B-046	CRIB				0	0	87.000		3	O	N-54-19
BY-107	1955	4	OUTX	-553		114		#N/A	0	SU	B-049	CRIB			BY-4 Crib	0	0	87.000		3	O	N-54-16
															BY-7 Crib	0	0	87.000		3	O	N-54-19
BY-107	1955	4	STAT		N/A	114	147	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Cavemed during month.								
BY-107	1956	1	XIN	602		716		#N/A	0	P23	UR	PFeCN2				0	0	87.000		1		
BY-107	1956	1	XIN	575		1291		#N/A	0	P27	UR	PFeCN2				0.005757	3.4657	90.466	PFeCl	3	O	N-54-23
BY-107	1956	1	SEND	-18		1273		#N/A	0	SL		BY-105				0.005757	3.3103	93.776	PFeCl	3	O	N-54-27
BY-107	1956	1	OUTX	-591		682		#N/A	0	SU	B-014	CRIB				0	0	93.776		3	O	N-54-27
BY-107	1956	1	OUTX	-557		125		#N/A	0	SU	B-018	CRIB			BC-1 Crib	0	0	93.776		3	O	N-54-23
															BC-5 Crib	0	0	93.776		3	O	N-54-27
BY-107	1956	1	STAT		N/A	125	160	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.								
BY-107	1956	2	XIN	575		700		#N/A	0	P31	UR	PFeCN2				0	0	93.776		1		
BY-107	1956	2	XIN	561		1261		#N/A	0	P35	UR	PFeCN2				0.005757	3.3103	97.086	PFeCl	3	O	N-54-31
BY-107	1956	2	SEND	-30		1231		#N/A	0	SL		BY-105				0.005757	3.2297	100.316	PFeCl	3	O	N-54-35
BY-107	1956	2	SEND	-88		1143		#N/A	0	SU		BY-109				0	0	100.316		3	O	N-54-35
BY-107	1956	2	SEND	-539		604		#N/A	0	SU		BY-111				0	0	100.316		3	O	N-54-34
BY-107	1956	2	SEND	-451		153		#N/A	0	SU		BY-112				0	0	100.316		3	O	N-54-31
BY-107	1956	2	OUTX	-25		128		#N/A	0	SU	B-015	CRIB				0	0	100.316		3	O	N-54-35
															BC-2 Crib	0	0	100.316		3	O	N-54-31
BY-107	1956	2	STAT		N/A	128	168	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Will be pumped to 111-BY pumped to 109 and 112-BY.								
BY-107	1956	3	XIN	564		692		#N/A	0	P39	UR	PFeCN2				0	0	100.316		1		
BY-107	1956	3	XIN	558		1250		#N/A	0	P43	UR	PFeCN2				0.005757	3.247	103.563	PFeCl	3	O	N-54-39
BY-107	1956	3	SEND	-420		830		#N/A	0	SU		BX-102				0.005757	3.2124	106.776	PFeCl	3	O	N-54-43
BY-107	1956	3	SEND	-107		723		#N/A	0	SL		BY-104			Shows 402 not 420	0	0	106.776		2	V	N-54-39
BY-107	1956	3	SEND	-36		687		#N/A	0	SL		BY-104				0	0	106.776		3	O	N-54-43
BY-107	1956	3	SEND	-126		561		#N/A	0	SU		BY-112				0	0	106.776		3	O	N-54-39
BY-107	1956	3	OUTX	-517		44		#N/A	0	SU	B-021	CRIB				0	0	106.776		3	O	N-54-39
															BC-8 Ditch	0	0	106.776		3	O	N-54-43
BY-107	1956	3	STAT		N/A	44	87	#N/A	0	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Transferring to 102-BY;; 522m to No. 8 BC ditch.								
BY-107	1956	4	XIN	627		671		#N/A	0	P47	UR	PFeCN2	OC 632 to 627		Shows 627 not 632	0.005757	3.6097	110.385	PFeCl	3	V	N-54-47

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-107	1956	4	XIN	593		1264		#N/A	0	P51	UR	PFeCN2	AND reports 301 from 221-U, remainder from 241-WR									
BY-107	1956	4	OUTX	-588		676		#N/A	0	SU	B-024	CRIB				0.005757	3.4139	113.799	PFeCl	3	O	N-54-51
															BC-11 Trench	0	0	113.799		4	O	N-54-47
BY-107	1956	4	STAT		N/A	676	150	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 627m received;; S.S. 301m from 221-U;; S.S. received from 241-WR and ditch 588m.								
BY-107	1957	1	OUTX	-551		125		#N/A	0	SU	B-027	CRIB	AND reports -561			0	0	113.799		1		
															BC-14 Trench	0	0	113.799		4	O	N-54-51
BY-107	1957	1	STAT		N/A	125	150	#N/A	0	TBP				Estimated reading; S.S. received 330m gallons; 561m sent to No. 14 BC ditch.								
BY-107	1957	2	XIN	556		681		#N/A	0	P56	UR	PFeCN2	EST READING TO N/A AND reports 528 qtr 1 &I 2			0	0	113.799		1		
																0.005757	3.2009	117.000	PFeCl	3	O	N-54-56
BY-107	1957	2	STAT		N/A	681	150	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-107	1957	3	OUTX	-198		483		#N/A	0	SU	B-031	CRIB		S.S. received 198m gallons.		0	0	117.000		1		
															BC-18 Trench	0	0	117.000		4	O	N-54-56
BY-107	1957	3	outx	-38		445		#N/A	0	SU	BC-19	CRIB	LC added as per AND comment			0	0	117.000		0		
BY-107	1957	3	STAT		N/A	445	178	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	198m to BC-18 trench;; 38m to BC-19 trench.								
BY-107	1957	4	SEND	-311		134		#N/A	0	SU		BY-102				0	0	117.000		1		
																0	0	117.000		4	O	HW-54067-5
BY-107	1957	4	STAT		172	172	172	38	38	TBP				Latest electrode reading. 311m to 102-BY								
BY-107	1958	1	STAT		172	172	172	#N/A	38							0	0	117.000		1		
BY-107	1958	2	STAT		172	172	172	#N/A	38							0	0	117.000		1		
BY-107	1958	3	STAT		172	172	172	#N/A	38	TBP						0	0	117.000		1		
BY-107	1958	4	XIN	11		183		#N/A	38	FLSH		WTR				0	0	117.000		1		
BY-107	1958	4	REC	363		546		#N/A	38	SU	C-105	C-105				0	0	117.000		4	O	HW-58201-5
																0	0	117.000		4	O	HW-58201-5
BY-107	1958	4	STAT		574	574	150	28	66	TBP,CW				363m from 105-C - 11m flush. Latest electrode reading.								
BY-107	1959	1	REC	170		744		#N/A	66	SU	C-105	C-105				0	0	117.000		1		
BY-107	1959	1	STAT		744	744	150	#N/A	66	TBP,CW						0	0	117.000		4	O	HW-59204-4
BY-107	1959	2	STAT		771	771	150	27	93	CW				Rec'd 170 M frcm 105-C		0	0	117.000		1		
BY-107	1959	3	STAT		771	771	150	#N/A	93	CW						0	0	117.000		1		
BY-107	1959	4	STAT		771	771	150	#N/A	93	CW						0	0	117.000		1		
BY-107	1960	1	STAT		771	771	150	#N/A	93	CW						0	0	117.000		1		
BY-107	1960	2	STAT		771	771	150	#N/A	93	CW						0	0	117.000		1		
BY-107	1960	3	STAT		771	771	150	#N/A	93	CW						0	0	117.000		1		
BY-107	1960	4	STAT		771	771	150	#N/A	93	TBP,CW						0	0	117.000		1		
BY-107	1961	1	STAT		N/A	771		#N/A	93							0	0	117.000		1		
BY-107	1961	2	STAT		733	733	150	-38	55	TBP,CW							0	117.000		1		
BY-107	1961	3	STAT		N/A	733		#N/A	55					6 months report		0	0	117.000		1		
																	0	117.000		1		
BY-107	1961	4	STAT		736	736	150	3	58	TBP,CW				Latest electrode reading. 6 months report								
BY-107	1962	1	STAT		N/A	736		#N/A	58							0	0	117.000		1		
BY-107	1962	2	STAT		736	736	150	#N/A	58	TBP,CW				6 months report			0	117.000		1		
BY-107	1962	3	STAT		N/A	736		#N/A	58							0	0	117.000		1		
BY-107	1962	4	STAT		736	736	150	#N/A	58	TBP,CW				6 months report			0	117.000		1		
BY-107	1963	1	STAT		N/A	736		#N/A	58							0	0	117.000		1		
BY-107	1963	2	STAT		736	736	178	#N/A	58	CW				6 months report			0	117.000		1		
BY-107	1963	3	STAT		N/A	736		#N/A	58							0	0	117.000		1		
BY-107	1963	4	STAT		728	728	178	-8	50	CW				New electrode installed. 6 months report								
BY-107	1964	1	STAT		N/A	728		#N/A	50							0	0	117.000		1		
BY-107	1964	2	STAT		730	730	178	2	52	CW				6 months report				117.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
BY-107	1964	3	STAT		N/A	730		#N/A	52								0	117.000		1		
BY-107	1964	4	STAT		730	730	178	#N/A	52	CW				6 months report		0	0	117.000		1		
BY-107	1965	1	STAT		N/A	730		#N/A	52								0	117.000		1		
BY-107	1965	2	STAT		730	730	150	#N/A	52	CW						0	0	117.000		1		
BY-107	1965	3	STAT		730	730	150	#N/A	52	CW						0	0	117.000		1		
BY-107	1965	4	STAT		730	730	150	#N/A	52	CW						0	0	117.000		1		
BY-107	1966	1	STAT		730	730	150	#N/A	52	CW						0	0	117.000		1		
BY-107	1966	2	STAT		730	730	150	#N/A	52	TBP,CW						0	0	117.000		1		
BY-107	1966	3	STAT		733	733	150	3	55	CW						0	0	117.000		1		
BY-107	1966	4	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1967	1	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1967	2	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1967	3	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1967	4	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1968	1	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1968	2	STAT		733	733	150	#N/A	55	CW						0	0	117.000		1		
BY-107	1968	3	STAT		733	733	150	#N/A	55	TBP,CW						0	0	117.000		1		
BY-107	1968	4	STAT		730	730	150	-3	52	TBP,CW						0	0	117.000		1		
BY-107	1969	1	STAT		729	729	150	-1	51	TBP,CW						0	0	117.000		1		
BY-107	1969	2	STAT		728	728	150	-1	50	TBP,CW						0	0	117.000		1		
BY-107	1969	3	STAT		726	726	150	-2	48	TBP,CW						0	0	117.000		1		
BY-107	1969	4	send	-77		649		#N/A	48			BY-112				0	0	117.000		1		
BY-107	1969	4	GREC	0		649		#N/A	48	ITS	BY-112				No indication of REC		0	117.000		2	V	ARH-1200D-6
BY-107	1969	4	STAT		649	649	150	#N/A	48	EB							0	117.000		2	V	ARH-1200D-6
BY-107	1970	1	rec	2		651		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle		0	0	117.000		1		
BY-107	1970	1	GREC	0		651		#N/A	48	ITS	BY-112				NoindicationofREC	0	0	117.000		2	V	ARH-1666A-6
															No indication of REC		0	117.000		2	V	ARH-1666A-6
BY-107	1970	1	STAT		651	651	58	#N/A	48	EB				ITS - 2 bottoms and recycle. * Dry Wells ,No.'s 22-07-01, 22-07-05, 22-07-09 were drilled.								
BY-107	1970	2	rec	27		678		#N/A	48	ITS	BY-112	BY-112				0	0	117.000		1		
BY-107	1970	2	GREC	0		678		#N/A	48	ITS	BY-112				NoindicationofREC	0	0	117.000		2	V	ARH-1666B-6
BY-107	1970	2	STAT		678	678	61	#N/A	48	EB					No indication of REC		0	117.000		2	V	ARH-1666B-6
BY-107	1970	3	send	-40		638		#N/A	48			BY-112		ITS - 2 bottoms and recycle.		0	0	117.000		1		
BY-107	1970	3	GREC	0		638		#N/A	48	ITS	BY-112					0	0	117.000		0		
BY-107	1970	3	STAT		638	638	43	#N/A	48	EB							0	117.000		1		
BY-107	1970	4	send	-182		456		#N/A	48			BY-112		ITS - 2 bottoms and recycle		0	0	117.000		1		
BY-107	1970	4	REC	200		656		#N/A	48	SU	BY-109	BY-109				0	0	117.000		0		
BY-107	1970	4	GREC	0		656		#N/A	48	ITS	BY-112					0	0	117.000		1		
BY-107	1970	4	STAT		656	656	106	#N/A	48	EB							0	117.000		1		
BY-107	1971	1	send	-59		597		#N/A	48			BY-112		ITS - 2 bottoms and recycle		0	0	117.000		1		
BY-107	1971	1	REC	27		624		#N/A	48	SU	BY-109	BY-109			NoindicationofREC	0	0	117.000		2	V	ARH-2074A-6
BY-107	1971	1	GREC	0		624		#N/A	48	ITS	BY-112					0	0	117.000		1		
BY-107	1971	1	STAT		624	624	117	#N/A	48	EB					No indication of REC		0	117.000		2	V	ARH-2074A-6
BY-107	1971	2	rec	50		674		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle		0	0	117.000		1		
BY-107	1971	2	GREC	0		674		#N/A	48	ITS	BY-109					0	0	117.000		0		
BY-107	1971	2	STAT		674	674	117	#N/A	48	EB							0	117.000		1		
BY-107	1971	3	send	-69		605		#N/A	48			BY-112		ITS - 2 bottoms and recycle.		0	0	117.000		1		
BY-107	1971	3	GREC	0		605		#N/A	48	ITS	BY-112				NoindicationofXFER	0	0	117.000		2	V	ARH-2074C-6
BY-107	1971	3	STAT		605	605	117	#N/A	48	EB					No indication of XFER		0	117.000		2	V	ARH-2074C-6
BY-107	1971	4	rec	59		664		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	117.000		1		
BY-107	1971	4	GREC	0		664		#N/A	48	ITS	BY-112					0	0	117.000		0		
BY-107	1971	4	STAT		664	664	117	#N/A	48	EB							0	117.000		1		
BY-107	1972	1	rec	25		689		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle		0	0	117.000		1		
BY-107	1972	1	GREC	0		689		#N/A	48	ITS	BY-112					0	0	117.000		0		
BY-107	1972	1	STAT		689	689	117	#N/A	48	EB							0	117.000		1		
BY-107	1972	2	send	-55		634		#N/A	48			BY-112		ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1972	2	GREC	0		634		#N/A	48	ITS	BY-112					0	0	117.000		0		
																	0	117.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-107	1972	2	STAT		634	634	117	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1972	3	rec	14		648		#N/A	48	ITS	BY-112	BY-112				0	0	117.000		0		
BY-107	1972	3	GREC	0		648		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1972	3	STAT		648	648	117	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1972	4	send	-2		646		#N/A	48			BY-112				0	0	117.000		0		
BY-107	1972	4	GREC	0		646		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1972	4	STAT		646	646	117	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1973	1	send	-445		201		#N/A	48			BY-112				0	0	117.000		0		
BY-107	1973	1	REC	448		649		#N/A	48	SU	BY-109	BY-109				0	0	117.000		1		
BY-107	1973	1	GREC	0		649		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1973	1	STAT		649	649	175	#N/A	48	EB				ITS - bottoms and recycle. *Dry Wells No.'s 22-07-02 drilled.		0	0	117.000		1		
BY-107	1973	2	send	-14		635		#N/A	48			BY-112				0	0	117.000		0		
BY-107	1973	2	GREC	0		635		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1973	2	STAT		635	635	175	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1973	3	send	-2		633		#N/A	48			BY-112				0	0	117.000		0		
BY-107	1973	3	GREC	0		633		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1973	3	STAT		633	633	175	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1973	4	rec	26		659		#N/A	48	ITS	BY-112	BY-112				0	0	117.000		0		
BY-107	1973	4	GREC	0		659		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1973	4	STAT		659	659	175	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1974	1	send	-6		653		#N/A	48			BY-112				0	0	117.000		0		
BY-107	1974	1	GREC	0		653		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1974	1	STAT		653	653	175	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1974	2	SEND	-39		614		#N/A	48	SU		B-108				0	0	117.000		4	O	ARH-CD-133B-4
BY-107	1974	2	rec	4		618		#N/A	48	ITS	BY-112	BY-112				0	0	117.000		0		
BY-107	1974	2	SEND	-103		515		#N/A	48	SU		B-109				0	0	117.000		4	O	ARH-CD-133B-4
BY-107	1974	2	SEND	-23		492		#N/A	48	SU		B-112				0	0	117.000		4	O	ARH-CD-133B-4
BY-107	1974	2	GREC	0		492		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1974	2	STAT		492	492	444	#N/A	48					ITS - bottoms and recycle; 39 to 108-B; 103 to 109-B; 23 to 112-B **Dry Wells No.s 22-07-07, 22-07-04 drilled.		0	0	117.000		1		
BY-107	1974	3	GREC	0		492		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1974	3	STAT		492	492	444	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1974	4	send	-1		491		#N/A	48			BY-112				0	0	117.000		0		
BY-107	1974	4	GREC	0		491		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1974	4	STAT		491	491	183	#N/A	48	EB				ITS - bottoms and recycle.		0	0	117.000		1		
BY-107	1975	1	SEND	-25		466		#N/A	48	SU		BX-106				0	0	117.000		4	O	ARH-CD-336A-5
BY-107	1975	1	SEND	-99		367		#N/A	48	SU		BY-110				0	0	117.000		4	O	ARH-CD-336A-5
BY-107	1975	1	GREC	0		367		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1975	1	STAT		367	367	367	#N/A	48					ITS - bottoms and recycle; 25 to 106-BX; 99 to 110-BY.		0	0	117.000		1		
BY-107	1975	2	GREC	0		367		#N/A	48	ITS	BY-112						0	117.000		1		
BY-107	1975	2	SEND	0		367		#N/A	48	SU	BY-110	BY-110	not pumped?				0	117.000		4	O	ARH-CD-336B-5
BY-107	1975	2	STAT		367	367	367	#N/A	48					ITS - bottoms and recycle; 85 to 110-BY.		0	0	117.000		1		
BY-107	1975	3	SEND	0		367		#N/A	48	SU	BY-110	BY-110	not pumped?				0	117.000		4	O	ARH-CD-336C-5
BY-107	1975	3	STAT		367	367	367	#N/A	48					Removed from service; 20 to 110-BY.		0	0	117.000		1		
BY-107	1975	4	SEND	0		367		#N/A	48	SU	BY-110	BY-110	not pumped?				0	117.000		4	O	ARH-CD-336D-5
BY-107	1975	4	STAT		367	367	367	#N/A	48					Removed from service; 9 to 110-BY.		0	0	117.000		1		
BY-107	1976	1	outx	-250		117		#N/A	48			BYEVAP				0	0	117.000	BYEV	0		
BY-107	1976	1	xin	250		367		#N/A	48			BYSltCk				0.596	149	266.000	BYSlt	0		
BY-107	1976	1	SEND	0		367		#N/A	48	SU	BY-110	BY-110	not pumped?				0	266.000		4	O	ARH-CD-702A-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
BY-107	1976	1	STAT		367	367	367	#N/A	48					Removed from service;; 12 to 110-BY.		0	0	266.000		1		
BY-107	1976	2	STAT		367	367	367	#N/A	48					Removed from service.		0	0	266.000		1		
BY-107	1976	3	STAT		367	367	367	#N/A	48					Inactive - Salt well pumped		0	0	266.000		1		
BY-107	1976	4	STAT		367	367	367	#N/A	48							0	0	266.000		1		
BY-107	1977	1	STAT		367	367	367	#N/A	48					Salt Well Pumping - Phase II		0	0	266.000		1		
BY-107	1977	2	STAT		367	367	367	#N/A	48					Salt Well Pumping - Phase II		0	0	266.000		1		
BY-107	1977	3	STAT		367	367	367	#N/A	48					Inactive Current-Phase II pumping		0	0	266.000		1		
BY-107	1977	4	STAT		367	367	367	#N/A	48	EVAP				Inactive Current-Phase II pumping		0	0	266.000		1		
BY-107	1978	1	send	-41		326		#N/A	48			A-102				0	0	266.000		1		
BY-107	1978	1	STAT		326	326	326	#N/A	48							0	0	266.000		0		
BY-107	1978	2	STAT		326	326	326	#N/A	48					Primary Stabilized		0	0	266.000		1		
BY-107	1978	3	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1978	4	STAT		326	326	326	#N/A	48					Proto Jet Pump		0	0	266.000		1		
BY-107	1979	1	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1979	2	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1979	3	STAT		326	326	326	#N/A	48					New Photo 6/21/79		0	0	266.000		1		
BY-107	1979	4	STAT		326	326	326	#N/A	48					Interim Stabilized		0	0	266.000		1		
BY-107	1980	1	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1980	2	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1980	3	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1980	4	STAT		326	326	326	#N/A	48	EVAP						0	0	266.000		1		
BY-107	1982	3	send	-60		266		#N/A	48			AW-102	salt-wellpumped			0	0	266.000		1		
BY-107	1993	2	STAT		266	266	266	#N/A	48	NCPLX						0	0	266.000		0		
BY-107	1993	4	STAT		266	266	266	#N/A	48							0	0	266.000		1		
BY-107	1994	1	STAT		266	266	266	#N/A	48							0	0	266.000		1		
BY-107	2000															0	0	266.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BY-108	1900																					
BY-108	1949	1	STAT		N/A	0		#N/A	0													
BY-108	1950	3	CREC	0		0		#N/A	0	SET	BY-107			* Dry Well 22-08-07 drilled.			0	0.000		1		
BY-108	1950	3	STAT		N/A	0		#N/A	0								0	0.000		1		
BY-108	1950	4	STAT		0	0	0	#N/A	0								0	0.000		1		
BY-108	1951	1	rec	7		7		#N/A	0	cas	BY-107	BY-107				0	0	0.000		1		
																0	0	0.000		0		
BY-108	1951	1	STAT		20	20	0	13	13	1C				Cascade began filling March.								
BY-108	1951	2	rec	228		248		#N/A	13	cas	BY-107	BY-107				0	0	0.000		1		
BY-108	1951	2	rec	190		438		#N/A	13	cas	BY-107	BY-107				0	0	0.000		0		
BY-108	1951	2	rec	99		537		#N/A	13	cas	BY-107	BY-107				0	0	0.000		0		
BY-108	1951	2	STAT		538	538	0	1	14	1C						0	0	0.000		0		
BY-108	1951	3	rec	139		677		#N/A	14	cas	BY-107	BY-107		Cascade.		0	0	0.000		1		
BY-108	1951	3	rec	90		767		#N/A	14	cas	BY-107	BY-107				0	0	0.000		0		
BY-108	1951	3	STAT		N/A	767		#N/A	14							0	0	0.000		0		
BY-108	1951	4	STAT		N/A	767		#N/A	14								0	0.000		1		
BY-108	1952	1	STAT		753	753	0	-14	0								0	0.000		1		
BY-108	1952	2	STAT		753	753	0	#N/A	0							0	0	0.000		1		
BY-108	1952	3	STAT		753	753	0	#N/A	0							0	0	0.000		1		
BY-108	1952	4	STAT		753	753	0	#N/A	0							0	0	0.000		1		
BY-108	1953	1	SEND	-403		350		#N/A	0	SU		B-106				0	0	0.000		1		
BY-108	1953	1	SEND	-79		271		#N/A	0	SU		B-106				0	0	0.000		1		
BY-108	1953	1	STAT		N/A	271	0	#N/A	0	1C			CAS phasing 753 to N/A			0	0	0.000		1		
BY-108	1953	2	rec	448		719		#N/A	0	cas	BY-107	BY-107				0	0	0.000		1		
BY-108	1953	2	rec	233		952		#N/A	0	cas	BY-107	BY-107				0	0	0.000		0		
BY-108	1953	2	SEND	-271		681		#N/A	0	SU		B-106				0	0	0.000		0		
BY-108	1953	2	STAT		687	687	0	6	6							0	0	0.000		1		
BY-108	1953	3	STAT		687	687	0	#N/A	6							0	0	0.000		1		
BY-108	1953	4	STAT		687	687	0	#N/A	6	TBP						0	0	0.000		1		
BY-108	1954	1	rec	15		702		#N/A	6	cas	BY-107	BY-107				0	0	0.000		1		
BY-108	1954	1	STAT		702	702	0	#N/A	6							0	0	0.000		0		
BY-108	1954	2	STAT		702	702	0	#N/A	6	TBP						0	0	0.000		1		
BY-108	1954	3	SEND	-436		266		#N/A	6	SU		B-106				0	0	0.000		1		
																0	0	0.000		1		
BY-108	1954	3	STAT		266	266	0	#N/A	6	TBP				To be used for TBP scvg. waste.								
BY-108	1954	4	XIN	548		814		#N/A	6	P03	UR	PFeCN1				0	0	0.000		1		
BY-108	1954	4	SEND	-259		555		#N/A	6	SU		B-106				0.036903	20.223	20.223	PFeCl	3	O	N-54-3
BY-108	1954	4	OUTX	-418		137		#N/A	6	SU	B-044	CRIB				0	0	20.223		1		
															BY-2 Cavern	0	0	20.223		3	O	N-54-3
BY-108	1954	4	STAT		N/A	137	0	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-108	1955	1	XIN	614		751		#N/A	6	P06	UR	PFeCN1		TBP scvg. waste receiver.		0	0	20.223		1		
BY-108	1955	1	SEND	-660		91		#N/A	6	SU		BY-101	OC qtr2 to qtr1			0.036903	22.659	42.882	PFeCl	3	O	N-54-6
															1st Qtr 55	0	0	42.882		2	V	N-54-6
BY-108	1955	1	STAT		N/A	91	33	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-108	1955	2	XIN	657		748		#N/A	6	P10	UR	PFeCN1		Scvg. waste receiver.		0	0	42.882		1		
BY-108	1955	2	OUTX	-592		156		#N/A	6	SU	B-045	CRIB				0.036903	24.246	67.127	PFeCl	3	O	N-54-10
															BY-3 Crib	0	0	67.127		3	O	N-54-10
BY-108	1955	2	STAT		N/A	156	98	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-108	1955	3	XIN	624		780		#N/A	6	P14	UR	PFeCN1		est Scvg. waste receiver.		0	0	67.127		1		
BY-108	1955	3	OUTX	-569		211		#N/A	6	SU	B-047	CRIB				0.036903	23.028	90.155	PFeCl	3	O	N-54-14
															BY-5 Crib	0	0	90.155		3	O	N-54-14
BY-108	1955	3	STAT		N/A	211	197	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-108	1955	4	XIN	575		786		#N/A	6	P17	UR	PFeCN1				0	0	90.155		1		
BY-108	1955	4	XIN	586		1372		#N/A	6	P20	UR	PFeCN1				0.036903	21.219	111.375	PFeCl	3	O	N-54-17
																0.036903	21.625	133.000	PFeCl	3	O	N-54-20

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-108	1955	4	SEND	-91		1281		#N/A	6	SL		BY-105				0	0	133.000		3	O	N-54-20
BY-108	1955	4	SEND	-19		1262		#N/A	6	SU		BY-105				0	0	133.000		3	O	N-54-17
BY-108	1955	4	OUTX	-556		706		#N/A	6	SU	B-048	CRIB			BY-6 Crib	0	0	133.000		3	O	N-54-17
BY-108	1955	4	OUTX	-572		134		#N/A	6	SU	B-046	CRIB			BY-4 Crib	0	0	133.000		3	O	N-54-20
BY-108	1955	4	STAT		N/A	134	200	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Cavemed during month.		0	0	133.000		1		
BY-108	1956	1	XIN	646		780		#N/A	6	P24	UR	PFeCN2				0.006224	4.021	137.021	PFeCl	3	O	N-54-24
BY-108	1956	1	XIN	583		1363		#N/A	6	P28	UR	PFeCN2				0.006224	3.6289	140.650	PFeCl	3	O	N-54-28
BY-108	1956	1	OUTX	-572		791		#N/A	6	SU	B-014	CRIB			BC-1 Crib	0	0	140.650		3	O	N-54-24
BY-108	1956	1	STAT		N/A	791	205	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	0	140.650		1		
BY-108	1956	2	XIN	610		1401		#N/A	6	P32	UR	PFeCN2				0.006224	3.7969	144.447	PFeCl	3	O	N-54-32
BY-108	1956	2	XIN	558		1959		#N/A	6	P36	UR	PFeCN2				0.006224	3.4733	147.920	PFeCl	3	O	N-54-36
BY-108	1956	2	SEND	-520		1439		#N/A	6	SU		BX-106				0	0	147.920		3	O	N-54-36
BY-108	1956	2	SEND	-33		1406		#N/A	6	SL		BY-105				0	0	147.920		3	O	N-54-28
BY-108	1956	2	SEND	-25		1381		#N/A	6	SL		BY-105				0	0	147.920		3	O	N-54-36
BY-108	1956	2	SEND	-22		1359		#N/A	6	SU		BY-112				0	0	147.920		3	O	N-54-36
BY-108	1956	2	OUTX	-586		773		#N/A	6	SU	B-018	CRIB			BC-5 Crib	0	0	147.920		3	O	N-54-28
BY-108	1956	2	OUTX	-583		190		#N/A	6	SU	B-015	CRIB			BC-2 Crib	0	0	147.920		3	O	N-54-32
BY-108	1956	2	STAT		N/A	190	179	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. active receiver.		0	0	147.920		1		
BY-108	1956	3	XIN	575		765		#N/A	6	P40	UR	PFeCN2	unsure where AND reports 543			0.006224	3.5791	151.499	PFeCl	3	O	N-54-40
BY-108	1956	3	XIN	558		1323		#N/A	6	P44	UR	PFeCN2	unsure where AND reports 543			0.006224	3.4733	154.972	PFeCl	3	O	N-54-44
BY-108	1956	3	SEND	-520		803		#N/A	6	SU		BX-103				0	0	154.972		3	O	N-54-40
BY-108	1956	3	SEND	-41		762		#N/A	6	SL		BY-104				0	0	154.972		3	O	N-54-40
BY-108	1956	3	outx	-250		512		#N/A	6	SU	B-022	CRIB	LC added as per AND comment			0	0	154.972		0		
BY-108	1956	3	STAT		N/A	512	194	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S. S. 543,000 gallons received. S.S. 250m to No. 9 BC ditch.		0	0	154.972		1		
BY-108	1956	4	XIN	575		1087		#N/A	6	P48	UR	PFeCN2	AND reports 457			0.006224	3.5791	158.551	PFeCl	3	O	N-54-48
BY-108	1956	4	SEND	-66		1021		#N/A	6	SL		BY-104				0	0	158.551		3	O	N-54-44
BY-108	1956	4	OUTX	-509		512		#N/A	6	SU	B-022	CRIB	AND reports -258		BC-9 Ditch	0	0	158.551		3	O	N-54-44
BY-108	1956	4	OUTX	-539		-27		#N/A	6	SU	B-024	CRIB			BC-11 Trench	0	0	158.551		4	O	N-54-48
BY-108	1956	4	xin	0		-27		#N/A	6				LC added as per AND comment				0	158.551		1		
BY-108	1956	4	STAT		N/A	-27	201	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 258m to BC No. 9 ditch. 539m gallons to No. 11 BC ditch. S.S. 457 received from 221-U.		0	0	158.551		1		
BY-108	1957	1	XIN	525		498		#N/A	6	P52	UR	PFeCN2	unsure where AND reports 280			0.006224	3.2678	161.819	PFeCl	3	O	N-54-52
BY-108	1957	1	XIN	511		1009		#N/A	6	P55	UR	PFeCN2	unsure where AND reports 280			0.006224	3.1807	165.000	PFeCl	3	O	N-54-55
BY-108	1957	1	OUTX	-512		497		#N/A	6	SU	B-019	CRIB			BC-6 Crib	0	0	165.000		4	O	N-54-52
BY-108	1957	1	STAT		N/A	497	201	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading. S.S. 512m to No. 6 crib acting TBP. S.S. received 280m gallons.		0	0	165.000		1		
BY-108	1957	2	SEND	-16		481		#N/A	6	SL		BY-104				0	0	165.000		4	O	N-54-55
BY-108	1957	2	REC	496		977		#N/A	6	SU	C-112	C-112	OC 440 to 496, AND reports 279		Shows 496 not 440	0	0	165.000		2	V	N-54-283
BY-108	1957	2	OUTX	-486		491		#N/A	6	SU	B-028	CRIB	AND reports -470		BC-15 Trench	0	0	165.000		4	O	N-54-55

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-108	1957	2	STAT		N/A	491	249	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 470m gallons to No. 15 BC ditch. 279 received from 112-C. Latest electrode reading.		0	0	165.000		1		
BY-108	1957	3	SEND	-48		443		#N/A	6	SL		BY-104	AND reports 27			0	0	165.000		3	O	N-54-106
BY-108	1957	3	OUTX	-232		211		#N/A	6	SU	B-031	CRIB	LC TO 232, OC 320 to 458. AND reports -482		Shows 458 BC-18 Ditch	0	0	165.000		2	V	N-54-248
BY-108	1957	3	STAT		N/A	211	213	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	27m to 104-BY;; 482m to BC;; Latest electrode reading.		0	0	165.000		1		
BY-108	1957	4	STAT		211	211	210	#N/A	6							0	0	165.000		1		
BY-108	1958	1	STAT		211	211	210	#N/A	6							0	0	165.000		1		
BY-108	1958	2	STAT		211	211	210	#N/A	6					Latest electrode reading.		0	0	165.000		1		
BY-108	1958	3	STAT		211	211	210	#N/A	6	TBP						0	0	165.000		1		
BY-108	1958	4	STAT		244	244	210	33	39	TBP				Latest electrode reading.		0	0	165.000		1		
BY-108	1959	1	REC	305		549		#N/A	39	SU	C-105	C-105				0	0	165.000		4	O	HW-59586-4
BY-108	1959	1	STAT		557	557	210	8	47	TBP				S.S. received 305m from 105-C.		0	0	165.000		1		
BY-108	1959	2	REC	187		744		#N/A	47	SU	C-105	C-105				0	0	165.000		3	O	HW-61095-5
BY-108	1959	2	STAT		744	744	210	#N/A	47	CW						0	0	165.000		1		
BY-108	1959	3	STAT		744	744	210	#N/A	47	TBP,CW						0	0	165.000		1		
BY-108	1959	4	STAT		744	744	210	#N/A	47	TBP,CW						0	0	165.000		1		
BY-108	1960	1	STAT		744	744	210	#N/A	47	TBP,CW						0	0	165.000		1		
BY-108	1960	2	STAT		738	738	210	-6	41	CW				Latest electrode reading.		0	0	165.000		1		
BY-108	1960	3	STAT		738	738	210	#N/A	41	CW						0	0	165.000		1		
BY-108	1960	4	STAT		738	738	210	#N/A	41	TBP,CW						0	0	165.000		1		
BY-108	1961	1	STAT		N/A	738		#N/A	41								0	165.000		1		
BY-108	1961	2	STAT		706	706	210	-32	9	TBP,CW				6 months report		0	0	165.000		1		
BY-108	1961	3	STAT		N/A	706		#N/A	9								0	165.000		1		
BY-108	1961	4	STAT		706	706	210	#N/A	9	TBP,CW				6 months report		0	0	165.000		1		
BY-108	1962	1	STAT		N/A	706		#N/A	9								0	165.000		1		
BY-108	1962	2	STAT		706	706	210	#N/A	9	TBP,CW				6 months report		0	0	165.000		1		
BY-108	1962	3	STAT		N/A	706		#N/A	9								0	165.000		1		
BY-108	1962	4	STAT		706	706	210	#N/A	9	TBP,CW				Latest electrode reading. 6 months report		0	0	165.000		1		
BY-108	1963	1	STAT		N/A	706		#N/A	9								0	165.000		1		
BY-108	1963	2	STAT		703	703	202	-3	6	TBP,CW				6 months report		0	0	165.000		1		
BY-108	1963	3	STAT		N/A	703		#N/A	6								0	165.000		1		
BY-108	1963	4	STAT		703	703	202	#N/A	6	TBP,CW				6 months report		0	0	165.000		1		
BY-108	1964	1	STAT		N/A	703		#N/A	6								0	165.000		1		
BY-108	1964	2	STAT		695	695	202	-8	-2	TBP,CW				New electrode. 6 months report		0	0	165.000		1		
BY-108	1964	3	STAT		N/A	695		#N/A	-2								0	165.000		1		
BY-108	1964	4	STAT		697	697	202	2	0	TBP,CW				Latest electrode reading. 6 months report		0	0	165.000		1		
BY-108	1965	1	STAT		N/A	697		#N/A	0								0	165.000		1		
BY-108	1965	2	STAT		700	700	178	3	3	CW				6 months report		0	0	165.000		1		
BY-108	1965	3	STAT		700	700	178	#N/A	3	CW						0	0	165.000		1		
BY-108	1965	4	STAT		700	700	178	#N/A	3	CW						0	0	165.000		1		
BY-108	1966	1	STAT		700	700	178	#N/A	3	CW						0	0	165.000		1		
BY-108	1966	2	STAT		700	700	178	#N/A	3	CW						0	0	165.000		1		
BY-108	1966	3	STAT		700	700	178	#N/A	3	TBP,CW						0	0	165.000		1		
BY-108	1966	4	STAT		697	697	178	-3	0	CW						0	0	165.000		1		
BY-108	1967	1	STAT		697	697	178	#N/A	0	CW						0	0	165.000		1		
BY-108	1967	2	STAT		697	697	178	#N/A	0	CW						0	0	165.000		1		
BY-108	1967	3	STAT		697	697	178	#N/A	0	CW						0	0	165.000		1		
BY-108	1967	4	STAT		697	697	178	#N/A	0	TBP,CW						0	0	165.000		1		
BY-108	1968	1	STAT		695	695	178	-2	-2	TBP,CW						0	0	165.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ot	Q/A	Document/Pg #
BY-108	1968	2	SEND	-532		163		#N/A	-2	SU		BY-109				0	0	165.000		4	O	ARH-721-6
BY-108	1968	2	REC	379		542		#N/A	-2	SU	BY-111	BY-111	AND reports 394			0	0	165.000		4	O	ARH-721-6
BY-108	1968	2	STAT		557	557	178	15	13	EB				532 to 109-BY;; 394 from 111 BY		0	0	165.000		1		
BY-108	1968	3	rec	100		657		#N/A	13		BY-112	BY-112				0	0	165.000		0		
BY-108	1968	3	STAT		657	657	125	#N/A	13	EB				ITS No. 2 - bottoms and recycle		0	0	165.000		1		
BY-108	1968	4	send	-53		604		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1968	4	STAT		604	604	125	#N/A	13	EB				ITS No. 2 - bottoms and recycle.		0	0	165.000		1		
BY-108	1969	1	send	-22		582		#N/A	13			BY-112				0	0	165.000		2	V	ARH-1200A-6
BY-108	1969	1	GREC	0		582		#N/A	13	ITS	BY-112				No indic. of REC		0	165.000		2	V	ARH-1200A-6
BY-108	1969	1	STAT		582	582	165	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1969	2	rec	3		585		#N/A	13	ITS	BY-112	BY-112			Noindic.ofREC	0	0	165.000		2	V	ARH-1200A-6
BY-108	1969	2	GREC	0		585		#N/A	13	ITS	BY-112				No indic. of REC		0	165.000		2	V	ARH-1200A-6
BY-108	1969	2	STAT		585	585	222	#N/A	13	EB				ITS - 2 bottoms and recycle		0	0	165.000		1		
BY-108	1969	3	send	-11		574		#N/A	13			BY-112			Shows1512butnotBY-112	0	0	165.000		2	M/V	ARH-1200C-6
BY-108	1969	3	GREC	0		574		#N/A	13	ITS	BY-112				Shows 1512 but not BY-112		0	165.000		2	V	ARH-1200C-6
BY-108	1969	3	STAT		574	574	194	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1969	4	REC	602		1176		#N/A	13	SU	BY-109	BY-109				0	0	165.000		1		
BY-108	1969	4	send	-602		574		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1969	4	GREC	0		574		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1969	4	STAT		574	574	233	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1970	1	rec	132		706		#N/A	13	ITS	BY-112	BY-112				0	0	165.000		0		
BY-108	1970	1	GREC	0		706		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1970	1	STAT		706	706	224	#N/A	13	EB				ITS - 2 bottoms and recycle. * Dry Well 22-08-01, 22-08-05, 22-08-09 drilled.		0	0	165.000		1		
BY-108	1970	2	send	-49		657		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1970	2	GREC	0		657		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1970	2	STAT		657	657	176	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1970	3	send	-54		603		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1970	3	REC	137		740		#N/A	13	SU	BY-109	BY-109			No indication of XFER	0	0	165.000		2	V	ARH-1666C-6
BY-108	1970	3	GREC	0		740		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1970	3	STAT		740	740	194	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1970	4	send	-81		659		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1970	4	GREC	0		659		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1970	4	STAT		659	659	65	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1971	1	send	-47		612		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1971	1	REC	80		692		#N/A	13	SU	BY-109	BY-109			No indication of XFER	0	0	165.000		2	V	ARH-1666D-6
BY-108	1971	1	GREC	0		692		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1971	1	STAT		692	692	98	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1971	2	rec	462		1154		#N/A	13	ITS	BY-112	BY-112				0	0	165.000		3	O	ARH-2074B-6
BY-108	1971	2	SEND	-769		385		#N/A	13	SU		BY-101				0	0	165.000		4	O	ARH-2074B-6
BY-108	1971	2	GREC	0		385		#N/A	13	ITS	BY-109						0	165.000		3	O	ARH-2074B-6
BY-108	1971	2	STAT		385	385	385	#N/A	13	EB			AND reports -296	ITS - 2 bottoms and recycle; 296 evaporated by ITS-2 769 to 101-BY.		0	0	165.000		1		
BY-108	1971	3	rec	3		388		#N/A	13	ITS	BY-112	BY-112			Shows296not0	0	0	165.000		2	V	ARH-2074B-6
BY-108	1971	3	GREC	0		388		#N/A	13	ITS	BY-112				Shows 296 not 0		0	165.000		2	V	ARH-2074B-6
BY-108	1971	3	STAT		388	388	388	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1971	4	send	-7		381		#N/A	13			BY-112				0	0	165.000		0		
BY-108	1971	4	GREC	0		381		#N/A	13	ITS	BY-112						0	165.000		1		
BY-108	1971	4	STAT		381	381	381	#N/A	13	EB				ITS - 2 bottoms and recycle.		0	0	165.000		1		
BY-108	1972	1	STAT		381	381	381	#N/A	13	EB				ITS - bottoms and recycle.		0	0	165.000		1		
BY-108	1972	2	SEND	0		381		#N/A	13	SU	BY-109	BY-109	*-49 to				0	165.000		2		
BY-108	1972	2	STAT		381	381	381	#N/A	13					Tank leaks, 49 to 109-BY.		0	0	165.000		1		
BY-108	1972	3	XIN	7		388		#N/A	13	WTR		WTR				0	0	165.000		4	O	ARH-2456B-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-108	1972	3	SEND	-7		381		#N/A	13	SU		BY-109				0	0	165.000		4	O	ARH-2456C-5
BY-108	1972	3	STAT		381	381	381	#N/A	13	EB				Tank leaks, 7 flush water,18 to 109-BY.		0	0	165.000		1		
BY-108	1972	4	XIN	16		397		#N/A	13	WTR		WTR				0	0	165.000		4	O	ARH-2456C-5
BY-108	1972	4	SEND	-85		312		#N/A	13	SU		BY-109	"-8 to			0	0	165.000		4	O	ARH-2456D-5
BY-108	1972	4	STAT		312	312	304	#N/A	13	EB				Tank leaks, 16 flush water added, 8 to 109-BY.		0	0	165.000		1		
BY-108	1973	1	STAT		312	312	304	#N/A	13	EB				Tank leaks. **Dry Well 22-08-02, 22-08-06, 22-08-12 drilled.		0	0	165.000		1		
BY-108	1973	2	STAT		304	304	304	-8	5	EB				Tank-leaks.		0	0	165.000		1		
BY-108	1973	3	STAT		304	304	304	#N/A	5					Tank leaks.		0	0	165.000		1		
BY-108	1973	4	STAT		304	304	304	#N/A	5					Tank leaks.		0	0	165.000		1		
BY-108	1974	1	SEND	0		304		#N/A	5	SU	BY-109	BY-109	"-8 to				0	165.000		4	O	ARH-2456D-5
BY-108	1974	1	STAT		304	304	304	#N/A	5					Tank leaks, 8 to 109-BY.		0	0	165.000		1		
BY-108	1974	2	SEND	0		304		#N/A	5	SU	BY-109	BY-109	"-5 to				0	165.000		4	O	ARH-CD-133A-5
BY-108	1974	2	STAT		304	304	304	#N/A	5					Tank leaks, 5 to 109-BY.		0	0	165.000		1		
BY-108	1974	3	SEND	0		304		#N/A	5	SU	BY-109	BY-109	"-10 to				0	165.000		4	O	ARH-CD-133B-5
BY-108	1974	3	STAT		304	304	304	#N/A	5					Tank leaks, 10 to 109-BY		0	0	165.000		1		
BY-108	1974	4	rec	55		359		#N/A	5	SU	BY-109	BY-109	"-6 to			0	0	165.000		4	O	ARH-CD-133D-5
BY-108	1974	4	STAT		359	359	359	#N/A	5					Tank leaks, 6 to 109-BY, 2 water.		0	0	165.000		1		
BY-108	1975	1	SEND	0		359		#N/A	5	SU	BY-109	BY-109	"-4 to				0	165.000		4	O	ARH-CD-133D-5
BY-108	1975	1	STAT		359	359	359	#N/A	5					Tank leaks, 4 to 109-BY.		0	0	165.000		1		
BY-108	1975	2	SEND	0		359		#N/A	5	SU	BY-109	BY-109	"-6 to				0	165.000		4	O	ARH-CD-336A-5
BY-108	1975	2	STAT		359	359	359	#N/A	5					Tank leaks, 6 to 109-BY.		0	0	165.000		1		
BY-108	1975	3	SEND	0		359		#N/A	5	SU	BY-109	BY-109	"-5 to				0	165.000		4	O	ARH-CD-336B-5
BY-108	1975	3	STAT		359	359	359	#N/A	5					Tank leaks, 5 to 109-BY.		0	0	165.000		1		
BY-108	1975	4	XIN	2		361		#N/A	5	WTR		WTR	Omis.		Omission	0	0	165.000		2	V	ARH-CD-133D-5
BY-108	1975	4	SEND	-2		359		#N/A	5	SU		BY-109	"-3 to			0	0	165.000		4	O	ARH-CD-336D-5
BY-108	1975	4	STAT		359	359	359	#N/A	5					Tank leaks, 3 to 109-BY.		0	0	165.000		1		
BY-108	1976	1	outx	-194		165		#N/A	5			BYEVAP				0	0	165.000	BYEV	0		
BY-108	1976	1	xin	194		359		#N/A	5			BYSitCk				0.324742	63	228.000	BYSIt	0		
BY-108	1976	1	SEND	0		359		#N/A	5	SU	BY-109	BY-109	"-5 to				0	228.000		4	O	ARH-CD-336D-5
BY-108	1976	1	STAT		359	359	359	#N/A	5					Tank leaks, 5 to 109-BY.		0	0	228.000		1		
BY-108	1976	2	SEND	0		359		#N/A	5	SU	BY-109	BY-109	"-2 to				0	228.000		4	O	ARH-CD-702A-5
BY-108	1976	2	STAT		359	359	359	#N/A	5					Tank leaks, 2 to 109-BY.		0	0	228.000		1		
BY-108	1976	3	STAT		359	359	359	#N/A	5					Tank leaks.		0	0	228.000		1		
BY-108	1976	4	STAT		359	359	359	#N/A	5					Tank leaks.		0	0	228.000		1		
BY-108	1977	1	STAT		359	359	359	#N/A	5					Tank Leak Salt Well Pumping		0	0	228.000		1		
BY-108	1977	2	STAT		359	359	359	#N/A	5					Tank Leak Salt Well Pumping		0	0	228.000		1		
BY-108	1977	3	STAT		359	359	359	#N/A	5					Tank Leak Salt Well Pumping		0	0	228.000		1		
BY-108	1977	4	STAT		359	359	359	#N/A	5					Tank leak Salt well pump installed		0	0	228.000		1		
BY-108	1978	1	STAT		359	359	359	#N/A	5					Primary Stabilized		0	0	228.000		1		
BY-108	1978	2	STAT		359	359	359	#N/A	5							0	0	228.000		1		
BY-108	1978	3	STAT		359	359	359	#N/A	5					P-10 Pmp. Removed		0	0	228.000		1		
BY-108	1978	4	STAT		359	359	359	#N/A	5							0	0	228.000		1		
BY-108	1979	1	STAT		359	359	359	#N/A	5							0	0	228.000		1		
BY-108	1979	2	STAT		359	359	359	#N/A	5							0	0	228.000		1		
BY-108	1979	3	STAT		359	359	359	#N/A	5							0	0	228.000		1		
BY-108	1979	4	STAT		359	359	359	#N/A	5							0	0	228.000		1		
BY-108	1980	1	STAT		359	359	359	#N/A	5					New Photo 1/16/80		0	0	228.000		1		
BY-108	1980	2	STAT		359	359	359	#N/A	5					1000 Gal. pool		0	0	228.000		1		
BY-108	1980	3	STAT		359	359	359	#N/A	5							0	0	228.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-108	1980	4	STAT		359	359	359	#N/A	5	EVAP						0	0	228.000		1		
BY-108	1982	3	send	-131		228		#N/A	5			AW-102	salt-wellpumped			0	0	228.000		0		
BY-108	1993	2	STAT		228	228	228	#N/A	5	NCPLX						0	0	228.000		1		
BY-108	1993	4	STAT		228	228	228	#N/A	5							0	0	228.000		1		
BY-108	1994	1	STAT		228	228	228	#N/A	5							0	0	228.000		1		
BY-108	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-109	1900																					
BY-109	1952	1	STAT		N/A	0		#N/A	0					Supernate tank.			0	0.000		1		
BY-109	1952	2	STAT		N/A	0		#N/A	0					TBP supernate tank - 200-E Area			0	0.000		1		
BY-109	1952	3	STAT		N/A	0		#N/A	0					TBP supernate tank - 200-E Area			0	0.000		1		
BY-109	1952	4	STAT		N/A	0		#N/A	0					TBP supernate tank - 200-E Area			0	0.000		1		
BY-109	1953	1	xin	320		320		#N/A	0			WTR					0	0.000		1		
BY-109	1953	1	rec	128		448		#N/A	0			B-103				0	0	0.000		0		
BY-109	1953	1	STAT		448	448	0	#N/A	0					Supernate from 103-B on 1/8/53.		0.28125	36	36.000	MW1	0		
BY-109	1953	2	STAT		448	448	0	#N/A	0					Supernate.		0	0	36.000		1		
BY-109	1953	3	outx	-404		44		#N/A	0			UR				0	0	36.000		1		
BY-109	1953	3	STAT		44	44	0	#N/A	0					Supernatant.		0	0	36.000		0		
BY-109	1953	4	STAT		44	44	0	#N/A	0					Supernatant.		0	0	36.000		1		
BY-109	1954	1	xin	237		281		#N/A	0			WTR				0	0	36.000		1		
BY-109	1954	1	STAT		281	281	0	#N/A	0					Supernatant received from 108 and 101-BY via 103-BY pump.		0	0	36.000		0		
BY-109	1954	2	xin	127		408		#N/A	0			WTR				0	0	36.000		1		
BY-109	1954	2	STAT		408	408	0	#N/A	0					Transfer to 104-C Tank.		0	0	36.000		0		
BY-109	1954	3	outx	-374		34		#N/A	0			UR				0	0	36.000		1		
BY-109	1954	3	STAT		34	34	0	#N/A	0					Transferred to 104-C Tank.		0	0	36.000		0		
BY-109	1954	4	xin	443		477		#N/A	0			WTR				0	0	36.000		1		
BY-109	1954	4	STAT		477	477	0	#N/A	0					Received from 112-BY-- pumped to 104-C; supernatant pump tank.		0	0	36.000		1		
BY-109	1955	1	xin	74		551		#N/A	0			WTR				0	0	36.000		0		
BY-109	1955	1	STAT		551	551	0	#N/A	0					Received from 104-C supernatant pump tank.		0	0	36.000		1		
BY-109	1955	2	outx	-314		237		#N/A	0			UR				0	0	36.000		0		
BY-109	1955	2	STAT		237	237	0	#N/A	0							0	0	36.000		1		
BY-109	1955	3	outx	-203		34		#N/A	0			UR				0	0	36.000		0		
BY-109	1955	3	STAT		34	34	0	#N/A	0					Sluicing to be done.		0	0	36.000		1		
BY-109	1955	4	STAT		34	34	0	#N/A	0							0	0	36.000		1		
BY-109	1956	1	STAT		34	34	0	#N/A	0							0	0	36.000		1		
BY-109	1956	2	REC	558		592		#N/A	0	SU	BY-106	BY-106										ARH-CD-702B-5/N-54-34
BY-109	1956	2	REC	88		680		#N/A	0	SU	BY-107	BY-107				0	0	36.000		3	O	SEND
BY-109	1956	2	STAT		722	722	0	42	42	TBP						0	0	36.000		3	O	N-54-34
BY-109	1956	3	STAT		722	722	36	#N/A	42	TBP				Received from 107-BY.		0	0	36.000		1		
BY-109	1956	4	STAT		722	722	66	#N/A	42							0	0	36.000		1		
BY-109	1957	1	STAT		722	722	66	#N/A	42	TBP						0	0	36.000		1		
BY-109	1957	2	OUTX	-677		45		#N/A	42	SU	B-029	CRIB	AND reports -677	Latest electrode reading.		0	0	36.000		1		
BY-109	1957	2	STAT		66	66	66	21	63	TBP			AND reports 195 from 112? could not find	Received 195m gallons from 112;; 677 sent to No. 16 - BC ditch		0	0	36.000		3	O	N-54-35
BY-109	1957	3	STAT		48	48	46	-18	45					Latest electrode reading.		0	0	36.000		1		
BY-109	1957	4	STAT		48	48	46	#N/A	45							0	0	36.000		1		
BY-109	1958	1	STAT		48	48	46	#N/A	45	TBP						0	0	36.000		1		
BY-109	1958	2	STAT		46	46	46	-2	43							0	0	36.000		1		
BY-109	1958	3	STAT		46	46	46	#N/A	43							0	0	36.000		1		
BY-109	1958	4	STAT		46	46	46	#N/A	43	TBP						0	0	36.000		1		
BY-109	1959	1	STAT		47	47	46	1	44					Latest electrode reading.		0	0	36.000		1		
BY-109	1959	2	STAT		47	47	46	#N/A	44							0	0	36.000		1		
BY-109	1959	3	STAT		47	47	46	#N/A	44							0	0	36.000		1		
BY-109	1959	4	STAT		47	47	46	#N/A	44							0	0	36.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-109	1960	1	STAT		47	47	46	#N/A	44							0	0	36.000		1		
BY-109	1960	2	STAT		47	47	46	#N/A	44							0	0	36.000		1		
BY-109	1960	3	STAT		47	47	46	#N/A	44							0	0	36.000		1		
BY-109	1960	4	STAT		47	47	46	#N/A	44	TBP						0	0	36.000		1		
BY-109	1961	1	STAT		N/A	47		#N/A	44							0	0	36.000		1		
BY-109	1961	2	STAT		48	48	46	1	45	TBP							0	36.000		1		
BY-109	1961	3	STAT		N/A	48		#N/A	45					6 months report		0	0	36.000		1		
BY-109	1961	4	STAT		51	51	46	3	48	TBP							0	36.000		1		
BY-109	1962	1	REC	435		486		#N/A	48	SU	C-107	C-107		6 months report		0	0	36.000		1		
BY-109	1962	1	REC	137		623		#N/A	48	SU	C-109	C-109	no change made			0	0	36.000		3	O	HW-74647-4
BY-109	1962	1	STAT		N/A	623		#N/A	48						Shows 685 BC-16 Ditch	0	0	36.000		4	O	N-54-109/HW-74647-4 SEND
BY-109	1962	2	STAT		623	623	46	#N/A	48	TBP,CW				435m from 107-C, 6 months,report 137m from 109-C.		0	0	36.000		1		
BY-109	1962	3	STAT		N/A	623		#N/A	48								0	36.000		1		
BY-109	1962	4	STAT		623	623	46	#N/A	48	TBP,CW						0	0	36.000		1		
BY-109	1963	1	STAT		N/A	623		#N/A	48					6 months report		0	0	36.000		1		
BY-109	1963	2	STAT		623	623	76	#N/A	48	CW							0	36.000		1		
BY-109	1963	3	STAT		N/A	623		#N/A	48					6 months report		0	0	36.000		1		
BY-109	1963	4	STAT		634	634	76	11	59	CW							0	36.000		1		
BY-109	1964	1	STAT		N/A	634		#N/A	59					New electrode installed. 6 months report		0	0	36.000		1		
BY-109	1964	2	STAT		629	629	76	-5	54	CW							0	36.000		1		
BY-109	1964	3	STAT		N/A	629		#N/A	54					New electrode. 6 months report		0	0	36.000		1		
BY-109	1964	4	STAT		623	623	76	-6	48	CW							0	36.000		1		
BY-109	1965	1	STAT		N/A	623		#N/A	48					New electrode (reading confirmed) 6 months report		0	0	36.000		1		
BY-109	1965	2	REC	19		642		#N/A	48	SU	BY-112	BY-112				0	0	36.000		4	O	HW-74647-5/RL-SEP-659-5 SEND
BY-109	1965	2	STAT		642	642	57	#N/A	48					Received 19m during 112-BY to 101-BY. 6 months report.		0	0	36.000		1		
BY-109	1965	3	STAT		642	642	57	#N/A	48							0	0	36.000		1		
BY-109	1965	4	STAT		642	642	57	#N/A	48							0	0	36.000		1		
BY-109	1966	1	STAT		642	642	57	#N/A	48							0	0	36.000		1		
BY-109	1966	2	STAT		642	642	57	#N/A	48	CW						0	0	36.000		1		
BY-109	1966	3	SEND	-503		139		#N/A	48	SU		BY-103				0	0	36.000		1		
BY-109	1966	3	STAT		139	139	57	#N/A	48	CW				503m to 103-BY.		0	0	36.000		4	O	ISO-538-5
BY-109	1966	4	REC	347		486		#N/A	48	SU	C-102	C-102				0	0	36.000		1		
BY-109	1966	4	STAT		486	486	57	#N/A	48	CW				347m from 102-C.		0	0	36.000		4	O	ISO-538-5/ISO-674-5 SEND
BY-109	1967	1	REC	156		642		#N/A	48	SU	C-102	C-102				0	0	36.000		1		
BY-109	1967	1	STAT		642	642	57	#N/A	48	CW				156m from 102-C.		0	0	36.000		4	O	ISO-674-5/ISO-806-5 SEND
BY-109	1967	2	REC	100		742		#N/A	48	SU	C-102	C-102				0	0	36.000		1		
BY-109	1967	2	STAT		742	742	57	#N/A	48					Received 100m from 102-C.		0	0	36.000		4	O	ISO-806-5/ISO-967-5E SEND
BY-109	1967	3	STAT		742	742	57	#N/A	48							0	0	36.000		1		
BY-109	1967	4	STAT		742	742	57	#N/A	48	CW						0	0	36.000		1		
BY-109	1968	1	STAT		743	743	57	1	49	CW						0	0	36.000		1		
BY-109	1968	2	REC	110		853		#N/A	49	SU	BY-105	BY-105				0	0	36.000		1		
BY-109	1968	2	REC	532		1385		#N/A	49	SU	BY-108	BY-108				0	0	36.000		4	O	ARH-721-6
BY-109	1968	2	SEND	-1116		269		#N/A	49	SU		BY-103				0	0	36.000		4	O	ARH-721-6
BY-109	1968	2	STAT		269	269	57	#N/A	49	CW			REC total 642	1116 to 103-BY; 642 from 108, 105-BY.		0	0	36.000		4	O	ARH-721-6/ISO-967-5 SEND
																0	0	36.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
BY-109	1968	3	SEND	-199		70		#N/A	49	SU		BY-102				0	0	36.000		1		
BY-109	1968	3	rec	146		216		#N/A	49	ITS	BY-112	BY-112			Shows80not0	0	0	36.000		2	V	ARH-871-6
BY-109	1968	3	REC	340		556		#N/A	49	SU	BY-105	BY-105				0	0	36.000		4	O	ARH-871-6
BY-109	1968	3	GREC	0		556		#N/A	49	ITS	BY-112				Shows 80 not 0		0	36.000		2	V	ARH-871-6
BY-109	1968	3	STAT		556	556	37	#N/A	49	CW				ITS - No. 2 feed tank.		0	0	36.000		1		
BY-109	1968	4	REC	1276		1832		#N/A	49		BY-103	BY-103			Omission	0	0	36.000		2	V	ARH-1061-6
BY-109	1968	4	send	-1236		596		#N/A	49			BY-112			Shows1263not0	0	0	36.000		2	V	ARH-1061-6
BY-109	1968	4	GREC	0		596		#N/A	49	ITS	BY-112				Shows 1263 not 0		0	36.000		2	V	ARH-1061-6
BY-109	1968	4	STAT		596	596	54	#N/A	49	CW,OWW				ITS - No. 2 feed tank.		0	0	36.000		1		
BY-109	1969	1	REC	1197		1793		#N/A	49	SU	BY-103	BY-103				0	0	36.000		4	O	ARH-1200A-6
BY-109	1969	1	SEND	-1235		558		#N/A	49	SU		BY-112				0	0	36.000		1		
BY-109	1969	1	GREC	0		558		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1969	1	STAT		558	558	72	#N/A	49	EB,CW				ITS - 2 feed tank;; 1197 from 103-BY.		0	0	36.000		1		
BY-109	1969	2	REC	1376		1934		#N/A	49	SU	BY-103	BY-103				0	0	36.000		4	O	ARH-1200B-6
BY-109	1969	2	SEND	-1338		596		#N/A	49	SU		BY-112				0	0	36.000		1		
BY-109	1969	2	GREC	0		596		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1969	2	STAT		596	596	87	#N/A	49	EB,CW,OWW				ITS - 2 feed tank;; 1376 from 103-BY		0	0	36.000		1		
BY-109	1969	3	SEND	-492		104		#N/A	49	SU		BY-112				0	0	36.000		1		
BY-109	1969	3	rec	199		303		#N/A	49	ITS	BY-112	BY-112				0	0	36.000		0		
BY-109	1969	3	REC	1558		1861		#N/A	49	SU	BY-103	BY-103				0	0	36.000		4	O	ARH-1200C-6
BY-109	1969	3	SEND	-1206		655		#N/A	49	SU		BY-111				0	0	36.000		1		
BY-109	1969	3	GREC	0		655		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1969	3	STAT		655	655	79	#N/A	49	EB,CW,OWW				ITS - 2 feed tank;; 1558 from 103-BY.		0	0	36.000		1		
BY-109	1969	4	SEND	-602		53		#N/A	49	SU		BY-108				0	0	36.000		1		
BY-109	1969	4	REC	1172		1225		#N/A	49	SU	BY-103	BY-103				0	0	36.000		4	O	ARH-1200D-6
BY-109	1969	4	SEND	-632		593		#N/A	49	SU		BY-111				0	0	36.000		1		
BY-109	1969	4	GREC	0		593		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1969	4	STAT		593	593	114	#N/A	49	EB				ITS - 2 feed tank;; 1172 from 103-BY.								
BY-109	1970	1	REC	664		1257		#N/A	49	SU	BX-102	BX-102	OC 644 to 664			0	0	36.000		1		
BY-109	1970	1	REC	617		1874		#N/A	49	SU	BY-103	BY-103			Shows 664 not 644	0	0	36.000		3	V	ARH-1666A-6
BY-109	1970	1	send	-1288		586		#N/A	49			BY-112				0	0	36.000		4	O	ARH-1666A-6
BY-109	1970	1	send	-255		331		#N/A	49			BY-112				0	0	36.000		0		
BY-109	1970	1	SEND	-26		305		#N/A	49	SU		BY-112				0	0	36.000		0		
BY-109	1970	1	rec	1288		1593		#N/A	49			BY-112				0	0	36.000		1		
BY-109	1970	1	SEND	-342		1251		#N/A	49	SU		BY-110				0	0	36.000		0		
BY-109	1970	1	SEND	-644		607		#N/A	49	SU		BY-111				0	0	36.000		1		
BY-109	1970	1	GREC	0		607		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1970	1	STAT		607	607	190	#N/A	49	EB				ITS - 2 feed tank;; 617 from 103-BY;; 544 from 102-BX. * Dry Well 22-09-01, 22-09-05, 22-09-08 drilled.								
BY-109	1970	2	REC	602		1209		#N/A	49	SU	BX-102	BX-102				0	0	36.000		1		
BY-109	1970	2	REC	749		1958		#N/A	49	SU	BX-103	BX-103				0	0	36.000		4	O	ARH-1666B-6
BY-109	1970	2	SEND	-377		1581		#N/A	49	SU		BY-112				0	0	36.000		4	O	ARH-1666B-6
BY-109	1970	2	SEND	-1007		574		#N/A	49	SU		BY-111				0	0	36.000		1		
BY-109	1970	2	GREC	0		574		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1970	2	STAT		574	574	120	#N/A	49	EB				ITS- 2 feed tank;; 602 from 102-BX;; 749 from 103-BY.								
BY-109	1970	3	REC	1413		1987		#N/A	49	SU	BX-103	BX-103				0	0	36.000		1		
BY-109	1970	3	SEND	-390		1597		#N/A	49	SU		BY-112				0	0	36.000		4	O	ARH-1666C-6
BY-109	1970	3	REC	66		1663		#N/A	49	SU	BY-102	BY-102				0	0	36.000		1		
BY-109	1970	3	SEND	-634		1029		#N/A	49	SU		BY-105				0	0	36.000		4	O	ARH-1666C-6
BY-109	1970	3	SEND	-137		892		#N/A	49	SU		BY-108				0	0	36.000		1		
BY-109	1970	3	SEND	-69		823		#N/A	49	SU		BY-110			No indication of XFER	0	0	36.000		2	V	ARH-1666C-6
																0	0	36.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-109	1970	3	SEND	-252		571		#N/A	49	SU		BY-111				0	0	36.000		1		
BY-109	1970	3	GREC	0		571		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1970	3	GREC	0		571		#N/A	49	ITS	BY-112						0	36.000		1		
BY-109	1970	3	send	0		571		#N/A	49	ITS	BY-112		*-140 TO 0				0	36.000		1		
BY-109	1970	3	STAT		579	579	128	8	57	EB				ITS- 2 feed tank;; 1413 from 103-BX;; 66 from 102-BY (to 105-BY).								
BY-109	1970	4	REC	1561		2140		#N/A	57	SU	BX-103	BX-103				0	0	36.000		1		
BY-109	1970	4	SEND	-60		2080		#N/A	57	SU		BY-112				0	0	36.000		4	O	ARH-1666D-6
BY-109	1970	4	rec	37		2117		#N/A	57	ITS	BY-112	BY-112				0	0	36.000		1		
BY-109	1970	4	SEND	-200		1917		#N/A	57	SU		BY-107				0	0	36.000		0		
BY-109	1970	4	SEND	-209		1708		#N/A	57	SU		BY-110				0	0	36.000		1		
BY-109	1970	4	SEND	-1110		598		#N/A	57	SU		BY-111				0	0	36.000		1		
BY-109	1970	4	GREC	0		598		#N/A	57	ITS	BY-112					0	0	36.000		1		
BY-109	1970	4	GREC	0		598		#N/A	57	ITS	BY-112						0	36.000		1		
BY-109	1970	4	STAT		598	598	142	#N/A	57	EB							0	36.000		1		
BY-109	1971	1	REC	785		1383		#N/A	57	SU	BX-103	BX-103		ITS- 2 feed receiving tank;; 1561 from 103-BX.		0	0	36.000		1		
BY-109	1971	1	send	-198		1185		#N/A	57			BY-112	*-323 TO -198			0	0	36.000		4	O	ARH-2074A-6
BY-109	1971	1	SEND	-136		1049		#N/A	57	SU		BY-103				0	0	36.000		0		
BY-109	1971	1	SEND	-46		1003		#N/A	57	SU		BY-104				0	0	36.000		1		
BY-109	1971	1	SEND	-100		903		#N/A	57	SU		BY-105				0	0	36.000		1		
BY-109	1971	1	SEND	-207		696		#N/A	57	SU		BY-106				0	0	36.000		1		
BY-109	1971	1	SEND	-27		669		#N/A	57	SU		BY-107				0	0	36.000		1		
BY-109	1971	1	SEND	-80		589		#N/A	57	SU		BY-108				0	0	36.000		1		
BY-109	1971	1	GREC	0		589		#N/A	57	ITS	BY-112						0	36.000		1		
BY-109	1971	1	GREC	0		589		#N/A	57	ITS	BY-112					0	0	36.000		2	V	ARH-1666D-6
BY-109	1971	1	STAT		589	589	150	#N/A	57	EB							0	36.000		1		
BY-109	1971	2	REC	198		787		#N/A	57	SU	BX-103	BX-103		ITS- 2 feed receiving tank;; 785 from 103-BX.		0	0	36.000		1		
BY-109	1971	2	send	-177		610		#N/A	57			BY-112				0	0	36.000		4	O	ARH-2074B-6
BY-109	1971	2	send	-24		586		#N/A	57	ITS		BY-104				0	0	36.000		0		
BY-109	1971	2	rec	22		608		#N/A	57	ITS	BY-103	BY-103				0	0	36.000		0		
BY-109	1971	2	GROUP	0		608		#N/A	57	ITS	BY-103,BY-104,BY-105,BY-106						0	36.000		0		
BY-109	1971	2	GROUP	0		608		#N/A	57	ITS	BY-107,BY-108,BY-110,BY-111						0	36.000		1		
BY-109	1971	2	STAT		608	608	128	#N/A	57	EB				ITS- 2 feed receiving tank;; 198 from 103-BX.						1		
BY-109	1971	3	XIN	35		643		#N/A	57	WTR		WTR	Omis.			0	0	36.000		1		
BY-109	1971	3	XIN	56		699		#N/A	57	STEAM		WTR	Omis. sparge		Omission	0	0	36.000		3	V	ARH-2074C-6
BY-109	1971	3	REC	505		1204		#N/A	57	SU	BX-103	BX-103			Omission	0	0	36.000		3	V	ARH-2074C-6
BY-109	1971	3	SEND	-166		1038		#N/A	57	SU		BY-112				0	0	36.000		4	O	ARH-2074C-6
BY-109	1971	3	SEND	-22		1016		#N/A	57	SU		BY-103				0	0	36.000		1		
BY-109	1971	3	SEND	-428		588		#N/A	57	SU		BY-104				0	0	36.000		1		
BY-109	1971	3	REC	30		618		#N/A	57	SU	BX-106	BX-106				0	0	36.000		1		
BY-109	1971	3	GREC	0		618		#N/A	57	ITS	BY-112					0	0	36.000		4	O	ARH-2074C-6
BY-109	1971	3	GREC	0		618		#N/A	57	ITS	BY-112						0	36.000		1		
BY-109	1971	3	rec	0		618		#N/A	57	ITS	BY-112		*533 TO 0				0	36.000		1		
BY-109	1971	3	STAT		618	618	128	#N/A	57	EB				ITS- 2 feed receiving tank;; 505 from 103-BX;; 30 from 106-BX; 56 steam sparger; 35 flush water.						1		
BY-109	1971	4	XIN	125		743		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1971	4	REC	1260		2003		#N/A	57	SU	BX-103	BX-103				0	0	36.000		4	O	ARH-2074D-6
BY-109	1971	4	SEND	-965		1038		#N/A	57	SU		BY-104				0	0	36.000		4	O	ARH-2074D-6
BY-109	1971	4	SEND	-140		898		#N/A	57	SU		BY-112	SHOULD REFER TO GROUPS			0	0	36.000		1		
BY-109	1971	4	SEND	-300		598		#N/A	57	SU		BY-103			Shows 1604 No XFER	0	0	36.000		2	V	ARH-2074D-6
BY-109	1971	4	GREC	0		598		#N/A	57	ITS	BY-112					0	0	36.000		1		
															(a) 1604 total these 2		0	36.000		2	V	ARH-2074D-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
BY-109	1971	4	GREC	0		598		#N/A	57	ITS	BY-112				(a) 1604 total these 2		0	36.000		2	V	ARH-2074D-6
BY-109	1971	4	rec	0		598		#N/A	57	ITS	BY-112		*328 TO 0		(a)1604totalthese2		0	36.000		2	V	ARH-2074D-6
BY-109	1971	4	STAT		598	598	153	#N/A	57	EB				ITS- 2 feed receiving tank;;1,260 from 103-BX;; 125 flush water								
BY-109	1972	1	XIN	165		763		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1972	1	XIN	14		777		#N/A	57	WTR		WTR	Omis.			0	0	36.000		4	O	ARH-2456A-5
BY-109	1972	1	REC	326		1103		#N/A	57	SU	B-103	B-103			Omission	0	0	36.000		2	V	ARH-2456A-5
BY-109	1972	1	REC	1089		2192		#N/A	57	SU	BX-103	BX-103				0	0	36.000		4	O	ARH-2456A-4
BY-109	1972	1	SEND	-813		1379		#N/A	57	SU		BX-110				0	0	36.000		4	O	ARH-2456A-5
BY-109	1972	1	SEND	-582		797		#N/A	57	SU		BY-103				0	0	36.000		1		
BY-109	1972	1	SEND	-418		379		#N/A	57	SU		BY-112				0	0	36.000		1		
BY-109	1972	1	send	-244		135		#N/A	57			BY-112				0	0	36.000		1		
BY-109	1972	1	REC	537		672		#N/A	57			BY-112				0	0	36.000		0		
BY-109	1972	1	SEND	-49		623		#N/A	57	SU		BY-106				0	0	36.000		1		
BY-109	1972	1	GREC	0		623		#N/A	57	ITS	BY-112					0	0	36.000		1		
BY-109	1972	1	GREC	0		623		#N/A	57	ITS	BY-112						0	36.000		1		
BY-109	1972	1	STAT		623	623	153	#N/A	57	EB			REC total 1415, AND 1312 evaporated not accounted for	ITS- feed receiving tank;; 1415 from 103-BX;; 165 flush water; 1312 evaporated.								
BY-109	1972	2	XIN	134		757		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1972	2	REC	1365		2122		#N/A	57	SU	BX-103	BX-103				0	0	36.000		4	O	ARH-2456B-5
BY-109	1972	2	send	-1416		706		#N/A	57			BY-112	sendtoBY-112			0	0	36.000		4	O	ARH-2456B-5
BY-109	1972	2	send	-106		600		#N/A	57			BY-112	*106 to 155		Omission	0	0	36.000		3	V	ARH-2456B-5
BY-109	1972	2	GREC	0		600		#N/A	57	ITS	BY-112					0	0	36.000		0		
BY-109	1972	2	GREC	0		600		#N/A	57	ITS	BY-112						0	36.000		1		
BY-109	1972	2	OUTX	0		600		#N/A	57	COND	CRIB?		PCONDC Omis. SENT TO BY-112				0	36.000		1		
BY-109	1972	2	STAT		600	600	222	#N/A	57	EB				ITS- feed receiving tank;; 1364 from 103-BX;; 134 flush water; 49 from 108-BY; 1416 evaporated.	Omission		0	36.000		3	V	ARH-2456B-5
BY-109	1972	3	XIN	167		767		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1972	3	SEND	-1		766		#N/A	57	SU		BY-101	*+190 to			0	0	36.000		4	O	ARH-2456C-5
BY-109	1972	3	REC	1042		1808		#N/A	57	SU	BX-103	BX-103				0	0	36.000		1		
BY-109	1972	3	SEND	-732		1076		#N/A	57	SU		BY-103				0	0	36.000		4	O	ARH-2456C-5
BY-109	1972	3	rec	744		1820		#N/A	57			BY-112				0	0	36.000		1		
BY-109	1972	3	send	-1417		403		#N/A	57			BY-112				0	0	36.000		0		
BY-109	1972	3	SEND	-285		118		#N/A	57	SU		BY-112				0	0	36.000		2		
BY-109	1972	3	rec	495		613		#N/A	57	ITS	BY-112	BY-112				0	0	36.000		1		
BY-109	1972	3	REC	7		620		#N/A	57	SU	BY-108	BY-108			Shows1239Evp.	0	0	36.000		2	V	ARH-2456C-5
BY-109	1972	3	GREC	0		620		#N/A	57	ITS	BY-112					0	0	36.000		4	O	ARH-2456C-5
BY-109	1972	3	outx	0		620		#N/A	57	cond	crib		PCONDC SENT TO BY-112		Shows 1239 Evp.		0	36.000		2	V	ARH-2456C-5
BY-109	1972	3	STAT		620	620	260	#N/A	57	EB				ITS feed receiving tank;; 1042 from 103-BX;; 18 from 108-BY; 167 flush water; 1239 evaporated.			0	36.000		2		
BY-109	1972	4	XIN	137		757		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1972	4	REC	986		1743		#N/A	57		BX-103	BX-103	LC BX-104 to BX-103			0	0	36.000		4	O	ARH-2456D-5
BY-109	1972	4	SEND	-1139		604		#N/A	57	SU		BY-106			Omission	0	0	36.000		3	M/V	ARH-2456D-5
BY-109	1972	4	rec	1044		1648		#N/A	57			BY-112				0	0	36.000		1		
BY-109	1972	4	send	-1121		527		#N/A	57			BY-112				0	0	36.000		0		
BY-109	1972	4	REC	85		612		#N/A	57	SU	BY-108	BY-108	*-8 to			0	0	36.000		0		
BY-109	1972	4	GREC	0		612		#N/A	57	ITS	BY-112						0	36.000		4	O	ARH-2456D-5
BY-109	1972	4	outx	0		612		#N/A	57	cond	crib		PCONDC SENT TO BY-112		Shows 1044 Evap.		0	36.000		2	V	ARH-2456D-5
																	0	36.000		2		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-109	1972	4	STAT		612	612	334	#N/A	57	EB				ITS;; feed receiving tank;; 986 from 103-BX;; 8 from 109-BY; 137 flush water; 1044 evaporated.								
BY-109	1973	1	XIN	127		739		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1973	1	REC	980		1719		#N/A	57	SU	BX-103	BX-103				0	0	36.000		4	O	ARH-2794A-5
BY-109	1973	1	send	-1011		708		#N/A	57			BY-112				0	0	36.000		4	O	ARH-2794A-5
BY-109	1973	1	rec	811		1519		#N/A	57			BY-112				0	0	36.000		0		
BY-109	1973	1	SEND	-458		1061		#N/A	57	SU		BY-103				0	0	36.000		0		
BY-109	1973	1	SEND	-448		613		#N/A	57	SU		BY-107				0	0	36.000		1		
BY-109	1973	1	GREC	0		613		#N/A	57	ITS	BY-112					0	0	36.000		1		
BY-109	1973	1	GREC	0		613		#N/A	57	ITS	BY-112				Show 1011 Evap. these 3		0	36.000		2	V	ARH-2794A-5
BY-109	1973	1	GREC	0		613		#N/A	57	ITS	BY-112				Show 1011 Evap. these 3		0	36.000		2	V	ARH-2794A-5
BY-109	1973	1	outx	0		613		#N/A	57	cond	crib	PCONDC SENT TO BY-112			Show 1011 Evap. these 3		0	36.000		2	V	ARH-2794A-5
																	0	36.000		2		
BY-109	1973	1	STAT		613	613	381	#N/A	57	EB				lts - feed receiving tank;; 980 from 103-BX;; 127 flush water; 1011 evaporated.								
BY-109	1973	2	XIN	86		699		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1973	2	REC	785		1484		#N/A	57	SU	BX-103	BX-103				0	0	36.000		4	O	ARH-2794B-5
BY-109	1973	2	send	-793		691		#N/A	57			BY-112				0	0	36.000		4	O	ARH-2794B-5
BY-109	1973	2	send	-65		626		#N/A	57			BY-112				0	0	36.000		0		
BY-109	1973	2	SEND	-13		613		#N/A	57	SU		BX-111				0	0	36.000		0		
BY-109	1973	2	SEND	-11		602		#N/A	57	SU		BY-106				0	0	36.000		1		
BY-109	1973	2	GREC	0		602		#N/A	57	ITS	BY-112					0	0	36.000		1		
BY-109	1973	2	outx	0		602		#N/A	57	cond	crib	PCONDC SENT TO BY-112			Shows 793, no indic. of REC		0	36.000		2	V	ARH-2794B-5
																	0	36.000		2		
BY-109	1973	2	STAT		602	602	398	#N/A	57	EB				ITS - feed receiving tank;; 785 from 103-BX;; 86 flush water; 793 evaporated.								
BY-109	1973	3	XIN	75		677		#N/A	57	WTR		WTR	Omis.			0	0	36.000		1		
BY-109	1973	3	send	-75		602		#N/A	57			BY-112			Omission	0	0	36.000		2	V	ARH-2794C-5
BY-109	1973	3	SEND	-24		578		#N/A	57	SU		BY-112				0	0	36.000		0		
BY-109	1973	3	REC	25		603		#N/A	57	SU	BY-103	BY-103				0	0	36.000		1		
BY-109	1973	3	GREC	0		603		#N/A	57	ITS	BY-112					0	0	36.000		4	O	ARH-2794C-5
																	0	36.000		1		
BY-109	1973	3	STAT		603	603	398	#N/A	57	EB				ITS - receiving tank;; 25 from 103-BY.								
BY-109	1973	4	XIN	86		689		#N/A	57	WTR		WTR				0	0	36.000		1		
BY-109	1973	4	SEND	-106		583		#N/A	57	SU		BY-112				0	0	36.000		4	O	ARH-2794D-5
BY-109	1973	4	send	-11		572		#N/A	57			BY-112				0	0	36.000		1		
BY-109	1973	4	REC	4		576		#N/A	57	SU	BY-103	BY-103				0	0	36.000		0		
																	0	36.000		4	O	ARH-2794D-5
BY-109	1973	4	GREC	0		576		#N/A	57	ITS	BY-112				11 not 0, no REC from BX-112		0	36.000		2	V	ARH-2794D-5
BY-109	1973	4	outx	0		576		#N/A	57	cond	crib	PCONDC SENT TO BY-112					0	36.000		2		
BY-109	1973	4	STAT		587	587	411	11	68	EB				ITS - feed receiving tank;; 86 water;; 4 from 103-BY; 11 evaporated.								
BY-109	1974	1	XIN	56		643		#N/A	68	WTR		WTR				0	0	36.000		1		
BY-109	1974	1	send	-6		637		#N/A	68			BY-112	sendtoBY-112			0	0	36.000		4	O	ARH-CD-133A-5
BY-109	1974	1	SEND	-71		566		#N/A	68	SU		BX-111			Omission	0	0	36.000		3	V	ARH-CD-133A-5
BY-109	1974	1	GREC	0		566		#N/A	68	ITS	BY-112					0	0	36.000		1		
BY-109	1974	1	OUTX	0		566		#N/A	68	COND	CRIB?	PCONDC SENT TO BY-112					0	36.000		1		
															Omission		0	36.000		3	V	ARH-CD-133A-5
BY-109	1974	1	STAT		594	594	411	28	96	EB				ITS - feed receiving tank;; 56 water;; 8 from 108-BY; 6 evaporated. *Dry Well 22-09-02, 22-09-07, 22-09-11 drilled.								
BY-109	1974	2	XIN	15		609		#N/A	96	WTR		WTR				0	0	36.000		1		
BY-109	1974	2	SEND	-28		581		#N/A	96			BY-112				0	0	36.000		4	O	ARH-CD-133B-5
BY-109	1974	2	REC	5		586		#N/A	96	SU	BY-103	BY-103			Omission	0	0	36.000		3	V	ARH-CD-133B-5
																0	0	36.000		4	O	ARH-CD-133B-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
BY-109	1974	2	GREC	0		586		#N/A	96	ITS	BY-112						0	36.000		3	O	ARH-CD-133B-5
BY-109	1974	2	STAT		581	581	433	-5	91	EB				ITS - feed receiving tank 5 from 103-BY;; 5 from 108-BY; 28 to 112-BY; 15 water; 0 evaporated.							
BY-109	1974	3	SEND	-111		470		#N/A	91	SU		BY-112				0	0	36.000		1		
BY-109	1974	3	rec	88		558		#N/A	91			BY-112				0	0	36.000		1		
BY-109	1974	3	send	-5		553		#N/A	91	SU		BY-105	*-73 to			0	0	36.000		0		
BY-109	1974	3	REC	13		566		#N/A	91	SU	BY-103	BY-103				0	0	36.000		2		
BY-109	1974	3	REC	36		602		#N/A	91	SU	BY-106	BY-106				0	0	36.000		2		
BY-109	1974	3	GREC	0		602		#N/A	91	ITS	BY-112					0	0	36.000		2		
BY-109	1974	3	GREC	0		602		#N/A	91	ITS	BY-112						0	36.000		1		
																	0	36.000		1		
BY-109	1974	3	STAT		602	602	433	#N/A	91	EB				ITS - feed receiving tanks;; 13 from 103-BY;;73 from 105-BY; 36 from 106-BY; 10 from 108-BY; 111 to 112-BY.							
BY-109	1974	4	REC	6		608		#N/A	91	SU	BY-101	BY-101				0	0	36.000		1		
BY-109	1974	4	SEND	-71		537		#N/A	91	SU		BY-112				0	0	36.000		4	O	ARH-CD-133D-5
BY-109	1974	4	rec	59		596		#N/A	91			BY-112				0	0	36.000		4	O	ARH-CD-133D-5
BY-109	1974	4	send	-55		541		#N/A	91	SU		BY-108	*-6 to			0	0	36.000		0		
BY-109	1974	4	REC	16		557		#N/A	91	SU	BY-105	BY-105				0	0	36.000		4	O	ARH-CD-133D-5
BY-109	1974	4	GREC	0		557		#N/A	91	ITS	BY-112					0	0	36.000		4	O	ARH-CD-133D-5
																	0	36.000		1		
BY-109	1974	4	STAT		557	557	425	#N/A	91	EB				ITS - feed receiving tank;; 6 from 101-BY;;16 from 105-BY; 6 from 108-BY; 71 to 112-BY.							
BY-109	1975	1	REC	5		562		#N/A	91	SU	BY-103	BY-103				0	0	36.000		1		
BY-109	1975	1	REC	4		566		#N/A	91	SU	BY-105	BY-105				0	0	36.000		4	O	ARH-CD-336A-5
BY-109	1975	1	GREC	0		566		#N/A	91	ITS	BY-112					0	0	36.000		4	O	ARH-CD-336A-5
BY-109	1975	1	GREC	0		566		#N/A	91	ITS	BY-112						0	36.000		1		
																	0	36.000		1		
BY-109	1975	1	STAT		571	571	425	5	96	EB				ITS - feed receiving tank;; 5 from 103-BY;; 4 from 105-BY; 4 from 108-BY							
BY-109	1975	2	SEND	-65		506		#N/A	96	SU		BY-112				0	0	36.000		1		
BY-109	1975	2	REC	27		533		#N/A	96	SU	BY-105	BY-105				0	0	36.000		4	O	ARH-CD-336B-5
BY-109	1975	2	GREC	0		533		#N/A	96	ITS	BY-112					0	0	36.000		4	O	ARH-CD-336B-5
BY-109	1975	2	GREC	0		533		#N/A	96	ITS	BY-112						0	36.000		1		
																	0	36.000		1		
BY-109	1975	2	STAT		541	541	425	8	104	EB				ITS -.feed receiving tank;; 27 from 105-BY;; 6 from 108-BY; 65 to 112-BY.							
BY-109	1975	3	XIN	8		549		#N/A	104	WTR		WTR				0	0	36.000		1		
BY-109	1975	3	REC	11		560		#N/A	104	SU	BY-105	BY-105				0	0	36.000		4	O	ARH-CD-336C-5
BY-109	1975	3	GREC	0		560		#N/A	104	ITS	BY-112					0	0	36.000		4	O	ARH-CD-336C-5
BY-109	1975	3	GREC	0		560		#N/A	104	ITS	BY-112						0	36.000		1		
																	0	36.000		1		
BY-109	1975	3	STAT		565	565	425	5	109	EB				11 from 105-BY;; 5 from 108-BY;; 8 water.							
BY-109	1975	4	XIN	4		569		#N/A	109	WTR		WTR				0	0	36.000		1		
BY-109	1975	4	REC	4		573		#N/A	109	SU	BY-103	BY-103				0	0	36.000		4	O	ARH-CD-336D-5
BY-109	1975	4	REC	6		579		#N/A	109	SU	BY-105	BY-105				0	0	36.000		4	O	ARH-CD-336D-5
BY-109	1975	4	REC	16		595		#N/A	109	SU	BY-106	BY-106				0	0	36.000		4	O	ARH-CD-336D-5
BY-109	1975	4	REC	2		597		#N/A	109	SU	BY-108	BY-108	*-3 to			0	0	36.000		4	O	ARH-CD-336D-5
BY-109	1975	4	GREC	0		597		#N/A	109	ITS	BY-112					0	0	36.000		4	O	ARH-CD-336D-5
BY-109	1975	4	GREC	0		597		#N/A	109	ITS	BY-112						0	36.000		1		
																	0	36.000		1		
BY-109	1975	4	STAT		598	598	425	1	110	EB				ITS feed receiving tank;; 4 from 103-BY;;6 from 105-BY; 16 from 106-BY; 3 from 108-BY; 4 water.		0	0	36.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-109	1976	1	SEND	-34		564		#N/A	110	SU		BY-112				0	0	36.000		4	O	ARH-CD-702A-5
BY-109	1976	1	REC	5		569		#N/A	110	SU	BY-103	BY-103				0	0	36.000		4	O	ARH-CD-702A-5
BY-109	1976	1	REC	2		571		#N/A	110		BY-105	BY-105			Omission	0	0	36.000		4	V	ARH-CD-702A-5
BY-109	1976	1	outx	-540		31		#N/A	110			BYEVAP				0	0	36.000	BYEV	0		
BY-109	1976	1	xin	540		571		#N/A	110			BYSltCk				0.716667	387	423.000	BYSIN	0		
BY-109	1976	1	GREC	0		571		#N/A	110	ITS	BY-112						0	423.000		1		
BY-109	1976	1	GREC	0		571		#N/A	110	ITS	BY-112						0	423.000		1		
BY-109	1976	1	STAT		576	576	425	5	115	EB				ITS - feed receiving tank;; 34 to 112-BY;; 5 from 103-BY; 5 from 108-BY; 2 from 105-BY.								
BY-109	1976	2	REC	1		577		#N/A	115	SU	BY-103	BY-103				0	0	423.000		1		
BY-109	1976	2	GROUP	0		577		#N/A	115	ITS	B-112,BY-101,BY-102,BY-104,BY-106					0	0	423.000		4	O	ARH-CD-702B-5
BY-109	1976	2	GROUP	0		577		#N/A	115	ITS	BX-110,BX-111,BY-106,BY-110,BY-111						0	423.000		1		
BY-109	1976	2	STAT		585	585	425	8	123	EB				ITS feed receiving tank;; 1 from 103-BY;; 2 from 108-BY			0	423.000		1		
BY-109	1976	3	GROUP	0		585		#N/A	123	ITS						0	0	423.000		1		
BY-109	1976	3	STAT		593	593	425	8	131	EVAP							0	423.000		1		
BY-109	1976	4	STAT		596	596	425	3	134	EVAP				Con. feed.			0	423.000		1		
BY-109	1977	1	send	-137		459		#N/A	134			A-102					0	423.000		1		
BY-109	1977	1	STAT		459	459	425	#N/A	134	EVAP							0	423.000		0		
BY-109	1977	2	send	-17		442		#N/A	134			A-102		Con. Feed			0	423.000		1		
BY-109	1977	2	STAT		442	442	433	#N/A	134	EVAP							0	423.000		0		
BY-109	1977	3	STAT		444	444	433	2	136	EVAP				Con. Feed Salt Well Installed			0	423.000		1		
BY-109	1977	4	STAT		447	447	433	3	139	EVAP				Salt Well Receiver			0	423.000		1		
BY-109	1978	1	rec	11		458		#N/A	139		A-102	A-102		Salt Well Receiver			0	423.000		1		
BY-109	1978	1	STAT		458	458	433	#N/A	139	NCPLX							0	423.000		0		
BY-109	1978	2	STAT		455	455	433	-3	136	NCPLX							0	423.000		1		
BY-109	1978	3	STAT		458	458	433	3	139	NCPLX							0	423.000		1		
BY-109	1978	4	STAT		461	461	433	3	142	NCPLX							0	423.000		1		
BY-109	1979	1	STAT		466	466	433	5	147								0	423.000		1		
BY-109	1979	2	STAT		466	466	433	#N/A	147					P-10 Removed			0	423.000		1		
BY-109	1979	3	STAT		466	466	433	#N/A	147								0	423.000		1		
BY-109	1979	4	STAT		466	466	433	#N/A	147	NCPLX				New Sludge Level 8/9/79			0	423.000		1		
BY-109	1980	1	STAT		466	466	433	#N/A	147					New Photo 7/17/79			0	423.000		1		
BY-109	1980	2	STAT		466	466	433	#N/A	147								0	423.000		1		
BY-109	1980	3	STAT		466	466	433	#N/A	147								0	423.000		1		
BY-109	1980	4	STAT		466	466	433	#N/A	147	NCPLX							0	423.000		1		
BY-109	1982	3	send	-43		423		#N/A	147			AW-102	salt-wellpumped				0	423.000		1		
BY-109	1993	2	STAT		423	423	423	#N/A	147	NCPLX							0	423.000		0		
BY-109	1993	4	STAT		423	423	423	#N/A	147								0	423.000		1		
BY-109	1994	1	STAT		423	423	423	#N/A	147								0	423.000		1		
BY-109	2000																0	423.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BY-110	1900																					
BY-110	1951	4	XIN	170		170		#N/A	0	1C		1C1				0	0	0.000		1		
BY-110	1952	1	XIN	170		340		#N/A	0	1C		1C2				0.07724426	13.132	13.132	1C2	1		
BY-110	1952	1	XIN	140		480		#N/A	0	1C		1C2				0.07724426	10.814	23.946	1C2	1		
BY-110	1952	1	XIN	113		593		#N/A	0	1C		1C2				0.07724426	8.7286	32.674	1C2	1		
BY-110	1952	1	STAT		638	638	0	45	45	1C				1C Tank now filling B Plant.		0	0	32.674		1		
BY-110	1952	2	XIN	22		660		#N/A	45	1C		1C2				0.07724426	1.6994	34.374	1C2	1		
BY-110	1952	2	XIN	19		679		#N/A	45	1C		1C2				0.07724426	1.4676	35.841	1C2	1		
BY-110	1952	2	STAT		653	653	0	-26	19	1C				1C Tank now filling B Plant.		0	0	35.841		1		
BY-110	1952	3	XIN	15		668		#N/A	19	1C		1C2				0.07724426	1.1587	37.000	1C2	1		
BY-110	1952	3	XIN	26		694		#N/A	19	1CF		DW				0	0	37.000		1		
BY-110	1952	3	XIN	43		737		#N/A	19	1CF		DW				0	0	37.000		1		
BY-110	1952	3	STAT		722	722	0	-15	4	1C				Abandoned as 1st cycle cascaded Active 1st cycle - Tank 221-B.		0	0	37.000		1		
BY-110	1952	4	XIN	10		732		#N/A	4	1CF		DW				0	0	37.000		1		
BY-110	1952	4	STAT		732	732	0	#N/A	4	1C						0	0	37.000		1		
BY-110	1953	1	STAT		732	732	0	#N/A	4	1C						0	0	37.000		1		
BY-110	1953	2	STAT		731	731	0	-1	3	1C,SU						0	0	37.000		1		
BY-110	1953	3	STAT		731	731	0	#N/A	3	1C,SU						0	0	37.000		1		
BY-110	1953	4	STAT		731	731	0	#N/A	3	1C						0	0	37.000		1		
BY-110	1954	1	STAT		731	731	0	#N/A	3	SU,1C						0	0	37.000		1		
BY-110	1954	2	STAT		731	731	0	#N/A	3	SU,1C						0	0	37.000		1		
BY-110	1954	3	OUTX	-693		38		#N/A	3	SU	B-038	CRIB				0	0	37.000		1		
BY-110	1954	3	STAT		37	37	0	-1	2	SU,1C				Supernatant pumped to ditch. Started receiving TBP scvg. waste.		0	0	37.000		1		
BY-110	1954	4	XIN	710		747		#N/A	2	P01	UR	PFeCN1				0.03026172	21.486	58.486	PFeCl	3	O	N-54-1
BY-110	1954	4	SEND	-138		609		#N/A	2	SU		BY-105				0	0	58.486		3	O	N-54-1
BY-110	1954	4	OUTX	-564		45		#N/A	2	SU	B-043	CRIB			BY-1 Cavern	0	0	58.486		3	O	N-54-1
BY-110	1954	4	STAT		N/A	45	51	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	0	58.486		1		
BY-110	1955	1	XIN	699		744		#N/A	2	P04	UR	PFeCN1	OC 697 TO 699		Shows 699 not 697	0.03026172	21.153	79.639	PFeCl	2	V	N-54-4
BY-110	1955	1	XIN	679		1423		#N/A	2	P08	UR	PFeCN1				0.03026172	20.548	100.186	PFeCl	3	O	N-54-8
BY-110	1955	1	SEND	-144		1279		#N/A	2	SU		BY-103				0	0	100.186		3	O	N-54-4
BY-110	1955	1	SEND	-121		1158		#N/A	2	SU		BY-105				0	0	100.186		3	O	N-54-4
BY-110	1955	1	OUTX	-403		755		#N/A	2	SU	B-042	CRIB			#8 Ditch	0	0	100.186		3	O	N-54-4
BY-110	1955	1	STAT		N/A	755	121	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped to BY No. 9 ditch, 103-BY and 105-BY scvg. waste receiver.		0	0	100.186		1		
BY-110	1955	2	SEND	-495		260		#N/A	2	SU		BY-102	OC 100 diff in line below, misdirection in transaction		Shows 595 notm 495	0	0	100.186		2	M/O	N-54-102
BY-110	1955	2	SEND	-100		160		#N/A	2	SU		BY-102	Omission changed from BY-101 to BY-102, misdirection in transaction		Show REC at BY-102	0	0	100.186		1	M/V	
BY-110	1955	2	STAT		N/A	160	85	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Receiving TBP waste.		0	0	100.186		1		
BY-110	1955	3	XIN	581		741		#N/A	2	P12	UR	PFeCN1				0.03026172	17.582	117.769	PFeCl	3	O	N-54-12
BY-110	1955	3	XIN	425		1166		#N/A	2	P15	UR	PFeCN1				0.03026172	12.861	130.630	PFeCl	3	O	N-54-15
BY-110	1955	3	SEND	-604		562		#N/A	2	SU		BY-104				0	0	130.630		3	O	N-54-12
BY-110	1955	3	STAT		N/A	562	85	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	0	130.630		1		
BY-110	1955	4	XIN	574		1136		#N/A	2	P18	UR	PFeCN1				0.03026172	17.37	148.000	PFeCl	3	O	N-54-18
BY-110	1955	4	XIN	579		1715		#N/A	2	P22	UR	PFeCN2				0.00807227	4.6738	152.674	PFeCl	3	O	N-54-22
BY-110	1955	4	OUTX	-404		1311		#N/A	2	SU	B-047	CRIB			BY-5 Crib	0	0	152.674		3	O	N-54-15

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-110	1955	4	OUTX	-591		720		#N/A	2	SU	B-049	CRIB			BY-7 Crib	0	0	152.674		3	O	N-54-18
BY-110	1955	4	STAT		N/A	720	148	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	0	152.674		1		
BY-110	1956	1	XIN	572		1292		#N/A	2	P25	UR	PFeCN2				0.00807227	4.6173	157.291	PFeCl	3	O	N-54-25
BY-110	1956	1	XIN	557		1849		#N/A	2	P29	UR	PFeCN2				0.00807227	4.4963	161.787	PFeCl	3	O	N-54-29
BY-110	1956	1	SEND	-12		1837		#N/A	2	SL		BY-105				0	0	161.787		3	O	N-54-25
BY-110	1956	1	OUTX	-550		1287		#N/A	2	SU	B-014	CRIB			BC-1 Crib	0	0	161.787		3	O	N-54-22
BY-110	1956	1	OUTX	-547		740		#N/A	2	SU	B-018	CRIB			BC-5 Crib	0	0	161.787		3	O	N-54-25
BY-110	1956	1	STAT		N/A	740	150	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	0	161.787		1		
BY-110	1956	2	XIN	553		1293		#N/A	2	P33	UR	PFeCN2				0.00807227	4.464	166.251	PFeCl	3	O	N-54-33
BY-110	1956	2	XIN	535		1828		#N/A	2	P37	UR	PFeCN2				0.00807227	4.3187	170.570	PFeCl	3	O	N-54-37
BY-110	1956	2	SEND	-498		1330		#N/A	2	SU		BX-104				0	0	170.570		3	O	N-54-33
BY-110	1956	2	SEND	-44		1286		#N/A	2	SL		BY-105				0	0	170.570		3	O	N-54-33
BY-110	1956	2	SEND	-34		1252		#N/A	2	SL		BY-105				0	0	170.570		3	O	N-54-29
BY-110	1956	2	OUTX	-520		732		#N/A	2	SU	B-016	CRIB			BC-3 Crib	0	0	170.570		3	O	N-54-29
BY-110	1956	2	STAT		N/A	732	150	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. active receiver.		0	0	170.570		1		
BY-110	1956	3	XIN	520		1252		#N/A	2	P41	UR	PFeCN2				0.00807227	4.1976	174.768	PFeCl	3	O	N-54-41
BY-110	1956	3	XIN	512		1764		#N/A	2	P45	UR	PFeCN2				0.00807227	4.133	178.901	PFeCl	3	O	N-54-45
BY-110	1956	3	SEND	-521		1243		#N/A	2	SU		BX-105	AND reports BY-105			0	0	178.901		3	O	N-54-37
BY-110	1956	3	SEND	-28		1215		#N/A	2	SL		BY-104				0	0	178.901		3	O	N-54-41
BY-110	1956	3	OUTX	-484		731		#N/A	2	SU	B-020	CRIB	AND reports -504		BC-7 Ditch	0	0	178.901		3	O	N-54-41
BY-110	1956	3	STAT		N/A	731	211	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. pumped to 105-BY 504m gallons pumped to No. 7BC S.S.		0	0	178.901		1		
BY-110	1956	4	XIN	546		1277		#N/A	2	P49	UR	PFeCN2				0.00807227	4.4075	183.308	PFeCl	3	O	N-54-49
BY-110	1956	4	SEND	-45		1232		#N/A	2	SL		BY-104				0	0	183.308		3	O	N-54-45
BY-110	1956	4	SEND	-26		1206		#N/A	2	SL		BY-104				0	0	183.308		3	O	N-54-49
BY-110	1956	4	OUTX	-258		948		#N/A	2	SU	B-022	CRIB	AND reports 495 to B-023		BC-9 Ditch	0	0	183.308		4	O	N-54-45
BY-110	1956	4	OUTX	-235		713		#N/A	2	SU	B-023	CRIB	AND reports 495 to B-023		BC-10 Ditch	0	0	183.308		4	O	N-54-45
BY-110	1956	4	OUTX	-509		204		#N/A	2	SU	B-025	CRIB	AND reports -528		BC-12 Trench	0	0	183.308		3	O	N-54-49
BY-110	1956	4	STAT		N/A	204	229	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 495m to BC No. 10 ditch. S.S. received from 241-WR. 528m gallons sent to No. 12BC.		0	0	183.308		1		
BY-110	1957	1	XIN	528		732		#N/A	2	P53	UR	PFeCN2				0.00807227	4.2622	187.570	PFeCl	3	O	N-54-53
BY-110	1957	1	OUTX	-305		427		#N/A	2	SU	B-027	CRIB	AND reports -283		BC-14 Trench	0	0	187.570		3	O	N-54-53
BY-110	1957	1	STAT		N/A	427	210	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. active TBP receiver. 283m sent to No. 14 BC ditch.		0	0	187.570		1		
BY-110	1957	2	XIN	301		728		#N/A	2	P57	UR	PFeCN2	AND reports total 268			0.00807227	2.4298	190.000	PFeCl	3	O	N-54-57
BY-110	1957	2	STAT		N/A	728	205	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. received 181m gallons. S.S. 87m received. 13m to No. 17 BC trench.		0	0	190.000		1		
BY-110	1957	3	OUTX	-329		399		#N/A	2	SU	B-030	CRIB	316 from qtr 1&2 329 total		BC-17 Trench	0	0	190.000		4	O	N-54-57
BY-110	1957	3	OUTX	-161		238		#N/A	2	SU	B-031	CRIB			BC-18 Trench	0	0	190.000		3	O	N-54-57
BY-110	1957	3	STAT		N/A	238	211	#N/A	2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	316m to BC-17, 146m to latest electrode reading.		0	0	190.000		1		
BY-110	1957	4	XIN	13		251		#N/A	2	FLSH		WTR				0	0	190.000		4	O	HW-54067-5
BY-110	1957	4	REC	67		318		#N/A	2	SU	C-105	C-105				0	0	190.000		4	O	HW-54067-5
BY-110	1957	4	STAT		304	304	210	-14	-12	TBP,CW				67m from 105-C and 13m flush.		0	0	190.000		1		
BY-110	1958	1	REC	298		602		#N/A	-12	SU	C-105	C-105				0	0	190.000		4	O	HW-54916-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-110	1958	1	STAT		607	607	210	5	-7	TBP,CW				298m from 105-C.		0	0	190.000		1		
BY-110	1958	2	STAT		604	604	210	-3	-10	TBP,CW						0	0	190.000		1		
BY-110	1958	3	REC	7		611		#N/A	-10	SU	C-106	C-106				0	0	190.000		4	O	HW-57711-4
BY-110	1958	3	STAT		611	611	210	#N/A	-10	TBP,CW						0	0	190.000		1		
BY-110	1958	4	REC	108		719		#N/A	-10	SU	C-105	C-105	OC 106 TO 108		Shows 108 not 106	0	0	190.000		3	V	HW-58201
BY-110	1958	4	STAT		717	717	210	-2	-12	CW				103m from 105-C. Latest electrode reading.		0	0	190.000		1		
BY-110	1959	1	STAT		717	717	210	#N/A	-12	TBP,CW						0	0	190.000		1		
BY-110	1959	2	STAT		716	716	210	-1	-13	TBP,CW						0	0	190.000		1		
BY-110	1959	3	STAT		716	716	210	#N/A	-13	TBP,CW						0	0	190.000		1		
BY-110	1959	4	STAT		739	739	210	23	10	CW						0	0	190.000		1		
BY-110	1960	1	STAT		739	739	210	#N/A	10	CW						0	0	190.000		1		
BY-110	1960	2	STAT		739	739	210	#N/A	10	CW						0	0	190.000		1		
BY-110	1960	3	STAT		739	739	210	#N/A	10	CW						0	0	190.000		1		
BY-110	1960	4	STAT		739	739	210	#N/A	10	TBP,CW						0	0	190.000		1		
BY-110	1961	1	STAT		N/A	739		#N/A	10							0	0	190.000		1		
BY-110	1961	2	STAT		708	708	210	-31	-21	TBP,CW				[6 months report			0	190.000		1		
BY-110	1961	3	STAT		N/A	708		#N/A	-21							0	0	190.000		1		
BY-110	1961	4	STAT		708	708	210	#N/A	-21	TBP,CW				[6 months report			0	190.000		1		
BY-110	1962	1	STAT		N/A	708		#N/A	-21							0	0	190.000		1		
BY-110	1962	2	STAT		708	708	210	#N/A	-21	TBP,CW				[6 months report			0	190.000		1		
BY-110	1962	3	STAT		N/A	708		#N/A	-21							0	0	190.000		1		
BY-110	1962	4	STAT		708	708	210	#N/A	-21	TBP,CW				[6 months report			0	190.000		1		
BY-110	1963	1	STAT		N/A	708		#N/A	-21							0	0	190.000		1		
BY-110	1963	2	STAT		706	706	246	-2	-23	TBP,CW				[6 months report			0	190.000		1		
BY-110	1963	3	STAT		N/A	706		#N/A	-23							0	0	190.000		1		
BY-110	1963	4	STAT		706	706	246	#N/A	-23	TBP,CW				[6 months report			0	190.000		1		
BY-110	1964	1	STAT		N/A	706		#N/A	-23							0	0	190.000		1		
BY-110	1964	2	STAT		706	706	246	#N/A	-23	TBP,CW				[6 months report			0	190.000		1		
BY-110	1964	3	STAT		N/A	706		#N/A	-23							0	0	190.000		1		
BY-110	1964	4	STAT		706	706	246	#N/A	-23	TBP,CW				[6 months report			0	190.000		1		
BY-110	1965	1	STAT		N/A	706		#N/A	-23					[6 months report		0	0	190.000		1		
BY-110	1965	2	STAT		703	703	230	-3	-26	TBP,CW						0	0	190.000		1		
BY-110	1965	3	STAT		706	706	230	3	-23	TBP,CW						0	0	190.000		1		
BY-110	1965	4	STAT		713	713	230	7	-16	TBP,CW						0	0	190.000		1		
BY-110	1966	1	STAT		706	706	230	-7	-23	CW						0	0	190.000		1		
BY-110	1966	2	STAT		706	706	230	#N/A	-23	TBP,CW						0	0	190.000		1		
BY-110	1966	3	STAT		700	700	230	-6	-29	CW						0	0	190.000		1		
BY-110	1966	4	STAT		700	700	230	#N/A	-29	TBP,CW				Latest electrode reading.		0	0	190.000		1		
BY-110	1967	1	STAT		706	706	230	6	-23	TBP,CW						0	0	190.000		1		
BY-110	1967	2	STAT		697	697	230	-9	-32	TBP,CW						0	0	190.000		1		
BY-110	1967	3	STAT		693	693	230	-4	-36	CW						0	0	190.000		1		
BY-110	1967	4	STAT		693	693	230	#N/A	-36	TBP,CW						0	0	190.000		1		
BY-110	1968	1	xin	13		706		#N/A	-36		CORR	WTR	Omis. correction		Omission	0	0	190.000		3	V	ARH-534-6
BY-110	1968	1	STAT		706	706	230	#N/A	-36	CW				13m correction.		0	0	190.000		1		
BY-110	1968	2	STAT		706	706	230	#N/A	-36	CW						0	0	190.000		1		
BY-110	1968	3	STAT		706	706	230	#N/A	-36	TBP,CW						0	0	190.000		1		
BY-110	1968	4	STAT		706	706	230	#N/A	-36	CW						0	0	190.000		1		
BY-110	1969	1	STAT		701	701	230	-5	-41	CW						0	0	190.000		1		
BY-110	1969	2	send	-59		642		#N/A	-41			BY-112				0	0	190.000		0		
BY-110	1969	2	GREC	0		642		#N/A	-41	ITS	BY-112						0	190.000		1		
BY-110	1969	2	STAT		642	642	189	#N/A	-41	CW,EB				Added to ITS -2 bottoms and recycle system 6/27/69		0	0	190.000		1		
BY-110	1969	3	rec	50		692		#N/A	-41	ITS	BY-112	BY-112				0	0	190.000		0		
BY-110	1969	3	GREC	0		692		#N/A	-41	ITS	BY-112						0	190.000		1		
BY-110	1969	3	STAT		692	692	123	#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1969	4	rec	11		703		#N/A	-41	ITS	BY-112	BY-112				0	0	190.000		0		
BY-110	1969	4	GREC	0		703		#N/A	-41	ITS	BY-112						0	190.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-110	1969	4	STAT		703	703	123	#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1970	1	send	-418		285		#N/A	-41			BY-112				0	0	190.000		0		
BY-110	1970	1	REC	342		627		#N/A	-41	SU	BY-109	BY-109				0	0	190.000		1		
BY-110	1970	1	GREC	0		627		#N/A	-41	ITS	BY-112						0	190.000		1		
BY-110	1970	1	STAT		627	627	201	#N/A	-41	EB				ITS - 2 bottoms and recycle. * Dry Well 22-10-05, 22 10-10 drilled.								
BY-110	1970	2	send	-108		519		#N/A	-41			BY-112				0	0	190.000		1		
BY-110	1970	2	GREC	0		519		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1970	2	STAT		519	519	190	#N/A	-41	EB							0	190.000		1		
BY-110	1970	3	rec	76		595		#N/A	-41	ITS	BY-112	BY-112		ITS- 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1970	3	REC	69		664		#N/A	-41	SU	BY-109	BY-109				0	0	190.000		0		
BY-110	1970	3	GREC	0		664		#N/A	-41	ITS	BY-112					0	0	190.000		1		
BY-110	1970	3	STAT		664	664	211	#N/A	-41	EB							0	190.000		1		
BY-110	1970	4	send	-176		488		#N/A	-41			BY-112		ITS- 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1970	4	REC	209		697		#N/A	-41	SU	BY-109	BY-109				0	0	190.000		0		
BY-110	1970	4	GREC	0		697		#N/A	-41	ITS	BY-112					0	0	190.000		1		
BY-110	1970	4	STAT		697	697	277	#N/A	-41	EB							0	190.000		1		
BY-110	1971	1	send	-22		675		#N/A	-41			BY-112		ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1971	1	GREC	0		675		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1971	1	STAT		675	675	277	#N/A	-41	EB							0	190.000		1		
BY-110	1971	2	rec	15		690		#N/A	-41	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1971	2	GREC	0		690		#N/A	-41	ITS	BY-109					0	0	190.000		0		
BY-110	1971	2	STAT		690	690	277	#N/A	-41	EB							0	190.000		1		
BY-110	1971	3	rec	18		708		#N/A	-41	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1971	3	GREC	0		708		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1971	3	STAT		708	708	277	#N/A	-41	EB							0	190.000		1		
BY-110	1971	4	send	-63		645		#N/A	-41			BY-112		ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1971	4	GREC	0		645		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1971	4	STAT		645	645	277	#N/A	-41	EB							0	190.000		1		
BY-110	1972	1	send	-17		628		#N/A	-41			BY-112		ITS - 2 bottoms and recycle.		0	0	190.000		1		
BY-110	1972	1	GREC	0		628		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1972	1	STAT		628	628	277	#N/A	-41	EB							0	190.000		1		
BY-110	1972	2	rec	86		714		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1972	2	GREC	0		714		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1972	2	STAT		714	714	277	#N/A	-41	EB							0	190.000		1		
BY-110	1972	3	send	-47		667		#N/A	-41			BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1972	3	GREC	0		667		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1972	3	STAT		667	667	277	#N/A	-41	EB							0	190.000		1		
BY-110	1972	4	send	-23		644		#N/A	-41			BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1972	4	GREC	0		644		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1972	4	STAT		644	644	277	#N/A	-41	EB							0	190.000		1		
BY-110	1973	1	rec	28		672		#N/A	-41	ITS	BY-112	BY-112		ITS _ bottoms and recycle.		0	0	190.000		1		
BY-110	1973	1	GREC	0		672		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1973	1	STAT		672	672	277	#N/A	-41	EB							0	190.000		1		
BY-110	1973	2	send	-19		653		#N/A	-41			BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1973	2	GREC	0		653		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1973	2	STAT		653	653	277	#N/A	-41	EB							0	190.000		1		
BY-110	1973	3	rec	53		706		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1973	3	GREC	0		706		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1973	3	STAT		706	706	277	#N/A	-41	EB							0	190.000		1		
BY-110	1973	4	send	-33		673		#N/A	-41			BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1973	4	GREC	0		673		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1973	4	STAT		673	673	277	#N/A	-41	EB							0	190.000		1		
BY-110	1974	1	send	-3		670		#N/A	-41			BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1974	1	GREC	0		670		#N/A	-41	ITS	BY-112					0	0	190.000		0		
																	0	190.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-110	1974	1	STAT		670	670	277	#N/A	-41	EB				ITS - bottoms and recycle. ** Dry Well 22-10-07-, 22-10-09 drilled.		0	0	190.000		1		
BY-110	1974	2	rec	8		678		#N/A	-41	ITS	BY-112	BY-112				0	0	190.000		1		
BY-110	1974	2	REC	12		690		#N/A	-41	SU	BY-102	BY-102				0	0	190.000		0		
BY-110	1974	2	GREC	0		690		#N/A	-41	ITS	BY-112						0	190.000		4	O	ARH-CD-133B-5
																	0	190.000		1		
BY-110	1974	2	STAT		690	690	277	#N/A	-41	EB				ITS - bottoms and recycle, 12 from 102-BY.		0	0	190.000		1		
BY-110	1974	3	send	-2		688		#N/A	-41			BY-112				0	0	190.000		0		
BY-110	1974	3	GREC	0		688		#N/A	-41	ITS	BY-112						0	190.000		1		
BY-110	1974	3	STAT		688	688	277	#N/A	-41	EB							0	190.000		1		
BY-110	1974	4	rec	1		689		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1974	4	GREC	0		689		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1974	4	STAT		689	689	296	#N/A	-41	EB							0	190.000		1		
BY-110	1975	1	rec	19		708		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1975	1	SEND	-123		585		#N/A	-41	SU		BX-106				0	0	190.000		0		
BY-110	1975	1	REC	99		684		#N/A	-41	SU	BY-107	BY-107				0	0	190.000		4	O	ARH-CD-336A-5
BY-110	1975	1	GREC	0		684		#N/A	-41	ITS	BY-112					0	0	190.000		4	O	ARH-CD-336A-5
																	0	190.000		1		
BY-110	1975	1	STAT		684	684	296	#N/A	-41	EB				ITS - bottoms and recycle, 123 to 106-BX, 99 from 107-BY.								
BY-110	1975	2	rec	75		759		#N/A	-41	ITS	BY-112	BY-112				0	0	190.000		1		
BY-110	1975	2	SEND	-114		645		#N/A	-41	SU		BX-106				0	0	190.000		0		
BY-110	1975	2	GREC	0		645		#N/A	-41	ITS	BY-112					0	0	190.000		4	O	ARH-CD-336B-5
BY-110	1975	2	REC	0		645		#N/A	-41	SU	BY-107	BY-107	not pumped?				0	190.000		1		
																	0	190.000		4	O	ARH-CD-336B-5
BY-110	1975	2	STAT		645	645	296	#N/A	-41	EB				ITS - bottoms and recycle, 114 to 106-BX, 85 from 110-BY.								
BY-110	1975	3	rec	22		667		#N/A	-41	ITS	BY-112	BY 112				0	0	190.000		1		
BY-110	1975	3	GREC	0		667		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1975	3	REC	0		667		#N/A	-41	SU	BY-107	BY-107	not pumped?				0	190.000		1		
BY-110	1975	3	STAT		667	667	296	#N/A	-41	EB							0	190.000		4	O	ARH-CD-336C-5
BY-110	1975	4	rec	6		673		#N/A	-41	ITS	BY-112	BY-112		20 from 107-BY.		0	0	190.000		1		
BY-110	1975	4	GREC	0		673		#N/A	-41	ITS	BY-112					0	0	190.000		0		
BY-110	1975	4	REC	0		673		#N/A	-41	SU	BY-107	BY-107	not pumped?				0	190.000		1		
BY-110	1975	4	STAT		673	673	296	#N/A	-41	EB							0	190.000		3	O	ARH-CD-336D-5
BY-110	1976	1	rec	11		684		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000		1		
BY-110	1976	1	outx	-494		190		#N/A	-41			BYEVAP				0	0	190.000		0		
BY-110	1976	1	xin	494		684		#N/A	-41			BYSltCk				0	0	190.000	BYEV	0		
BY-110	1976	1	GREC	0		684		#N/A	-41	ITS	BY-112					0.421053	208	398.000	BYSlt	0		
BY-110	1976	1	REC	0		684		#N/A	-41	SU	BY-107	BY-107	not pumped?				0	398.000		1		
BY-110	1976	1	STAT		684	684	296	#N/A	-41	EB							0	398.000		3	O	ARH-CD-702A-5
BY-110	1976	2	send	-6		678		#N/A	-41			BY-112		ITS - bottoms and recycle.		0	0	398.000		1		
BY-110	1976	2	GREC	0		678		#N/A	-41	ITS	BY-109					0	0	398.000		0		
BY-110	1976	2	STAT		684	684	296	6	-35	EB							0	398.000		1		
BY-110	1976	3	STAT		678	678	296	-6	-41					ITS - bottoms and recycle.		0	0	398.000		1		
BY-110	1976	4	STAT		678	678	296	#N/A	-41	EVAP				Con. feed bottoms.		0	0	398.000		1		
BY-110	1977	1	send	-69		609		#N/A	-41			A-102				0	0	398.000		1		
																0	0	398.000		0		
BY-110	1977	1	STAT		609	609	376	#N/A	-41	EVAP				Con. Feed Btms. Salt Well Installed		0	0	398.000		1		
BY-110	1977	2	send	-77		532		#N/A	-41			A-102				0	0	398.000		0		
BY-110	1977	2	STAT		532	532	376	#N/A	-41	EVAP				Con. Feed Btms. Salt Well Installed								
BY-110	1977	3	rec	17		549		#N/A	-41		A-102	A-102				0	0	398.000		1		
																0	0	398.000		0		
BY-110	1977	3	STAT		549	549	469	#N/A	-41	EVAP				Salt Well Receiver Solid Level Adj.								
BY-110	1977	4	rec	11		560		#N/A	-41		A-102	A-102				0	0	398.000		1		
																0	0	398.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-110	1977	4	STAT		560	560	469	#N/A	-41	EVAP				Salt Well Receiver Solid Level Adj.		0	0	398.000		1		
BY-110	1978	1	rec	11		571		#N/A	-41		A-102	A-102				0	0	398.000		0		
BY-110	1978	1	STAT		571	571	469	#N/A	-41	NCPLX						0	0	398.000		1		
BY-110	1978	2	rec	8		579		#N/A	-41		A-102	A-102				0	0	398.000		0		
BY-110	1978	2	STAT		579	579	469	#N/A	-41	NCPLX						0	0	398.000		1		
BY-110	1978	3	rec	3		582		#N/A	-41		A-102	A-102				0	0	398.000		0		
BY-110	1978	3	STAT		582	582	469	#N/A	-41	NCPLX						0	0	398.000		1		
BY-110	1978	4	STAT		585	585	469	3	-38							0	0	398.000		1		
BY-110	1979	1	rec	34		619		#N/A	-38		A-102	A-102				0	0	398.000		0		
BY-110	1979	1	SEND	-30		589		#N/A	-38	SU		BX-105				0	0	398.000		1		
BY-110	1979	1	SEND	-4		585		#N/A	-38	SU		BX-105				0	0	398.000		1		
BY-110	1979	1	STAT		585	585	469	#N/A	-38	NCPLX				Active salt well Receiver		0	0	398.000		1		
BY-110	1979	2	send	-33		552		#N/A	-38			A-102				0	0	398.000		0		
BY-110	1979	2	STAT		552	552	469	#N/A	-38	NCPLX				New Photo 6/29/79		0	0	398.000		1		
BY-110	1979	3	rec	26		578		#N/A	-38		A-102	A-102				0	0	398.000		0		
BY-110	1979	3	SEND	-48		530		#N/A	-38	SU		BX-105				0	0	398.000		1		
BY-110	1979	3	STAT		530	530	469	#N/A	-38					New Photo 8/17/79		0	0	398.000		1		
BY-110	1979	4	STAT		530	530	469	#N/A	-38	NCPLX				Inactive		0	0	398.000		1		
BY-110	1980	1	send	-22		508		#N/A	-38			A-102				0	0	398.000		0		
BY-110	1980	1	STAT		508	508	505	#N/A	-38							0	0	398.000		1		
BY-110	1980	2	STAT		508	508	505	#N/A	-38							0	0	398.000		1		
BY-110	1980	3	STAT		508	508	505	#N/A	-38							0	0	398.000		1		
BY-110	1980	4	STAT		508	508	505	#N/A	-38	NCPLX						0	0	398.000		1		
BY-110	1992	3	send	-110		398		#N/A	-38			AW-102	salt-wellpumped			0	0	398.000		0		
BY-110	1993	2	STAT		398	398	398	#N/A	-38	NCPLX						0	0	398.000		1		
BY-110	1993	4	STAT		398	398	398	#N/A	-38							0	0	398.000		1		
BY-110	1994	1	STAT		398	398	398	#N/A	-38							0	0	398.000		1		
BY-110	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
BY-111	1900																					
BY-111	1951	4	CSEND	0		0		#N/A	0	SET	BY-112						0	0.000		1		
BY-111	1951	4	XIN	177		177		#N/A	0	MW		MW1				0.04428	7.8376	7.838	MW1	1		
BY-111	1951	4	XIN	185		362		#N/A	0	MW		MW1				0.04428	8.1919	16.030	MW1	1		
BY-111	1951	4	XIN	180		542		#N/A	0	MW		MW1				0.04428	7.9705	24.000	MW1	1		
BY-111	1952	1	XIN	160		702		#N/A	0	MW		MW2				0.004739	0.7583	24.758	MW1	1		
BY-111	1952	1	XIN	145		847		#N/A	0	MW		MW2				0.004739	0.6872	25.445	MW1	1		
BY-111	1952	1	XIN	117		964		#N/A	0	MW		MW2				0.004739	0.5545	26.000	MW1	1		
BY-111	1952	1	send	-117		847		#N/A	0	cas		BY-112				0	0	26.000		0		
BY-111	1952	1	send	-89		758		#N/A	0	cas		BY-112				0	0	26.000		0		
BY-111	1952	1	STAT		758	758	0	#N/A	0	MW						0	0	26.000		1		
BY-111	1952	2	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1952	3	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1952	4	XIN	55		813		#N/A	0	UR		UR				0	0	26.000		1		
BY-111	1952	4	send	-55		758		#N/A	0	cas		BY-112				0	0	26.000		1		
																0	0	26.000		0		
BY-111	1952	4	STAT		758	758	0	#N/A	0	MW				Receives high TBP wastes for temp. storage (received 11,000 gallons in December).		0	0	26.000		1		
BY-111	1953	1	STAT		759	759	0	1	1	MW				Receives high waste from TBP into temp. storage.		0	0	26.000		1		
BY-111	1953	2	STAT		758	758	0	-1	0					Received 6,000 gallons of 1-2 material which cascaded to 112-BY. Receives misc.		0	0	26.000		1		
BY-111	1953	3	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1953	4	STAT		758	758	0	#N/A	0	MW						0	0	26.000		1		
BY-111	1954	1	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1954	2	xin	509		1267		#N/A	0			WTR				0	0	26.000		1		
BY-111	1954	2	SEND	-509		758		#N/A	0	SU		BX-106				0	0	26.000		0		
																0	0	26.000		1		
BY-111	1954	2	STAT		758	758	0	#N/A	0					Receives high uranium waste.								
BY-111	1954	3	CSEND	0		758		#N/A	0	END	BY-112					0	0	26.000		1		
																	0	26.000		1		
BY-111	1954	3	STAT		758	758	0	#N/A	0	MW				Receives high uranium waste from TBP and hot semi-works.								
BY-111	1954	4	outx	-734		24		#N/A	0			UR				0	0	26.000		1		
BY-111	1954	4	STAT		24	24	0	#N/A	0	MW						0	0	26.000		0		
BY-111	1955	1	xin	45		69		#N/A	0			WTR				0	0	26.000		1		
BY-111	1955	1	REC	390		459		#N/A	0	SL	BY-112	BY-112				0	0	26.000		0		
BY-111	1955	1	OUTX	-30		429		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	1	OUTX	-187		242		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	1	OUTX	-231		11		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	1	STAT		11	11	0	#N/A	0	MW						0	0	26.000		1		
BY-111	1955	2	xin	171		182		#N/A	0			WTR		Active sluicing tank.		0	0	26.000		1		
BY-111	1955	2	OUTX	-120		62		#N/A	0	SL	UR	UR				0	0	26.000		0		
BY-111	1955	2	OUTX	-11		51		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	2	OUTX	-26		25		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	2	STAT		N/A	25		#N/A	0							0	0	26.000		1		
BY-111	1955	3	OUTX	-3		22		#N/A	0	SL	UR	UR					0	26.000		1		
BY-111	1955	3	OUTX	-22		0		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	3	STAT		N/A	0		#N/A	0							0	0	26.000		1		
BY-111	1955	4	STAT		N/A	0		#N/A	0								0	26.000		1		
BY-111	1956	1	STAT		N/A	0		#N/A	0								0	26.000		1		
BY-111	1956	2	REC	539		539		#N/A	0	SU	BY-107	BY-107					0	26.000		1		
BY-111	1956	2	STAT		526	526	0	-13	-13	TBP						0	0	26.000		3	O	N-54-31
BY-111	1956	3	OUTX	-513		13		#N/A	-13	SU	B-016	CRIB			BC-3 Crib	0	0	26.000		1		
																0	0	26.000		4	O	N-54-110

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-111	1956	3	STAT		26	26	0	13	0	TBP				To go to BX No. 3 crib in 500m gallons went to No. 38C.		0	0	26.000		1		
BY-111	1956	4	STAT		26	26	0	#N/A	0	TBP						0	0	26.000		1		
BY-111	1957	1	STAT		35	35	26	9	9	TBP				Latest electrode reading. Received 300m from 1050.		0	0	26.000		1		
BY-111	1957	2	REC	300		335		#N/A	9	SU	C-105	C-105				0	0	26.000		1		
BY-111	1957	2	REC	363		698		#N/A	9	SU	C-111	C-111				0	0	26.000		4	O	HW-50127-4
BY-111	1957	2	STAT		706	706	26	8	17	OWW,CW						0	0	26.000		4	O	N-54-285
BY-111	1957	3	STAT		706	706	26	#N/A	17	CW						0	0	26.000		1		
BY-111	1957	4	STAT		706	706	26	#N/A	17	CW				Latest electrode reading.		0	0	26.000		1		
BY-111	1958	1	STAT		706	706	26	#N/A	17	CW						0	0	26.000		1		
BY-111	1958	2	STAT		706	706	26	#N/A	17	CW						0	0	26.000		1		
BY-111	1958	3	STAT		706	706	26	#N/A	17	CW						0	0	26.000		1		
BY-111	1958	4	STAT		706	706	26	#N/A	17	OWW,CW						0	0	26.000		1		
BY-111	1959	1	STAT		711	711	26	5	22	CW						0	0	26.000		1		
BY-111	1959	2	STAT		711	711	26	#N/A	22	CW				Latest electrode reading.		0	0	26.000		1		
BY-111	1959	3	STAT		711	711	26	#N/A	22	CW						0	0	26.000		1		
BY-111	1959	4	STAT		711	711	26	#N/A	22	CW						0	0	26.000		1		
BY-111	1960	1	STAT		711	711	26	#N/A	22	CW						0	0	26.000		1		
BY-111	1960	2	STAT		711	711	26	#N/A	22	CW						0	0	26.000		1		
BY-111	1960	3	STAT		711	711	26	#N/A	22	OWW,CW						0	0	26.000		1		
BY-111	1960	4	STAT		711	711	26	#N/A	22	OWW,CW						0	0	26.000		1		
BY-111	1961	1	STAT		N/A	711		#N/A	22							0	0	26.000		1		
BY-111	1961	2	STAT		711	711	26	#N/A	22	OWW,CW							0	26.000		1		
BY-111	1961	3	STAT		N/A	711		#N/A	22					[6 months report		0	0	26.000		1		
BY-111	1961	4	STAT		714	714	26	3	25	OWW,CW			AND-CALC ERROR 614				0	26.000		1		
BY-111	1962	1	STAT		N/A	714		#N/A	25					Latest electrode reading. [6 month report		0	0	26.000		1		
BY-111	1962	2	STAT		714	714	26	#N/A	25	OWW,CW							0	26.000		1		
BY-111	1962	3	STAT		N/A	714		#N/A	25					[6 months report		0	0	26.000		1		
BY-111	1962	4	STAT		714	714	26	#N/A	25	OWW,CW							0	26.000		1		
BY-111	1963	1	STAT		N/A	714		#N/A	25					[6 months report		0	0	26.000		1		
BY-111	1963	2	STAT		717	717	24	3	28	OWW,CW							0	26.000		1		
BY-111	1963	3	STAT		N/A	717		#N/A	28					[6 months report		0	0	26.000		1		
BY-111	1963	4	STAT		717	717	24	#N/A	28	OWW,CW							0	26.000		1		
BY-111	1964	1	STAT		N/A	717		#N/A	28					[6 months report		0	0	26.000		1		
BY-111	1964	2	STAT		717	717	24	#N/A	28	OWW,CW							0	26.000		1		
BY-111	1964	3	STAT		N/A	717		#N/A	28					[6 months report		0	0	26.000		1		
BY-111	1964	4	STAT		717	717	24	#N/A	28	OWW,CW							0	26.000		1		
BY-111	1965	1	STAT		N/A	717		#N/A	28					[6 months report		0	0	26.000		1		
BY-111	1965	2	STAT		739	739	26	22	50	OWW,CW				New electrode.			0	26.000		1		
BY-111	1965	3	SEND	-372		367		#N/A	50	SU		BY-103				0	0	26.000		1		
BY-111	1965	3	STAT		367	367	26	#N/A	50	CW				372m to 103-BY.		0	0	26.000		4	O	RL-SEP-821-5
BY-111	1965	4	SEND	-24		343		#N/A	50	SU		BY-103				0	0	26.000		1		
BY-111	1965	4	STAT		343	343	26	#N/A	50	CW				24m to 103-BY.		0	0	26.000		4	O	RL-SEP-923-5
BY-111	1966	1	SEND	-314		29		#N/A	50	SU		BY-103				0	0	26.000		1		
BY-111	1966	1	STAT		29	29	26	#N/A	50	CW				314m to 102-BY.		0	0	26.000		4	O	ISO-226-5
BY-111	1966	2	REC	556		585		#N/A	50	SU	C-102	C-102				0	0	26.000		1		
BY-111	1966	2	STAT		585	585	26	#N/A	50	CW				556m from 102-C.		0	0	26.000		4	O	ISO-404-4
BY-111	1966	3	REC	170		755		#N/A	50	SU	C-102	C-102				0	0	26.000		1		
BY-111	1966	3	SEND	-14		741		#N/A	50	SU		BY-112				0	0	26.000		4	O	ISO-538-5
BY-111	1966	3	STAT		741	741	26	#N/A	50	CW				170m from 102-C;; 14m to 112-BY.		0	0	26.000		4	O	ISO-538-5
BY-111	1966	4	STAT		741	741	26	#N/A	50	CW						0	0	26.000		1		
BY-111	1967	1	STAT		739	739	26	-2	48							0	0	26.000		1		
BY-111	1967	2	STAT		739	739	26	#N/A	48							0	0	26.000		1		
BY-111	1967	3	STAT		739	739	26	#N/A	48	CW						0	0	26.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
BY-111	1967	4	XIN	13		752		#N/A	48	CWP		CWP2	Omis.		Omission	0	0	26.000		3	V	ARH-326-6
BY-111	1967	4	STAT		752	752	26	#N/A	48	CW				Received 13m ITS No. 2 preparation.								
BY-111	1968	1	SEND	-716		36		#N/A	48	SU		BY-103				0	0	26.000		1		
BY-111	1968	1	STAT		36	36	26	#N/A	48	CW						0	0	26.000		4	O	ARH-534-6
BY-111	1968	2	REC	972		1008		#N/A	48		BY-112	BY-112		716m to 103-BY.		0	0	26.000		1		
BY-111	1968	2	SEND	-379		629		#N/A	48	SU		BY-108	AND reports 394		Omission	0	0	26.000		3	V	ARH-721-6
BY-111	1968	2	STAT		629	629	26	#N/A	48	EB				379 to 108-BY;; 972 from 112-BY.		0	0	26.000		4	O	ARH-721-6
BY-111	1968	3	send	-53		576		#N/A	48			BY-112				0	0	26.000		1		
BY-111	1968	3	GREC	0		576		#N/A	48	ITS	BY-112					0	0	26.000		0		
																	0	26.000		1		
BY-111	1968	3	STAT		576	576	145	#N/A	48	EB				ITS No. 2 bottoms and recycle.								
BY-111	1968	4	rec	64		640		#N/A	48	ITS	BY-112	BY-112				0	0	26.000		1		
BY-111	1968	4	GREC	0		640		#N/A	48	ITS	BY-112					0	0	26.000		0		
																	0	26.000		1		
BY-111	1968	4	STAT		640	640	145	#N/A	48	EB				ITS No. 2 bottoms and recycle.								
BY-111	1969	1	send	-99		541		#N/A	48			BY-112				0	0	26.000		1		
BY-111	1969	1	GREC	0		541		#N/A	48	ITS	BY-112					0	0	26.000		0		
BY-111	1969	1	STAT		541	541	46	#N/A	48	EB							0	26.000		1		
BY-111	1969	2	rec	59		600		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1969	2	GREC	0		600		#N/A	48	ITS	BY-112					0	0	26.000		0		
BY-111	1969	2	STAT		600	600	52	#N/A	48	EB							0	26.000		1		
BY-111	1969	3	REC	1206		1806		#N/A	48	SU	BY-109	BY-109		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1969	3	send	-1236		570		#N/A	48			BY-112				0	0	26.000		1		
BY-111	1969	3	GREC	0		570		#N/A	48	ITS	BY-112					0	0	26.000		0		
BY-111	1969	3	STAT		570	570	101	#N/A	48	EB							0	26.000		1		
BY-111	1969	4	send	-560		10		#N/A	48			BY-112		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1969	4	REC	632		642		#N/A	48	SU	BY-109	BY-109			NoindicationofREC	0	0	26.000		0		
BY-111	1969	4	GREC	0		642		#N/A	48	ITS	BY-112					0	0	26.000		1		
BY-111	1969	4	STAT		642	642	142	#N/A	48	EB							0	26.000		1		
BY-111	1970	1	REC	644		1286		#N/A	48	SU	BY-109	BY-109		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1970	1	send	-668		618		#N/A	48			BY-112				0	0	26.000		1		
BY-111	1970	1	GREC	0		618		#N/A	48	ITS	BY-112					0	0	26.000		0		
																	0	26.000		1		
BY-111	1970	1	STAT		618	618	266	#N/A	48	EB				ITS - 2 bottoms and recycle. * Dry Well 22-11-01, 22-11-05, 22-11-09, drilled.								
BY-111	1970	2	REC	1007		1625		#N/A	48	SU	BY-109	BY-109				0	0	26.000		1		
BY-111	1970	2	send	-957		668		#N/A	48			BY-112				0	0	26.000		1		
BY-111	1970	2	GREC	0		668		#N/A	48	ITS	BY-112					0	0	26.000		0		
																	0	26.000		1		
BY-111	1970	2	STAT		668	668	290	#N/A	48	EB												
BY-111	1970	3	send	-254		414		#N/A	48			BY-112		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1970	3	REC	252		666		#N/A	48	SU	BY-109	BY-109				0	0	26.000		0		
BY-111	1970	3	GREC	0		666		#N/A	48	ITS	BY-112					0	0	26.000		1		
BY-111	1970	3	STAT		666	666	323	#N/A	48	EB							0	26.000		1		
BY-111	1970	4	REC	1110		1776		#N/A	48	SU	BY-109	BY-109		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1970	4	send	-1081		695		#N/A	48			BY-112				0	0	26.000		1		
BY-111	1970	4	GREC	0		695		#N/A	48	ITS	BY-112					0	0	26.000		0		
BY-111	1970	4	STAT		695	695	673	#N/A	48	EB							0	26.000		1		
BY-111	1971	1	send	-10		685		#N/A	48			BY-112		ITS - 2 bottoms and recycle.		0	0	26.000		1		
BY-111	1971	1	GREC	0		685		#N/A	48	ITS	BY-112					0	0	26.000		0		
BY-111	1971	1	STAT		685	685	673	#N/A	48	EB							0	26.000		1		
BY-111	1971	2	rec	8		693		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms.		0	0	26.000		1		
BY-111	1971	2	GREC	0		693		#N/A	48	ITS	BY-109					0	0	26.000		0		
BY-111	1971	2	STAT		693	693	686	#N/A	48	EB							0	26.000		1		
BY-111	1971	3	rec	4		697		#N/A	48	ITS	BY-112	BY-112		ITS - 2 bottoms.		0	0	26.000		1		
BY-111	1971	3	GREC	0		697		#N/A	48	ITS	BY-112					0	0	26.000		0		
																	0	26.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
BY-111	1971	3	STAT		697	697	686	#N/A	48	EB				ITS - 2 bottoms.		0	0	26.000		1		
BY-111	1971	4	send	-5		692		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1971	4	GREC	0		692		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1971	4	STAT		692	692	686	#N/A	48	EB				ITS - 2 bottoms. & Recycle		0	0	26.000		1		
BY-111	1972	1	send	-4		688		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1972	1	GREC	0		688		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1972	1	STAT		688	688	194	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1972	2	send	-2		686		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1972	2	GREC	0		686		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1972	2	STAT		686	686	112	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1972	3	send	-33		653		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1972	3	GREC	0		653		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1972	3	STAT		653	653	142	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1972	4	rec	9		662		#N/A	48	ITS	BY-112	BY-112				0	0	26.000		0		
BY-111	1972	4	GREC	0		662		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1972	4	STAT		662	662	142	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1973	1	send	-12		650		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1973	1	GREC	0		650		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1973	1	STAT		650	650	142	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1973	2	send	-1		649		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1973	2	GREC	0		649		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1973	2	STAT		649	649	142	#N/A	48	EB				ITs - bottoms and recycle.		0	0	26.000		1		
BY-111	1973	3	send	-25		624		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1973	3	GREC	0		624		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1973	3	STAT		624	624	142	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1973	4	rec	53		677		#N/A	48	ITS	BY-112	BY-112				0	0	26.000		0		
BY-111	1973	4	GREC	0		677		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1973	4	STAT		677	677	142	#N/A	48					ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1974	1	GREC	0		677		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1974	1	STAT		677	677	142	#N/A	48	EB				ITS - bottoms and recycle. * Dry Well 22-11-07 drilled.		0	0	26.000		1		
BY-111	1974	2	rec	34		711		#N/A	48	ITS	BY-112	BY-112				0	0	26.000		0		
BY-111	1974	2	GREC	0		711		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1974	2	STAT		711	711	142	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1974	3	send	-38		673		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1974	3	GREC	0		673		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1974	3	STAT		673	673	142	#N/A	48	EB				ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1974	4	GREC	0		673		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1974	4	STAT		673	673	299	#N/A	48					ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1975	1	GREC	0		673		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1975	1	STAT		673	673	299	#N/A	48					ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1975	2	GREC	0		673		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1975	2	STAT		673	673	299	#N/A	48					ITS - bottoms and recycle.		0	0	26.000		1		
BY-111	1975	3	GREC	0		673		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1975	3	STAT		673	673	299	#N/A	48	EB						0	0	26.000		1		
BY-111	1975	4	send	-3		670		#N/A	48			BY-112				0	0	26.000		0		
BY-111	1975	4	GREC	0		670		#N/A	48	ITS	BY-112						0	26.000		1		
BY-111	1975	4	STAT		670	670	299	#N/A	48					ITS - bottoms and recycle.			0	26.000		1		
BY-111	1976	1	outx	-644		26		#N/A	48			BYEVAP					0	26.000	BYEV	0		
BY-111	1976	1	xin	644		670		#N/A	48			BYSltCk				0.67236	433	459.000	BYSlt	0		
BY-111	1976	1	GREC	0		670		#N/A	48	ITS	BY-112						0	459.000		1		
BY-111	1976	1	STAT		670	670	299	#N/A	48					ITS - bottoms and recycle.		0	0	459.000		1		
BY-111	1976	2	GREC	0		670		#N/A	48	ITS	BY-109						0	459.000		1		
BY-111	1976	2	STAT		670	670	299	#N/A	48	EB				ITS - bottoms and recycle.		0	0	459.000		1		
BY-111	1976	3	STAT		670	670	299	#N/A	48					Contains salt - feed bottoms.		0	0	459.000		1		
BY-111	1976	4	STAT		670	670	299	#N/A	48							0	0	459.000		1		
BY-111	1977	1	STAT		670	670	299	#N/A	48	EVAP				Contains salt Feed Btms.		0	0	459.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-111	1977	2	send	-55		615		#N/A	48			A-102				0	0	459.000		0		
BY-111	1977	2	STAT		615	615	299	#N/A	48	EVAP				Contains salt Feed Btms.		0	0	459.000		1		
BY-111	1977	3	send	-105		510		#N/A	48			A-102				0	0	459.000		0		
BY-111	1977	3	STAT		510	510	510	#N/A	48	EVAP				Inactive Current		0	0	459.000		1		
BY-111	1977	4	rec	105		615		#N/A	48		A-102	A-102				0	0	459.000		0		
BY-111	1977	4	STAT		615	615	615	#N/A	48					Inactive Current		0	0	459.000		1		
BY-111	1978	1	STAT		615	615	615	#N/A	48					New Photo 2/6/78		0	0	459.000		1		
BY-111	1978	2	STAT		615	615	615	#N/A	48							0	0	459.000		1		
BY-111	1978	3	SEND	-2		613		#N/A	48	SU		BX-105				0	0	459.000		1		
BY-111	1978	3	STAT		615	615	615	2	50							0	0	459.000		1		
BY-111	1978	4	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	1	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	2	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	3	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	4	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1980	1	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1980	2	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1980	3	STAT		615	615	615	#N/A	50	EVAP				New Solids Level 6/30/80		0	0	459.000		1		
BY-111	1980	4	STAT		622	622	622	7	57	EVAP						0	0	459.000		1		
BY-111	1982	3	send	-163		459		#N/A	57			AW-102	salt-wellpumped			0	0	459.000		1		
BY-111	1993	2	STAT		459	459	459	#N/A	57	NCPLX						0	0	459.000		0		
BY-111	1993	4	STAT		459	459	459	#N/A	57							0	0	459.000		1		
BY-111	1994	1	STAT		459	459	459	#N/A	57							0	0	459.000		1		
BY-111	2000															0	0	459.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1900																					
BY-112	1951	2	XIN	13		13		#N/A	0	MW		MW1				0.07692308	1	1.000	MW1	1		
BY-112	1951	4	CREC	0		13		#N/A	0	SET	BY-111						0	1.000		1		
BY-112	1952	1	rec	117		130		#N/A	0	cas	BY-111	BY-111				0	0	1.000		0		
BY-112	1952	1	rec	89		219		#N/A	0	cas	BY-111	BY-111				0	0	1.000		0		
BY-112	1952	1	STAT		252	252	0	33	33	MW				MW tank now filling - B plant.								
BY-112	1952	2	XIN	14		266		#N/A	33	MW		MW2		MW tank now filling - B Plant.		0	0	1.000		1		
BY-112	1952	2	STAT		271	271	0	5	38	MW						0.03030303	0.4242	1.424	MW1	1		
BY-112	1952	3	XIN	21		292		#N/A	38	MWF		DW		MW tank now filling - B Plant.		0	0	1.424		1		
BY-112	1952	3	XIN	2		294		#N/A	38	MWF		DW				0	0	1.424		1		
BY-112	1952	3	XIN	19		313		#N/A	38	MW		MW2				0	0	1.424		1		
BY-112	1952	3	STAT		294	294	0	-19	19	MW						0.03030303	0.5758	2.000	MW1	1		
BY-112	1952	4	XIN	57		351		#N/A	19	MWF		DW		Active - MW tank - 221-B.		0	0	2.000		1		
BY-112	1952	4	rec	55		406		#N/A	19	cas	BY-111	BY-111				0	0	2.000		1		
BY-112	1952	4	STAT		362	362	0	-44	-25	MW				Abandoned by B Plant as metal waste cascade. Waste will be cribbed.		0	0	2.000		0		
BY-112	1953	1	STAT		389	389	0	27	2							0	0	2.000		1		
BY-112	1953	2	STAT		400	400	0	11	13					Waste from TBP and hot semi-works. Waste from TBP and hot semi-works.		0	0	2.000		1		
BY-112	1953	3	STAT		394	394	0	-6	7					Receives misc. waste from TBP and hot semi-works.		0	0	2.000		1		
BY-112	1953	4	STAT		394	394	0	#N/A	7					Receives misc. waste from TBP and hot semi-works.		0	0	2.000		1		
BY-112	1954	1	STAT		394	394	0	#N/A	7					Receives high uranium from TBP and hot semi-works.		0	0	2.000		1		
BY-112	1954	2	STAT		394	394	0	#N/A	7					Receives high uranium waste from TBP and hot semi-works.		0	0	2.000		1		
BY-112	1954	3	CREC	0		394		#N/A	7	END	BY-111						0	2.000		1		
BY-112	1954	3	STAT		394	394	0	#N/A	7	MW				Receives high uranium waste from TBP and hot semi-works.		0	0	2.000		1		
BY-112	1955	1	SEND	-390		4		#N/A	7	SL		BY-111				0	0	2.000		1		
BY-112	1955	1	STAT		1	1	0	-3	4	MW						0	0	2.000		1		
BY-112	1955	2	STAT		5	5	0	4	8	MW						0	0	2.000		1		
BY-112	1955	3	STAT		N/A	5		#N/A	8					Sluicing.			0	2.000		1		
BY-112	1955	4	STAT		N/A	5		#N/A	8								0	2.000		1		
BY-112	1956	1	STAT		N/A	5		#N/A	8								0	2.000		1		
BY-112	1956	2	REC	451		456		#N/A	8	SU	BY-107	BY-107				0	0	2.000		3	O	N-54-35
BY-112	1956	2	REC	22		478		#N/A	8	SU	BY-108	BY-108				0	0	2.000		3	O	N-54-36
BY-112	1956	2	STAT		477	477	0	-1	7	TBP				Received from 107-BY.		0	0	2.000		1		
BY-112	1956	3	REC	99		576		#N/A	7	SU	BY-106	BY-106				0	0	2.000		3	O	N-54-38
BY-112	1956	3	REC	126		702		#N/A	7	SU	BY-107	BY-107				0	0	2.000		3	O	N-54-39
BY-112	1956	3	STAT		697	697	0	-5	2							0	0	2.000		1		
BY-112	1956	4	STAT		697	697	0	#N/A	2	TBP						0	0	2.000		1		
BY-112	1957	1	STAT		695	695	0	-2	0	TBP						0	0	2.000		1		
BY-112	1957	2	XIN	172		867		#N/A	0	P58	UR	PFeCN2		Latest electrode reading.		0.03488372	6	8.000	PFeCl	3	O	N-54-58
BY-112	1957	2	XIN	0		867		#N/A	0	UR		UR	92 Omis. poss duplicate in part of 172 from PFeCN									
BY-112	1957	2	OUTX	-388		479		#N/A	0	SU	B-028	CRIB			Omission		0	8.000		2	V	HW-51348-5
BY-112	1957	2	OUTX	-297		182		#N/A	0	SU	B-029	CRIB			BC-15 TRENCH	0	0	8.000		4	O	N-54-111
															BC-16 TRENCH	0	0	8.000		4	O	N-54-111

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1957	2	STAT		183	183	0	1	1	TBP			373 from 3330 ???	373m from 3330 S.S. 93m received from TBP, S.S. 77m received 385m to No. 15BC ditch; and 297m to No. 16BC ditch.		0	0	8.000		1		
BY-112	1957	3	REC	250		433		#N/A	1	SU	C-105	C-105				0	0	8.000		4	O	HW-51858-4
BY-112	1957	3	REC	200		633		#N/A	1	SU	C-105	C-105				0	0	8.000		4	O	HW-52932-4
BY-112	1957	3	STAT		631	631	0	-2	-1	TBP,CW				Received 250m from 105-C Latest electrode reading received 200m from 105-C.		0	0	8.000		1		
BY-112	1957	4	REC	124		755		#N/A	-1	SU	C-105	C-105				0	0	8.000		4	O	HW-54067-5
BY-112	1957	4	STAT		755	755	0	#N/A	-1	CW				Received 124m from 105-C.		0	0	8.000		1		
BY-112	1958	1	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1958	2	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1958	3	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1958	4	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1959	1	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1959	2	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1959	3	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1959	4	STAT		755	755	0	#N/A	-1	CW						0	0	8.000		1		
BY-112	1960	1	STAT		755	755	0	#N/A	-1	TBP,CW						0	0	8.000		1		
BY-112	1960	2	STAT		741	741	0	-14	-15	CW						0	0	8.000		1		
BY-112	1960	3	STAT		741	741	0	#N/A	-15	CW						0	0	8.000		1		
BY-112	1960	4	STAT		741	741	0	#N/A	-15	TBP,CW						0	0	8.000		1		
BY-112	1961	1	STAT		N/A	741		#N/A	-15					[6 months report			0	8.000		1		
BY-112	1961	2	STAT		741	741	0	#N/A	-15	TBP,CW						0	0	8.000		1		
BY-112	1961	3	STAT		N/A	741		#N/A	-15								0	8.000		1		
BY-112	1961	4	STAT		741	741	0	#N/A	-15	TBP,CW				[6 months report		0	0	8.000		1		
BY-112	1962	1	STAT		N/A	741		#N/A	-15					[6 months report			0	8.000		1		
BY-112	1962	2	STAT		741	741	0	#N/A	-15	TBP,CW						0	0	8.000		1		
BY-112	1962	3	STAT		N/A	741		#N/A	-15								0	8.000		1		
BY-112	1962	4	STAT		741	741	0	#N/A	-15	TBP,CW				[6 months report		0	0	8.000		1		
BY-112	1963	1	STAT		N/A	741		#N/A	-15								0	8.000		1		
BY-112	1963	2	STAT		744	744	29	3	-12	TBP,CW				[6 months report		0	0	8.000		1		
BY-112	1963	3	STAT		N/A	744		#N/A	-12								0	8.000		1		
BY-112	1963	4	STAT		744	744	29	#N/A	-12	TBP,CW				[6 months report		0	0	8.000		1		
BY-112	1964	1	STAT		N/A	744		#N/A	-12								0	8.000		1		
BY-112	1964	2	STAT		755	755	29	11	-1	TBP				[6 months report		0	0	8.000		1		
BY-112	1964	3	STAT		N/A	755		#N/A	-1								0	8.000		1		
BY-112	1964	4	STAT		755	755	29	#N/A	-1	TBP,CW				[6 months repOrt		0	0	8.000		1		
BY-112	1965	1	STAT		N/A	755		#N/A	-1								0	8.000		1		
BY-112	1965	2	SEND	-19		736		#N/A	-1	SU		BY-109				0	0	8.000		4	O	HW-74647-5/RL-SEP-659-5 SEND
BY-112	1965	2	SEND	-457		279		#N/A	-1	SU		BY-101				0	0	8.000		4	O	RL-SEP-659-5
BY-112	1965	2	STAT		279	279	24	#N/A	-1	TBP,CW				457m to 101-BY (ITS)[6 months report 19m to 109-BY.		0	0	8.000		1		
BY-112	1965	3	SEND	-256		23		#N/A	-1	SU		BY-103				0	0	8.000		4	O	RL-SEP-821-5
BY-112	1965	3	REC	25		48		#N/A	-1	SU	C-102	C-102				0	0	8.000		4	O	RL-SEP-821-5
BY-112	1965	3	STAT		48	48	24	#N/A	-1	CW				256m to 103-BY;; 25m from 102-C.		0	0	8.000		1		
BY-112	1965	4	REC	264		312		#N/A	-1	SU	C-102	C-102				0	0	8.000		4	O	RL-SEP-821-4
BY-112	1965	4	STAT		312	312	24	#N/A	-1	CW				264m from 102-C.		0	0	8.000		1		
BY-112	1966	1	REC	418		730		#N/A	-1	SU	C-102	C-102				0	0	8.000		4	O	ISO-226-4
BY-112	1966	1	STAT		730	730	24	#N/A	-1					418m from 102-C.		0	0	8.000		1		
BY-112	1966	2	STAT		730	730	24	#N/A	-1	CW						0	0	8.000		1		
BY-112	1966	3	REC	14		744		#N/A	-1	SU	BY-111	BY-111				0	0	8.000		4	O	ISO-538-5
BY-112	1966	3	STAT		744	744	24	#N/A	-1					14m from 111-BY.		0	0	8.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1966	4	STAT		744	744	24	#N/A	-1	CW						0	0	8.000		1		
BY-112	1967	1	STAT		750	750	24	6	5	CW				* Dry well 22-12-01, 22-12-03, 22-12-05, 22-12-07, 22-12-09, 22-12-10 drilled.		0	0	8.000		1		
BY-112	1967	2	STAT		751	751	24	1	6							0	0	8.000		1		
BY-112	1967	3	STAT		751	751	24	#N/A	6	CW						0	0	8.000		1		
BY-112	1967	4	XIN	4		755		#N/A	6	CWP		CWP2	Omis.		Omission	0	0	8.000		3	V	ARH-326-6
BY-112	1967	4	rec	73		828		#N/A	6		CELL 23	C-110	Omis. evap B plant bottoms REC		Omission	0	0	8.000		2	V	ARH-326-5
BY-112	1967	4	outx	-72		756		#N/A	6			BYCOND				0	0	8.000		0		
BY-112	1967	4	GROUP	0		756		#N/A	6	ITS							0	8.000		1		
BY-112	1967	4	STAT		756	756	24	#N/A	6	CW				Received 4m - ITS No. 2 preparation.		0	0	8.000		1		
BY-112	1968	1	rec	673		1429		#N/A	6		CELL 23	BX-102	Omis. evap B plant bottoms REC		Omission	0	0	8.000		3	V	ARH-534-6
BY-112	1968	1	rec	531		1960		#N/A	6		BY-102	BY-102	sharedITS#1&2			0	0	8.000		0		
BY-112	1968	1	outx	-741		1219		#N/A	6	cond	crib	BYCOND				0	0	8.000		2		
BY-112	1968	1	outx	-34		1185		#N/A	6			BYCOND				0	0	8.000		0		
BY-112	1968	1	send	-311		874		#N/A	6			B-110	Omis. evap B plant bottoms REC		Omission	0	0	8.000		3	V	ARH-534-5
BY-112	1968	1	send	-73		801		#N/A	6			BX-101	Omis. evap B plant bottoms REC		Omission	0	0	8.000		3	V	ARH-534-6
BY-112	1968	1	send	-254		547		#N/A	6			BX-104	Omis. evap B plant bottoms REC		Omission	0	0	8.000		2	V	ARH-534-6
BY-112	1968	1	GROUP	0		547		#N/A	6	ITS					Shows 741		0	8.000		2	V	ARH-534-6
BY-112	1968	1	STAT		547	547	24	#N/A	6	CW												
BY-112	1968	2	rec	2366		2913		#N/A	6		BY-102	BY-102	sharedITS#1&2	741m reclaimed by ITS No. 2.		0	0	8.000		1		
BY-112	1968	2	outx	-1204		1709		#N/A	6	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1968	2	send	-102		1607		#N/A	6			BX-101	Omis. evap B plant bottoms REC			0	0	8.000		2		
BY-112	1968	2	SEND	-972		635		#N/A	6			BY-111			Omission	0	0	8.000		3	V	ARH-721-6
BY-112	1968	2	send	-30		605		#N/A	6			C-102			Omission	0	0	8.000		3	V	ARH-721-6
BY-112	1968	2	GROUP	0		605		#N/A	6	ITS						0	0	8.000		0		
BY-112	1968	2	STAT		605	605	17	#N/A	6	EB					Shows 1204		0	8.000		2	V	ARH-721-6
BY-112	1968	3	rec	414		1019		#N/A	6		BY-102	BY-102	sharedITS#1&2	1204 reclaimed by ITS No. 2.		0	0	8.000		1		
BY-112	1968	3	rec	53		1072		#N/A	6		BY-111	BY-111				0	0	8.000		0		
BY-112	1968	3	outx	-80		992		#N/A	6	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1968	3	outx	-58		934		#N/A	6			BYCOND				0	0	8.000		2		
BY-112	1968	3	send	-76		858		#N/A	6			BX-101	Omis. evap B plant bottoms REC			0	0	8.000		0		
BY-112	1968	3	send	-100		758		#N/A	6			BY-108			Omission	0	0	8.000		3	V	ARH-871-6
BY-112	1968	3	send	-146		612		#N/A	6	ITS		BY-109				0	0	8.000		0		
BY-112	1968	3	GROUP	0		612		#N/A	6	ITS	BY-109	BY-111			Shows80not0	0	0	8.000		2	V	ARH-871-6
BY-112	1968	3	STAT		612	612	2	#N/A	6	EB					Shows 80		0	8.000		2	V	ARH-871-6
BY-112	1968	4	rec	53		665		#N/A	6		BY-108	BY-108		80 reclaimed by ITS No. 2.		0	0	8.000		1		
BY-112	1968	4	rec	1236		1901		#N/A	6		BY-109	BY-109				0	0	8.000		0		
BY-112	1968	4	outx	-1263		638		#N/A	6	cond	crib	BYCOND			Shows1263not0	0	0	8.000		2	V	ARH-1061-6
BY-112	1968	4	send	-64		574		#N/A	6	ITS		BY-111				0	0	8.000		2		
BY-112	1968	4	GROUP	0		574		#N/A	6	ITS	BY-109	BY-111				0	0	8.000		0		
BY-112	1968	4	STAT		574	574	2	#N/A	6	EB					Shows 1263		0	8.000		2	V	ARH-1061-6
BY-112	1969	1	rec	22		596		#N/A	6		BY-108	BY-108		1263 reclaimed by ITS No. 2.		0	0	8.000		1		
BY-112	1969	1	REC	1235		1831		#N/A	6	SU	BY-109	BY-109				0	0	8.000		2	V	ARH-1200A-6
BY-112	1969	1	rec	99		1930		#N/A	6		BY-111	BY-111				0	0	8.000		1		
BY-112	1969	1	outx	-1208		722		#N/A	6	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1969	1	GROUP	0		722		#N/A	6	ITS	BY-108	BY-109,BY-111				0	0	8.000		2		
															Shows 1208 no XFER indic.		0	8.000		2	V	ARH-1200A-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
BY-112	1969	1	STAT		722	722	43	#N/A	6	EB				1208 reclaimed by ITS 2.		0	0	8.000		1		
BY-112	1969	2	REC	1338		2060		#N/A	6	SU	BY-109	BY-109				0	0	8.000		1		
BY-112	1969	2	rec	59		2119		#N/A	6		BY-110	BY-110				0	0	8.000		0		
BY-112	1969	2	outx	-1332		787		#N/A	6	cond	crib	BYCOND				0	0	8.000		2		
BY-112	1969	2	send	-3		784		#N/A	6	ITS		BY-108				0	0	8.000		2	V	ARH-1200A-6
BY-112	1969	2	send	-59		725		#N/A	6	ITS		BY-111			NoIndic.ofREC	0	0	8.000		0		
BY-112	1969	2	GROUP	0		725		#N/A	6	ITS	BY-108,BY-109,BY-110,BY-111					0	0	8.000		2	V	ARH-1200B-6
BY-112	1969	2	STAT		725	725	59	#N/A	6	EB				1332 evaporated by ITS 2.	1332 Evap. no XFER indic.		0	8.000		1		
BY-112	1969	3	rec	11		736		#N/A	6		BY-108	BY-108				0	0	8.000		1		
BY-112	1969	3	REC	492		1228		#N/A	6	SU	BY-109	BY-109			Shows1512butnotBY-112	0	0	8.000		2	M/V	ARH-1200C-6
BY-112	1969	3	send	-10		1218		#N/A	6			B-111				0	0	8.000		1		
BY-112	1969	3	send	-199		1019		#N/A	6	ITS		BY-109				0	0	8.000		0		
BY-112	1969	3	send	-50		969		#N/A	6	ITS		BY-110				0	0	8.000		0		
BY-112	1969	3	rec	1236		2205		#N/A	6		BY-111	BY-111				0	0	8.000		0		
BY-112	1969	3	outx	-1512		693		#N/A	6	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1969	3	GROUP	0		693		#N/A	6	ITS	BY-108,BY-109,BY-110,BY-111					0	0	8.000		2		
BY-112	1969	3	STAT		703	703	79	10	16	EB				1512 evaporated by ITS 2.	1512 Evap. no XFER indic.		0	8.000		2	V	ARH-1200C-6
BY-112	1969	4	rec	77		780		#N/A	16		BY-107	BY-107				0	0	8.000		1		
BY-112	1969	4	rec	602		1382		#N/A	16		BY-108	BY-108				0	0	8.000		2	V	ARH-1200D-6
BY-112	1969	4	rec	560		1942		#N/A	16		BY-111	BY-111				0	0	8.000		0		
BY-112	1969	4	outx	-1241		701		#N/A	16	cond	crib	BYCOND			NoIndicationofREC	0	0	8.000		0		
BY-112	1969	4	send	-11		690		#N/A	16	ITS		BY-110				0	0	8.000		2		
BY-112	1969	4	GROUP	0		690		#N/A	16	ITS	BY-107,BY-108,BY-109,BY-110,BY-111					0	0	8.000		0		
BY-112	1969	4	STAT		689	689	79	-1	15	EB				1241 evaporated by ITS 2.	Shows 1241 no XFER indic.		0	8.000		2	V	ARH-1200D-6
BY-112	1970	1	rec	1288		1977		#N/A	15			BY-109				0	0	8.000		1		
BY-112	1970	1	rec	255		2232		#N/A	15		BY-109	BY-109				0	0	8.000		0		
BY-112	1970	1	REC	26		2258		#N/A	15	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1970	1	rec	418		2676		#N/A	15		BY-110	BY-110				0	0	8.000		1		
BY-112	1970	1	outx	-1216		1460		#N/A	15	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1970	1	send	-14		1446		#N/A	15			B-111				0	0	8.000		2		
BY-112	1970	1	send	-2		1444		#N/A	15	ITS		BY-107				0	0	8.000		0		
BY-112	1970	1	send	-132		1312		#N/A	15	ITS		BY-108			NoIndicationofREC	0	0	8.000		2	V	ARH-1666A-6
BY-112	1970	1	send	-1288		24		#N/A	15			BY-109				0	0	8.000		1		
BY-112	1970	1	rec	668		692		#N/A	15		BY-111	BY-111				0	0	8.000		0		
BY-112	1970	1	GROUP	0		692		#N/A	15	ITS	BY-107,BY-108,BY-109,BY-110,BY-111					0	0	8.000		0		
BY-112	1970	1	STAT		708	708	85	16	31	EB				1216 evaporated by ITS 2.	1216 Evap. no XFER indic.		0	8.000		2	V	ARH-1666A-6
BY-112	1970	2	rec	49		757		#N/A	31		BY-108	BY-108				0	0	8.000		1		
BY-112	1970	2	REC	377		1134		#N/A	31	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1970	2	rec	108		1242		#N/A	31		BY-110	BY-110				0	0	8.000		1		
BY-112	1970	2	send	-68		1174		#N/A	31			B-111				0	0	8.000		0		
BY-112	1970	2	send	-368		806		#N/A	31			BY-104				0	0	8.000		0		
BY-112	1970	2	send	-27		779		#N/A	31	ITS		BY-107				0	0	8.000		0		
BY-112	1970	2	rec	957		1736		#N/A	31		BY-111	BY-111			NoIndicationofREC	0	0	8.000		2	V	ARH-1666B-6
BY-112	1970	2	outx	-1030		706		#N/A	31	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1970	2	GROUP	0		706		#N/A	31	ITS	BY-107,BY-108,BY-109,BY-110,BY-111					0	0	8.000		0		
BY-112	1970	2	STAT		706	706	94	#N/A	31	EB				1096 evaporated by ITC 2.	1096 Evap. no XFER indic.		0	8.000		2	V	ARH-1666B-6
BY-112	1970	3	rec	543		1249		#N/A	31		BY-105	BY-105				0	0	8.000		1		
BY-112	1970	3	rec	68		1317		#N/A	31			BY-106				0	0	8.000		0		
BY-112	1970	3	rec	40		1357		#N/A	31		BY-107	BY-107				0	0	8.000		0		
BY-112	1970	3	rec	54		1411		#N/A	31		BY-108	BY-108				0	0	8.000		0		
BY-112	1970	3	REC	390		1801		#N/A	31	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1970	3	rec	254		2055		#N/A	31		BY-111	BY-111				0	0	8.000		1		
BY-112	1970	3	outx	-653		1402		#N/A	31	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1970	3	outx	-570		832		#N/A	31	cond	crib	BYCOND				0	0	8.000		2		
BY-112	1970	3	send	-44		788		#N/A	31	ITS		BY-104				0	0	8.000		0		
BY-112	1970	3	send	-76		712		#N/A	31	ITS		BY-110			NoIndicationofXFER	0	0	8.000		2	V	ARH-1666C-6
BY-112	1970	3	GROUP	0		712		#N/A	31	ITS	BY-104,BY-105,BY-107,BY-109					0	0	8.000		0		
BY-112	1970	3	GROUP	0		712		#N/A	31	ITS	BY-108,BY-109,BY-110,BY-111				Shows 1303 Evap. these 2		0	8.000		2	V	ARH-1666C-6
															Shows 1303 Evap. these 2		0	8.000		2	V	ARH-1666C-6

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1970	3	STAT		712	712	145	#N/A	31	EB			outx total -1303	1303 evaporated by ITS 2.		0	0	8.000		1		
BY-112	1970	4	rec	66		778		#N/A	31		BY-105	BY-105				0	0	8.000		0		
BY-112	1970	4	rec	182		960		#N/A	31		BY-107	BY-107				0	0	8.000		0		
BY-112	1970	4	rec	81		1041		#N/A	31		BY-108	BY-108				0	0	8.000		0		
BY-112	1970	4	REC	60		1101		#N/A	31	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1970	4	rec	176		1277		#N/A	31		BY-110	BY-110				0	0	8.000		1		
BY-112	1970	4	outx	-84		1193		#N/A	31			BYCOND				0	0	8.000		0		
BY-112	1970	4	send	-41		1152		#N/A	31	ITS		BY-104				0	0	8.000		0		
BY-112	1970	4	send	-37		1115		#N/A	31	ITS		BY-109			NoindicationofXFER	0	0	8.000		2	V	ARH-1666D-6
BY-112	1970	4	rec	1081		2196		#N/A	31		BY-111	BY-111				0	0	8.000		0		
BY-112	1970	4	outx	-1492		704		#N/A	31	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1970	4	GROUP	0		704		#N/A	31	ITS	BY-104,BY-105,BY-107,BY-109									2		
BY-112	1970	4	GROUP	0		704		#N/A	31	ITS	BY-108,BY-109,BY-110,BY-111				Shows 1492 Evap. these 2		0	8.000		2	V	ARH-1666D-6
BY-112	1970	4	STAT		704	704	164	#N/A	31	EB					Shows 1492 Evap. these 2		0	8.000		2	V	ARH-1666D-6
BY-112	1971	1	rec	125		829		#N/A	31			BY-103		1492 evaporated by ITS 2.		0	0	8.000		1		
BY-112	1971	1	rec	33		862		#N/A	31		BY-104	BY-104				0	0	8.000		0		
BY-112	1971	1	rec	620		1482		#N/A	31		BY-105	BY-105				0	0	8.000		0		
BY-112	1971	1	rec	193		1675		#N/A	31		BY-106	BY-106				0	0	8.000		0		
BY-112	1971	1	rec	59		1734		#N/A	31		BY-107	BY-107				0	0	8.000		0		
BY-112	1971	1	rec	47		1781		#N/A	31		BY-108	BY-108			NoindicationofREC	0	0	8.000		2	V	ARH-2074A-6
BY-112	1971	1	rec	198		1979		#N/A	31		BY-109	BY-109	"-323 TO -198			0	0	8.000		0		
BY-112	1971	1	rec	22		2001		#N/A	31		BY-110	BY-110				0	0	8.000		0		
BY-112	1971	1	rec	10		2011		#N/A	31		BY-111	BY-111				0	0	8.000		0		
BY-112	1971	1	outx	-1311		700		#N/A	31	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1971	1	GROUP	0		700		#N/A	31	ITS	BY-103,BY-104,BY-105,BY-106,BY-109									2		
BY-112	1971	1	GROUP	0		700		#N/A	31	ITS	BY-107,BY-108,BY-109,BY-110,BY-111				Shows 1311 Evap. these 2		0	8.000		2	V	ARH-2074A-6
BY-112	1971	1	STAT		700	700	255	#N/A	31	EB					Shows 1311 Evap. these 2		0	8.000		2	V	ARH-2074A-6
BY-112	1971	2	XIN	297		997		#N/A	31	WTR		WTR		1311 evaporated by ITS 2.		0	0	8.000		1		
BY-112	1971	2	send	-462		535		#N/A	31	ITS		BY-108				0	0	8.000		4	O	ARH-2074B-6
BY-112	1971	2	rec	23		558		#N/A	31		B-106	B-106				0	0	8.000		3	O	ARH-2074B-6
BY-112	1971	2	rec	378		936		#N/A	31		BY-105	BY-105				0	0	8.000		0		
BY-112	1971	2	rec	177		1113		#N/A	31			BY-109				0	0	8.000		0		
BY-112	1971	2	outx	-324		789		#N/A	31			BYCOND				0	0	8.000		0		
BY-112	1971	2	send	-17		772		#N/A	31	ITS		BY-106				0	0	8.000		0		
BY-112	1971	2	send	-50		722		#N/A	31	ITS		BY-107				0	0	8.000		0		
BY-112	1971	2	send	-15		707		#N/A	31	ITS		BY-110				0	0	8.000		0		
BY-112	1971	2	send	-8		699		#N/A	31	ITS		BY-111				0	0	8.000		0		
BY-112	1971	2	STAT		699	699	59	#N/A	31	EB						0	0	8.000		0		
BY-112	1971	3	rec	84		783		#N/A	31		BY-102	BY-102		297 (H20)		0	0	8.000		1		
BY-112	1971	3	rec	467		1250		#N/A	31		BY-104	BY-104				0	0	8.000		0		
BY-112	1971	3	rec	36		1286		#N/A	31		BY-106	BY-106				0	0	8.000		0		
BY-112	1971	3	rec	69		1355		#N/A	31		BY-107	BY-107				0	0	8.000		0		
BY-112	1971	3	REC	166		1521		#N/A	31	SU	BY-109	BY-109			NoindicationofXFER	0	0	8.000		2	V	ARH-2074C-6
BY-112	1971	3	outx	-714		807		#N/A	31	cond	crib	BYCOND				0	0	8.000		1		
BY-112	1971	3	send	-55		752		#N/A	31			BX-111				0	0	8.000		2		
BY-112	1971	3	send	-32		720		#N/A	31	ITS		BY-105				0	0	8.000		0		
BY-112	1971	3	send	-3		717		#N/A	31	ITS		BY-108				0	0	8.000		0		
BY-112	1971	3	send	-18		699		#N/A	31	ITS		BY-110			Shows296not0	0	0	8.000		2	V	ARH-2074B-6
BY-112	1971	3	send	-4		695		#N/A	31	ITS		BY-111				0	0	8.000		0		
BY-112	1971	3	GROUP	0		695		#N/A	31	ITS	BY-102,BY-103,BY-104,BY-105,BY-109									0		
BY-112	1971	3	GROUP	0		695		#N/A	31	ITS	BY-107,BY-108,BY-109,BY-110,BY-111				Shows 714 Evap.		0	8.000		2	V	ARH-2074C-6
															Shows 714 Evap.		0	8.000		2	V	ARH-2074C-6
BY-112	1971	3	STAT		716	716	166	21	52	EB				714 evaporated by ITS 1 and 2.								
BY-112	1971	4	rec	44		760		#N/A	52		BY-102	BY-102				0	0	8.000		1		
BY-112	1971	4	rec	616		1376		#N/A	52			BY-103				0	0	8.000		0		
BY-112	1971	4	rec	965		2341		#N/A	52		BY-104	BY-104				0	0	8.000		0		
BY-112	1971	4	rec	7		2348		#N/A	52		BY-108	BY-108				0	0	8.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1971	4	REC	140		2488		#N/A	52	SU	BY-109	BY-109	SHOULD REFER TO GROUPS									
BY-112	1971	4	rec	63		2551		#N/A	52		BY-110	BY-110			Shows 1604 No XFER	0	0	8.000		2	V	ARH-2074D-6
BY-112	1971	4	rec	5		2556		#N/A	52		BY-111	BY-111				0	0	8.000		0		
BY-112	1971	4	outx	-1604		952		#N/A	52	cond	crib	BYCOND				0	0	8.000		0		
BY-112	1971	4	send	-133		819		#N/A	52			BX-111				0	0	8.000		2		
BY-112	1971	4	send	-11		808		#N/A	52			BY-105				0	0	8.000		0		
BY-112	1971	4	send	-36		772		#N/A	52	ITS		BY-106				0	0	8.000		0		
BY-112	1971	4	send	-59		713		#N/A	52	ITS		BY-107				0	0	8.000		0		
BY-112	1971	4	GROUP	0		713		#N/A	52	ITS	BY-102,BY-103,BY-104,BY-106,BY-109					0	0	8.000		0		
BY-112	1971	4	GROUP	0		713		#N/A	52	ITS	BY-107,BY-108,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1971	4	STAT		722	722	194	9	61	EB				1604 evaporated by ITS; 1 and 2.			0	8.000		1		
BY-112	1972	1	rec	21		743		#N/A	61		B-111	B-111				0	0	8.000		1		
BY-112	1972	1	rec	580		1323		#N/A	61		BX-110	BX-110				0	0	8.000		0		
BY-112	1972	1	rec	537		1860		#N/A	61			BY-103				0	0	8.000		0		
BY-112	1972	1	rec	33		1893		#N/A	61		BY-105	BY-105				0	0	8.000		0		
BY-112	1972	1	rec	175		2068		#N/A	61		BY-106	BY-106				0	0	8.000		0		
BY-112	1972	1	REC	418		2486		#N/A	61	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1972	1	rec	244		2730		#N/A	61		BY-109	BY-109				0	0	8.000		1		
BY-112	1972	1	rec	17		2747		#N/A	61		BY-110	BY-110				0	0	8.000		0		
BY-112	1972	1	rec	4		2751		#N/A	61		BY-111	BY-111				0	0	8.000		0		
BY-112	1972	1	outx	-1314		1437		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1972	1	send	-160		1277		#N/A	61	ITS		BX-111				0	0	8.000		0		
BY-112	1972	1	send	-51		1226		#N/A	61	ITS		BY-102				0	0	8.000		0		
BY-112	1972	1	send	-25		1201		#N/A	61	ITS		BY-107				0	0	8.000		0		
BY-112	1972	1	SEND	-537		664		#N/A	61			BY-109				0	0	8.000		0		
BY-112	1972	1	GROUP	0		664		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111					0	0	8.000		1		
BY-112	1972	1	GROUP	0		664		#N/A	61	ITS	BY-101,BY-102,BY-103,BY-105,BY-106,BY-109						0	8.000		1		
BY-112	1972	1	STAT		664	664	296	#N/A	61	EB							0	8.000		1		
BY-112	1972	2	rec	15		679		#N/A	61		B-106	B-106				0	0	8.000		1		
BY-112	1972	2	rec	33		712		#N/A	61		BX-111	BX-111				0	0	8.000		0		
BY-112	1972	2	rec	12		724		#N/A	61		BY-102	BY-102				0	0	8.000		0		
BY-112	1972	2	rec	55		779		#N/A	61		BY-107	BY-107				0	0	8.000		0		
BY-112	1972	2	rec	1416		2195		#N/A	61		BY-109	BY-109	sendtoBY-112			0	0	8.000		0		
BY-112	1972	2	rec	106		2301		#N/A	61		BY-109	BY-109	*106 to 155		Omission	0	0	8.000		3	V	ARH-2456B-5
BY-112	1972	2	rec	2		2303		#N/A	61		BY-111	BY-111				0	0	8.000		0		
BY-112	1972	2	outx	-1375		928		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1972	2	send	-26		902		#N/A	61			B-105				0	0	8.000		0		
BY-112	1972	2	send	-27		875		#N/A	61	ITS		BX-110				0	0	8.000		0		
BY-112	1972	2	send	-11		864		#N/A	61			BY-103				0	0	8.000		0		
BY-112	1972	2	send	-8		856		#N/A	61	ITS		BY-104				0	0	8.000		0		
BY-112	1972	2	send	-23		833		#N/A	61	ITS		BY-105				0	0	8.000		0		
BY-112	1972	2	send	-75		758		#N/A	61	ITS		BY-106				0	0	8.000		0		
BY-112	1972	2	send	-86		672		#N/A	61	ITS		BY-110				0	0	8.000		0		
BY-112	1972	2	GROUP	0		672		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111					0	0	8.000		0		
BY-112	1972	2	GROUP	0		672		#N/A	61	ITS	BY-101,BY-102,BY-104,BY-105,BY-106,BY-109						0	8.000		1		
BY-112	1972	2	STAT		672	672	334	#N/A	61	EB							0	8.000		1		
BY-112	1972	3	rec	13		685		#N/A	61		B-112	B-112		ITS - bottoms and recycle.		0	0	8.000		1		
BY-112	1972	3	rec	9		694		#N/A	61		BY-102	BY-102	*-18 to			0	0	8.000		0		
BY-112	1972	3	rec	566		1260		#N/A	61			BY-103				0	0	8.000		0		
BY-112	1972	3	send	-744		516		#N/A	61			BY-109				0	0	8.000		0		
BY-112	1972	3	rec	6		522		#N/A	61		BY-104	BY-104				0	0	8.000		0		
BY-112	1972	3	rec	59		581		#N/A	61		BY-105	BY-105				0	0	8.000		0		
BY-112	1972	3	rec	1417		1998		#N/A	61		BY-109	BY-109				0	0	8.000		0		
BY-112	1972	3	REC	285		2283		#N/A	61	SU	BY-109	BY-109				0	0	8.000		2		
BY-112	1972	3	rec	47		2330		#N/A	61		BY-110	BY-110				0	0	8.000		1		
BY-112	1972	3	rec	33		2363		#N/A	61		BY-111	BY-111				0	0	8.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1972	3	outx	-1055		1308		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1972	3	send	-85		1223		#N/A	61			B-105				0	0	8.000		0		
BY-112	1972	3	send	-1		1222		#N/A	61	ITS		BX-110				0	0	8.000		0		
BY-112	1972	3	send	-1		1221		#N/A	61	ITS		BX-111				0	0	8.000		0		
BY-112	1972	3	send	-42		1179		#N/A	61	ITS		BY-106				0	0	8.000		0		
BY-112	1972	3	send	-14		1165		#N/A	61	ITS		BY-107				0	0	8.000		0		
BY-112	1972	3	send	-495		670		#N/A	61	ITS		BY-109				0	0	8.000		0		
BY-112	1972	3	GROUP	0		670		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111				Shows1239Evp.	0	0	8.000		2	V	ARH-2456C-5
BY-112	1972	3	GROUP	0		670		#N/A	61	ITS	BY-101,BY-102,BY-103,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1972	3	STAT		670	670	334	#N/A	61	EB				ITS - bottoms and recycle.			0	8.000		1		
BY-112	1972	4	rec	19		689		#N/A	61		BY-102	BY-102				0	0	8.000		1		
BY-112	1972	4	rec	144		833		#N/A	61		BY-103	BY-103				0	0	8.000		0		
BY-112	1972	4	rec	1132		1965		#N/A	61		BY-106	BY-106				0	0	8.000		0		
BY-112	1972	4	rec	2		1967		#N/A	61		BY-107	BY-107				0	0	8.000		0		
BY-112	1972	4	send	-1044		923		#N/A	61			BY-109				0	0	8.000		0		
BY-112	1972	4	rec	1121		2044		#N/A	61		BY-109	BY-109				0	0	8.000		0		
BY-112	1972	4	rec	23		2067		#N/A	61		BY-110	BY-110				0	0	8.000		0		
BY-112	1972	4	outx	-1226		841		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1972	4	send	-65		776		#N/A	61			B-105				0	0	8.000		0		
BY-112	1972	4	send	-2		774		#N/A	61	ITS		BX-110				0	0	8.000		0		
BY-112	1972	4	send	-37		737		#N/A	61	ITS		BX-111				0	0	8.000		0		
BY-112	1972	4	send	-43		694		#N/A	61	ITS		BY-104				0	0	8.000		0		
BY-112	1972	4	send	-22		672		#N/A	61	ITS		BY-105				0	0	8.000		0		
BY-112	1972	4	send	-9		663		#N/A	61	ITS		BY-111				0	0	8.000		0		
BY-112	1972	4	GROUP	0		663		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1972	4	GROUP	0		663		#N/A	61	ITS	BY-101,BY-102,BY-103,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1972	4	STAT		663	663	315	#N/A	61	EB				ITS - bottoms and recycle.			0	8.000		1		
BY-112	1973	1	rec	161		824		#N/A	61		BX-111	BX-111				0	0	8.000		1		
BY-112	1973	1	rec	465		1289		#N/A	61			BY-103				0	0	8.000		0		
BY-112	1973	1	rec	39		1328		#N/A	61		BY-104	BY-104				0	0	8.000		0		
BY-112	1973	1	rec	445		1773		#N/A	61		BY-107	BY-107				0	0	8.000		0		
BY-112	1973	1	rec	1011		2784		#N/A	61		BY-109	BY-109				0	0	8.000		0		
BY-112	1973	1	rec	12		2796		#N/A	61		BY-111	BY-111				0	0	8.000		0		
BY-112	1973	1	outx	-947		1849		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1973	1	send	-72		1777		#N/A	61			B-105				0	0	8.000		0		
BY-112	1973	1	send	-225		1552		#N/A	61	ITS		B-112				0	0	8.000		0		
BY-112	1973	1	send	-16		1536		#N/A	61	ITS		BX-110				0	0	8.000		0		
BY-112	1973	1	send	-2		1534		#N/A	61	ITS		BY-105				0	0	8.000		0		
BY-112	1973	1	send	-6		1528		#N/A	61	ITS		BY-106				0	0	8.000		0		
BY-112	1973	1	send	-811		717		#N/A	61			BY-109				0	0	8.000		0		
BY-112	1973	1	send	-28		689		#N/A	61	ITS		BY-110				0	0	8.000		0		
BY-112	1973	1	GROUP	0		689		#N/A	61	ITS	B-112,BY-105,BY-106,BY-107,BY-109						0	8.000		1		
BY-112	1973	1	GROUP	0		689		#N/A	61	ITS	BX-110,BX-111,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1973	1	GROUP	0		689		#N/A	61	ITS	BY-101,BY-102,BY-103,BY-104,BY-109						0	8.000		1		
BY-112	1973	1	STAT		689	689	288	#N/A	61	EB				ITS - bottoms and recycle.			0	8.000		1		
BY-112	1973	2	rec	44		733		#N/A	61		BY-106	BY-106				0	0	8.000		1		
BY-112	1973	2	rec	14		747		#N/A	61		BY-107	BY-107				0	0	8.000		0		
BY-112	1973	2	rec	793		1540		#N/A	61		BY-109	BY-109				0	0	8.000		0		
BY-112	1973	2	rec	65		1605		#N/A	61			BY-109				0	0	8.000		0		
BY-112	1973	2	rec	19		1624		#N/A	61		BY-110	BY-110				0	0	8.000		0		
BY-112	1973	2	rec	1		1625		#N/A	61		BY-111	BY-111				0	0	8.000		0		
BY-112	1973	2	outx	-806		819		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1973	2	send	-4		815		#N/A	61	ITS		BX-110				0	0	8.000		0		
BY-112	1973	2	send	-56		759		#N/A	61	ITS		BX-111				0	0	8.000		0		
BY-112	1973	2	send	-41		718		#N/A	61	ITS		BY-102				0	0	8.000		0		
BY-112	1973	2	send	-14		704		#N/A	61			BY-103				0	0	8.000		0		
BY-112	1973	2	send	-25		679		#N/A	61	ITS		BY-104				0	0	8.000		0		
BY-112	1973	2	GROUP	0		679		#N/A	61	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
BY-112	1973	2	GROUP	0		679		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1973	2	STAT		679	679	288	#N/A	61	EB				ITS - bottoms and recycle.		0	0	8.000		1		
BY-112	1973	3	rec	13		692		#N/A	61		BX-110	BX-110				0	0	8.000		0		
BY-112	1973	3	rec	27		719		#N/A	61		BX-111	BX-111				0	0	8.000		0		
BY-112	1973	3	rec	9		728		#N/A	61		BY-105	BY-105				0	0	8.000		0		
BY-112	1973	3	rec	2		730		#N/A	61		BY-107	BY-107				0	0	8.000		0		
BY-112	1973	3	rec	75		805		#N/A	61			BY-109				0	0	8.000		0		
BY-112	1973	3	REC	24		829		#N/A	61	SU	BY-109	BY-109				0	0	8.000		1		
BY-112	1973	3	rec	25		854		#N/A	61		BY-111	BY-111				0	0	8.000		0		
BY-112	1973	3	outx	-76		778		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1973	3	send	-6		772		#N/A	61	ITS		BY-102				0	0	8.000		0		
BY-112	1973	3	send	-4		768		#N/A	61	ITS		BY-104				0	0	8.000		0		
BY-112	1973	3	send	-27		741		#N/A	61	ITS		BY-106				0	0	8.000		0		
BY-112	1973	3	send	-53		688		#N/A	61	ITS		BY-110				0	0	8.000		0		
BY-112	1973	3	GROUP	0		688		#N/A	61	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1973	3	GROUP	0		688		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1973	3	STAT		688	688	311	#N/A	61	EB				ITS - bottoms and recycle.		0	0	8.000		1		
BY-112	1973	4	rec	2		690		#N/A	61		BX-110	BX-110				0	0	8.000		0		
BY-112	1973	4	rec	2		692		#N/A	61		BY-102	BY-102				0	0	8.000		0		
BY-112	1973	4	rec	40		732		#N/A	61		BY-104	BY-104				0	0	8.000		0		
BY-112	1973	4	rec	12		744		#N/A	61		BY-106	BY-106				0	0	8.000		0		
BY-112	1973	4	REC	106		850		#N/A	61	SU	BY-109	BY-109				0	0	8.000		1		
BY-112	1973	4	rec	11		861		#N/A	61		BY-109	BY-109				0	0	8.000		0		
BY-112	1973	4	rec	33		894		#N/A	61		BY-110	BY-110				0	0	8.000		0		
BY-112	1973	4	outx	-72		822		#N/A	61			BYCOND				0	0	8.000		0		
BY-112	1973	4	send	-40		782		#N/A	61	ITS		BX-111				0	0	8.000		0		
BY-112	1973	4	send	-26		756		#N/A	61	ITS		BY-107				0	0	8.000		0		
BY-112	1973	4	send	-53		703		#N/A	61	ITS		BY-111				0	0	8.000		0		
BY-112	1973	4	GROUP	0		703		#N/A	61	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1973	4	GROUP	0		703		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111				No indication of XFER		0	8.000		2	V	ARH-2794D-5
BY-112	1973	4	STAT		703	703	331	#N/A	61	EB				ITS - bottoms and recycle.			0	8.000		1		
BY-112	1974	1	rec	5		708		#N/A	61		BX-111	BX-111				0	0	8.000		1		
BY-112	1974	1	rec	5		713		#N/A	61		BY-102	BY-102				0	0	8.000		0		
BY-112	1974	1	rec	1		714		#N/A	61		BY-105	BY-105				0	0	8.000		0		
BY-112	1974	1	rec	6		720		#N/A	61		BY-107	BY-107				0	0	8.000		0		
BY-112	1974	1	rec	6		726		#N/A	61		BY-109	BY-109	sendtoBY-112		Omission	0	0	8.000		3	V	ARH-CD-133A-5
BY-112	1974	1	rec	3		729		#N/A	61		BY-110	BY-110				0	0	8.000		0		
BY-112	1974	1	send	-61		668		#N/A	61	ITS		BY-104				0	0	8.000		0		
BY-112	1974	1	GROUP	0		668		#N/A	61	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1974	1	GROUP	0		668		#N/A	61	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1974	1	STAT		681	681	331	13	74	EB				ITS - bottoms and recycle.		0	0	8.000		1		
BY-112	1974	2	xin	73		754		#N/A	74			WTR				0	0	8.000		0		
BY-112	1974	2	rec	4		758		#N/A	74		BY-105	BY-105				0	0	8.000		0		
BY-112	1974	2	REC	28		786		#N/A	74		BY-109	BY-109										
BY-112	1974	2	send	-17		769		#N/A	74	ITS		BX-111			Omission	0	0	8.000		3	V	ARH-CD-133B-5
BY-112	1974	2	send	-11		758		#N/A	74	ITS		BY-102				0	0	8.000		0		
BY-112	1974	2	send	-1		757		#N/A	74	ITS		BY-104				0	0	8.000		0		
BY-112	1974	2	send	-9		748		#N/A	74	ITS		BY-106				0	0	8.000		0		
BY-112	1974	2	send	-4		744		#N/A	74	ITS		BY-107				0	0	8.000		0		
BY-112	1974	2	send	-8		736		#N/A	74	ITS		BY-110				0	0	8.000		0		
BY-112	1974	2	send	-34		702		#N/A	74	ITS		BY-111				0	0	8.000		0		
BY-112	1974	2	GROUP	0		702		#N/A	74	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1974	2	GROUP	0		702		#N/A	74	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1974	2	STAT		702	702	331	#N/A	74	EB				ITS - bottoms and recycle; 28 from 109-BY		0	0	8.000		1		
BY-112	1974	3	xin	114		816		#N/A	74			WTR				0	0	8.000		0		
BY-112	1974	3	REC	111		927		#N/A	74	SU	BY-109	BY-109				0	0	8.000		1		
BY-112	1974	3	rec	2		929		#N/A	74		BY-110	BY-110				0	0	8.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1974	3	rec	38		967		#N/A	74		BY-111	BY-111				0	0	8.000		0		
BY-112	1974	3	send	-72		895		#N/A	74			B-101				0	0	8.000		0		
BY-112	1974	3	send	-2		893		#N/A	74	ITS		BX-111				0	0	8.000		0		
BY-112	1974	3	SEND	-98		795		#N/A	74	SU		BY-102				0	0	8.000		1		
BY-112	1974	3	send	-3		792		#N/A	74	ITS		BY-102				0	0	8.000		0		
BY-112	1974	3	send	-1		791		#N/A	74	ITS		BY-106				0	0	8.000		0		
BY-112	1974	3	send	-88		703		#N/A	74			BY-109				0	0	8.000		0		
BY-112	1974	3	GROUP	0		703		#N/A	74	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1974	3	GROUP	0		703		#N/A	74	ITS	BY-101,BY-102,BY-105,BY-106,BY-107,BY-109						0	8.000		1		
BY-112	1974	3	STAT		703	703	331	#N/A	74	EB				ITS - bottoms and recycle; 98 to 102-BY; 111 from 109-BY.								
BY-112	1974	4	rec	89		792		#N/A	74		B-101	B-101				0	0	8.000		1		
BY-112	1974	4	rec	1		793		#N/A	74		BY-107	BY-107				0	0	8.000		0		
BY-112	1974	4	REC	71		864		#N/A	74	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1974	4	SEND	-61		803		#N/A	74	SU		BX-106				0	0	8.000		4	O	ARH-CD-133D-5
BY-112	1974	4	send	-1		802		#N/A	74	ITS		BY-102				0	0	8.000		4	O	ARH-CD-133D-5
BY-112	1974	4	send	-12		790		#N/A	74	ITS		BY-105				0	0	8.000		0		
BY-112	1974	4	send	-1		789		#N/A	74	ITS		BY-110				0	0	8.000		0		
BY-112	1974	4	send	-59		730		#N/A	74			BY-109				0	0	8.000		0		
BY-112	1974	4	GROUP	0		730		#N/A	74	ITS	B-112,BY-101,BY-102,BY-104,BY-105,BY-106						0	8.000		1		
BY-112	1974	4	GROUP	0		730		#N/A	74	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1974	4	STAT		711	711	310	-19	55	EB				ITS - bottoms and recycle; 61 to 106-BX; 71 from 106-BY.								
BY-112	1975	1	send	-19		692		#N/A	55	ITS		BY-110				0	0	8.000		1		
BY-112	1975	1	GROUP	0		692		#N/A	55	ITS	B-112,BY-101,BY-102,BY-104,BY-106,BY-109					0	0	8.000		0		
BY-112	1975	1	GROUP	0		692		#N/A	55	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1975	1	STAT		706	706	310	14	69					ITS - bottoms and recycle			0	8.000		1		
BY-112	1975	2	xin	76		782		#N/A	69			WTR				0	0	8.000		0		
BY-112	1975	2	REC	65		847		#N/A	69	SU	BY-109	BY-109				0	0	8.000		4	O	ARH-CD-336B-5
BY-112	1975	2	SEND	-66		781		#N/A	69	SU		BX-106				0	0	8.000		4	O	ARH-CD-336B-5
BY-112	1975	2	send	-75		706		#N/A	69	ITS		BY-110				0	0	8.000		0		
BY-112	1975	2	GROUP	0		706		#N/A	69	ITS	B-112,BY-101,BY-102,BY-104,BY-106,BY-109						0	8.000		1		
BY-112	1975	2	GROUP	0		706		#N/A	69	ITS	BX-110,BX 111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1975	2	STAT		706	706	310	#N/A	69					ITS - bottoms and recycle; 65 from 109-BY; 66 to 106-BX.								
BY-112	1975	3	rec	198		904		#N/A	69		B-105	B-105				0	0	8.000		1		
BY-112	1975	3	outx	-176		728		#N/A	69			BYCOND				0	0	8.000		0		
BY-112	1975	3	send	-22		706		#N/A	69	ITS		BY-110				0	0	8.000		0		
BY-112	1975	3	GROUP	0		706		#N/A	69	ITS	B-112,BY-101,BY-102,BY-104,BY-109					0	0	8.000		0		
BY-112	1975	3	GROUP	0		706		#N/A	69	ITS	BX-110,BX-111,BY-107,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1975	3	STAT		706	706	310	#N/A	69	EB							0	8.000		1		
BY-112	1975	4	rec	3		709		#N/A	69		BY-111	BY-111				0	0	8.000		1		
BY-112	1975	4	send	-30		679		#N/A	69			B-109				0	0	8.000		0		
BY-112	1975	4	SEND	-32		647		#N/A	69	SU		BX-105				0	0	8.000		0		
BY-112	1975	4	send	-6		641		#N/A	69	ITS		BY-110				0	0	8.000		4	O	ARH-CD-336D-5
BY-112	1975	4	GROUP	0		641		#N/A	69	ITS	B-112,BY-101,BY-102,BY-104,BY-106,BY-109						0	8.000		0		
BY-112	1975	4	GROUP	0		641		#N/A	69	ITS	BX-110,BX-111,BY-106,BY-109,BY-110,BY-111						0	8.000		1		
BY-112	1975	4	STAT		673	673	310	32	101	EB				ITS - bottoms and recycle, 32 to 105-BX.								
BY-112	1976	1	rec	33		706		#N/A	101		B-101	B-101				0	0	8.000		1		
BY-112	1976	1	REC	34		740		#N/A	101	SU	BY-109	BY-109				0	0	8.000		0		
BY-112	1976	1	send	-28		712		#N/A	101			B-109				0	0	8.000		4	O	ARH-CD-702A-5
BY-112	1976	1	SEND	-211		501		#N/A	101	SU		BX-105	OC 311 to 211			0	0	8.000		0		
BY-112	1976	1	send	-99		402		#N/A	101			BX-105			Shows 211	0	0	8.000		4	O/V	ARH-CD-702A-5
BY-112	1976	1	SEND	-46		356		#N/A	101	SU		BX-106				0	0	8.000		0		
																0	0	8.000		4	O	ARH-CD-702A-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-112	1976	1	send	-11		345		#N/A	101	ITS		BY-110				0	0	8.000		0		
BY-112	1976	1	outx	-329		16		#N/A	101			BYEVAP				0	0	8.000	BYEV	0		
BY-112	1976	1	xfn	329		345		#N/A	101			BYSltCk				0.860182	283	291.000	BYSlt	0		
BY-112	1976	1	GROUP	0		345		#N/A	101	ITS	B-112,BY-101,BY-102,BY-104,BY-106,BY-109						0	291.000		1		
BY-112	1976	1	GROUP	0		345		#N/A	101	ITS	BX-110,BX-111,BY-106,BY-109,BY-110,BY-111						0	291.000		1		
BY-112	1976	1	STAT		340	340	310	-5	96	EB				ITS - bottoms and recycle; 46 to 106-BX; 311 to 105-BX; 34 from 109-BY.		0	0	291.000		1		
BY-112	1976	2	SEND	-46		294		#N/A	96	SU		BX-106				0	0	291.000		1		
BY-112	1976	2	rec	6		300		#N/A	96		BY-110	BY-110				0	0	291.000		4	O	ARH-CD-702A-5
BY-112	1976	2	STAT		310	310	310	10	106					Removed from service 46 to 106-BX.		0	0	291.000		0		
BY-112	1976	3	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1976	4	STAT		310	310	310	#N/A	106					Salt well pumping - complete.		0	0	291.000		1		
BY-112	1977	1	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1977	2	STAT		310	310	310	#N/A	106					Salt Well Pump		0	0	291.000		1		
BY-112	1977	3	STAT		310	310	310	#N/A	106					Salt well Pump		0	0	291.000		1		
BY-112	1977	4	STAT		310	310	310	#N/A	106					Inactive Current Phase I Complete		0	0	291.000		1		
BY-112	1978	1	STAT		310	310	310	#N/A	106					Inactive Current Phase I Complete		0	0	291.000		1		
BY-112	1978	2	STAT		310	310	310	#N/A	106					Primary Stabilized		0	0	291.000		1		
BY-112	1978	3	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1978	4	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1979	1	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1979	2	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1979	3	STAT		310	310	310	#N/A	106					P-10 Pmp Removed		0	0	291.000		1		
BY-112	1979	4	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1980	1	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1980	2	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1980	3	STAT		310	310	310	#N/A	106							0	0	291.000		1		
BY-112	1980	4	STAT		310	310	310	#N/A	106	EVAP						0	0	291.000		1		
BY-112	1982	3	send	-19		291		#N/A	106			AW-102	salt-wellpumped			0	0	291.000		1		
BY-112	1993	2	STAT		291	291	291	#N/A	106	NCPLX						0	0	291.000		0		
BY-112	1993	4	STAT		291	291	291	#N/A	106							0	0	291.000		1		
BY-112	1994	1	STAT		291	291	291	#N/A	106							0	0	291.000		1		
BY-112	2000															0	0	291.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-101	1900																					
C-101	1946	1	CSEND	0		0		#N/A	0	SET	C-102											
C-101	1946	1	XIN	111		111		#N/A	0	MW		MW1					0	0.000		1		
C-101	1946	1	STAT		111	111	0	#N/A	0	MW				1st Cascade, began filling in March 1946		0.00062893	0.0698	0.070	MW1	1		
C-101	1946	2	XIN	193		304		#N/A	0	MW		MW1				0	0	0.070		1		
C-101	1946	2	XIN	237		541		#N/A	0	MW		MW1				0.00062893	0.1214	0.191	MW1	1		
C-101	1946	2	XIN	184		725		#N/A	0	MW		MW1				0.00062893	0.1491	0.340	MW1	1		
C-101	1946	2	send	-184		541		#N/A	0	cas		C-102				0.00062893	0.1157	0.456	MW1	1		
C-101	1946	2	send	-11		530		#N/A	0	cas		C-102				0	0	0.456		0		
C-101	1946	2	STAT		530	530	0	#N/A	0							0	0	0.456		0		
C-101	1946	3	XIN	216		746		#N/A	0	MW		MW1		Full in May 1946		0	0	0.456		1		
C-101	1946	3	XIN	288		1034		#N/A	0	MW		MW1				0.00062893	0.1358	0.592	MW1	1		
C-101	1946	3	XIN	164		1198		#N/A	0	MW		MW1				0.00062893	0.1811	0.773	MW1	1		
C-101	1946	3	send	-288		910		#N/A	0	cas		C-102				0.00062893	0.1031	0.876	MW1	1		
C-101	1946	3	send	-216		694		#N/A	0	cas		C-102				0	0	0.876		0		
C-101	1946	3	send	-164		530		#N/A	0	cas		C-102				0	0	0.876		0		
C-101	1946	3	STAT		530	530	0	#N/A	0							0	0	0.876		0		
C-101	1946	4	XIN	197		727		#N/A	0	MW		MW1		Cascading		0	0	0.876		1		
C-101	1946	4	send	-197		530		#N/A	0	cas		C-102				0.00062893	0.1239	1.000	MW1	1		
C-101	1946	4	STAT		530	530	0	#N/A	0							0	0	1.000		0		
C-101	1947	1	STAT		530	530	0	#N/A	0					Cascade full in October 1946		0	0	1.000		1		
C-101	1947	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1947	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1947	4	STAT		530	530	0	#N/A	0	MW						0	0	1.000		1		
C-101	1948	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1948	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1948	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1948	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1949	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1949	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1949	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1949	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1950	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1950	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1950	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1950	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1951	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1951	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1951	3	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1951	4	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1952	1	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1952	2	STAT		530	530	0	#N/A	0							0	0	1.000		1		
C-101	1952	3	STAT		530	530	0	#N/A	0	MW						0	0	1.000		1		
C-101	1952	4	SEND	-530		0		#N/A	0	SL		C-103				0	0	1.000		1		
C-101	1952	4	STAT		N/A	0		#N/A	0					984 in Cascade, Cascade now Processing for feed to TBP Plant			0	1.000		1		
C-101	1953	1	STAT		N/A	0		#N/A	0	MW			further research	1507 in 101 thru 106-C. 1651 removed thru batch CR 1218								
C-101	1953	2	CSEND	0		0		#N/A	0	SET	C-102						0	1.000		1		
C-101	1953	2	XIN	379		379		#N/A	0	UR		UR					0	1.000		1		
C-101	1953	2	XIN	43		422		#N/A	0	UR		UR				0.028436	10.777	11.777	UR	1		
C-101	1953	2	STAT		422	422	0	#N/A	0	TBP				MW removal completed 5-14. TBP waste started 5-15		0.028436	1.2227	13.000	UR	1		
C-101	1953	3	XIN	338		760		#N/A	0	UR		UR				0	0	13.000		1		
																0.028436	9.6114	22.611	UR	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-101	1953	3	send	-230		530		#N/A	0	cas		C-102				0	0	22.611		0		
C-101	1953	3	SEND	-308		222		#N/A	0	SU		C-103				0	0	22.611		1		
C-101	1953	3	CSEND	0		222		#N/A	0	END	C-102						0	22.611		1		
C-101	1953	3	STAT		222	222	0	#N/A	0	TBP				Received TBP waste and pumped to 103-C		0	0	22.611		1		
C-101	1953	4	XIN	295		517		#N/A	0	UR		UR				0.028436	8.3886	31.000	UR	1		
C-101	1953	4	STAT		517	517	0	#N/A	0	TBP				Received TBP waste		0	0	31.000		1		
C-101	1954	1	SEND	-7		510		#N/A	0	SU		B-106				0	0	31.000		1		
C-101	1954	1	STAT		510	510	0	#N/A	0							0	0	31.000		1		
C-101	1954	2	STAT		510	510	0	#N/A	0					Overflow line partially plugged		0	0	31.000		1		
C-101	1954	3	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1954	4	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1955	1	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1955	2	STAT		510	510	0	#N/A	0					Overflow partially pluaged		0	0	31.000		1		
C-101	1955	3	STAT		510	510	0	#N/A	0	TBP				Overflow partially plugged		0	0	31.000		1		
C-101	1955	4	STAT		N/A	510	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Overflow partially plugged		0	0	31.000		1		
C-101	1956	1	REC	375		885		#N/A	0	SU	C-104	C-104				0	0	31.000		1		
C-101	1956	1	OUTX	-384		501		#N/A	0	T02	C-109	TFeCN				0	0	31.000		3	O	N-54-276
C-101	1956	1	STAT		N/A	501	0	#N/A	0				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Overflow partially plugged. Received TBP in January		0	0	31.000		1		
C-101	1956	2	STAT		N/A	501	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Overflow partially plugged		0	0	31.000		1		
C-101	1956	3	STAT		N/A	501	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Being scavenged & pumped to 112-C		0	0	31.000		1		
C-101	1956	4	OUTX	-429		72		#N/A	0	T07	C-112	TFeCN	OC 360 to 429		Shows 429 not 360	0	0	31.000		2	V	N-54-281
C-101	1956	4	OUTX	-11		61		#N/A	0	T08	C-109	TFeCN				0	0	31.000		3	O	N-54-282
C-101	1956	4	STAT		N/A	61	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	30 Scavenged in October		0	0	31.000		1		
C-101	1957	1	STAT		N/A	61	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode readings, enough for 1451 TU		0	0	31.000		1		
C-101	1957	2	REC	455		516		#N/A	0		BY-101	BY-101	actually scavenged directly to C-112 and C-109 in 1957q3		Omission	0	0	31.000		2	V	HW-51348-5
C-101	1957	2	OUTX	0		516		#N/A	0	T13	C-109	TFeCN	OC 308 to 0, xfer from BY-102		337, indic. from BY-102		0	31.000		2	V	N-54-286
C-101	1957	2	REC	0		516		#N/A	0	SU	BY-102	BY-102	OC 308 to 0, REC in C-109		Shows 337 not 308		0	31.000		2	V	N-54-287
C-101	1957	2	STAT		N/A	516	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Feed tank for Scvg. opr.		0	0	31.000		1		
C-101	1957	3	STAT		N/A	516	0	#N/A	0	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Feed tank for scva. opr.		0	0	31.000		1		
C-101	1957	4	STAT		N/A	516	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Feed tank for scvg. opr.		0	0	31.000		1		
C-101	1958	1	STAT		N/A	516	98	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	31.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-101	1958	2	STAT		N/A	516	98	#N/A	0				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
C-101	1958	3	xin	-391		125		#N/A	0			WTR		New electrode reading		0	0	31.000		1		
C-101	1958	3	STAT		125	125	98	#N/A	0							0	0	31.000		0		
C-101	1958	4	STAT		125	125	98	#N/A	0							0	0	31.000		1		
C-101	1959	1	STAT		125	125	98	#N/A	0	TBP						0	0	31.000		1		
C-101	1959	2	STAT		128	128	98	3	3	TBP						0	0	31.000		1		
C-101	1959	3	STAT		131	131	98	3	6							0	0	31.000		1		
C-101	1959	4	STAT		131	131	98	#N/A	6					Latest electrode reading		0	0	31.000		1		
C-101	1960	1	STAT		131	131	98	#N/A	6							0	0	31.000		1		
C-101	1960	2	STAT		131	131	98	#N/A	6							0	0	31.000		1		
C-101	1960	3	STAT		131	131	98	#N/A	6	TBP						0	0	31.000		1		
C-101	1960	4	XIN	19		150		#N/A	6	CWP		CWP1				0	0	31.000		1		
C-101	1960	4	STAT		150	150	98	#N/A	6	TBP,CW						0	0	31.000		4	O	HW-68292-4
C-101	1961	1	CSEND	0		150		#N/A	6	SET	C-102			Rec'd 19M CW		0	0	31.000		1		
C-101	1961	1	XIN	423		573		#N/A	6	CWP		CWP2	OC 427 to 423					0.000		1		
C-101	1961	1	send	-63		510		#N/A	6	cas		C-102	-43 TO 63		Shows 423 not 427	0.0533752	22.578	53.578	CWP2	3	V	HW-71610-4
C-101	1961	1	STAT		N/A	510		#N/A	6							0	0	53.578		0		
																	0	53.578		1		
C-101	1961	2	STAT		510	510	98	#N/A	6	CW				Rec'd 423M CW (6 month report)								
C-101	1961	3	STAT		N/A	510		#N/A	6							0	0	53.578		1		
C-101	1961	4	STAT		510	510	98	#N/A	6	CW							0	53.578		1		
C-101	1962	1	STAT		N/A	510		#N/A	6					6 month report		0	0	53.578		1		
C-101	1962	2	XIN	214		724		#N/A	6	CWP		CWP2					0	53.578		1		
C-101	1962	2	send	-194		530		#N/A	6	cas		C-102				0.0533752	11.422	65.000	CWP2	4	O	HW-74647-4
C-101	1962	2	CSEND	0		530		#N/A	6	END	C-102					0	0	65.000		0		
C-101	1962	2	STAT		524	524	98	-6	0	CW							0	65.000		1		
C-101	1962	3	STAT		N/A	524		#N/A	0					Rec's 214M;; 699M to BX		0	0	65.000		1		
C-101	1962	4	STAT		524	524	98	#N/A	0	CW				6 month report			0	65.000		1		
C-101	1963	1	STAT		N/A	524		#N/A	0					6 month report		0	0	65.000		1		
C-101	1963	2	STAT		524	524	109	#N/A	0	CW							0	65.000		1		
C-101	1963	3	SEND	-308		216		#N/A	0	SU		B-107		6 month report		0	0	65.000		1		
C-101	1963	3	REC	138		354		#N/A	0	SU	A-102	A-102				0	0	65.000		1		
C-101	1963	3	REC	138		492		#N/A	0	SU	A-102	A-102				0	0	65.000		4	O	HW-80379-4
C-101	1963	3	SEND	0		492		#N/A	0	SU	B-101	B-101	OC 122 to 0, not xfered			0	0	65.000		2		
C-101	1963	3	STAT		N/A	492		#N/A	0						Not XFERed from C-101			0.000		2	V	HW-80379-4
C-101	1963	4	send	-122		370		#N/A	0			A-102	sluicinginput				0	65.000		1		
																0	0	65.000		0		
C-101	1963	4	STAT		370	370	109	#N/A	0	CW,P			REC total 276	276M from 102A 6 month report								
C-101	1964	1	REC	172		542		#N/A	0		A-103	A-103				0	0	65.000		1		
C-101	1964	1	STAT		N/A	542		#N/A	0						Omission	0	0	65.000		3	V	HW-83308-4
C-101	1964	2	STAT		542	542	109	#N/A	0	CW,P							0	65.000		1		
C-101	1964	3	STAT		N/A	542		#N/A	0					Rec'd 172M from 103A		0	0	65.000		1		
																	0	65.000		1		
C-101	1964	4	STAT		546	546	109	4	4	CW,P												
C-101	1965	1	STAT		N/A	546		#N/A	4					New elect. (Read. Confirmed)		0	0	65.000		1		
C-101	1965	2	XIN	28		574		#N/A	4		CR VAL	DW	Omis.				0	65.000		1		
C-101	1965	2	STAT		574	574	51	#N/A	4	CW,P					Omission	0	0	65.000		3	V	RL-SEP-659-4
C-101	1965	3	STAT		568	568	51	-6	-2	CW,P				28M from CR		0	0	65.000		1		
C-101	1965	4	STAT		565	565	51	-3	-5	CW,P						0	0	65.000		1		
C-101	1966	1	STAT		563	563	51	-2	-7	CW,P						0	0	65.000		1		
C-101	1966	2	STAT		571	571	51	8	1	CW,P						0	0	65.000		1		
C-101	1966	3	STAT		N/A	571	51	#N/A	1	CW,P			BAD STAT? 656 TO N/A	New electrode		0	0	65.000		1		
C-101	1966	4	STAT		563	563	51	-8	-7	CW,P							0	65.000		1		
C-101	1967	1	STAT		557	557	51	-6	-13	CW,P						0	0	65.000		1		
C-101	1967	2	STAT		555	555	51	-2	-15	P						0	0	65.000		1		
C-101	1967	3	STAT		555	555	51	#N/A	-15	CW,P						0	0	65.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-101	1967	4	STAT		549	549	51	-6	-21	CW,P						0	0	65.000		1		
C-101	1968	1	STAT		545	545	51	-4	-25	P						0	0	65.000		1		
C-101	1968	2	STAT		545	545	51	#N/A	-25	P				Tk. 102-C rec'd 200 OWW & 359 CW from Purex 599 to 105 BX & 103 BX		0	0	65.000		1		
C-101	1968	3	STAT		545	545	51	#N/A	-25	CW,P				TK 102-C rec'd 521CW & 265 OWW		0	0	65.000		1		
C-101	1968	4	STAT		541	541	51	-4	-29	P						0	0	65.000		1		
C-101	1969	1	STAT		541	541	51	#N/A	-29	CW,P						0	0	65.000		1		
C-101	1969	2	STAT		538	538	51	-3	-32	CW,P						0	0	65.000		1		
C-101	1969	3	STAT		538	538	106	#N/A	-32	CW,P						0	0	65.000		1		
C-101	1969	4	SEND	-404		134		#N/A	-32	SU		C-105				0	0	65.000		4	O	ARH-1200D-5
C-101	1969	4	STAT		132	132	125	-2	-34	P				404 to 105-C		0	0	65.000		1		
C-101	1970	1	STAT		134	134	87	2	-32					*Dry Wells 30-01-01, 30-01-06, 30-01-09, 30-01-12 drilled.		0	0	65.000		1		
C-101	1970	2	STAT		134	134	87	#N/A	-32	P						0	0	65.000		1		
C-101	1970	3	STAT		136	136	81	2	-30	P				Possible Leaker		0	0	65.000		1		
C-101	1970	4	STAT		138	138	81	2	-28	P						0	0	65.000		1		
C-101	1971	1	STAT		131	131	81	-7	-35							0	0	65.000		1		
C-101	1971	2	STAT		131	131	81	#N/A	-35	P						0	0	65.000		1		
C-101	1971	3	STAT		128	128	81	-3	-38	P						0	0	65.000		1		
C-101	1971	4	STAT		127	127	81	-1	-39	P						0	0	65.000		1		
C-101	1972	1	STAT		125	125	81	-2	-41							0	0	65.000		1		
C-101	1972	2	STAT		125	125	81	#N/A	-41	P						0	0	65.000		1		
C-101	1972	3	STAT		124	124	81	-1	-42	P						0	0	65.000		1		
C-101	1972	4	STAT		120	120	81	-4	-46	P						0	0	65.000		1		
C-101	1973	1	STAT		121	121	81	1	-45	P						0	0	65.000		1		
C-101	1973	2	STAT		120	120	81	-1	-46							0	0	65.000		1		
C-101	1973	3	STAT		120	120	81	#N/A	-46	P						0	0	65.000		1		
C-101	1973	4	STAT		131	131	81	11	-35	P				Suspect leaker		0	0	65.000		1		
C-101	1974	1	STAT		129	129	81	-2	-37	P				Suspect leaker		0	0	65.000		1		
C-101	1974	2	STAT		128	128	81	-1	-38	P				Suspect leaker		0	0	65.000		1		
C-101	1974	3	SEND	-49		79		#N/A	-38	SU		C-104				0	0	65.000		4	O	ARH-CD-133C-4
C-101	1974	3	STAT		81	81	81	2	-36					Suspect leaker, 49 to 104-C		0	0	65.000		1		
C-101	1974	4	STAT		92	92	62	11	-25					Suspect leaker		0	0	65.000		1		
C-101	1975	1	STAT		92	92	62	#N/A	-25					Suspect leaker		0	0	65.000		1		
C-101	1975	2	STAT		92	92	62	#N/A	-25					Removed from service		0	0	65.000		1		
C-101	1975	3	STAT		92	92	62	#N/A	-25					Removed from service		0	0	65.000		1		
C-101	1975	4	STAT		92	92	62	#N/A	-25					Removed from service		0	0	65.000		1		
C-101	1976	1	STAT		92	92	62	#N/A	-25	P				Removed from service		0	0	65.000		1		
C-101	1976	2	STAT		73	73	73	-19	-44							0	0	65.000		1		
C-101	1976	3	STAT		73	73	73	#N/A	-44					Salt Well Pumped		0	0	65.000		1		
C-101	1976	4	STAT		73	73	73	#N/A	-44					Salt Well Pumped		0	0	65.000		1		
C-101	1977	1	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1977	2	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1977	3	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1977	4	STAT		73	73	73	#N/A	-44					Inactive Current Salt well Inst		0	0	65.000		1		
C-101	1978	1	STAT		73	73	73	#N/A	-44					Primary Stabilized		0	0	65.000		1		
C-101	1978	2	STAT		73	73	73	#N/A	-44					Questionable integrity		0	0	65.000		1		
C-101	1978	3	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1978	4	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1979	1	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1979	2	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1979	3	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1979	4	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1980	1	STAT		73	73	73	#N/A	-44							0	0	65.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-101	1980	2	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1980	3	STAT		73	73	73	#N/A	-44							0	0	65.000		1		
C-101	1980	4	STAT		73	73	73	#N/A	-44	P						0	0	65.000		1		
C-101	1993	2	STAT		88	88	88	15	-29	NCPLX						0	0	65.000		1		
C-101	1993	4	STAT		88	88	88	#N/A	-29							0	0	65.000		1		
C-101	1994	1	STAT		88	88	88	#N/A	-29							0	0	65.000		1		
C-101	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-102	1900																					
C-102	1946	1	CREC	0		0		#N/A	0	SET	C-101						0	0.000		1		
C-102	1946	1	CSEND	0		0		#N/A	0	SET	C-103						0	0.000		1		
C-102	1946	1	STAT		N/A	0		#N/A	0								0	0.000		1		
C-102	1946	2	rec	184		184		#N/A	0	cas	C-101	C-101				0.00471698	0.8679	0.868	MW1	0		
C-102	1946	2	rec	11		195		#N/A	0	cas	C-101	C-101				0.00471698	0.0519	0.920	MW1	0		
C-102	1946	2	STAT		195	195	0	#N/A	0	MW				Cascade, began filling in May		0	0	0.920		1		
C-102	1946	3	rec	288		483		#N/A	0	cas	C-101	C-101				0.00471698	1.3585	2.278	MW1	0		
C-102	1946	3	rec	216		699		#N/A	0	cas	C-101	C-101				0.00471698	1.0189	3.297	MW1	0		
C-102	1946	3	rec	164		863		#N/A	0	cas	C-101	C-101				0.00471698	0.7736	4.071	MW1	0		
C-102	1946	3	send	-169		694		#N/A	0	cas		C-103				0	0	4.071		0		
C-102	1946	3	send	-164		530		#N/A	0	cas		C-103				0	0	4.071		0		
C-102	1946	3	STAT		530	530	0	#N/A	0					Filled in August		0	0	4.071		1		
C-102	1946	4	rec	197		727		#N/A	0	cas	C-101	C-101				0.00471698	0.9292	5.000	MW1	0		
C-102	1946	4	send	-197		530		#N/A	0	cas		C-103				0	0	5.000		0		
C-102	1946	4	STAT		530	530	0	#N/A	0					Cascade full in October 1946		0	0	5.000		1		
C-102	1947	1	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1947	2	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1947	3	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1947	4	STAT		530	530	0	#N/A	0	MW						0	0	5.000		1		
C-102	1948	1	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1948	2	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1948	3	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1948	4	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1949	1	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1949	2	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1949	3	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1949	4	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1950	1	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1950	2	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1950	3	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1950	4	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1951	1	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1951	2	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1951	3	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1951	4	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1952	1	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1952	2	STAT		530	530	0	#N/A	0							0	0	5.000		1		
C-102	1952	3	STAT		530	530	0	#N/A	0	MW						0	0	5.000		1		
C-102	1952	4	SEND	-530		0		#N/A	0	SL		C-103				0	0	5.000		1		
C-102	1952	4	STAT		N/A	0		#N/A	0					984 in Cascade, cascade now processing for feed to TBP plan			0	5.000		1		
C-102	1953	1	STAT		N/A	0		#N/A	0					1507 in 101 thru 106-C, 1651 re- moved thru batch CR 1218			0	5.000		1		
C-102	1953	2	CREC	0		0		#N/A	0	SET	C-101						0	5.000		1		
C-102	1953	2	STAT		N/A	0		#N/A	0					Small sludge heel			0	5.000		1		
C-102	1953	3	CSEND	0		0		#N/A	0	SET	C-103						0	5.000		1		
C-102	1953	3	XIN	394		394		#N/A	0	UR		UR				0.028986	11.42	16.420	UR	1		
C-102	1953	3	rec	230		624		#N/A	0	cas	C-101	C-101				0	0	16.420		0		
C-102	1953	3	send	-157		467		#N/A	0	cas		C-103				0	0	16.420		0		
C-102	1953	3	CREC	0		467		#N/A	0	END	C-101						0	16.420		1		
C-102	1953	3	STAT		467	467	0	#N/A	0	TBP				Received TBP waste		0	0	16.420		1		
C-102	1953	4	XIN	136		603		#N/A	0	UR		UR				0.028986	3.942	20.362	UR	1		
C-102	1953	4	send	-73		530		#N/A	0	cas		C-103				0	0	20.362		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-102	1953	4	STAT		508	508	0	-22	-22	TBP				Received TBP waste		0	0	20.362		1		
C-102	1954	1	CSEND	0		508		#N/A	-22	SET	C-103						0	20.362		1		
C-102	1954	1	XIN	22		530		#N/A	-22	UR		UR				0.028986	0.6377	21.000	UR	1		
C-102	1954	1	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1954	2	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1954	3	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1954	4	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1955	1	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1955	2	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1955	3	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1955	4	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1956	1	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1956	2	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1956	3	STAT		530	530	0	#N/A	-22							0	0	21.000		1		
C-102	1956	4	STAT		530	530	0	#N/A	-22	TBP						0	0	21.000		1		
C-102	1957	1	STAT		N/A	530	0	#N/A	-22	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21.000		1		
C-102	1957	2	OUTX	-370		160		#N/A	-22	T09	C-112	TFeCN				0	0	21.000		3	O	N-54-283
C-102	1957	2	OUTX	-135		25		#N/A	-22	T10	C-109	TFeCN				0	0	21.000		3	O	N-54-284
C-102	1957	2	STAT		N/A	25	0	#N/A	-22	OWW			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scavenged during month		0	0	21.000		1		
C-102	1957	3	STAT		N/A	25	0	#N/A	-22				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	21.000		1		
C-102	1957	4	STAT		N/A	25	0	#N/A	-22	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	21.000		1		
C-102	1958	1	STAT		N/A	25	98	#N/A	-22	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21.000		1		
C-102	1958	2	STAT		N/A	25	37	#N/A	-22				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21.000		1		
C-102	1958	3	STAT		37	37	37	12	-10							0	0	21.000		1		
C-102	1958	4	STAT		37	37	37	#N/A	-10							0	0	21.000		1		
C-102	1959	1	STAT		37	37	37	#N/A	-10							0	0	21.000		1		
C-102	1959	2	STAT		37	37	37	#N/A	-10	TBP						0	0	21.000		1		
C-102	1959	3	STAT		34	34	34	-3	-13					Latest electrode reading		0	0	21.000		1		
C-102	1959	4	STAT		34	34	34	#N/A	-13							0	0	21.000		1		
C-102	1960	1	STAT		34	34	34	#N/A	-13							0	0	21.000		1		
C-102	1960	2	STAT		34	34	34	#N/A	-13	TBP						0	0	21.000		1		
C-102	1960	3	XIN	28		62		#N/A	-13	CWP		CWP1				0.082294	2.3042	23.304	CWP1	4	O	HW-66557-4
C-102	1960	3	XIN	188		250		#N/A	-13	CWP		CWP1				0.082294	15.471	38.776	CWP1	4	O	HW-66827-4
C-102	1960	3	XIN	72		322		#N/A	-13	CWP		CWP1				0.082294	5.9252	44.701	CWP1	4	O	HW-67696-4
C-102	1960	3	XIN	56		378		#N/A	-13	WTR		WTR				0	0	44.701		4	O	HW-67696-4
C-102	1960	3	STAT		378	378	98	#N/A	-13	TBP			XIN total 344	SS 344 CW & Dilution Rec'd		0	0	44.701		1		
C-102	1960	4	XIN	113		491		#N/A	-13	CWP		CWP1			Shows 140 not 113	0.082294	9.2993	54.000	CWP1	3	V	HW-67705-4
C-102	1960	4	STAT		491	491	98	#N/A	-13	CW				140 CW rec'd, previous reading were incorrect		0	0	54.000		1		
C-102	1961	1	CREC	0		491		#N/A	-13	SET	C-101						0	54.000		1		
C-102	1961	1	CSEND	0		491		#N/A	-13	SET	C-103						0	54.000		1		
C-102	1961	1	rec	63		554		#N/A	-13	cas	C-101	C-101	-43 TO 63			0.02674	1.6846	55.685	CWP	0		
C-102	1961	1	send	-4		550		#N/A	-13	cas		C-103				0	0	55.685		0		
C-102	1961	1	STAT		N/A	550		#N/A	-13								0	55.685		1		
C-102	1961	2	STAT		521	521	98	-29	-42	TBP,CW				6 month report		0	0	55.685		1		
C-102	1961	3	STAT		N/A	521		#N/A	-42								0	55.685		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-102	1961	4	STAT		519	519	98	-2	-44	TBP,CW				6 month report		0	0	55.685		1		
C-102	1962	1	SEND	-399		120		#N/A	-44	SU		BX-101	OC 377 to 399		Shows 399 not 377	0	0	55.685		3	V	HW-74647-5
C-102	1962	1	STAT		N/A	120		#N/A	-44								0	55.685		1		
C-102	1962	2	rec	194		314		#N/A	-44	cas	C-101	C-101				0.02674	5.1876	60.872	CWP2	0		
C-102	1962	2	CREC	0		314		#N/A	-44	END	C-101						0	60.872		1		
C-102	1962	2	STAT		356	356	98	42	-2	CW				6 month report		0	0	60.872		1		
C-102	1962	3	XIN	321		677		#N/A	-2	CWP		CWP2				0.02674	8.5836	69.456	CWP2	4	O	HW-76223-4
C-102	1962	3	SEND	-190		487		#N/A	-2	SU		BX-102	OC C-103 to C-102, AND reports -300, LC qtr4 to qtr3		Shows C-102, Omission	0	0	69.456		3	V	HW-76233-5
C-102	1962	3	STAT		N/A	487		#N/A	-2								0	69.456		1		
C-102	1962	4	XIN	300		787		#N/A	-2	CWP		CWP2				0.02674	8.022	77.478	CWP2	4	O	HW-76223-4
C-102	1962	4	XIN	365		1152		#N/A	-2	CWP		CWP2				0.02674	9.7601	87.238	CWP2	4	O	HW-76223-4
C-102	1962	4	SEND	-484		668		#N/A	-2	SU		BX-103	OC C-103 to C-102		Shows C-102, Omission	0	0	87.238		3	V	HW-76223-5
C-102	1962	4	SEND	-468		200		#N/A	-2	SU		BX-104	OC C-103 to C-102, total 468; OC 149 to 468,319+149		Rec C-102, Shows 468 not 140	0	0	87.238		3	V	HW-76223-5
C-102	1962	4	rec	170		370		#N/A	-2		C-103	C-103	assumed			0	0	87.238		0		
C-102	1962	4	STAT		370	370	98	#N/A	-2	CW			XIN from qrt 3 & 4 total 986	Rec'd 986, 1142 to BX 6 mocnth report		0	0	87.238		1		
C-102	1963	1	XIN	344		714		#N/A	-2	CWP		CWP2				0.02674	9.1986	96.437	CWP2	1		
C-102	1963	1	SEND	-154		560		#N/A	-2	SU		B-102				0	0	96.437		4	O	HW-78279-4
C-102	1963	1	SEND	-185		375		#N/A	-2	SU		BX-105				0	0	96.437		4	O	HW-78279-5
C-102	1963	1	SEND	-184		191		#N/A	-2	SU		BX-106				0	0	96.437		4	O	HW-78279-5
C-102	1963	1	REC	164		355		#N/A	-2	SU	C-105	C-105				0	0	96.437		4	O	HW-78279-4
C-102	1963	1	STAT		N/A	355		#N/A	-2								0	96.437		1		
C-102	1963	2	XIN	485		840		#N/A	-2	CWP		CWP2				0.02674	12.969	109.406	CWP2	2		
C-102	1963	2	SEND	-217		623		#N/A	-2	SU		B-102				0	0	109.406		3	O	HW-78279-4
C-102	1963	2	SEND	-260		363		#N/A	-2	SU		BX-105				0	0	109.406		4	O	HW-78279-5
C-102	1963	2	SEND	-134		229		#N/A	-2	SU		BX-106				0	0	109.406		4	O	HW-78279-5
C-102	1963	2	SEND	-125		104		#N/A	-2	SU		BX-106				0	0	109.406		4	O	HW-78279-5
C-102	1963	2	REC	230		334		#N/A	-2	SU	C-105	C-105				0	0	109.406		4	O	HW-78279-4
C-102	1963	2	STAT		334	334	98	#N/A	-2	CW			XIN from qrt 1 & 2 total 879, AND reports 829	Rec'd 829 CW (6 month report)		0	0	109.406		1		
C-102	1963	3	XIN	458		792		#N/A	-2	CWP		CWP2				0.02674	12.247	121.653	CWP2	4	O	HW-80379-4
C-102	1963	3	SEND	-86		706		#N/A	-2	SU		B-101				0	0	121.653		1		
C-102	1963	3	SEND	-214		492		#N/A	-2	SU		B-107				0	0	121.653		1		
C-102	1963	3	STAT		N/A	492		#N/A	-2								0	121.653		1		
C-102	1963	4	XIN	396		888		#N/A	-2	CWP		CWP2				0.02674	10.589	132.242	CWP2	4	O	HW-80379-4
C-102	1963	4	SEND	-125		763		#N/A	-2	SU		B-101				0	0	132.242		1		
C-102	1963	4	SEND	-313		450		#N/A	-2	SU		B-107				0	0	132.242		1		
C-102	1963	4	STAT		450	450	98	#N/A	-2	CW			XIN total 854	Rec'd 854 CW (6 month report)		0	0	132.242		1		
C-102	1964	1	XIN	881		1331		#N/A	-2	CWP		CWP2	Omis. REC 202-A		Omission	0.02674	23.558	155.800	CWP2	3	V	HW-83308-4
C-102	1964	1	STAT		N/A	1331		#N/A	-2								0	155.800		1		
C-102	1964	2	send	-924		407		#N/A	-2			C-108	assumed			0	0	155.800		0		
C-102	1964	2	STAT		407	407	98	#N/A	-2	CW				Rec'd;; 881 CW from 202-A		0	0	155.800		1		
C-102	1964	3	STAT		N/A	407		#N/A	-2								0	155.800		1		
C-102	1964	4	XIN	1065		1472		#N/A	-2	CWP		CWP2				0.02674	28.478	184.278	CWP2	4	O	RL-SEP-260-4
C-102	1964	4	SEND	-103		1369		#N/A	-2	SU		BX-105				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-240		1129		#N/A	-2	SU		BX-109				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-154		975		#N/A	-2	SU		BX-110				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-99		876		#N/A	-2	SU		BX-112				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-394		482		#N/A	-2	SU		BY-102				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	send	-40		442		#N/A	-2			T-102				0	0	184.278		0		
C-102	1964	4	STAT		442	442	98	#N/A	-2	CW			SEND total -990	1065 Rec'd, 1030 to other tank		0	0	184.278		1		
C-102	1965	1	STAT		N/A	442		#N/A	-2								0	184.278		1		
C-102	1965	2	XIN	1220		1662		#N/A	-2	CWP		CWP2				0.02674	32.623	216.901	CWP2	4	O	RL-SEP-659-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-102	1965	2	send	-342		1320		#N/A	-2			A-102				0	0	216.901		0		
C-102	1965	2	SEND	-258		1062		#N/A	-2	SU		BY-102				0	0	216.901		4	O	RL-SEP-659-5
C-102	1965	2	REC	36		1098		#N/A	-2	SU	C-108	C-108				0	0	216.901		4	O	RL-SEP-659-4
C-102	1965	2	SEND	-445		653		#N/A	-2	SU		T-102				0	0	216.901		4	O	RL-SEP-659-5
C-102	1965	2	SEND	-327		326		#N/A	-2	SU		T-103				0	0	216.901		4	O	RL-SEP-659-5
C-102	1965	2	STAT		326	326	238	#N/A	-2	CW				Rec'd 1220 CW & 36 from 108-C		0	0	216.901		1		
C-102	1965	3	XIN	350		676		#N/A	-2	CWP		CWP2				0.02674	9.359	226.260	CWP2	4	O	RL-SEP-821-4
C-102	1965	3	SEND	-28		648		#N/A	-2	SU		BY-102				0	0	226.260		4	O	RL-SEP-821-5
C-102	1965	3	SEND	-25		623		#N/A	-2	SU		BY-112				0	0	226.260		4	O	RL-SEP-821-5
C-102	1965	3	rec	11		634		#N/A	-2		A-102	A-102				0	0	226.260		0		
C-102	1965	3	SEND	-187		447		#N/A	-2	SU		T-103				0	0	226.260		4	O	RL-SEP-821-5
C-102	1965	3	STAT		447	447	238	#N/A	-2	CW			SEND total -240	Rec'd 350, 232 to BY & T		0	0	226.260		1		
C-102	1965	4	XIN	278		725		#N/A	-2	CWP		CWP2				0.02674	7.4338	233.694	CWP2	4	O	RL-SEP-821-4
C-102	1965	4	SEND	-264		461		#N/A	-2	SU		BY-112				0	0	233.694		4	O	RL-SEP-821-4
C-102	1965	4	STAT		461	461	238	#N/A	-2	CW				Rec'd 278, 264, to 112 BY		0	0	233.694		1		
C-102	1966	1	XIN	429		890		#N/A	-2	CWP		CWP2				0.02674	11.472	245.165	CWP2	4	O	ISO-226-4
C-102	1966	1	SEND	-418		472		#N/A	-2	SU		BY-112				0	0	245.165		4	O	ISO-226-4
C-102	1966	1	STAT		472	472	238	#N/A	-2					Rec'd 429 CW, 418 to 112 BY		0	0	245.165		1		
C-102	1966	2	XIN	443		915		#N/A	-2	TH		TH1				0.05869074	26	271.165	TH1	4	O	ISO-404-4
C-102	1966	2	SEND	-556		359		#N/A	-2	SU		BY-111				0	0	271.165		4	O	ISO-404-4
C-102	1966	2	REC	113		472		#N/A	-2	SU	C-108	C-108				0	0	271.165		4	O	ISO-404-4
C-102	1966	2	XIN	0		472		#N/A	-2	CWP		CWP2					0	271.165		1		
C-102	1966	2	STAT		472	472	238	#N/A	-2	CW				Rec'd 443 CW & TH, 113 from 108C, 556 to 111 BY		0	0	271.165		1		
C-102	1966	3	XIN	282		754		#N/A	-2	CWP		CWP2				0.02674	7.5407	278.706	CWP2	4	O	ISO-538-5
C-102	1966	3	SEND	-124		630		#N/A	-2			BY-106			Omission	0	0	278.706		3	V	ISO-538-5
C-102	1966	3	SEND	-170		460		#N/A	-2	SU		BY-111				0	0	278.706		4	O	ISO-538-5
C-102	1966	3	XIN	0		460		#N/A	-2	CWP		CWP2					0	278.706		1		
C-102	1966	3	STAT		464	464	238	4	2	CW			SEND total -294	Rec'd 282, 290 to BY		0	0	278.706		1		
C-102	1966	4	XIN	444		908		#N/A	2	CWP		CWP2				0.02674	11.873	290.579	CWP2	4	O	ISO-674-4
C-102	1966	4	SEND	-127		781		#N/A	2	SU		BY-103				0	0	290.579		4	O	ISO-674-5
C-102	1966	4	rec	19		800		#N/A	2		BY-102	BY-102				0	0	290.579		0		
C-102	1966	4	SEND	-347		453		#N/A	2	SU		BY-109										ISO-538-5/ISO-674-5
C-102	1966	4	STAT		453	453	238	#N/A	2	CW			SEND total -474	Rec'd 444 CW, 474 to BY		0	0	290.579		4	O	SEND
C-102	1967	1	XIN	370		823		#N/A	2	CWP		CWP2				0	0	290.579		1		
C-102	1967	1	SEND	-168		655		#N/A	2	SU		T-107				0.02674	9.8938	300.472	CWP2	4	O	ISO-806-4
C-102	1967	1	SEND	-156		499		#N/A	2	SU		BY-109				0	0	300.472		4	O	ISO-806-5
C-102	1967	1	STAT		499	499	238	#N/A	2	CW			SEND total -324	370 rec'd, 324 to T & BY								ISO-674-5/ISO-806-5
C-102	1967	2	XIN	387		886		#N/A	2	CWP		CWP2				0	0	300.472		4	O	SEND
C-102	1967	2	SEND	-171		715		#N/A	2	SU		BY-106				0	0	300.472		1		
C-102	1967	2	SEND	-129		586		#N/A	2	SU		T-107				0.02674	10.348	310.821	CWP2	4	O	ISO-967-4
C-102	1967	2	SEND	-100		486		#N/A	2	SU		BY-109				0	0	310.821		4	O	ISO-967-5
C-102	1967	2	STAT		486	486	238	#N/A	2				SEND total -400	387 rec'd, 400 to B & TY		0	0	310.821		4	O	ISO-967-5
C-102	1967	3	XIN	513		999		#N/A	2	CWP		CWP2										ISO-806-5/ISO-967-5E
C-102	1967	3	SEND	-44		955		#N/A	2	SU		BY-104				0	0	310.821		4	O	SEND
C-102	1967	3	SEND	-469		486		#N/A	2			BY-106	OC BY-102 to BY-106			0	0	310.821		1		
C-102	1967	3	STAT		486	486	238	#N/A	2	CW			SEND total -513	513 Purex CW, 513 to BY		0.02674	13.718	324.539	CWP2	4	O	ARH-95-5
C-102	1967	4	XIN	362		848		#N/A	2	CWP		CWP2				0	0	324.539		4	O	ARH-95-6
C-102	1967	4	SEND	-404		444		#N/A	2	SU		BY-104				0	0	324.539		3	M/V	ARH-95-6
C-102	1967	4	STAT		444	444	238	#N/A	2	CW				362 Purex CW, 404 to BY		0	0	324.539		1		
C-102	1968	1	XIN	731		1175		#N/A	2	CWP		CWP2				0.02674	9.6799	334.218	CWP2	4	O	ARH-326-5
C-102	1968	1	SEND	-423		752		#N/A	2			BX-103				0	0	334.218		4	O	ARH-326-6
C-102	1968	1	REC	25		777		#N/A	2	SU	AX-102	AX-102				0	0	334.218		1		
																0.02674	19.547	353.765	CWP2	2		
															Omission	0	0	353.765		3	V	ARH-534-6
																0	0	353.765		3	O	ARH-534-9

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-102	1968	1	SEND	-222		555		#N/A	2			BX-105			Omission	0	0	353.765		3	V	ARH-534-6
C-102	1968	1	SEND	-77		478		#N/A	2			BY-104			Omission	0	0	353.765		3	V	ARH-534-6
C-102	1968	1	STAT		476	476	238	-2	0	CW				Rec'd 731 CW		0	0	353.765		1		
C-102	1968	2	XIN	359		835		#N/A	0	CWP		CWP2				0.02674	9.5997	363.365	CWP2	4	O	ARH-721-5
C-102	1968	2	XIN	200		1035		#N/A	0	OWW		OWW3				0	0	363.365		4	O	ARH-721-5
C-102	1968	2	SEND	-496		539		#N/A	0	SU		BX-103				0	0	363.365		4	O	ARH-721-6
C-102	1968	2	rec	30		569		#N/A	0		BY-112	BY-112				0	0	363.365		0		
C-102	1968	2	SEND	-103		466		#N/A	0	SU		BX-105				0	0	363.365		4	O	ARH-721-6
C-102	1968	2	STAT		466	466	238	#N/A	0	CW,OWW			SEND total -599	200 OWW & 359 CW from Purex 599 to 105 BX & 103 BX		0	0	363.365		1		
C-102	1968	3	XIN	521		987		#N/A	0	CWP		CWP2				0.02674	13.932	377.297	CWP2	4	O	ARH-871-5
C-102	1968	3	XIN	265		1252		#N/A	0	OWW		OWW3				0	0	377.297		4	O	ARH-871-5
C-102	1968	3	SEND	-787		455		#N/A	0	SU		BX-103				0	0	377.297		4	O	ARH-871-6
C-102	1968	3	STAT		455	455	238	#N/A	0	CW,OWW				521 CW & 265 OWW, 765 to 103 BX		0	0	377.297		1		
C-102	1968	4	XIN	885		1340		#N/A	0	OWW		OWW3				0	0	377.297		4	O	ARH-1061-5
C-102	1968	4	SEND	-883		457		#N/A	0	SU		BX-103				0	0	377.297		4	O	ARH-1061-6
C-102	1968	4	STAT		457	457	307	#N/A	0	CW,OWW				885 from Purex,883 to 103 BX		0	0	377.297		1		
C-102	1969	1	XIN	483		940		#N/A	0	OWW		OWW3				0	0	377.297		4	O	ARH-1200A-5
C-102	1969	1	SEND	-478		462		#N/A	0	SU		BX-103				0	0	377.297		4	O	ARH-1200A-5
C-102	1969	1	STAT		462	462	332	#N/A	0	CW,OWW				483 from Purex,478 to 103 BX		0	0	377.297		1		
C-102	1969	2	XIN	872		1334		#N/A	0	CWP		CWP2				0.02674	23.317	400.614	CWP2	4	O	ARH-1200B-5
C-102	1969	2	REC	330		1664		#N/A	0	SU	C-104	C-104				0	0	400.614		4	O	ARH-1200B-5
C-102	1969	2	SEND	-1421		243		#N/A	0			BX-103			Omission	0	0	400.614		3	V	ARH-1200B-5
C-102	1969	2	REC	215		458		#N/A	0	SU	C-110	C-110				0	0	400.614		4	O	ARH-1200B-5
C-102	1969	2	STAT		458	458	369	#N/A	0	CW,OWW				872 from: Purex		0	0	400.614		1		
C-102	1969	3	XIN	351		809		#N/A	0	CWP		CWP2	Omis.351CWP/429 OWW		Omission	0.02674	9.3858	410.000	CWP2	3	V	ARH-1200C-5
C-102	1969	3	XIN	429		1238		#N/A	0	OWW		OWW3	Omis.351CWP/429 OWW		Omission	0	0	410.000		3	V	ARH-1200C-5
C-102	1969	3	SEND	-738		500		#N/A	0	SU		BX-103				0	0	410.000		4	O	ARH-1200C-5
C-102	1969	3	REC	0		500		#N/A	0	SU	A-102	A-102	OC 165 to 0		REC at C-105		0	410.000		2	V	ARH-1200C-10
C-102	1969	3	STAT		501	501	351	1	1	CW,OWW			XIN total 780	780 from Purex,738 to 103 BX		0	0	410.000		1		
C-102	1969	4	XIN	550		1051		#N/A	1	CWP		CWP2				0.02363636	13	423.000	CWP2	4	O	ARH-1200D-5
C-102	1969	4	SEND	-941		110		#N/A	1	SU		BX-103	AND reports 94 pos typo error			0	0	423.000		4	O	ARH-1200D-5
C-102	1969	4	REC	375		485		#N/A	1	SU	C-108	C-108				0	0	423.000		4	O	ARH-1200D-5
C-102	1969	4	STAT		486	486	345	1	2	CW,OWW				550 from Purex,375 from 108C, 941 to 103 BX		0	0	423.000		1		
C-102	1970	1	STAT		486	486	326	#N/A	2	CW,OWW						0	0	423.000		1		
C-102	1970	2	STAT		486	486	312	#N/A	2	CW,OWW						0	0	423.000		1		
C-102	1970	3	STAT		486	486	299	#N/A	2	OWW						0	0	423.000		1		
C-102	1970	4	STAT		486	486	299	#N/A	2	CW,OWW						0	0	423.000		1		
C-102	1971	1	STAT		480	480	299	-6	-4	OWW						0	0	423.000		1		
C-102	1971	2	STAT		480	480	299	#N/A	-4	OWW						0	0	423.000		1		
C-102	1971	3	STAT		480	480	299	#N/A	-4	CW,OWW						0	0	423.000		1		
C-102	1971	4	STAT		479	479	299	-1	-5	CW,OWW						0	0	423.000		1		
C-102	1972	1	STAT		475	475	299	-4	-9	CW,OWW						0	0	423.000		1		
C-102	1972	2	STAT		477	477	299	2	-7	CW,OWW						0	0	423.000		1		
C-102	1972	3	STAT		474	474	299	-3	-10	CW,OWW						0	0	423.000		1		
C-102	1972	4	STAT		475	475	299	1	-9	CW,OWW						0	0	423.000		1		
C-102	1973	1	STAT		484	484	299	9	0	CW,OWW						0	0	423.000		1		
C-102	1973	2	STAT		483	483	299	-1	-1	CW,OWW						0	0	423.000		1		
C-102	1973	3	STAT		465	465	299	-18	-19	CW,OWW						0	0	423.000		1		
C-102	1973	4	STAT		466	466	299	1	-18	CW,OWW						0	0	423.000		1		
C-102	1974	1	STAT		467	467	299	1	-17	OWW						0	0	423.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	OWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
C-102	1974	2	STAT		467	467	299	#N/A	-17	OWW						0	0	423.000		1		
C-102	1974	3	STAT		467	467	299	#N/A	-17	CW,OWW						0	0	423.000		1		
C-102	1974	4	STAT		466	466	332	-1	-18	OWW						0	0	423.000		1		
C-102	1975	1	STAT		466	466	332	#N/A	-18	OWW						0	0	423.000		1		
C-102	1975	2	STAT		466	466	332	#N/A	-18	OWW						0	0	423.000		1		
C-102	1975	3	STAT		466	466	332	#N/A	-18	CW,OWW						0	0	423.000		1		
C-102	1975	4	SEND	-35		431		#N/A	-18	SU		C-103	*-111 to ,pushed to S1			0	0	423.000		4	O	ARH-CD-336D-4
C-102	1975	4	STAT		431	431	332	#N/A	-18	CW,OWW				111 to 103C			0	423.000		1		
C-102	1976	1	outx	-8		423		#N/A	-18			BYEVAP					0	423.000	BYEV	0		
C-102	1976	1	xin	8		431		#N/A	-18			BYSltCk				0	0	423.000	BYSlt	0		
C-102	1976	1	STAT		431	431	62	#N/A	-18	CW,OWW				Removed from service		0	0	423.000		1		
C-102	1976	2	STAT		431	431	431	#N/A	-18					Removed from service		0	0	423.000		1		
C-102	1976	3	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1976	4	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1977	1	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1977	2	STAT		431	431	431	#N/A	-18					Salt Well Pumped		0	0	423.000		1		
C-102	1977	3	STAT		431	431	431	#N/A	-18					Salt Well Pumped		0	0	423.000		1		
C-102	1977	4	STAT		431	431	431	#N/A	-18					Inactive Current Salt Well Installed		0	0	423.000		1		
C-102	1978	1	STAT		431	431	431	#N/A	-18					Inactive		0	0	423.000		1		
C-102	1978	2	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1978	3	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1978	4	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1979	1	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1979	2	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1979	3	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1979	4	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1980	1	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1980	2	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1980	3	STAT		431	431	431	#N/A	-18							0	0	423.000		1		
C-102	1980	4	STAT		431	431	431	#N/A	-18	CWOWW						0	0	423.000		1		
C-102	1983	4	send	-8		423		#N/A	-18	swllq		AN-103				0	0	423.000		0		
C-102	1993	2	STAT		423	423	423	#N/A	-18	DC						0	0	423.000		1		
C-102	1993	4	STAT		423	423	423	#N/A	-18							0	0	423.000		1		
C-102	1994	1	STAT		423	423	423	#N/A	-18							0	0	423.000		1		
C-102	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-103	1900																					
C-103	1946	1	CREC	0		0		#N/A	0	SET	C-102						0	0.000		1		
C-103	1946	1	STAT		N/A	0		#N/A	0								0	0.000		1		
C-103	1946	2	STAT		N/A	0		#N/A	0								0	0.000		1		
C-103	1946	3	rec	169		169		#N/A	0	cas	C-102	C-102				0	0	0.000		0		
C-103	1946	3	rec	164		333		#N/A	0	cas	C-102	C-102				0	0	0.000		0		
C-103	1946	3	STAT		333	333	0	#N/A	0	MW				Last in Cascade, began filling August 1946								
C-103	1946	4	rec	197		530		#N/A	0	cas	C-102	C-102				0	0	0.000		1		
C-103	1946	4	STAT		530	530	0	#N/A	0							0	0	0.000		0		
C-103	1947	1	STAT		530	530	0	#N/A	0					Filled in October 1946		0	0	0.000		1		
C-103	1947	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1947	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1947	4	STAT		530	530	0	#N/A	0	MW						0	0	0.000		1		
C-103	1948	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1948	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1948	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1948	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1949	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1949	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1950	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1950	2	STAT		530	530	0	#N/A	0	MW						0	0	0.000		1		
C-103	1950	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1950	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1951	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1951	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1951	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1951	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-103	1952	1	STAT		519	519	0	-11	-11							0	0	0.000		1		
C-103	1952	2	STAT		519	519	0	#N/A	-11							0	0	0.000		1		
C-103	1952	3	STAT		519	519	0	#N/A	-11	MW						0	0	0.000		1		
C-103	1952	4	REC	108		627		#N/A	-11	SU	BY-103	BY-103		Supernate to pump to 109-C		0	0	0.000		1		
C-103	1952	4	REC	530		1157		#N/A	-11	SL	C-101	C-101				0	0	0.000		1		
C-103	1952	4	REC	530		1687		#N/A	-11	SL	C-102	C-102				0	0	0.000		1		
C-103	1952	4	OUTX	-277		1410		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-103	1952	4	STAT		N/A	1410		#N/A	-11					984 in Cascade, Cascade now processing for feed to TBP plant								
C-103	1953	1	OUTX	-216		1194		#N/A	-11	SL	UR	UR					0	0.000		1		
C-103	1953	1	OUTX	-146		1048		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-103	1953	1	OUTX	-268		780		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-103	1953	1	STAT		N/A	780		#N/A	-11				?103-C-->	1507 in 101 thru 106-C. 1651 removed thru CR 1218								
C-103	1953	2	xin	45		825		#N/A	-11			WTR					0	0.000		1		
C-103	1953	2	OUTX	-277		548		#N/A	-11	SL	UR	UR				0	0	0.000		0		
C-103	1953	2	OUTX	-301		247		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-103	1953	2	OUTX	-202		45		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-103	1953	2	STAT		45	45	0	#N/A	-11	MW						0	0	0.000		1		
C-103	1953	3	CREC	0		45		#N/A	-11	SET	C-102			MW removal in progress		0	0	0.000		1		
C-103	1953	3	REC	308		353		#N/A	-11	SU	C-101	C-101					0	0.000		1		
C-103	1953	3	rec	157		510		#N/A	-11	cas	C-102	C-102				0	0	0.000		1		
C-103	1953	3	STAT		508	508	0	-2	-13	TBP				Pumped MW waste to 106-C and received TBP waste from 101-C		0	0	0.000		1		
C-103	1953	4	rec	73		581		#N/A	-13	cas	C-102	C-102				0	0	0.000		0		
C-103	1953	4	STAT		560	560	0	-21	-34					Received TBP waste		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-103	1954	1	CREC	0		560		#N/A	-34	SET	C-102						0	0.000		1		
C-103	1954	1	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1954	2	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1954	3	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1954	4	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1955	1	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1955	2	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1955	3	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1955	4	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1956	1	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1956	2	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1956	3	STAT		560	560	0	#N/A	-34							0	0	0.000		1		
C-103	1956	4	STAT		560	560	0	#N/A	-34	TBP						0	0	0.000		1		
C-103	1957	1	STAT		N/A	560	0	#N/A	-34	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	0.000		1		
C-103	1957	2	OUTX	-486		74		#N/A	-34	T11	C-111	TFeCN				0	0	0.000		3	O	N-54-285
C-103	1957	2	OUTX	-58		16		#N/A	-34	T12	C-112	TFeCN				0	0	0.000		1		
C-103	1957	2	STAT		N/A	16	0	#N/A	-34	P			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scavenged during month		0	0	0.000		1		
C-103	1957	3	REC	292		308		#N/A	-34	SU	A-102	A-102				0	0	0.000		1		
C-103	1957	3	STAT		329	329	0	21	-13	TBP,P				292M from 102-A		0	0	0.000		4	O	HWN-1991-4
C-103	1957	4	REC	19		348		#N/A	-13	SU	A-102	A-102	OC 25 to 19		Shows 19 not 25	0	0	0.000		1		
C-103	1957	4	STAT		348	348	0	#N/A	-13	TBP,P				19 from 102-A		0	0	0.000		3	V	HWN-1991-4
C-103	1958	1	SEND	-286		62		#N/A	-13	SU		BY-103				0	0	0.000		1		
C-103	1958	1	STAT		62	62	0	#N/A	-13	TBP,P				286 to 103 BY		0	0	0.000		4	O	HW-54916-4
C-103	1958	2	STAT		62	62	0	#N/A	-13	TBP,P						0	0	0.000		1		
C-103	1958	3	STAT		46	46	0	-16	-29	P				New electrode reading		0	0	0.000		1		
C-103	1958	4	STAT		46	46	0	#N/A	-29	TBP,P						0	0	0.000		1		
C-103	1959	1	STAT		45	45	0	-1	-30	TBP,P						0	0	0.000		1		
C-103	1959	2	STAT		48	48	0	3	-27	TBP,P				Latest electrode reading		0	0	0.000		1		
C-103	1959	3	STAT		45	45	0	-3	-30	P				Latest electrode reading		0	0	0.000		1		
C-103	1959	4	STAT		45	45	0	#N/A	-30	P						0	0	0.000		1		
C-103	1960	1	STAT		45	45	0	#N/A	-30	TBP,TBP						0	0	0.000		1		
C-103	1960	2	XIN	99		144		#N/A	-30	CWP		CWP1				0.0772442	7.6472	7.647	CWP1	4	O	HW-65643-4
C-103	1960	2	XIN	99		243		#N/A	-30	CWP		CWP1				0.0772442	7.6472	15.294	CWP1	2		
C-103	1960	2	XIN	66		309		#N/A	-30	CWP		CWP1				0.0772442	5.0981	20.392	CWP1	4	O	HW-66187-4
C-103	1960	2	STAT		309	309	0	#N/A	-30	TBP,P,CW			XIN total 264	SS 265 CW rec'd		0	0	20.392		1		
C-103	1960	3	XIN	86		395		#N/A	-30	CWP		CWP1				0.0772442	6.643	27.035	CWP1	4	O	HW-66557-4
C-103	1960	3	XIN	13		408		#N/A	-30	CWP		CWP1				0.0772442	1.0042	28.040	CWP1	4	O	HW-66827-4
C-103	1960	3	XIN	8		416		#N/A	-30	CWP		CWP1				0.0772442	0.618	28.658	CWP1	4	O	HW-67696-4
C-103	1960	3	STAT		416	416	0	#N/A	-30	TBP,P,CW			XIN total 107	SS 107 CW rec'd		0	0	28.658		1		
C-103	1960	4	XIN	8		424		#N/A	-30	CWP		CWP1				0.0772442	0.618	29.276	CWP1	4	O	HW-67705-4
C-103	1960	4	XIN	100		524		#N/A	-30	CWP		CWP1				0.0772442	7.7244	37.000	CWP1	4	O	HW-68292-4
C-103	1960	4	STAT		524	524	0	#N/A	-30	TBP,P,CW			XIN total 108	108 CW rec'd		0	0	37.000		1		
C-103	1961	1	CREC	0		524		#N/A	-30	SET	C-102						0	37.000		1		
C-103	1961	1	rec	4		528		#N/A	-30	cas	C-102	C-102				0	0	37.000		0		
C-103	1961	1	STAT		N/A	528		#N/A	-30								0	37.000		1		
C-103	1961	2	STAT		557	557	0	29	-1	TBP,P,CW				6 month report		0	0	37.000		1		
C-103	1961	3	STAT		N/A	557		#N/A	-1								0	37.000		1		
C-103	1961	4	STAT		563	563	0	6	5	TBP,P,CW				New electrode (6 month report)		0	0	37.000		1		
C-103	1962	1	SEND	-300		263		#N/A	5	SU		BX-101	OC 322 to 300		Shows 300 not 322	0	0	37.000		2	V	HW-74647-5
C-103	1962	1	STAT		N/A	263		#N/A	5								0	37.000		1		
C-103	1962	2	STAT		227	227	0	-36	-31	CW				6 month report		0	0	37.000		1		
C-103	1962	3	SEND	0		227		#N/A	-31	SU	BX-102	BX-102	OC 190 to 0, no xfer from C-103		XFER from C-102 not C-0103		0	37.000		2	V	HW-76223-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	soi vol%	TLM solids	Cum solids	soi type	QI	Q/A	Document/Pg #
C-103	1962	3	STAT		N/A	227		#N/A	-31								0	37.000		1		
C-103	1962	4	send	-170		57		#N/A	-31			C-102	assumed			0	0	37.000		0		
C-103	1962	4	SEND	0		57		#N/A	-31	SU	BX-103	BX-103	OC 484 to 0, no xfer from C-103		XFER from C-102 not C-0103		0	37.000		2	V	HW-76223-5
C-103	1962	4	SEND	0		57		#N/A	-31	SU	BX-104	BX-104	OC 319 to 0, no xfer from C-103		XFER from C-102 not C-0103		0	37.000		2	V	HW-76223-5
C-103	1962	4	STAT		57	57	0	#N/A	-31	CW				6 month report		0	0	37.000		1		
C-103	1963	1	REC	473		530		#N/A	-31	SU	A-105	A-105				0	0	37.000		4	O	HW-78279-4
C-103	1963	1	STAT		N/A	530		#N/A	-31								0	37.000		1		
C-103	1963	2	STAT		530	530	0	#N/A	-31	CW,P				473 from 105-A 6 month report		0	0	37.000		1		
C-103	1963	3	SEND	-17		513		#N/A	-31	SU		B-101				0	0	37.000		1		
C-103	1963	3	SEND	-44		469		#N/A	-31	SU		B-107				0	0	37.000		1		
C-103	1963	3	STAT		N/A	469		#N/A	-31								0	37.000		1		
C-103	1963	4	STAT		469	469	0	#N/A	-31	P				Supernatant from 103-A 6 month report		0	0	37.000		1		
C-103	1964	1	STAT		N/A	469		#N/A	-31								0	37.000		1		
C-103	1964	2	STAT		442	442	0	-27	-58	P				6 month report		0	0	37.000		1		
C-103	1964	3	STAT		N/A	442		#N/A	-58								0	37.000		1		
C-103	1964	4	STAT		420	420	0	-22	-80	P				Used for Cs recovery 6 month report		0	0	37.000		1		
C-103	1965	1	STAT		N/A	420		#N/A	-80								0	37.000		1		
C-103	1965	2	STAT		458	458	0	38	-42	P				Used for Cs recovery		0	0	37.000		1		
C-103	1965	3	STAT		455	455	0	-3	-45	P				Used for Cs recovery		0	0	37.000		1		
C-103	1965	4	SEND	-435		20		#N/A	-45	SU		A-103				0	0	37.000		4	O	HWN-1991-26
C-103	1965	4	REC	202		222		#N/A	-45	SU	A-101	A-101				0	0	37.000		4	O	HWN-1991-24
C-103	1965	4	STAT		222	222	0	#N/A	-45	P				435 to 103-A, 202 from 101A, Cs recovery		0	0	37.000		1		
C-103	1966	1	SEND	-141		81		#N/A	-45	SU		A-103				0	0	37.000		4	O	ISO-226-4
C-103	1966	1	REC	446		527		#N/A	-45	SU	A-101	A-101				0	0	37.000		4	O	ISO-226-4
C-103	1966	1	STAT		527	527	0	#N/A	-45	P				141 to 103A, 446 from 101A, Cs recovery		0	0	37.000		1		
C-103	1966	2	STAT		497	497	0	-30	-75	P				Cs recovery		0	0	37.000		1		
C-103	1966	3	STAT		494	494	0	-3	-78	P				For Cs recovery		0	0	37.000		1		
C-103	1966	4	STAT		475	475	0	-19	-97	P				For Cs recovery		0	0	37.000		1		
C-103	1967	1	STAT		450	450	0	-25	-122	P				For Cs recovery		0	0	37.000		1		
C-103	1967	2	STAT		439	439	0	-11	-133	P				For Cs recovery		0	0	37.000		1		
C-103	1967	3	STAT		433	433	35	-6	-139	P				For Cs recovery		0	0	37.000		1		
C-103	1967	4	STAT		433	433	35	#N/A	-139					For Cs recovery		0	0	37.000		1		
C-103	1968	1	STAT		436	436	35	3	-136	P				For Cs recovery		0	0	37.000		1		
C-103	1968	2	STAT		435	435	35	-1	-137	P				For Cs recovery		0	0	37.000		1		
C-103	1968	3	STAT		433	433	35	-2	-139	P				Cs feed		0	0	37.000		1		
C-103	1968	4	STAT		431	431	35	-2	-141					Cs feed		0	0	37.000		1		
C-103	1969	1	STAT		431	431	35	#N/A	-141	P						0	0	37.000		1		
C-103	1969	2	STAT		429	429	35	-2	-143	P						0	0	37.000		1		
C-103	1969	3	SEND	-326		103		#N/A	-143	SU		C-105				0	0	37.000		1		
C-103	1969	3	STAT		103	103	35	#N/A	-143	P				326 to 105C		0	0	37.000		4	O	ARH-1200C-5
C-103	1969	4	STAT		103	103	35	#N/A	-143	P						0	0	37.000		1		
C-103	1970	1	XIN	3		106		#N/A	-143	WTR		WTR	Omis.		Omission	0	0	37.000		1		
C-103	1970	1	REC	385		491		#N/A	-143	SU	BX-101	BX-101				0	0	37.000		3	V	ARH-1666A-5
C-103	1970	1	STAT		491	491	35	#N/A	-143	P,BL				385 from 101-BX, 3 from water flush		0	0	37.000		4	O	ARH-1666A-5
C-103	1970	2	REC	415		906		#N/A	-143	SU	B-102	B-102				0	0	37.000		1		
C-103	1970	2	SEND	-798		108		#N/A	-143	SU		C-105				0	0	37.000		4	O	ARH-1666B-5
C-103	1970	2	STAT		109	109	85	1	-142	BL				415 from 102-B, 798 to 105-C		0	0	37.000		4	O	ARH-1666B-5
C-103	1970	3	REC	69		178		#N/A	-142	SU	C-106	C-106				0.05882353	4.0588	41.059	AR	1		
																				4	O	ARH-1666D-5/ARH-1666C-5 SEND

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-103	1970	3	STAT		180	180	99	2	-140	BL,PSS				69 from 106C		0	0	41.059		1		
C-103	1970	4	REC	99		279		#N/A	-140	SU	C-106	C-106				0.05882353	5.8235	46.882	AR	4	O	ARH-1666A-5
C-103	1970	4	STAT		279	279	99	#N/A	-140	BL,PSS				99 from 106C		0	0	46.882		1		
C-103	1971	1	REC	257		536		#N/A	-140	SU	C-106	C-106				0.05882353	15.118	62.000	AR	4	O	ARH-2074A-5
C-103	1971	1	SEND	-444		92		#N/A	-140	SU		C-106				0	0	62.000		4	O	ARH-2074-A5
C-103	1971	1	STAT		92	92	92	#N/A	-140					257 from 106-C, 444 to 106-C		0	0	62.000		1		
C-103	1971	2	STAT		92	92	92	#N/A	-140							0	0	62.000		1		
C-103	1971	3	STAT		90	90	90	-2	-142							0	0	62.000		1		
C-103	1971	4	STAT		102	102	102	12	-130							0	0	62.000		1		
C-103	1972	1	STAT		102	102	102	#N/A	-130							0	0	62.000		1		
C-103	1972	2	STAT		102	102	102	#N/A	-130							0	0	62.000		1		
C-103	1972	3	REC	437		539		#N/A	-130	SU	C-104	C-104				0	0	62.000		4	O	ARH-2456C-4
C-103	1972	3	STAT		539	539	90	#N/A	-130	CW,OWW				437 from 104-C		0	0	62.000		1		
C-103	1972	4	SEND	-443		96		#N/A	-130	SU		C-104				0	0	62.000		4	O	ARH-2456D-4
C-103	1972	4	STAT		92	92	90	-4	-134	CW				443 to 104-C		0	0	62.000		1		
C-103	1973	1	STAT		94	94	90	2	-132	CW						0	0	62.000		1		
C-103	1973	2	REC	145		239		#N/A	-132	SU	C-104	C-104				0	0	62.000		4	O	ARH-2794B-4
C-103	1973	2	STAT		239	239	90	#N/A	-132	BNW,N,LW,CW,PL				145 from 104-C		0	0	62.000		1		
C-103	1973	3	REC	151		390		#N/A	-132	SU	C-104	C-104				0	0	62.000		4	O	ARH-2794C-4
C-103	1973	3	STAT		390	390	90	#N/A	-132	BNW,N,LW,CW,PL				151 from 104-C		0	0	62.000		1		
C-103	1973	4	STAT		392	392	90	2	-130	LW,LW,LW,CW,PL						0	0	62.000		1		
C-103	1974	1	REC	114		506		#N/A	-130	SU	C-104	C-104				0	0	62.000		4	O	ARH-CD-133A-4
C-103	1974	1	STAT		508	508	90	2	-128	BNW,N,LW,P,B,CW,DW,IX,EB,PL				114 from 104-C * Dry Well 30-03-01, 30-03-03, 30-03-05, 30-03-07, 30-03-09 drilled.		0	0	62.000		1		
C-103	1974	2	SEND	-165		343		#N/A	-128	SU		C-104				0	0	62.000		4	O	ARH-CD-133B-4
C-103	1974	2	STAT		343	343	90	#N/A	-128	B,LW,R,B,CW,DW,IX,PL				165 to 104-C		0	0	62.000		1		
C-103	1974	3	REC	59		402		#N/A	-128	SU	C-104	C-104				0	0	62.000		4	O	ARH-CD-133C-4
C-103	1974	3	SEND	-297		105		#N/A	-128	SU		S-107				0	0	62.000		4	O	ARH-CD-133C-8
C-103	1974	3	STAT		107	107	90	2	-126	BNW,N,LW,PL,B,CW,EB				59 from 104-C, 297 to 107-S		0	0	62.000		1		
C-103	1974	4	REC	409		516		#N/A	-126	SU	C-106	C-106				0	0	62.000		4	O	ARH-CD-133D-4
C-103	1974	4	SEND	-7		509		#N/A	-126	SU		S-107				0	0	62.000		4	O	ARH-CD-133D-4
C-103	1974	4	SEND	-281		228		#N/A	-126	SU		TX-101				0	0	62.000		4	O	ARH-CD-133D-4
C-103	1974	4	STAT		224	224	73	-4	-130	BL				409 from 106-C, 7 to 107-S, 281 to 101-TX		0	0	62.000		1		
C-103	1975	1	REC	108		332		#N/A	-130	SU	C-104	C-104				0	0	62.000		4	O	ARH-CD-336A-4
C-103	1975	1	REC	404		736		#N/A	-130	SU	C-106	C-106				0	0	62.000		4	O	ARH-CD-336A-4
C-103	1975	1	REC	65		801		#N/A	-130	SU	C-107	C-107				0	0	62.000		4	O	ARH-CD-336A-4
C-103	1975	1	REC	66		867		#N/A	-130	SU	C-112	C-112				0	0	62.000		4	O	ARH-CD-336A-4
C-103	1975	1	SEND	-349		518		#N/A	-130	SU		SX-106				0	0	62.000		4	O	ARH-CD-336A-4
C-103	1975	1	STAT		516	516	73	-2	-132	BNW,N,LW,CW,DW,IX,EB,B,PL,BL				108 from 104-C, 404 from 106-C, 65 from 107-C, 66 from 112-C, 349 to 106-SX		0	0	62.000		1		
C-103	1975	2	REC	399		915		#N/A	-132	SU	C-104	C-104				0	0	62.000		4	O	ARH-CD-336B-4
C-103	1975	2	REC	258		1173		#N/A	-132	SU	C-106	C-106				0	0	62.000		4	O	ARH-CD-336B-4
C-103	1975	2	SEND	-426		747		#N/A	-132	SU		SX-106				0	0	62.000		4	O	ARH-CD-336B-4
C-103	1975	2	SEND	-584		163		#N/A	-132	SU		TX-101				0	0	62.000		4	O	ARH-CD-336B-4
C-103	1975	2	STAT		164	164	73	1	-131	BNW,N,PL,EB,P,B				399 from 104-C, 258 from 106-C, 426 to 106-SX, 584 to 101-TX		0	0	62.000		1		
C-103	1975	3	REC	195		359		#N/A	-131	SU	C-107	C-107				0	0	62.000		4	O	ARH-CD-336C-4
C-103	1975	3	REC	364		723		#N/A	-131	SU	C-109	C-109				0	0	62.000		4	O	ARH-CD-336C-4
C-103	1975	3	REC	400		1123		#N/A	-131	SU	C-112	C-112				0	0	62.000		4	O	ARH-CD-336C-4
C-103	1975	3	SEND	-1014		109		#N/A	-131	SU		SX-106				0	0	62.000		4	O	ARH-CD-336C-4
C-103	1975	3	STAT		109	109	73	#N/A	-131	OWW,CW,IX				195 from 107-C, 364 from 109-C, 400 from 112-C, 1014 to 106-SX		0	0	62.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-103	1975	4	REC	35		144		#N/A	-131	SU	C-102	C-102	*-111 to ,pushed to S1			0	0	62.000		4	O	ARH-CD-336D-4
C-103	1975	4	REC	426		570		#N/A	-131	SU	C-108	C-108				0	0	62.000		4	O	ARH-CD-336D-4
C-103	1975	4	REC	85		655		#N/A	-131		C-109	C-109	LC C-109 to C-103		Omission	0	0	62.000		3	M/V	ARH-CD-336D-4
C-103	1975	4	REC	85		740		#N/A	-131	SU	C-112	C-112				0	0	62.000		4	O	ARH-CD-336D-4
C-103	1975	4	SEND	-634		106		#N/A	-131	SU		SX-106	*+711 to			0	0	62.000		4	O	ARH-CD-336D-4
C-103	1975	4	STAT		106	106	73	#N/A	-131	CW,OWW				111 from 102-C, 426 from 108-C, 85 from 109-C, 85 from 112-C, 711 to 106-SX		0	0	62.000		1		
C-103	1976	1	REC	1		107		#N/A	-131	SU	C-107	C-107				0	0	62.000		4	O	ARH-CD-702A-4
C-103	1976	1	REC	27		134		#N/A	-131	SU	C-108	C-108				0	0	62.000		4	O	ARH-CD-702A-4
C-103	1976	1	REC	9		143		#N/A	-131	SU	C-109	C-109				0	0	62.000		4	O	ARH-CD-702A-4
C-103	1976	1	REC	62		205		#N/A	-131	SU	C-110	C-110				0	0	62.000		4	O	ARH-CD-702A-4
C-103	1976	1	REC	41		246		#N/A	-131	SU	C-111	C-111	PUMPED ONLY 41?			0	0	62.000		4	O	ARH-CD-702A-4
C-103	1976	1	REC	3		249		#N/A	-131	SU	C-112	C-112				0	0	62.000		4	O	ARH-CD-702A-4
C-103	1976	1	STAT		274	274	73	25	-106	BNW,N,LW,CW,DW,IX,TBP,R,R,OWW				1 from 107-C, 27 from 108-C, 9 from 109-C, 62 from 110-C, 63 from 111-C, 3 from 112-C		0	0	62.000		1		
C-103	1976	2	XIN	5		279		#N/A	-106	WTR		WTR	Omis.		Omission	0	0	62.000		3	V	ARH-CD-702B-4
C-103	1976	2	REC	1		280		#N/A	-106	SU	C-108	C-108				0	0	62.000		4	O	ARH-CD-702B-4
C-103	1976	2	REC	4		284		#N/A	-106	SU	C-110	C-110				0	0	62.000		4	O	ARH-CD-702B-4
C-103	1976	2	REC	11		295		#N/A	-106	SU	C-111	C-111	PUMPED 11?			0	0	62.000		4	O	ARH-CD-702B-4
C-103	1976	2	REC	1		296		#N/A	-106	SU	C-112	C-112				0	0	62.000		4	O	ARH-CD-702B-4
C-103	1976	2	STAT		288	288	73	-8	-114	BNW,N,LW,CW,DW,IX,TBP,R,OWW,RIX,EB				1 from 108-C, 4 from 110-C, 2 from 111-C, 1 from 112-C, 5 water		0	0	62.000		1		
C-103	1976	3	STAT		321	321	73	33	-81	FD				Purex Waste Storege		0	0	62.000		1		
C-103	1976	4	rec	24		345		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1976	4	STAT		345	345	73	#N/A	-81	FD				Evap. B Plant Waste Recovery		0	0	62.000		1		
C-103	1977	1	rec	39		384		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1977	1	STAT		384	384	68	#N/A	-81	FD				Evap.B Plant Waste Recovery		0	0	62.000		1		
C-103	1977	2	rec	3		387		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1977	2	STAT		387	387	68	#N/A	-81	FD				Evap.B Plant Waste Recovery		0	0	62.000		1		
C-103	1977	3	send	-113		274		#N/A	-81			A-102				0	0	62.000		0		
C-103	1977	3	STAT		274	274	150	#N/A	-81	SRS				Evap.B Plant Waste Recovery		0	0	62.000		1		
C-103	1977	4	rec	148		422		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1977	4	STAT		422	422	153	#N/A	-81	SRS				Evap.B Plant Waste Recovery		0	0	62.000		1		
C-103	1978	1	REC	119		541		#N/A	-81	SU	C-107	C-107				0	0	62.000		1		
C-103	1978	1	REC	100		641		#N/A	-81	SU	C-107	C-107				0	0	62.000		1		
C-103	1978	1	rec	11		652		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1978	1	SEND	-204		448		#N/A	-81	SU		BX-104				0	0	62.000		1		
C-103	1978	1	SEND	-64		384		#N/A	-81	SU		BX-104				0	0	62.000		1		
C-103	1978	1	SEND	-54		330		#N/A	-81	SU		BX-104				0	0	62.000		1		
C-103	1978	1	SEND	-50		280		#N/A	-81	SU		BX-104				0	0	62.000		1		
C-103	1978	1	SEND	-45		235		#N/A	-81	SU		BX-104				0	0	62.000		1		
C-103	1978	1	STAT		235	235	164	#N/A	-81	NCPLX						0	0	62.000		1		
C-103	1978	2	rec	25		260		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1978	2	STAT		260	260	167	#N/A	-81	NCPLX				Active-SW RCR-Evap. Feed		0	0	62.000		1		
C-103	1978	3	send	-18		242		#N/A	-81			A-102				0	0	62.000		0		
C-103	1978	3	STAT		242	242	175	#N/A	-81	NCPLX				Solids Level eval 9/18/78		0	0	62.000		1		
C-103	1978	4	rec	54		296		#N/A	-81		A-102	A-102				0	0	62.000		0		
C-103	1978	4	STAT		296	296	175	#N/A	-81	NCPLX						0	0	62.000		1		
C-103	1979	1	STAT		301	301	175	5	-76	NCPLX						0	0	62.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
C-103	1979	2	STAT		307	307	175	6	-70	NCPLX						0	0	62.000		1		
C-103	1979	3	SEND	-113		194		#N/A	-70	SU		C-104				0	0	62.000		1		
C-103	1979	3	STAT		200	200	175	6	-64							0	0	62.000		1		
C-103	1979	4	STAT		200	200	175	#N/A	-64					Inactive		0	0	62.000		1		
C-103	1980	1	STAT		200	200	175	#N/A	-64							0	0	62.000		1		
C-103	1980	2	STAT		200	200	175	#N/A	-64							0	0	62.000		1		
C-103	1980	3	STAT		200	200	175	#N/A	-64							0	0	62.000		1		
C-103	1980	4	STAT		200	200	175	#N/A	-64	NCPLX						0	0	62.000		1		
C-103	1993	2	STAT		195	195	62	-5	-69	NCPLX						0	0	62.000		1		
C-103	1993	4	STAT		195	195	62	#N/A	-69							0	0	62.000		1		
C-103	1994	1	STAT		195	195	62	#N/A	-69							0	0	62.000		1		
C-103	2000															0	0	62.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-104	1900																					
C-104	1946	4	CSEND	0		0		#N/A	0	SET	C-105											
C-104	1946	4	XIN	5		5		#N/A	0	MW		MW1					0	0.000		1		
C-104	1946	4	XIN	160		165		#N/A	0	MW		MW1				0.001887	0.0094	0.009	MW1	1		
C-104	1946	4	XIN	193		358		#N/A	0	MW		MW1				0.001887	0.3019	0.311	MW1	1		
																0.001887	0.3642	0.675	MW1	1		
C-104	1946	4	STAT		358	358	0	#N/A	0	MW				1st in Cascade, began filling October 1946								
C-104	1947	1	XIN	111		469		#N/A	0	MW		MW1				0	0	0.675		1		
C-104	1947	1	XIN	81		550		#N/A	0	MW		MW1				0.001887	0.2094	0.885	MW1	1		
C-104	1947	1	XIN	188		738		#N/A	0	MW		MW1				0.001887	0.1528	1.038	MW1	1		
C-104	1947	1	send	-188		550		#N/A	0	cas		C-105				0.001887	0.3547	1.392	MW1	1		
C-104	1947	1	send	-20		530		#N/A	0	cas		C-105				0	0	1.392		0		
C-104	1947	1	STAT		530	530	0	#N/A	0							0	0	1.392		0		
C-104	1947	2	XIN	98		628		#N/A	0	MW		MW1		Full in February 1947		0	0	1.392		1		
C-104	1947	2	XIN	107		735		#N/A	0	MW		MW1				0.001887	0.1849	1.577	MW1	1		
C-104	1947	2	XIN	124		859		#N/A	0	MW		MW1				0.001887	0.2019	1.779	MW1	1		
C-104	1947	2	send	-124		735		#N/A	0	cas		C-105				0.001887	0.234	2.013	MW1	1		
C-104	1947	2	send	-107		628		#N/A	0	cas		C-105				0	0	2.013		0		
C-104	1947	2	send	-98		530		#N/A	0	cas		C-105				0	0	2.013		0		
C-104	1947	2	STAT		530	530	0	#N/A	0							0	0	2.013		0		
C-104	1947	3	XIN	138		668		#N/A	0	MW		MW1		Cascading to 105-C		0	0	2.013		1		
C-104	1947	3	XIN	112		780		#N/A	0	MW		MW1				0.001887	0.2604	2.274	MW1	1		
C-104	1947	3	XIN	131		911		#N/A	0	MW		MW1				0.001887	0.2113	2.485	MW1	1		
C-104	1947	3	send	-138		773		#N/A	0	cas		C-105				0.001887	0.2472	2.732	MW1	1		
C-104	1947	3	send	-131		642		#N/A	0	cas		C-105				0	0	2.732		0		
C-104	1947	3	send	-112		530		#N/A	0	cas		C-105				0	0	2.732		0		
C-104	1947	3	STAT		530	530	0	#N/A	0							0	0	2.732		0		
C-104	1947	4	XIN	86		616		#N/A	0	MW		MW1		Cascading to 105-C & 106-C		0	0	2.732		1		
C-104	1947	4	XIN	56		672		#N/A	0	MW		MW1				0.001887	0.1623	2.894	MW1	1		
C-104	1947	4	send	-86		586		#N/A	0	cas		C-105				0.001887	0.1057	3.000	MW1	1		
C-104	1947	4	send	-56		530		#N/A	0	cas		C-105				0	0	3.000		0		
																0	0	3.000		0		
C-104	1947	4	STAT		530	530	0	#N/A	0	MW				Cascade full in November 1947								
C-104	1948	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1948	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1948	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1948	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1949	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1949	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1949	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1949	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1950	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1950	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1950	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1950	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1951	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1951	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1951	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1951	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1952	1	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1952	2	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1952	3	STAT		530	530	0	#N/A	0							0	0	3.000		1		
C-104	1952	4	STAT		530	530	0	#N/A	0							0	0	3.000		1		
																0	0	3.000		1		
C-104	1953	1	STAT		530	530	0	#N/A	0					1507 In 101 thru 106-C. 1651 removed thru CR 1218								
C-104	1953	2	xin	530		1060		#N/A	0			WTR				0	0	3.000		1		
C-104	1953	2	SEND	-530		530		#N/A	0	SL		C-106				0	0	3.000		0		
C-104	1953	2	STAT		530	530	0	#N/A	0	MW						0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
C-104	1953	3	outx	-484		46		#N/A	0			UR				0	0	3.000		0		
C-104	1953	3	STAT		46	46	0	#N/A	0	MW				MW removal in progress		0	0	3.000		1		
C-104	1953	4	outx	-46		0		#N/A	0			UR				0	0	3.000		0		
C-104	1953	4	STAT		0	0	0	#N/A	0					Sluicing		0	0	3.000		1		
C-104	1954	1	xin	312		312		#N/A	0			WTR				0	0	3.000		0		
C-104	1954	1	STAT		312	312	0	#N/A	0	MW				Supernatant supply to 244-CR Sluiced until 1-4-54								
C-104	1954	2	xin	11		323		#N/A	0			WTR				0	0	3.000		1		
C-104	1954	2	STAT		323	323	0	#N/A	0	MW				Supernatant supply to 244-CR Rec'd from 109-BY		0	0	3.000		0		
C-104	1954	3	outx	-52		271		#N/A	0			UR				0	0	3.000		1		
C-104	1954	3	STAT		271	271	0	#N/A	0	MW				Supernatant supply to 244-CR. Rec'd from 109-BY		0	0	3.000		0		
C-104	1954	4	xin	223		494		#N/A	0			WTR				0	0	3.000		1		
C-104	1954	4	STAT		494	494	0	#N/A	0	MW				Supernatant supply to 244-CR. Rec'd from 109-BY		0	0	3.000		0		
C-104	1955	1	outx	-494		0		#N/A	0			UR				0	0	3.000		1		
C-104	1955	1	STAT		0	0	0	#N/A	0					Tank to be declared empty		0	0	3.000		0		
C-104	1955	2	STAT		0	0	0	#N/A	0							0	0	3.000		1		
C-104	1955	3	STAT		0	0	0	#N/A	0							0	0	3.000		1		
C-104	1955	4	REC	420		420		#N/A	0	SU	C-112	C-112				0	0	3.000		1		
C-104	1955	4	STAT		420	420	0	#N/A	0	TBP				Received TBP in October from 112-		0	0	3.000		1		
C-104	1956	1	XIN	40		460		#N/A	0	CWP		CWP1				0.087892	3.5157	6.516	CWP1	1		
C-104	1956	1	XIN	111		571		#N/A	0	CWP		CWP1				0.087892	9.7561	16.272	CWP1	1		
C-104	1956	1	XIN	28		599		#N/A	0	CWP		CWP1				0.087892	2.461	18.733	CWP1	1		
C-104	1956	1	SEND	-375		224		#N/A	0	SU		C-101				0	0	18.733		1		
C-104	1956	1	STAT		224	224	45	#N/A	0	CW				Emptied in January & started receiving CW in January		0	0	18.733		1		
C-104	1956	2	XIN	47		271		#N/A	0	CWP		CWP1				0.087892	4.1309	22.864	CWP1	1		
C-104	1956	2	XIN	58		329		#N/A	0	CWP		CWP1				0.087892	5.0978	27.961	CWP1	1		
C-104	1956	2	XIN	110		439		#N/A	0	CWP		CWP1				0.087892	9.6682	37.630	CWP1	3	O	HW-43895-4
C-104	1956	2	STAT		439	439	45	#N/A	0	CW				Received CW		0	0	37.630		1		
C-104	1956	3	XIN	80		519		#N/A	0	CWP		CWP1				0.087892	7.0314	44.661	CWP1	3	O	HW-44860-4
C-104	1956	3	XIN	42		561		#N/A	0	CWP		CWP1				0.087892	3.6915	48.352	CWP1	3	O	HW-45140-4
C-104	1956	3	XIN	66		627		#N/A	0	CWP		CWP1				0.087892	5.8009	54.153	CWP1	3	O	HW-45738-4
C-104	1956	3	SEND	-451		176		#N/A	0	SU		C-105	AND reports 429			0	0	54.153		3	O	HW-45140-4
C-104	1956	3	STAT		176	176	45	#N/A	0	CW				Pumped 429 to 105-C. Receiving CW		0	0	54.153		1		
C-104	1956	4	XIN	63		239		#N/A	0	CWP		CWP1				0.087892	5.5372	59.691	CWP1	3	O	HW-46382-4
C-104	1956	4	XIN	80		319		#N/A	0	CWP		CWP1				0.087892	7.0314	66.722	CWP1	3	O	HW-47052-4
C-104	1956	4	XIN	87		406		#N/A	0	CWP		CWP1				0.087892	7.6466	74.369	CWP1	3	O	HW-47640-4
C-104	1956	4	STAT		409	409	45	3	3	CW						0	0	74.369		1		
C-104	1957	1	XIN	5		414		#N/A	3	CWP		CWP1				0.087892	0.4395	74.808	CWP1	3	O	HW-48144-4
C-104	1957	1	XIN	53		467		#N/A	3	CWP		CWP1				0.087892	4.6583	79.466	CWP1	1		
C-104	1957	1	STAT		464	464	45	-3	0	CW				Latest electrode reading - est. reading SS 5M CW rec'd		0	0	79.466		1		
C-104	1957	2	CSEND	0		464		#N/A	0	SET	C-105						0	79.466		1		
C-104	1957	2	XIN	71		535		#N/A	0	CWP		CWP1				0.087892	6.2404	85.707	CWP1	4	O	HW-50127-4
C-104	1957	2	XIN	61		596		#N/A	0	CWP		CWP1	OC 64 to 61		Show 61 not 64	0.087892	5.3614	91.068	CWP1	3	V	HW-50617-4
C-104	1957	2	XIN	113		709		#N/A	0	CWP		CWP1				0.087892	9.9318	101.000	CWP1	4	O	HW-51348-4
C-104	1957	2	send	-113		596		#N/A	0	cas		C-105				0	0	101.000		0		
C-104	1957	2	send	-61		535		#N/A	0	cas		C-105				0	0	101.000		0		
C-104	1957	2	send	-5		530		#N/A	0	cas		C-105				0	0	101.000		0		
C-104	1957	2	CSEND	0		530		#N/A	0	END	C-105						0	101.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-104	1957	2	STAT		541	541	45	11	11	CW				SS 71M gals, 61M gal, 113M gals, CW rec'd, cascading to 105-C		0	0	101.000		1		
C-104	1957	3	STAT		543	543	46	2	13	CW						0	0	101.000		1		
C-104	1957	4	STAT		535	535	46	-8	5	CW				SS		0	0	101.000		1		
C-104	1958	1	STAT		538	538	46	3	8	CW				SS		0	0	101.000		1		
C-104	1958	2	XIN	0		538		#N/A	8	CWP		CWP1	not used 80 to 0		Omission		0	101.000		3	V	HW-55997-4
C-104	1958	2	XIN	0		538		#N/A	8	CWP		CWP1	not used 74 to 0		Omission		0	101.000		3	V	HW-56357-4
C-104	1958	2	STAT		535	535	46	-3	5	CW			XIN total 154	SS, 154 CW rec'd		0	0	101.000		1		
C-104	1958	3	STAT		541	541	46	6	11					Latest electrode reading		0	0	101.000		1		
C-104	1958	4	STAT		541	541	46	#N/A	11	CW						0	0	101.000		1		
C-104	1959	1	STAT		524	524	46	-17	-6	CW						0	0	101.000		1		
C-104	1959	2	STAT		517	517	46	-7	-13	CW						0	0	101.000		1		
C-104	1959	3	STAT		524	524	46	7	-6					Latest electrode reading		0	0	101.000		1		
C-104	1959	4	STAT		524	524	46	#N/A	-6	CW				Latest electrode reading		0	0	101.000		1		
C-104	1960	1	REC	14		538		#N/A	-6	SU	C-105	C-105				0	0	101.000		1		
C-104	1960	1	STAT		538	538	46	#N/A	-6							0	0	101.000		4	O	HW-64810-4
C-104	1960	2	STAT		538	538	46	#N/A	-6					14 from 108-SX		0	0	101.000		1		
C-104	1960	3	STAT		538	538	46	#N/A	-6							0	0	101.000		1		
C-104	1960	4	STAT		538	538	46	#N/A	-6	CW						0	0	101.000		1		
C-104	1961	1	STAT		N/A	538		#N/A	-6							0	0	101.000		1		
C-104	1961	2	STAT		538	538	46	#N/A	-6	CW							0	101.000		1		
C-104	1961	3	STAT		N/A	538		#N/A	-6					[6 month report		0	0	101.000		1		
C-104	1961	4	STAT		541	541	46	3	-3	CW							0	101.000		1		
C-104	1962	1	STAT		N/A	541		#N/A	-3					Latest electrode reading [6 month report		0	0	101.000		1		
C-104	1962	2	STAT		538	538	46	-3	-6	CW							0	101.000		1		
C-104	1962	3	STAT		N/A	538		#N/A	-6					Latest electrode reading		0	0	101.000		1		
C-104	1962	4	STAT		538	538	46	#N/A	-6	CW				[6 month report			0	101.000		1		
C-104	1963	1	STAT		N/A	538		#N/A	-6							0	0	101.000		1		
C-104	1963	2	STAT		543	543	101	5	-1	CW							0	101.000		1		
C-104	1963	3	STAT		N/A	543		#N/A	-1					Latest electrode reading [6 month report		0	0	101.000		1		
C-104	1963	4	STAT		541	541	101	-2	-3	CW							0	101.000		1		
C-104	1964	1	STAT		N/A	541		#N/A	-3					Latest electrode reading [6 month report		0	0	101.000		1		
C-104	1964	2	STAT		539	539	101	-2	-5	CW							0	101.000		1		
C-104	1964	3	STAT		N/A	539		#N/A	-5					Latest electrode reading [6 month report		0	0	101.000		1		
C-104	1964	4	STAT		539	539	101	#N/A	-5	CW							0	101.000		1		
C-104	1965	1	STAT		N/A	539		#N/A	-5							0	0	101.000		1		
C-104	1965	2	XIN	15		554		#N/A	-5		CR VAL	DW	Omis.		Omission		0	101.000		3	V	RL-SEP-659-4
C-104	1965	2	STAT		554	554	90	#N/A	-5	CW				15 from CR 6 month report		0	0	101.000		1		
C-104	1965	3	STAT		560	560	90	6	1							0	0	101.000		1		
C-104	1965	4	STAT		560	560	90	#N/A	1							0	0	101.000		1		
C-104	1966	1	STAT		560	560	90	#N/A	1	CW						0	0	101.000		1		
C-104	1966	2	STAT		532	532	90	-28	-27							0	0	101.000		1		
C-104	1966	3	STAT		532	532	90	#N/A	-27					New electrode		0	0	101.000		1		
C-104	1966	4	STAT		532	532	90	#N/A	-27							0	0	101.000		1		
C-104	1967	1	STAT		532	532	90	#N/A	-27							0	0	101.000		1		
C-104	1967	2	STAT		532	532	90	#N/A	-27							0	0	101.000		1		
C-104	1967	3	STAT		532	532	90	#N/A	-27							0	0	101.000		1		
C-104	1967	4	STAT		532	532	90	#N/A	-27	CW						0	0	101.000		1		
C-104	1968	1	STAT		531	531	90	-1	-28							0	0	101.000		1		
C-104	1968	2	STAT		531	531	90	#N/A	-28	CW						0	0	101.000		1		
C-104	1968	3	STAT		530	530	90	-1	-29	CW						0	0	101.000		1		
C-104	1968	4	STAT		530	530	90	#N/A	-29							0	0	101.000		1		
C-104	1969	1	STAT		530	530	90	#N/A	-29	CW						0	0	101.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-104	1969	2	SEND	-330		200		#N/A	-29	SU		C-102				0	0	101.000		4	O	ARH-1200B-5
C-104	1969	2	STAT		200	200	90	#N/A	-29	CW				330 to 102-C		0	0	101.000		1		
C-104	1969	3	STAT		200	200	90	#N/A	-29	CW						0	0	101.000		1		
C-104	1969	4	XIN	262		462		#N/A	-29	CWP		CWP2				0.018405	4.8221	105.822	CWP2	4	O	ARH-1200D-5
C-104	1969	4	XIN	262		724		#N/A	-29	OWW		OWW3				0.006004	1.5731	107.395	OWW	4	O	ARH-1200D-5
C-104	1969	4	REC	223		947		#N/A	-29	SU	C-107	C-107				0	0	107.395		4	O	ARH-1200D-5
C-104	1969	4	REC	349		1296		#N/A	-29	SU	C-111	C-111				0	0	107.395		4	O	ARH-1200D-5
C-104	1969	4	SEND	-1048		248		#N/A	-29			BX-103			Omission	0	0	107.395		4	V	ARH-1200D-5
C-104	1969	4	STAT		246	246	90	-2	-31	CW			XIN total 524, REC total 572	523 from Purex, 572 from 107-C & 111-C, 1,048 to 103-3X		0	0	107.395		1		
C-104	1970	1	XIN	273		519		#N/A	-31	CWP		CWP2				0.018405	5.0245	112.420	CWP2	4	O	ARH-1666A-5
C-104	1970	1	XIN	273		792		#N/A	-31	OWW		OWW3				0.006004	1.6392	114.059	OWW	4	O	ARH-1666A-5
C-104	1970	1	REC	397		1189		#N/A	-31	SU	C-109	C-109				0	0	114.059		4	O	ARH-1666A-5
C-104	1970	1	REC	340		1529		#N/A	-31	SU	C-112	C-112				0	0	114.059		4	O	ARH-1666A-5
C-104	1970	1	SEND	-1182		347		#N/A	-31	SU		BX-103				0	0	114.059		4	O	ARH-1666A-5
C-104	1970	1	STAT		347	347	96	#N/A	-31	CW,OWW			XIN total 546, REC total 737	737 from 109-C & 112-C, 546 from Purex, 1182 to 103-BX		0	0	114.059		1		
C-104	1970	2	XIN	410		757		#N/A	-31	CWP		CWP2				0.018405	7.546	121.605	CWP2	4	O	ARH-1666B-5
C-104	1970	2	XIN	410		1167		#N/A	-31	OWW		OWW3				0.006004	2.4617	124.067	OWW	4	O	ARH-1666B-5
C-104	1970	2	SEND	-1007		160		#N/A	-31	SU		BX-103				0	0	124.067		4	O	ARH-1666B-5
C-104	1970	2	REC	54		214		#N/A	-31	SU	C-201	C-201				0	0	124.067		4	O	ARH-1666B-5
C-104	1970	2	REC	55		269		#N/A	-31	SU	C-202	C-202				0	0	124.067		4	O	ARH-1666B-5
C-104	1970	2	REC	12		281		#N/A	-31	SU	C-203	C-203				0	0	124.067		4	O	ARH-1666B-5
C-104	1970	2	REC	14		295		#N/A	-31	SU	C-204	C-204				0	0	124.067		4	O	ARH-1666B-5
C-104	1970	2	STAT		296	296	149	1	-30	CW,OWW			REC total 135, XIN total 821	821 from Purex, 135 from 201, 202, 203, & 204-C, 1007 to 103-BX		0	0	124.067		1		
C-104	1970	3	XIN	171		467		#N/A	-30	CWP		CWP2				0.018405	3.1472	127.214	CWP2	4	O	ARH-1666C-5
C-104	1970	3	XIN	466		933		#N/A	-30	OWW		OWW3				0.006004	2.798	130.012	OWW	4	O	ARH-1666C-5
C-104	1970	3	XIN	71		1004		#N/A	-30	TH		TH2				0.026316	1.8684	131.880	TH2	4	O	ARH-1666C-5
C-104	1970	3	XIN	428		1432		#N/A	-30	THL		TH2				0.026316	11.263	143.143	TH2	4	O	ARH-1666C-5
C-104	1970	3	SEND	-848		584		#N/A	-30	SU		BX-101										ARH-1666C-6/ARH-1666C-5 SEND
C-104	1970	3	SEND	-104		480		#N/A	-30	SU		BX-103				0	0	143.143		4	O	ARH-1666C-5
C-104	1970	3	STAT		480	480	92	#N/A	-30	OWW,CW,IWW			XIN total 1136	1136 from Purex, 104 to 103-BX, 848 to 101-BX		0	0	143.143		1		
C-104	1970	4	XIN	279		759		#N/A	-30	CWP		CWP2				0.018405	5.135	148.278	CWP2	4	O	ARH-1666D-5
C-104	1970	4	XIN	40		799		#N/A	-30		CR-VAU	DW	Omis.		Omission	0	0	148.278		3	V	ARH-1666D-5
C-104	1970	4	XIN	679		1478		#N/A	-30	OWW		OWW3				0.006004	4.0769	152.355	OWW	4	O	ARH-1666D-5
C-104	1970	4	XIN	175		1653		#N/A	-30	PL		PL1				0.022936	4.0138	156.369	PL1	4	O	ARH-1666D-5
C-104	1970	4	XIN	413		2066		#N/A	-30	TH		TH2				0.026316	10.868	167.238	TH2	4	O	ARH-1666D-5
C-104	1970	4	SEND	-1614		452		#N/A	-30	SU		BX-101				0	0	167.238		4	O	ARH-1666D-5
C-104	1970	4	STAT		453	453	132	1	-29	CW,OWW			XIN total 1547	1547 from Purex, 40 from 011-CR, 1614 to 101-BX		0	0	167.238		1		
C-104	1971	1	XIN	189		642		#N/A	-29	CWP		CWP2				0.018405	3.4785	170.716	CWP2	4	O	ARH-2074A-5
C-104	1971	1	XIN	189		831		#N/A	-29	OWW		OWW3				0.006004	1.1348	171.851	OWW	4	O	ARH-2074A-5
C-104	1971	1	SEND	-348		483		#N/A	-29	SU		BX-101				0	0	171.851		4	O	ARH-2074A-6
C-104	1971	1	STAT		481	481	153	-2	-31	OWW			XIN total 378	377 from Purex, 348 to 101-BX		0	0	171.851		1		
C-104	1971	2	XIN	559		1040		#N/A	-31	CWP		CWP2				0.018405	10.288	182.139	CWP2	4	O	ARH-2074B-5
C-104	1971	2	XIN	559		1599		#N/A	-31	OWW		OWW3				0.006004	3.3564	185.496	OWW	4	O	ARH-2074B-5
C-104	1971	2	SEND	-1092		507		#N/A	-31	SU		BX-101				0	0	185.496		4	O	ARH-2074B-5
C-104	1971	2	STAT		507	507	153	#N/A	-31	CW,OWW			XIN total 1118	1,118 from Purex, 1,092 to 101-BX		0	0	185.496		1		
C-104	1971	3	XIN	474		981		#N/A	-31	CWP		CWP2				0.018405	8.7239	194.219	CWP2	3	O	ARH-2074C-5
C-104	1971	3	XIN	474		1455		#N/A	-31	OWW		OWW3				0.006004	2.848	197.068	OWW	3	O	ARH-2074C-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-104	1971	3	SEND	-89		1366		#N/A	-31	SU		BX-101				0	0	197.066		4	O	ARH-2074C-5
C-104	1971	3	SEND	-896		470		#N/A	-31	SU		BX-103				0	0	197.066		4	O	ARH-2074D-6/ARH-2074C-5 SEND
C-104	1971	3	STAT		466	466	153	-4	-35	CW,OWW				89 to 101-BX, Q47 from Purex, 896 to 103-B		0	0	197.066		1		
C-104	1971	4	XIN	487		953		#N/A	-35	CWP		CWP2				0.018405	8.9632	206.029	CWP2	4	O	ARH-2074D-5
C-104	1971	4	XIN	487		1440		#N/A	-35	OWW		OWW3				0.006004	2.9241	208.953	OWW	4	O	ARH-2074D-5
C-104	1971	4	SEND	-102		1338		#N/A	-35	SU		BX-101				0	0	208.953		4	O	ARH-2074D-5
C-104	1971	4	SEND	-1230		108		#N/A	-35	SU		BX-103				0	0	208.953		4	O	ARH-2074D-5
C-104	1971	4	REC	326		434		#N/A	-35	SU	C-110	C-110				0	0	208.953		4	O	ARH-2074D-5
C-104	1971	4	STAT		437	437	175	3	-32	CW,OWW			XIN total 973	973 from Purex, 326 from 110-C, 1,230 to 103-BX, 102 to 101-BX								
C-104	1972	1	XIN	364		801		#N/A	-32	CWP		CWP2				0	0	208.953		1		
C-104	1972	1	XIN	364		1165		#N/A	-32	OWW		OWW3				0.018405	6.6994	215.652	CWP2	4	O	ARH-2456A-4
C-104	1972	1	REC	253		1418		#N/A	-32	SU	C-107	C-107				0.006004	2.1856	217.838	OWW	4	O	ARH-2456A-4
C-104	1972	1	REC	195		1613		#N/A	-32	SU	C-108	C-108				0	0	217.838		4	O	ARH-2456A-4
C-104	1972	1	SEND	-1262		351		#N/A	-32	SU		BX-103				0	0	217.838		4	O	ARH-2456A-4
C-104	1972	1	STAT		351	351	188	#N/A	-32	CW,OWW			XIN total 728	727 from Purex, 253 from 107-C, 195 from 108-C, 1262 to 103-BX * Dry Wells 30-04-02, 30-04-08, 30-04-12 drilled.		0	0	217.838		1		
C-104	1972	2	XIN	281		632		#N/A	-32	CWP		CWP2	OC 260 to 281		Total 541 for these 2	0.018405	5.1718	223.010	CWP2	4	O	ARH-2456B-4
C-104	1972	2	XIN	260		892		#N/A	-32	OWW		OWW3			Total 541 for these 2	0.006004	1.5611	224.571	OWW	4	O	ARH-2456B-4
C-104	1972	2	SEND	-595		297		#N/A	-32	SU		BX-103				0	0	224.571		4	O	ARH-2456B-4
C-104	1972	2	REC	69		366		#N/A	-32	SU	C-108	C-108				0	0	224.571		4	O	ARH-2456B-4
C-104	1972	2	STAT		366	366	198	#N/A	-32	CW,OWW,P			XIN total 541	541 from Purex, 69 from 108-C, 595 to 103-BX								
C-104	1972	3	XIN	623		989		#N/A	-32	CWP		CWP2				0	0	224.571		1		
C-104	1972	3	XIN	623		1612		#N/A	-32	OWW		OWW3				0.04333868	27	251.571	CWP/	4	O	ARH-2456C-4
C-104	1972	3	SEND	-758		854		#N/A	-32	SU		BX-103				0.006004	3.7407	255.311	OWW	4	O	ARH-2456C-4
C-104	1972	3	SEND	-437		417		#N/A	-32	SU		C-103				0	0	255.311		4	O	ARH-2456C-4
C-104	1972	3	SEND	-34		383		#N/A	-32	SU		C-105				0	0	255.311		4	O	ARH-2456C-4
C-104	1972	3	STAT		384	384	198	1	-31	OWW,P			XIN total 1247	1247 From Purex, 758 to 103-BX, 437 to 104-C, 34 to 105-C								
C-104	1972	4	XIN	117		501		#N/A	-31	OWW		OWW3				0	0	255.311		1		
C-104	1972	4	REC	309		810		#N/A	-31	SU	U-107	U-107				0.006004	0.7025	256.014	OWW	4	O	ARH-2456D-4
C-104	1972	4	REC	443		1253		#N/A	-31	SU	C-103	C-103				0.00664	2.0518	258.066	CWR2	4	O	ARH-2456D-4
C-104	1972	4	SEND	-918		335		#N/A	-31	SU		BX-103				0	0	258.066		4	O	ARH-2456D-4
C-104	1972	4	STAT		334	334	198	-1	-32	N,BNW,OWW,CW,EB				117 From Purex, 443 from 103-C, 309 from 107-U, 918 to 103-BX		0	0	258.066		4	O	ARH-2456D-4
C-104	1973	1	XIN	46		380		#N/A	-32	PL		PL1				0	0	258.066		1		
C-104	1973	1	REC	748		1128		#N/A	-32	SU	U-107	U-107				0.022936	1.055	259.121	PL1	4	O	ARH-2794A-4
C-104	1973	1	SEND	-611		517		#N/A	-32	SU		BX-103				0.00664	4.9668	264.087	CWR2	4	O	ARH-2794A-4
C-104	1973	1	STAT		517	517	198	#N/A	-32	CW,BNW,PL,N				46 from Purex, 748 from 107-U, 611 to 103-BX		0	0	264.087		4	O	ARH-2794A-4
C-104	1973	2	XIN	44		561		#N/A	-32	PL		PL1				0	0	264.087		1		
C-104	1973	2	REC	481		1042		#N/A	-32	SU	U-107	U-107				0.022936	1.0092	265.097	PL1	4	O	ARH-2794B-4
C-104	1973	2	SEND	-566		476		#N/A	-32	SU		BX-103				0.00664	3.1939	268.290	CWR2	4	O	ARH-2794B-4
C-104	1973	2	SEND	-145		331		#N/A	-32	SU		C-103				0	0	268.290		4	O	ARH-2794B-4
C-104	1973	2	STAT		332	332	198	1	-31	BNW,N,LW,CW,PL				44 from Purex, 481 from 107-U, 145 to 103-C, 566 to 103-BX		0	0	268.290		4	O	ARH-2794B-4
C-104	1973	3	SEND	-151		181		#N/A	-31	SU		C-103				0	0	268.290		1		
C-104	1973	3	REC	222		403		#N/A	-31	SU	TY-101	TY-101				0	0	268.290		4	O	ARH-2794C-4
																0	0	268.290		4	O	ARH-2794C-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-104	1973	3	REC	354		757		#N/A	-31	SU	U-107	U-107				0.00664	2.3506	270.641	CWR2	4	O	ARH-2794C-4
C-104	1973	3	SEND	-31		726		#N/A	-31	SU		C-107				0	0	270.641		4	O	ARH-2794C-4
C-104	1973	3	SEND	-245		481		#N/A	-31	SU		C-108				0	0	270.641		4	O	ARH-2794C-4
C-104	1973	3	STAT		483	483	198	2	-29	BNW,N,LW,R,CW,DW,IX,TBP				222 from 101-TY,354 from 107-U, 151 to 103-C, 31 to 107-C, 245 to 108-C		0	0	270.641		1		
C-104	1973	4	XIN	31		514		#N/A	-29	P		P2				0.021978	0.6813	271.322	P2	4	O	ARH-2794D-4
C-104	1973	4	SEND	-307		207		#N/A	-29	SU		B-103				0	0	271.322		4	O	ARH-2794D-4
C-104	1973	4	REC	79		286		#N/A	-29	SU	A-101	A-101				0.008409	0.6643	271.987	SRR	4	O	ARH-2794D-4/ARH-2794D-9 SEND
C-104	1973	4	REC	367		653		#N/A	-29	SU	U-107	U-107				0.00664	2.4369	274.424	CWR2	4	O	ARH-2794D-4
C-104	1973	4	SEND	-213		440		#N/A	-29	SU		C-107				0	0	274.424		4	O	ARH-2794D-4
C-104	1973	4	STAT		436	436	274	-4	-33	P,B,CW,N,BNW,DW,IX,EB				31 from Purex, 79 from 101-A 367 from 107-U, 307 to 103-B, 213 to 107-C		0	0	274.424		1		
C-104	1974	1	XIN	35		471		#N/A	-33		CR VAL	DW	Omis.		Omission	0	0	274.424		3	V	ARH-CD-133A-4
C-104	1974	1	XIN	27		498		#N/A	-33	P		P2				0.021978	0.5934	275.017	P2	4	O	ARH-CD-133A-4
C-104	1974	1	XIN	1		499		#N/A	-33	WTR		WTR	OC 0 to 1		Shows 1 not 0	0	0	275.017		3	V	ARH-CD-133A-4
C-104	1974	1	XIN	4		503		#N/A	-33	WTR		WTR	Omis. REC 302-A CT		Omission	0	0	275.017		3	V	ARH-CD-133A-4
C-104	1974	1	SEND	-114		389		#N/A	-33	SU		C-103				0	0	275.017		4	O	ARH-CD-133A-4
C-104	1974	1	REC	45		434		#N/A	-33	SU	A-101	A-101				0.008409	0.3784	275.395	SRR	4	O	ARH-CD-133A-4
C-104	1974	1	REC	1		435		#N/A	-33	SU	AX-103	AX-103				0	0	275.395		4	O	ARH-CD-133A-4
C-104	1974	1	STAT		439	439	274	4	-29	P,B,N,BNW,IX				27 from Purex, 35 from CR Vault, 4 from 302-A Catch Tank, 45 from 101-A, 1 from 103-AX, 1 water, 114 to 103-C **Dry Wells 30-04-01, 30-04-03, 30-04-04, 30-04-05 drilled.		0	0	275.395		1		
C-104	1974	2	XIN	16		455		#N/A	-29	PL		PL1				0.022936	0.367	275.762	PL1	4	O	ARH-CD-133B-4
C-104	1974	2	XIN	13		468		#N/A	-29	WTR		WTR				0	0	275.762		4	O	ARH-CD-133B-4
C-104	1974	2	REC	165		633		#N/A	-29	SU	C-103	C-103				0	0	275.762		4	O	ARH-CD-133B-4
C-104	1974	2	REC	65		698		#N/A	-29	SU	C-111	C-111				0	0	275.762		4	O	ARH-CD-133B-4
C-104	1974	2	SEND	-358		340		#N/A	-29	SU		S-107				0	0	275.762		4	O	ARH-CD-133B-4
C-104	1974	2	STAT		337	337	274	-3	-32	BNW,N,LW,B,CW,P				16 from Purex, 165 from 103-C, 65 from 111-C, 13 water, 358 to 107-S		0	0	275.762		1		
C-104	1974	3	XIN	10		347		#N/A	-32	PL		PL1				0.022936	0.2294	275.992	PL1	4	O	ARH-CD-133C-4
C-104	1974	3	XIN	3		350		#N/A	-32	WTR		WTR				0	0	275.992		4	O	ARH-CD-133C-4
C-104	1974	3	SEND	-59		291		#N/A	-32	SU		C-103				0	0	275.992		4	O	ARH-CD-133C-4
C-104	1974	3	REC	49		340		#N/A	-32	SU	C-101	C-101				0	0	275.992		4	O	ARH-CD-133C-4
C-104	1974	3	STAT		340	340	274	#N/A	-32	BNW,N,LW,B,CW,PL,EB				10 from Purex, 49 from 101-C, 3 water, 59 to 103-C		0	0	275.992		1		
C-104	1974	4	XIN	11		351		#N/A	-32	PL		PL1				0.022936	0.2523	276.244	PL1	4	O	ARH-CD-133D-4
C-104	1974	4	STAT		351	351	235	#N/A	-32	BNW,N,LW,B,CW,PL,EB				11 from Purex		0	0	276.244		1		
C-104	1975	1	XIN	50		401		#N/A	-32	PL		PL1				0.022936	1.1468	277.391	PL1	4	O	ARH-CD-336A-4
C-104	1975	1	SEND	-108		293		#N/A	-32	SU		C-103				0	0	277.391		4	O	ARH-CD-336A-4
C-104	1975	1	STAT		296	296	235	3	-29	BNW,N,LW,B,CW,PL,EB				50 from Purex, 108 to 103-C		0	0	277.391		1		
C-104	1975	2	XIN	33		329		#N/A	-29	P		P2				0.021978	0.7253	278.116	P2	4	O	ARH-CD-336B-4
C-104	1975	2	REC	485		814		#N/A	-29	SU	A-101	A-101				0.008409	4.0785	282.195	SRR	4	O	ARH-CD-336B-4
C-104	1975	2	SEND	-399		415		#N/A	-29	SU		C-103				0	0	282.195		4	O	ARH-CD-336B-4
C-104	1975	2	STAT		417	417	235	2	-27	P,B				33 from Purex, 485 from 101-A, 399 to 103-C		0	0	282.195		1		
C-104	1975	3	XIN	14		431		#N/A	-27	PL		PL1				0.022936	0.3211	282.516	PL1	4	O	ARH-CD-336C-4
C-104	1975	3	XIN	1		432		#N/A	-27	WTR		WTR				0	0	282.516		4	O	ARH-CD-336C-4
C-104	1975	3	REC	818		1250		#N/A	-27	SU	A-101	A-101				0.008409	6.8788	289.394	SRR	4	O	ARH-CD-336C-4
C-104	1975	3	REC	101		1351		#N/A	-27	SU	C-106	C-106				0	0	289.394		4	O	ARH-CD-336C-4
C-104	1975	3	SEND	-1044		307		#N/A	-27	SU		TX-101				0	0	289.394		4	O	ARH-CD-336C-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
														14 from Purex, 818 from 101-A, 101 from 106-C, 1 water, 1044 to 101-TX								
C-104	1975	3	STAT		299	299	235	-8	-35	BL						0	0	289.394		1		
C-104	1975	4	XIN	38		337		#N/A	-35	PL		PL1				0.022936	0.8716	290.266	PL1	4	O	ARH-CD-336D-4
C-104	1975	4	XIN	4		341		#N/A	-35	WTR		WTR	Omis. REC A-151 CT		Omission	0	0	290.266		3	V	ARH-CD-336D-4
C-104	1975	4	REC	595		936		#N/A	-35	SU	C-106	C-106				0	0	290.266		4	O	ARH-CD-336D-4
C-104	1975	4	SEND	-193		743		#N/A	-35	SU		TX-101				0	0	290.266		4	O	ARH-CD-336D-4
C-104	1975	4	SEND	-229		514		#N/A	-35	SU		U-106				0	0	290.266		4	O	ARH-CD-336D-4
														38 from Purex, 4 from 151-A-CT, 595 from 106-C, 193 to 101-TX, 229 to 106-U								
C-104	1975	4	STAT		513	513	235	-1	-36	PL,BL						0	0	290.266		1		
C-104	1976	1	XIN	20		533		#N/A	-36	PL		PL1				0.022936	0.4587	290.725	PL1	4	O	ARH-CD-702A-4
C-104	1976	1	REC	201		734		#N/A	-36	SU	A-101	A-101				0	0	290.725		4	O	ARH-CD-702A-4
C-104	1976	1	REC	130		864		#N/A	-36	SU	A-102	A-102				0	0	290.725		4	O	ARH-CD-702A-4
C-104	1976	1	REC	477		1341		#N/A	-36	SU	C-106	C-106				0	0	290.725		4	O	ARH-CD-702A-4
C-104	1976	1	SEND	-483		858		#N/A	-36	SU		SX-106				0	0	290.725		4	O	ARH-CD-702A-4
C-104	1976	1	SEND	-322		536		#N/A	-36	SU		U-102				0	0	290.725		4	O	ARH-CD-702A-4
C-104	1976	1	SEND	-173		363		#N/A	-36	SU		U-106				0	0	290.725		4	O	ARH-CD-702A-4
														20 from Purex, 130 from 102-A, 201 from 101-A, 477 from 106-C, 483 to 106-SX, 322 to 102-U, 173 to 106-U								
C-104	1976	1	STAT		362	362	235	-1	-37	PL,B						0	0	290.725		1		
C-104	1976	2	XIN	12		374		#N/A	-37	PL		PL1				0.022936	0.2752	291.000	PL1	4	O	ARH-CD-702B-4
C-104	1976	2	REC	920		1294		#N/A	-37	SU	A-103	A-103				0	0	291.000		4	O	ARH-CD-702B-4
C-104	1976	2	REC	148		1442		#N/A	-37	SU	C-106	C-106				0	0	291.000		4	O	ARH-CD-702B-4
C-104	1976	2	SEND	-932		510		#N/A	-37			SX-106	OC omission		Omission	0	0	291.000		3	V	ARH-CD-702B-4
C-104	1976	2	STAT		505	505	235	-5	-42	PSS,B				12 from Purex, 148 from 106-C, 920 from 103-A								
C-104	1976	3	send	-85		420		#N/A	-42			A-102				0	0	291.000		1		
C-104	1976	3	STAT		420	420	235	#N/A	-42	FD						0	0	291.000		0		
C-104	1976	4	send	-47		373		#N/A	-42			A-102		Purex Waste Storage		0	0	291.000		1		
C-104	1976	4	STAT		373	373	246	#N/A	-42	FD						0	0	291.000		0		
C-104	1977	1	rec	33		406		#N/A	-42		A-102	A-102		Purex Waste Storage		0	0	291.000		1		
C-104	1977	1	STAT		406	406	268	#N/A	-42	FD						0	0	291.000		0		
C-104	1977	2	rec	47		453		#N/A	-42		A-102	A-102				0	0	291.000		1		
C-104	1977	2	STAT		453	453	268	#N/A	-42	FD						0	0	291.000		0		
C-104	1977	3	send	-119		334		#N/A	-42			A-102				0	0	291.000		1		
C-104	1977	3	STAT		334	334	274	#N/A	-42	FD						0	0	291.000		0		
C-104	1977	4	rec	6		340		#N/A	-42		A-102	A-102				0	0	291.000		1		
C-104	1977	4	STAT		340	340	290	#N/A	-42	FD						0	0	291.000		0		
C-104	1978	1	rec	352		692		#N/A	-42	SU	A-102	A-102	*-165 to			0	0	291.000		1		
C-104	1978	1	SEND	-153		539		#N/A	-42	SU		AZ-101				0	0	291.000		0		
C-104	1978	1	SEND	-130		409		#N/A	-42	SU		AZ-101				0	0	291.000		1		
C-104	1978	1	STAT		409	409	304	#N/A	-42	NCPLX						0	0	291.000		1		
C-104	1978	2	SEND	-80		329		#N/A	-42	SU		A-102	*+171 to	New Solids Level 1/10/78		0	0	291.000		1		
C-104	1978	2	STAT		329	329	304	#N/A	-42	NCPLX						0	0	291.000		1		
C-104	1978	3	rec	157		486		#N/A	-42		A-102	A-102		Active Wst. - RCR		0	0	291.000		1		
C-104	1978	3	SEND	-108		378		#N/A	-42	SU		AX-102				0	0	291.000		0		
C-104	1978	3	STAT		378	378	304	#N/A	-42	NCPLX						0	0	291.000		1		
C-104	1978	4	rec	86		464		#N/A	-42		A-102	A-102				0	0	291.000		1		
C-104	1978	4	STAT		464	464	304	#N/A	-42	NCPLX						0	0	291.000		0		
C-104	1979	1	SEND	-149		315		#N/A	-42	SU		A-102	*+186 to			0	0	291.000		1		
C-104	1979	1	STAT		315	315	304	#N/A	-42	CPLX						0	0	291.000		1		
C-104	1979	2	rec	30		345		#N/A	-42		A-102	A-102				0	0	291.000		1		
C-104	1979	2	STAT		345	345	304	#N/A	-42	CPLX						0	0	291.000		0		
C-104	1979	3	send	-93		252		#N/A	-42			A-102				0	0	291.000		1		
C-104	1979	3	REC	113		365		#N/A	-42	SU	C-103	C-103				0	0	291.000		0		
C-104	1979	3	STAT		365	365	304	#N/A	-42	CPLX						0	0	291.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-104	1979	4	rec	85		450		#N/A	-42		A-102	A-102				0	0	291.000		0		
C-104	1979	4	STAT		450	450	304	#N/A	-42	CPLX				New Solids Level 8/3/79		0	0	291.000		1		
C-104	1980	1	send	-135		315		#N/A	-42			A-102				0	0	291.000		0		
C-104	1980	1	STAT		315	315	293	#N/A	-42					Inactive 3/31/80		0	0	291.000		1		
C-104	1980	2	STAT		315	315	293	#N/A	-42							0	0	291.000		1		
C-104	1980	3	STAT		315	315	293	#N/A	-42	CPLX						0	0	291.000		1		
C-104	1980	4	STAT		315	315	293	#N/A	-42	swliq		AW-105				0	0	291.000		1		
C-104	1985	3	send	-21		294		#N/A	-42	CC						0	0	291.000		1		
C-104	1993	2	STAT		295	295	295	1	-41							0	0	291.000		0		
C-104	1993	4	STAT		295	295	295	#N/A	-41							0	0	291.000		1		
C-104	1994	1	STAT		295	295	295	#N/A	-41							0	0	291.000		1		
C-104	2000															0	0	291.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1900																					
C-105	1946	4	CREC	0		0		#N/A	0	SET	C-104											
C-105	1946	4	CSEND	0		0		#N/A	0	SET	C-106						0	0.000		1		
C-105	1947	1	rec	188		188		#N/A	0	cas	C-104	C-104					0	0.000		1		
C-105	1947	1	rec	20		208		#N/A	0	cas	C-104	C-104				0	0	0.000		0		
C-105	1947	1	STAT		208	208	0	#N/A	0	MW				2nd in Cascade, began filling Feb-47		0	0	0.000		0		
C-105	1947	2	rec	124		332		#N/A	0	cas	C-104	C-104				0	0	0.000		1		
C-105	1947	2	rec	107		439		#N/A	0	cas	C-104	C-104				0	0	0.000		0		
C-105	1947	2	rec	98		537		#N/A	0	cas	C-104	C-104				0	0	0.000		0		
C-105	1947	2	send	-7		530		#N/A	0	cas		C-106				0	0	0.000		0		
C-105	1947	2	STAT		530	530	0	#N/A	0							0	0	0.000		0		
C-105	1947	3	rec	138		668		#N/A	0	cas	C-104	C-104		Full in June 1947		0	0	0.000		1		
C-105	1947	3	rec	131		799		#N/A	0	cas	C-104	C-104				0	0	0.000		0		
C-105	1947	3	rec	112		911		#N/A	0	cas	C-104	C-104				0	0	0.000		0		
C-105	1947	3	send	-138		773		#N/A	0	cas		C-106				0	0	0.000		0		
C-105	1947	3	send	-131		642		#N/A	0	cas		C-106				0	0	0.000		0		
C-105	1947	3	send	-112		530		#N/A	0	cas		C-106				0	0	0.000		0		
C-105	1947	3	STAT		530	530	0	#N/A	0							0	0	0.000		0		
C-105	1947	4	rec	86		616		#N/A	0	cas	C-104	C-104		Cascading to 106-C		0	0	0.000		1		
C-105	1947	4	rec	56		672		#N/A	0	cas	C-104	C-104				0	0	0.000		0		
C-105	1947	4	send	-86		586		#N/A	0	cas		C-106				0	0	0.000		0		
C-105	1947	4	send	-56		530		#N/A	0	cas		C-106				0	0	0.000		0		
C-105	1947	4	STAT		530	530	0	#N/A	0	MW				Cascade full in November 1947		0	0	0.000		0		
C-105	1948	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1948	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1948	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1948	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1949	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1949	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1950	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1950	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1950	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1950	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1951	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1951	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1951	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1951	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1952	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1952	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1952	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1952	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-105	1953	1	STAT		530	530	0	#N/A	0					1507 in 101 thru 106-C. 1651 removed thru batch CR 1218		0	0	0.000		1		
C-105	1953	2	SEND	-530		0		#N/A	0	SL		C-106				0	0	0.000		1		
C-105	1953	2	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A			0	0	0.000		1		
C-105	1953	3	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A	MW removal in progress		0	0	0.000		1		
C-105	1953	4	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A	MW removal in progress		0	0	0.000		1		
C-105	1954	1	CSEND	0		0		#N/A	0	END	C-106						0	0.000		1		
C-105	1954	1	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A	Supernatant, sluiced until 1-8-54		0	0	0.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1954	2	XIN	85		85		#N/A	0	UR		UR				0.02747253	2.3352	2.335	UR	1		
C-105	1954	2	STAT		N/A	85		#N/A	0					Transferred MW supernate to 104-C. (Last transf. in June)			0	2.335		1		
C-105	1954	3	XIN	445		530		#N/A	0	UR		UR				0.02747253	12.225	14.560	UR	1		
C-105	1954	3	XIN	16		546		#N/A	0	UR		UR				0.02747253	0.4396	15.000	UR	1		
C-105	1954	3	STAT		546	546	0	#N/A	0					Received TBP waste during July		0	0	15.000		1		
C-105	1954	4	STAT		546	546	0	#N/A	0							0	0	15.000		1		
C-105	1955	1	STAT		546	546	0	#N/A	0							0	0	15.000		1		
C-105	1955	2	STAT		546	546	0	#N/A	0							0	0	15.000		1		
C-105	1955	3	STAT		546	546	0	#N/A	0							0	0	15.000		1		
C-105	1955	4	STAT		546	546	0	#N/A	0	TBP						0	0	15.000		1		
C-105	1956	1	OUTX	-33		513		#N/A	0	T05	C-111	TFeCN				0	0	15.000		1		
C-105	1956	1	STAT		N/A	513	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	15.000		3	O	N-54-279
C-105	1956	2	OUTX	-434		79		#N/A	0	T06	C-112	TFeCN		Pumped in March		0	0	15.000		1		
C-105	1956	2	STAT		N/A	79	15	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	15.000		3	O	N-54-203
C-105	1956	3	REC	451		530		#N/A	0	SU	C-104	C-104	AND reports 429	Scavenging finished in April		0	0	15.000		1		
C-105	1956	3	STAT		508	508	15	-22	-22	CW						0	0	15.000		3	O	HW-45140-4
C-105	1956	4	STAT		508	508	15	#N/A	-22	TBP,CW				Received 429 from 104-C in August		0	0	15.000		1		
C-105	1957	1	STAT		538	538	0	30	8	TBP,CW						0	0	15.000		1		
C-105	1957	2	CREC	0		538		#N/A	8	SET	C-104			Latest electrode reading		0	0	15.000		1		
C-105	1957	2	SEND	-300		238		#N/A	8	SU		BY-111					0	15.000		1		
C-105	1957	2	rec	113		351		#N/A	8	cas	C-104	C-104				0	0	15.000		4	O	HW-50127-4
C-105	1957	2	rec	61		412		#N/A	8	cas	C-104	C-104				0.040541	4.5811	19.581	CWP1	0		
C-105	1957	2	rec	5		417		#N/A	8	cas	C-104	C-104				0.040541	2.473	22.054	CWP1	0		
C-105	1957	2	CREC	0		417		#N/A	8	END	C-104					0.040541	0.2027	22.257	CWP1	0		
C-105	1957	2	STAT		406	406	0	-11	-3	TBP,CW							0	22.257		1		
C-105	1957	3	XIN	98		504		#N/A	-3	CWP		CWP1		300M pumped to 111-BY		0	0	22.257		1		
C-105	1957	3	XIN	121		625		#N/A	-3	CWP		CWP1				0.040541	3.973	26.230	CWP1	4	O	HW-51858-4
C-105	1957	3	XIN	55		680		#N/A	-3	CWP		CWP1				0.040541	4.9054	31.135	CWP1	4	O	HW-52414-4
C-105	1957	3	SEND	-50		630		#N/A	-3	SU		BY-102				0.040541	2.2297	33.365	CWP1	3	O	HW-52932-4
C-105	1957	3	SEND	-250		380		#N/A	-3	SU		BY-112				0	0	33.365		4	O	HW-52932-4
C-105	1957	3	SEND	-200		180		#N/A	-3	SU		BY-112				0	0	33.365		4	O	HW-51858-4
C-105	1957	3	STAT		178	178	0	-2	-5	TBP,CW				SS 250M to 112-BY, rec'd 98M-SS rec'd 121M CW		0	0	33.365		4	O	HW-52932-4
C-105	1957	4	XIN	138		316		#N/A	-5	CWP		CWP1				0	0	33.365		1		
C-105	1957	4	XIN	133		449		#N/A	-5	CWP		CWP1				0.040541	5.5946	38.959	CWP1	4	O	HW-53573-4
C-105	1957	4	XIN	109		558		#N/A	-5	CWP		CWP1				0.040541	5.3919	44.351	CWP1	4	O	HW-54067-4
C-105	1957	4	SEND	-67		491		#N/A	-5	SU		BY-110				0.040541	4.4189	48.770	CWP1	4	O	HW-54519-4
C-105	1957	4	SEND	-124		367		#N/A	-5	SU		BY-112				0	0	48.770		4	O	HW-54067-5
C-105	1957	4	STAT		381	381	0	14	9	TBP,CW			XIN total 380, SEND total - 176	SS 380 CW rec'd, 185 to 110-BY		0	0	48.770		4	O	HW-54067-5
C-105	1958	1	XIN	147		528		#N/A	9	CWP		CWP1	OC 145 to 147			0	0	48.770		1		
C-105	1958	1	XIN	140		668		#N/A	9	CWP		CWP1	OC 143 to 140		Shows 147 not 145	0.040541	5.9595	54.730	CWP1	3	V	HW-54916-4
C-105	1958	1	XIN	108		776		#N/A	9	CWP		CWP1			Shows 140 not 143	0.040541	5.6757	60.405	CWP1	3	V	HW-54916-4
C-105	1958	1	SEND	-298		478		#N/A	9	SU		BY-110				0.040541	4.3784	64.784	CWP1	4	O	HW-55630-4
C-105	1958	1	STAT		475	475	0	-3	6	TBP,CW			XIN total 395	395 CW rec'd, 298 to 110-BY		0	0	64.784		4	O	HW-54916-4
C-105	1958	2	XIN	17		492		#N/A	6	CWP		CWP1				0	0	64.784		1		
C-105	1958	2	XIN	35		527		#N/A	6	CWP		CWP1	OC 66 to 35			0.040541	0.6892	65.473	CWP1	1		
C-105	1958	2	STAT		541	541	0	14	20	CW					Shows 35 not 66	0.040541	1.4189	66.892	CWP1	3	V	HW-56761-4
C-105	1958	3	STAT		541	541	0	#N/A	20	TBP,CW				SS 35CW rec'd		0	0	66.892		1		
																0	0	66.892		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1958	4	XIN	121		662		#N/A	20	CWP		CWP1				0.040541	4.9054	71.797	CWP1	4	O	HW-58201-4
C-105	1958	4	XIN	141		803		#N/A	20	CWP		CWP1				0.040541	5.7162	77.514	CWP1	4	O	HW-58579-4
C-105	1958	4	XIN	129		932		#N/A	20	CWP		CWP1				0.040541	5.2297	82.743	CWP1	4	O	HW-58831-4
C-105	1958	4	SEND	-363		569		#N/A	20	SU		BY-107										
C-105	1958	4	SEND	-108		461		#N/A	20	SU		BY-110	OC 106 TO 108			0	0	82.743		4	O	HW-58201-5
															Shows 108 not 106	0	0	82.743		3	V	HW-58201
C-105	1958	4	STAT		461	461	0	#N/A	20	TBP,CW			XIN total 391, SEND total - 471	SS 391 CW rec'd, 471 to 107 & 110-BY								
C-105	1959	1	XIN	90		551		#N/A	20	CWP		CWP1				0	0	82.743		1		
C-105	1959	1	XIN	61		612		#N/A	20	CWP		CWP1				0.040541	3.6486	86.392	CWP1	4	O	HW-59204-4
C-105	1959	1	XIN	134		746		#N/A	20	CWP		CWP1				0.040541	2.473	88.865	CWP1	4	O	HW-59586-4
C-105	1959	1	SEND	-170		576		#N/A	20	SU		BY-107				0.040541	5.4324	94.297	CWP1	4	O	HW-60065-4
C-105	1959	1	SEND	-305		271		#N/A	20	SU		BY-108				0	0	94.297		4	O	HW-59204-4
																0	0	94.297		4	O	HW-59586-4
C-105	1959	1	STAT		271	271	0	#N/A	20	TBP,CW			XIN total 285	SS 285 CW rec'd, 170 to 107 BY, 305 to 108-BY								
C-105	1959	2	XIN	82		353		#N/A	20	CWP		CWP1				0	0	94.297		1		
C-105	1959	2	XIN	92		445		#N/A	20	CWP		CWP1				0.040541	3.3243	97.622	CWP1	4	O	HW-60419-4
C-105	1959	2	XIN	150		595		#N/A	20	CWP		CWP1	OC 145 to 150			0.040541	3.7297	101.351	CWP1	4	O	HW-60738-4
C-105	1959	2	SEND	-187		408		#N/A	20	SU		BY-108			Shows 150 not 145	0.040541	6.0811	107.432	CWP1	3	V	HW-61095-4
C-105	1959	2	SEND	-261		147		#N/A	20	SU		C-109				0	0	107.432		3	O	HW-61095-5
																0	0	107.432		4	O	HW-61095-4
C-105	1959	2	STAT		142	142	0	-5	15	TBP,CW			XIN total 324	SS 324 CW rec'd, 261 to 109-C								
C-105	1959	3	XIN	65		207		#N/A	15	CWP		CWP1				0	0	107.432		1		
C-105	1959	3	XIN	182		389		#N/A	15	CWP		CWP1	OC 160 to 182			0.040541	2.6351	110.068	CWP1	4	O	HW-61582-4
C-105	1959	3	XIN	114		503		#N/A	15	CWP		CWP1	OC 96 to 114		Shows 182 not 160	0.040541	7.3784	117.446	CWP1	3	V	HW-61952-4
C-105	1959	3	SEND	-154		349		#N/A	15	SU		C-109			Shows 114 not 96	0.040541	4.6216	122.068	CWP1	3	V	HW-62421-4
																0	0	122.068		4	O	HW-62421-4
C-105	1959	3	STAT		309	309	0	-40	-25	TBP,CW			XIN total 361	SS 361 CW rec'd, 154 to 109-C								
C-105	1959	4	XIN	77		386		#N/A	-25	CWP		CWP1				0	0	122.068		1		
C-105	1959	4	XIN	110		496		#N/A	-25	CWP		CWP1				0.040541	3.1216	125.189	CWP1	4	O	HW-62723-4
C-105	1959	4	XIN	122		618		#N/A	-25	CWP		CWP1				0.040541	4.4595	129.649	CWP1	4	O	HW-63083-4
C-105	1959	4	SEND	-187		431		#N/A	-25	SU		C-111				0.040541	4.9459	134.595	CWP1	4	O	HW-63559-4
																0	0	134.595		4	O	HW-62723-4
C-105	1959	4	STAT		431	431	0	#N/A	-25	CW,CW			XIN total 309	SS 309 CW rec'd, 187 to 111-C								
C-105	1960	1	XIN	155		586		#N/A	-25	CWP		CWP1				0	0	134.595		1		
C-105	1960	1	XIN	86		672		#N/A	-25	CWP		CWP1				0.040541	6.2638	140.878	CWP1	4	O	HW-63896-4
C-105	1960	1	XIN	73		745		#N/A	-25	CWP		CWP1				0.040541	3.4865	144.365	CWP1	4	O	HW-64373-4
C-105	1960	1	XIN	65		810		#N/A	-25	FLSH		WTR				0.040541	2.9595	147.324	CWP1	4	O	HW-64810-4
C-105	1960	1	SEND	-14		796		#N/A	-25	SU		C-104				0	0	147.324		4	O	HW-64810-4
C-105	1960	1	SEND	-306		490		#N/A	-25	SU		C-108				0	0	147.324		4	O	HW-64810-4
C-105	1960	1	SEND	-39		451		#N/A	-25	SU		C-111				0	0	147.324		4	O	HW-63896-4
C-105	1960	1	XIN	0		451		#N/A	-25	WTR		WTR	DUP TRANS			0	0	147.324		4	O	HW-64810-4
																	0	147.324		1		
C-105	1960	1	STAT		461	461	0	10	-15	TBP,CW			XIN total 314	SS 314 CW rec'd, 65 acid flush 39 to 105-C								
C-105	1960	2	XIN	66		527		#N/A	-15	CWP		CWP1	OC 58 to 66			0	0	147.324		1		
															Shows 66 not 58	0.040541	2.6757	150.000	CWP1	3	V	HW-65272-4
C-105	1960	2	STAT		529	529	0	2	-13	CW				SS 66 CW rec'd, latest electrode reading								
C-105	1960	3	STAT		529	529	0	#N/A	-13	CW						0.040541	0	150.000		1		
C-105	1960	4	STAT		529	529	0	#N/A	-13	TBP,CW						0	0	150.000		1		
C-105	1961	1	STAT		N/A	529		#N/A	-13							0	0	150.000		1		
C-105	1961	2	STAT		521	521	0	-8	-21	TBP,CW							0	150.000		1		
C-105	1961	3	STAT		N/A	521		#N/A	-21					{ 6 months report		0	0	150.000		1		
C-105	1961	4	STAT		521	521	0	#N/A	-21	TBP,CW							0	150.000		1		
C-105	1962	1	STAT		N/A	521		#N/A	-21							0	0	150.000		1		
C-105	1962	2	STAT		519	519	0	-2	-23	TBP,CW							0	150.000		1		
C-105	1962	3	STAT		N/A	519		#N/A	-23					Latest in electrode reading		0	0	150.000		1		
C-105	1962	4	STAT		519	519	0	#N/A	-23	TBP,CW							0	150.000		1		
C-105	1963	1	SEND	-164		355		#N/A	-23	SU		C-102		{ 6 months report		0	0	150.000		1		
C-105	1963	1	STAT		N/A	355		#N/A	-23							0	0	150.000		4	O	HW-78279-4
																	0	150.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1963	2	SEND	-230		125		#N/A	-23	SU		C-102				0	0	150.000		4	O	HW-78279-4
C-105	1963	2	STAT		125	125	0	#N/A	-23	CW			394?	394 to 102-C [6 Months report		0	0	150.000		1		
C-105	1963	3	REC	407		532		#N/A	-23	SU	A-102	A-102	OC 204 to 407		Shows 407 not 204	0	0	150.000		3	V	HW-80379-4
C-105	1963	3	STAT		N/A	532		#N/A	-23								0	150.000		1		
C-105	1963	4	STAT		532	532	0	#N/A	-23	CW,P			204?	407 from 102-A [6 months report								
C-105	1964	1	REC	50		582		#N/A	-23	SL	A-103	A-103				0	0	150.000		1		
C-105	1964	1	STAT		N/A	582		#N/A	-23							0	0	150.000		1		
C-105	1964	2	send	-60		522		#N/A	-23			A-102					0	150.000		1		
C-105	1964	2	STAT		522	522	0	#N/A	-23	CW,P				New electrode		0	0	150.000		0		
C-105	1964	3	STAT		N/A	522		#N/A	-23							0	0	150.000		1		
C-105	1964	4	send	-106		416		#N/A	-23			A-102					0	150.000		1		
C-105	1964	4	REC	100		516		#N/A	-23	SL	A-103	A-103				0	0	150.000		0		
C-105	1964	4	STAT		516	516	0	#N/A	-23	CW,P				New elect. (reading confirmed)		0	0	150.000		1		
C-105	1965	1	OUTX	-25		491		#N/A	-23	CWP		PCOND	Omis. Lost to atmosphere from steaming		Omission, lost from steaming	0	0	150.000		3	V	RL-SEP-659-4
C-105	1965	1	STAT		N/A	491		#N/A	-23								0	150.000		1		
C-105	1965	2	STAT		491	491	109	#N/A	-23	P				25 lost from steaming		0	0	150.000		1		
C-105	1965	3	STAT		491	491	109	#N/A	-23	CW,P						0	0	150.000		1		
C-105	1965	4	STAT		483	483	109	-8	-31	CW,P						0	0	150.000		1		
C-105	1966	1	STAT		475	475	109	-8	-39	CW,P						0	0	150.000		1		
C-105	1966	2	send	-25		450		#N/A	-39			A-102				0	0	150.000		1		
C-105	1966	2	STAT		450	450	109	#N/A	-39	P				New electrode		0	0	150.000		0		
C-105	1966	3	STAT		450	450	109	#N/A	-39	CW,P						0	0	150.000		1		
C-105	1966	4	send	-100		350		#N/A	-39			A-102				0	0	150.000		1		
C-105	1966	4	REC	100		450		#N/A	-39	SL	A-103	A-103				0	0	150.000		0		
C-105	1966	4	OUTX	-8		442		#N/A	-39	CWP		PCOND	Omis. Lost to atmosphere from steaming			0	0	150.000		1		
C-105	1966	4	STAT		442	442	109	#N/A	-39	CW,P					Omission, lost from steaming	0	0	150.000		3	V	ISO-674-4
C-105	1967	1	STAT		439	439	109	-3	-42	CW,P				8 loss from steaming		0	0	150.000		1		
C-105	1967	2	STAT		435	435	109	-4	-46	CW,P						0	0	150.000		1		
C-105	1967	3	OUTX	-4		431		#N/A	-46	CWP		PCOND	Omis. Lost to atmosphere from steaming			0	0	150.000		1		
C-105	1967	3	STAT		431	431	109	#N/A	-46	CW,P					Omission, lost from steaming	0	0	150.000		3	V	ARH-95-5
C-105	1967	4	OUTX	-72		359		#N/A	-46	SU	CSR	CSR		4 evaporation		0	0	150.000		1		
C-105	1967	4	STAT		359	359	109	#N/A	-46	CW,P						0	0	150.000		4	O	ARH-326-5
C-105	1968	1	REC	195		554		#N/A	-46	SU	AX-102	AX-102		Feed TK PSN to B-PH, 72 pumped		0	0	150.000		1		
C-105	1968	1	REC	461		1015		#N/A	-46	SU	C-106	C-106				0	0	150.000		4	O	ARH-534-9
C-105	1968	1	OUTX	-470		545		#N/A	-46	SU	CSR	CSR				0	0	150.000		4	O	ARH-534-5
C-105	1968	1	STAT		542	542	109	-3	-49	P			REC 656			0	0	150.000		4	O	ARH-534-5
C-105	1968	2	REC	264		806		#N/A	-49	SU	AX-102	AX-102	OC 257 to 264	Rec'd 656 PSN, 470 to 221-B		0	0	150.000		1		
C-105	1968	2	OUTX	-404		402		#N/A	-49	SU	CSR	CSR			Shows 264 not 257	0	0	150.000		3	V	ARH-721-5
C-105	1968	2	STAT		392	392	109	-10	-59	P						0	0	150.000		4	O	ARH-721-5
C-105	1968	3	REC	255		647		#N/A	-59	SU	AX-102	AX-102	OC 260 to 255	264 PSN from 102-AX, 404 to 221-B		0	0	150.000		1		
C-105	1968	3	OUTX	-204		443		#N/A	-59	SU	CSR	CSR			Shows 255 not 260	0	0	150.000		4	V	ARH-871-5
C-105	1968	3	STAT		444	444	109	1	-58	P						0	0	150.000		4	O	ARH-871-5
C-105	1968	4	REC	410		854		#N/A	-58	SU	AX-102	AX-102		255 from 102-AX, 204 to 221-B, IX		0	0	150.000		1		
C-105	1968	4	OUTX	-470		384		#N/A	-58	SU	CSR	CSR				0	0	150.000		4	O	ARH-1061-5
C-105	1968	4	STAT		384	384	96	#N/A	-58	P						0	0	150.000		4	O	ARH-1061-5
C-105	1969	1	REC	532		916		#N/A	-58	SU	A-104	A-104	OC 481 to 532	410 from 102-AX, 470 to 221-B, IX COL		0	0	150.000		1		
															Shows 532 not 481	0	0	150.000		3	V	ARH-1200A-5/ARH-1200A-10 SEND

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1969	1	REC	334		1250		#N/A	-58	SU	AX-102	AX-102				0	0	150.000		4	O	ARH-1200A-5
C-105	1969	1	REC	264		1514		#N/A	-58		AX-102	AX-102			Omission	0	0	150.000		2	V	ARH-1200A-10
C-105	1969	1	OUTX	-872		642		#N/A	-58	SU	CSR	CSR				0	0	150.000		4	O	ARH-1200A-5
C-105	1969	1	outx	-264		378		#N/A	-58			CSR				0	0	150.000		0		
C-105	1969	1	STAT		378	378	109	#N/A	-58	P				334 from 102-AX, 532 from 104-A, 866 from A-AX farms, 872 to B Plant IX		0	0	150.000		1		
C-105	1969	2	REC	278		656		#N/A	-58	SU	A-102	A-102			516 total for these 2	0	0	150.000		3	V	ARH-1200B-5/ARH-1200B-10 SEND
C-105	1969	2	REC	238		894		#N/A	-58	SU	A-102	A-102	OC 242 to 238		516 total for these 2	0	0	150.000		3	V	ARH-1200B-5/ARH-1200B-10 SEND
C-105	1969	2	REC	188		1082		#N/A	-58	SU	A-104	A-104				0	0	150.000		4	O	ARH-1200B-5
C-105	1969	2	OUTX	-580		502		#N/A	-58	SU	CSR	CSR				0	0	150.000		4	O	ARH-1200B-5
C-105	1969	2	STAT		490	490	99	-12	-70	P			REC total 704	706 from A farm, 580 to B Plant		0	0	150.000		1		
C-105	1969	3	XIN	10		500		#N/A	-70	WTR		WTR				0	0	150.000		4	O	ARH-1200C-5
C-105	1969	3	REC	196		696		#N/A	-70	SU	A-102	A-102				0	0	150.000		4	O	ARH-1200C-10
C-105	1969	3	REC	156		852		#N/A	-70		A-102	A-102	OC 165 to 156,C-102 to C-105		Omission, 156,XFER to C-105	0	0	150.000		3	M/V	ARH-1200C-10
C-105	1969	3	REC	149		1001		#N/A	-70	SU	A-102	A-102				0	0	150.000		4	O	ARH-1200C-10
C-105	1969	3	REC	326		1327		#N/A	-70	SU	C-103	C-103				0	0	150.000		4	O	ARH-1200C-5
C-105	1969	3	OUTX	-960		367		#N/A	-70	SU	CSR	CSR				0	0	150.000		4	O	ARH-1200C-5
C-105	1969	3	STAT		366	366	139	-1	-71	P			REC total 501	501 from A farm, 326 from 103-C, 10 from flushes, 960 to 6 Plant		0	0	150.000		1		
C-105	1969	4	REC	443		809		#N/A	-71	SU	A-102	A-102				0	0	150.000		4	O	ARH-1200D-5
C-105	1969	4	REC	166		975		#N/A	-71	SU	A-102	A-102				0	0	150.000		4	O	ARH-1200D-5
C-105	1969	4	REC	404		1379		#N/A	-71	SU	C-101	C-101				0	0	150.000		4	O	ARH-1200D-5
C-105	1969	4	REC	176		1555		#N/A	-71	SU	C-106	C-106				0	0	150.000		4	O	ARH-1200D-5
C-105	1969	4	OUTX	-1106		449		#N/A	-71	SU	CSR	CSR				0	0	150.000		4	O	ARH-1200D-5
C-105	1969	4	STAT		450	450	233	1	-70	P			XIN total 609, XIN total 580	609 from 102-A, 580 from 101-C & 106-C, 1,106 to B Plant IX		0	0	150.000		1		
C-105	1970	1	REC	171		621		#N/A	-70	SU	A-102	A-102				0	0	150.000		4	O	ARH-1666A-5
C-105	1970	1	OUTX	-267		354		#N/A	-70	SU	CSR	CSR				0	0	150.000		4	O	ARH-1666A-5
C-105	1970	1	STAT		348	348	123	-6	-76	P				171 from 102-A, 267 to B Plant IX		0	0	150.000		1		
C-105	1970	2	REC	206		554		#N/A	-76	SU	A-102	A-102				0	0	150.000		4	O	ARH-1666B-5, ARH-1666B-10 SEND
C-105	1970	2	REC	798		1352		#N/A	-76	SU	C-103	C-103				0	0	150.000		4	O	ARH-1666B-5
C-105	1970	2	OUTX	-1155		197		#N/A	-76	SU	CSR	CSR				0	0	150.000		4	O	ARH-1666B-5
C-105	1970	2	STAT		198	198	136	1	-75	BL				208 from 102-A, 798 from 103-C, 1155 to B Plant IX (contained 8L requiring a reduction in cesium prior to in-tank solidification)		0	0	150.000		1		
C-105	1970	3	XIN	87		285		#N/A	-75	WTR		WTR	OC ADD to REC from TX-101		Shows from TX-101	0	0	150.000		3	V	ARH-1666C-5
C-105	1970	3	REC	455		740		#N/A	-75	SU	TX-101	TX-101				0	0	150.000		4	O	ARH-1666C-5
C-105	1970	3	OUTX	-230		510		#N/A	-75	SU	CSR	CSR				0	0	150.000		4	O	ARH-1666C-5
C-105	1970	3	REC	0		510		#N/A	-75	SU	TX-101	TX-101	LC 87 to 0 duplicate record		Omission		0	150.000		2	V	ARH-1666C-5
C-105	1970	3	STAT		497	497	139	-13	-88	BL,H2O,R				Rec'd 454 of recox waste & 87 of dilution water from 101-TX, B Plant IX rec'd 230 (8L-18, water- 34, R-178 from 105-C		0	0	150.000		1		
C-105	1970	4	XIN	17		514		#N/A	-88	WTR		WTR				0	0	150.000		2		
C-105	1970	4	XIN	158		672		#N/A	-88	WTR		WTR				0	0	150.000		4	O	ARH-1666D-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1970	4	REC	485		1157		#N/A	-88	SU	TX-101	TX-101	LC 502 to 485 water addition in sep transaction			0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	REC	681		1838		#N/A	-88	SU	TX-102	TX-102				0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	REC	228		2066		#N/A	-88	SU	TX-105	TX-105				0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	OUTX	-1619		447		#N/A	-88	SU	CSR	CSR				0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	STAT		447	447	156	#N/A	-88	H2O,RSN				Rec'd 485 RSN & 17 water from 101-TX, 228 RSN from 105-TX, 681 RSN from 102-TX, & 158 dilution water. B Plant IX rec'd 1619 as follows: 1412 of RSN, 195 of water, 12 of BL		0	0	150.000		1		
C-105	1971	1	XIN	127		574		#N/A	-88	WTR		WTR				0	0	150.000		4	O	ARH-2074A-5
C-105	1971	1	REC	827		1401		#N/A	-88	SU	C-106	C-106				0	0	150.000		4	O	ARH-2074A-5
C-105	1971	1	REC	561		1962		#N/A	-88	SU	TX-106	TX-106				0	0	150.000		4	O	ARH-2074A-5
C-105	1971	1	OUTX	-1748		214		#N/A	-88		B PLAN	CSR	Omis.		Omission	0	0	150.000		2	V	ARH-2074A-5
C-105	1971	1	STAT		211	211	162	-3	-91	PSS				561 RSN & 127 dilution water from 106-TX, & 827 PSS from 106-C, Bplant IX rec'd		0	0	150.000		1		
C-105	1971	2	XIN	769		980		#N/A	-91	PSS		UNK				0	0	150.000		2		
C-105	1971	2	XIN	819		1799		#N/A	-91	RSN		UNK				0	0	150.000		2		
C-105	1971	2	XIN	160		1959		#N/A	-91	WTR		WTR				0	0	150.000		2		
C-105	1971	2	outx	-1748		211		#N/A	-91			CSR				0	0	150.000		0		
C-105	1971	2	STAT		211	211	164	#N/A	-91	PSS				1748 as follows: RSN 819, H2O 160 PSS 769		0	0	150.000		1		
C-105	1971	3	STAT		216	216	164	5	-86	PSS						0	0	150.000		1		
C-105	1971	4	rec	37		253		#N/A	-86		A-106	A-106				0	0	150.000		0		
C-105	1971	4	STAT		253	253	164	#N/A	-86	PSS						0	0	150.000		1		
C-105	1972	1	REC	264		517		#N/A	-86	SU	B-103	B-103				0	0	150.000		3	O	ARH-2456A-4
C-105	1972	1	STAT		510	510	98	-7	-93	PSS				264 from 103-B "Dry Wells 30-05-02, 30-05-04, 30-05-10 drilled.		0	0	150.000		1		
C-105	1972	2	REC	384		894		#N/A	-93	SU	A-101	A-101				0	0	150.000		4	O	ARH-2456B-4
C-105	1972	2	REC	302		1196		#N/A	-93	SU	A-103	A-103				0	0	150.000		4	O	ARH-2456B-4
C-105	1972	2	OUTX	-795		401		#N/A	-93	SU	CSR	CSR				0	0	150.000		4	O	ARH-2456B-4
C-105	1972	2	STAT		400	400	98	-1	-94	PSS				384 from 101-A, 302 from 103-A, 795 to B Plant (TK 17-2)		0	0	150.000		1		
C-105	1972	3	XIN	250		650		#N/A	-94	WTR		WTR				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	REC	969		1619		#N/A	-94	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	REC	34		1653		#N/A	-94	SU	C-104	C-104				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	OUTX	-1182		471		#N/A	-94	SU	CSR	CSR				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	STAT		471	471	98	#N/A	-94	P,H2O				969 from 103-AX 34 from 104-C, 250 water, 1182 to B Plant (TK 17-2)		0	0	150.000		1		
C-105	1972	4	xin	17		488		#N/A	-94	AR	A-102	AR				0	0	150.000		0		
C-105	1972	4	REC	921		1409		#N/A	-94	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2456D-4
C-105	1972	4	REC	141		1550		#N/A	-94		BX-104	BX-104			Omission	0	0	150.000		3	V	ARH-2456D-4
C-105	1972	4	OUTX	-1123		427		#N/A	-94	SU	CSR	CSR				0	0	150.000		4	O	ARH-2456D-4
C-105	1972	4	STAT		411	411	98	-16	-110	P				921 from 103-AX, 141 from 104-BX, 1123 to B plant (TK 17-2)		0	0	150.000		1		
C-105	1973	1	xin	8		419		#N/A	-110	AR	A-102	AR				0	0	150.000		0		
C-105	1973	1	REC	844		1263		#N/A	-110	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2794A-4
C-105	1973	1	OUTX	-930		333		#N/A	-110	SU	CSR	CSR				0	0	150.000		4	O	ARH-2794A-4
C-105	1973	1	STAT		326	326	98	-7	-117	P				844 from 103-AX, 930 to B Plant (TK 17-2)		0	0	150.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1973	2	REC	1266		1592		#N/A	-117	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2794B-4
C-105	1973	2	OUTX	-1363		229		#N/A	-117	SU	CSR	CSR				0	0	150.000		4	O	ARH-2794B-4
C-105	1973	2	STAT		227	227	112	-2	-119	PSS				1266 from 103-AX, 1363 to Plant (TK 17-2)		0	0	150.000		1		
C-105	1973	3	STAT		239	239	112	12	-107	PSS						0	0	150.000		1		
C-105	1973	4	STAT		234	234	112	-5	-112	PSS						0	0	150.000		1		
C-105	1974	1	xin	3		237		#N/A	-112	AR	A-102	AR				0	0	150.000		1		
C-105	1974	1	REC	219		456		#N/A	-112	SU	AX-103	AX-103				0	0	150.000		0		
C-105	1974	1	STAT		447	447	112	-9	-121	PSS				219 from 103-AX **Dry Wells 30-05-03, 30-05-05, 30-05-06, 30-05-07, 30-05-08, 30-05-09 drilled.		0	0	150.000		4	O	ARH-CD-133A-4
C-105	1974	2	xin	16		463		#N/A	-121	AR	A-103	AR				0	0	150.000		1		
C-105	1974	2	STAT		442	442	112	-21	-142	PSS						0	0	150.000		0		
C-105	1974	3	xin	4		446		#N/A	-142	AR	A-103	AR				0	0	150.000		1		
C-105	1974	3	OUTX	-203		243		#N/A	-142	SU	CSR	CSR				0	0	150.000		0		
C-105	1974	3	STAT		231	231	112	-12	-154	PSS						0	0	150.000		4	O	ARH-CD-133C-4
C-105	1974	4	REC	59		290		#N/A	-154	SU	AX-103	AX-103		203 to B Plant		0	0	150.000		1		
C-105	1974	4	STAT		279	279	139	-11	-165	PSS						0	0	150.000		4	O	ARH-CD-133D-4
C-105	1975	1	REC	127		406		#N/A	-165	SU	AX-103	AX-103		59 from 103-AX		0	0	150.000		1		
C-105	1975	1	OUTX	-178		228		#N/A	-165	SU	CSR	CSR				0	0	150.000		4	O	ARH-CD-336A-4
C-105	1975	1	STAT		224	224	139	-4	-169	PSS						0	0	150.000		4	O	ARH-CD-336A-4
C-105	1975	2	REC	525		749		#N/A	-169		AX-103	AX-103		127 from 103-AX, 178 to B Plant		0	0	150.000		1		
C-105	1975	2	OUTX	-516		233		#N/A	-169	SU	CSR	CSR			Omission	0	0	150.000		3	V	ARH-CD-336B-4
C-105	1975	2	STAT		233	233	139	#N/A	-169	PSS						0	0	150.000		4	O	ARH-CD-336B-4
C-105	1975	3	xin	2		235		#N/A	-169	AR	AX-101	AR		525 from 103-AX, 516 to B Plant		0	0	150.000		1		
C-105	1975	3	XIN	125		360		#N/A	-169	WTR		WTR				0	0	150.000		0		
C-105	1975	3	REC	544		904		#N/A	-169	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-CD-336C-4
C-105	1975	3	OUTX	-665		239		#N/A	-169	SU	CSR	CSR				0	0	150.000		4	O	ARH-CD-336C-4
C-105	1975	3	STAT		235	235	139	-4	-173	PSS						0	0	150.000		4	O	ARH-CD-336C-4
C-105	1975	4	xin	1		236		#N/A	-173	AR	AX-102	AR		544 from 103-AX, 125 water, 665 to B Plant		0	0	150.000		1		
C-105	1975	4	xin	3		239		#N/A	-173	AR	AX-101	AR				0	0	150.000		0		
C-105	1975	4	XIN	119		358		#N/A	-173	WTR		WTR				0	0	150.000		0		
C-105	1975	4	REC	490		848		#N/A	-173	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-CD-336D-4
C-105	1975	4	OUTX	-361		487		#N/A	-173	SU	CSR	CSR				0	0	150.000		4	O	ARH-CD-336D-4
C-105	1975	4	STAT		483	483	139	-4	-177	PSS						0	0	150.000		4	O	ARH-CD-336D-4
C-105	1976	1	xin	5		488		#N/A	-177	AR	AX-102	AR		490 from 103-AX, 119 water, 361 to B Plant		0	0	150.000		1		
C-105	1976	1	xin	7		495		#N/A	-177	AR	AX-101	AR				0	0	150.000		0		
C-105	1976	1	XIN	15		510		#N/A	-177	WTR		WTR				0	0	150.000		0		
C-105	1976	1	REC	36		546		#N/A	-177	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-CD-702A-4
C-105	1976	1	REC	234		780		#N/A	-177	SU	AX-104	AX-104				0	0	150.000		4	O	ARH-CD-702A-4
C-105	1976	1	OUTX	-384		396		#N/A	-177	SU	CSR	CSR				0	0	150.000		4	O	ARH-CD-702A-4
C-105	1976	1	STAT		381	381	139	-15	-192	PSS				234 from 104-AX, 15 water, 36 from 103-AX, 384 to B Plant		0	0	150.000		4	O	ARH-CD-702A-4
C-105	1976	2	xin	1		382		#N/A	-192	AR	AX-101	AR				0	0	150.000		1		
C-105	1976	2	xin	1		383		#N/A	-192	AR	AX-102	AR				0	0	150.000		0		
C-105	1976	2	xin	4		387		#N/A	-192	AR	AX-103	AR				0	0	150.000		0		
C-105	1976	2	OUTX	-160		227		#N/A	-192	SU	CSR	CSR				0	0	150.000		0		
C-105	1976	2	STAT		222	222	139	-5	-197	PSS						0	0	150.000		4	O	ARH-CD-702B-4
C-105	1976	3	xin	11		233		#N/A	-197	AR	AX-103	AR		160 to B Plant		0	0	150.000		1		
C-105	1976	3	rec	134		367		#N/A	-197		AX-103	AX-103	pullfromAX-103, C-105 is short			0	0	150.000		0		
C-105	1976	3	STAT		367	367	139	#N/A	-197	CF						0	0	150.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-105	1976	4	outx	-68		299		#N/A	-197			CSR				0	0	150.000		0		
C-105	1976	4	STAT		299	299	139	#N/A	-197					Ion-Exchange Feed		0	0	150.000		1		
C-105	1977	1	xin	2		301		#N/A	-197	AR	AX-102	AR				0	0	150.000		0		
C-105	1977	1	outx	-77		224		#N/A	-197		CSR	CSR				0	0	150.000		0		
C-105	1977	1	STAT		224	224	167	#N/A	-197					Ion-Exchange Feed		0	0	150.000		1		
C-105	1977	2	STAT		224	224	167	#N/A	-197					Ion-Exchange Feed		0	0	150.000		1		
C-105	1977	3	xin	2		226		#N/A	-197	AR	AX-103	AR				0	0	150.000		0		
C-105	1977	3	STAT		224	224	167	-2	-199					B Plant Cs. Feed		0	0	150.000		1		
C-105	1977	4	rec	228		452		#N/A	-199			AY-101				0	0	150.000		0		
C-105	1977	4	STAT		447	447	167	-5	-204					B PLant Cs. Feed		0	0	150.000		1		
C-105	1978	1	REC	154		601		#N/A	-204	SU	AY-101	AY-101				0	0	150.000		1		
C-105	1978	1	REC	127		728		#N/A	-204	SU	AY-101	AY-101				0	0	150.000		1		
C-105	1978	1	outx	-385		343		#N/A	-204			CSR				0	0	150.000		0		
C-105	1978	1	STAT		343	343	167	#N/A	-204	NCPLX						0	0	150.000		1		
C-105	1978	2	REC	186		529		#N/A	-204	SU	AY-101	AY-101				0	0	150.000		1		
C-105	1978	2	REC	160		689		#N/A	-204	SU	AY-101	AY-101				0	0	150.000		1		
C-105	1978	2	outx	-379		310		#N/A	-204			CSR				0	0	150.000		0		
C-105	1978	2	STAT		310	310	167	#N/A	-204	NCPLX				B Plt. CS Feed		0	0	150.000		1		
C-105	1978	3	rec	17		327		#N/A	-204		A-106	A-106				0	0	150.000		0		
C-105	1978	3	STAT		327	327	167	#N/A	-204	NCPLX			and stats at 227			0	0	150.000		1		
C-105	1978	4	rec	16		343		#N/A	-204		A-106	A-106				0	0	150.000		0		
C-105	1978	4	STAT		343	343	167	#N/A	-204	NCPLX						0	0	150.000		1		
C-105	1979	1	outx	-119		224		#N/A	-204			CSR				0	0	150.000		0		
C-105	1979	1	STAT		224	224	167	#N/A	-204	NCPLX				PSS		0	0	150.000		1		
C-105	1979	2	SEND	-63		161		#N/A	-204	SU		AX-102				0	0	150.000		1		
C-105	1979	2	STAT		172	172	167	11	-193	NCPLX				New Photo 6/27/79		0	0	150.000		1		
C-105	1979	3	STAT		172	172	150	#N/A	-193					Solids Level adj. 5/21/79		0	0	150.000		1		
C-105	1979	4	STAT		172	172	150	#N/A	-193							0	0	150.000		1		
C-105	1980	1	STAT		172	172	150	#N/A	-193							0	0	150.000		1		
C-105	1980	2	STAT		172	172	150	#N/A	-193							0	0	150.000		1		
C-105	1980	3	STAT		172	172	150	#N/A	-193							0	0	150.000		1		
C-105	1980	4	STAT		172	172	150	#N/A	-193	CPLX						0	0	150.000		1		
C-105	1990	3	send	-22		150		#N/A	-193	swliq		AN-101				0	0	150.000		0		
C-105	1993	2	STAT		150	150	150	#N/A	-193	NCPLX						0	0	150.000		1		
C-105	1993	4	STAT		150	150	150	#N/A	-193							0	0	150.000		1		
C-105	1994	1	STAT		150	150	150	#N/A	-193							0	0	150.000		1		
C-105	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
C-106	1900																					
C-106	1946	4	CREC	0		0		#N/A	0	SET	C-105						0	0.000		1		
C-106	1947	1	STAT		N/A	0		#N/A	0								0	0.000		1		
C-106	1947	2	rec	7		7		#N/A	0	cas	C-105	C-105				0	0	0.000		0		
C-106	1947	2	STAT		7	7	0	#N/A	0	MW						0	0	0.000		1		
C-106	1947	3	rec	138		145		#N/A	0	cas	C-105	C-105				0	0	0.000		0		
C-106	1947	3	rec	131		276		#N/A	0	cas	C-105	C-105				0	0	0.000		0		
C-106	1947	3	rec	112		388		#N/A	0	cas	C-105	C-105				0	0	0.000		0		
C-106	1947	3	STAT		388	388	0	#N/A	0	MW				3rd in Cascade, began filling July 1947								
C-106	1947	4	rec	86		474		#N/A	0	cas	C-105	C-105				0	0	0.000		1		
C-106	1947	4	rec	56		530		#N/A	0	cas	C-105	C-105				0	0	0.000		0		
C-106	1947	4	STAT		530	530	0	#N/A	0	MW				Full in November 1947		0	0	0.000		0		
C-106	1948	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1948	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1948	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1948	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1949	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1949	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1950	1	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1950	2	STAT		530	530	0	#N/A	0	MW						0	0	0.000		1		
C-106	1950	3	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1950	4	STAT		530	530	0	#N/A	0							0	0	0.000		1		
C-106	1951	1	STAT		551	551	0	21	21							0	0	0.000		1		
C-106	1951	2	STAT		551	551	0	#N/A	21					23 water from hose		0	0	0.000		1		
C-106	1951	3	STAT		551	551	0	#N/A	21							0	0	0.000		1		
C-106	1951	4	STAT		551	551	0	#N/A	21							0	0	0.000		1		
C-106	1952	1	STAT		519	519	0	-32	-11							0	0	0.000		1		
C-106	1952	2	STAT		519	519	0	#N/A	-11							0	0	0.000		1		
C-106	1952	3	STAT		519	519	0	#N/A	-11							0	0	0.000		1		
C-106	1952	4	STAT		519	519	0	#N/A	-11	MW						0	0	0.000		1		
C-106	1953	1	STAT		N/A	519		#N/A	-11	MW				1507 in 101 thru 106-C. 1651 removed thru CR 121B								
C-106	1953	2	REC	162		681		#N/A	-11	SU	BY-102	BY-102					0	0.000		1		
C-106	1953	2	REC	530		1211		#N/A	-11	SL	C-104	C-104				0	0	0.000		1		
C-106	1953	2	REC	530		1741		#N/A	-11	SL	C-105	C-105				0	0	0.000		1		
C-106	1953	2	REC	55		1796		#N/A	-11	SU	C-202	C-202				0	0	0.000		1		
C-106	1953	2	REC	55		1851		#N/A	-11	SU	C-203	C-203				0	0	0.000		1		
C-106	1953	2	REC	55		1906		#N/A	-11	SU	C-204	C-204				0	0	0.000		1		
C-106	1953	2	OUTX	-56		1850		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-106	1953	2	outx	-1774		76		#N/A	-11			UR				0	0	0.000		1		
C-106	1953	2	STAT		76	76	0	#N/A	-11	MW						0	0	0.000		0		
C-106	1953	3	xin	762		838		#N/A	-11			WTR		supernatant supply		0	0	0.000		1		
C-106	1953	3	OUTX	-399		439		#N/A	-11	SL	UR	UR				0	0	0.000		0		
C-106	1953	3	STAT		439	439	0	#N/A	-11	MW				Rec'd MW supernatant from 103-C								
C-106	1953	4	xin	1066		1505		#N/A	-11			WTR				0	0	0.000		1		
C-106	1953	4	OUTX	-728		777		#N/A	-11	SL	UR	UR				0	0	0.000		0		
C-106	1953	4	OUTX	-470		307		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-106	1953	4	OUTX	-164		143		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-106	1953	4	STAT		143	143	0	#N/A	-11	MW				MW supernatant blend tank		0	0	0.000		1		
C-106	1954	1	OUTX	-89		54		#N/A	-11	SL	UR	UR				0	0	0.000		1		
C-106	1954	1	CREC	0		54		#N/A	-11	END	C-105					0	0	0.000		1		
C-106	1954	1	STAT		50	50	0	-4	-15					MW supernatant blend tank			0	0.000		1		
C-106	1954	2	STAT		50	50	0	#N/A	-15	MW				MW supernatant blend tank		0	0	0.000		1		
C-106	1954	3	XIN	85		135		#N/A	-15	UR		UR				0	0	0.000		1		
																0.027881	2.3699	2.370	UR	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-106	1954	3	XIN	453		588		#N/A	-15	UR		UR				0.027881	12.63	15.000	UR	1		
C-106	1954	3	STAT		538	538	0	-50	-65					Rec'd TBP waste during August								
C-106	1954	4	STAT		538	538	0	#N/A	-65	TBP						0	0	15.000		1		
C-106	1955	1	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1955	2	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1955	3	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1955	4	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1956	1	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1956	2	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1956	3	STAT		538	538	12	#N/A	-65							0	0	15.000		1		
C-106	1956	4	STAT		538	538	12	#N/A	-65	TBP						0	0	15.000		1		
C-106	1957	1	STAT		519	519	12	-19	-84	TBP				Latest electrode reading, enough for 171 TU		0	0	15.000		1		
C-106	1957	2	xin	43		562		#N/A	-84			WTR					0	15.000		0		
C-106	1957	2	OUTX	-448		114		#N/A	-84	T12	C-112	TFeCN			Shows 506 not 448	0	0	15.000		2	V	N-54-286
C-106	1957	2	OUTX	-102		12		#N/A	-84	T13	C-109	TFeCN			Shows 114 not 109	0	0	15.000		2	V	N-54-287
C-106	1957	2	REC	234		246		#N/A	-84	SU	A-101	A-101				0	0	15.000		4	O	HWN-1991-2
C-106	1957	2	REC	77		323		#N/A	-84	SU	A-102	A-102				0	0	15.000		4	O	HWN-1991-4
C-106	1957	2	STAT		N/A	323	12	#N/A	-84	P			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd 234 from 101-A &77 from 102-A, 476 Scvg during month		0	0	15.000		1		
C-106	1957	3	xin	121		444		#N/A	-84			WTR	LC as per slucing rule			0	0	15.000		0		
C-106	1957	3	REC	170		614		#N/A	-84	SU	A-102	A-102	AND says 70 to C-106 pos error			0	0	15.000		4	O	HWN-1991-4
C-106	1957	3	STAT		N/A	614	12	#N/A	-84	TBP,P			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd 170 from 102-A (CW)		0	0	15.000		1		
C-106	1957	4	SEND	-456		158		#N/A	-84	SU		BY-103	OC 418 to 456, AND reports 421		Shows 456 not 418	0	0	15.000		3	V	HW-54067-4
C-106	1957	4	outx	-52		106		#N/A	-84	ADJ	CORR	COND				0	0	15.000		0		
C-106	1957	4	STAT		N/A	106	29	#N/A	-84	TBP,P			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	New electrode reading, 456 to 103-BY		0	0	15.000		1		
C-106	1958	1	STAT		106	106	29	#N/A	-84	TBP,P						0	0	15.000		1		
C-106	1958	2	XIN	74		180		#N/A	-84	CWP		CWP1				0.08095238	5.9905	20.990	CWP1	1		
C-106	1958	2	XIN	35		215		#N/A	-84	CWP		CWP1				0.08095238	2.8333	23.824	CWP1	1		
C-106	1958	2	STAT		232	232	29	17	-67	TBP,P,CW						0	0	23.824		1		
C-106	1958	3	XIN	111		343		#N/A	-67	CWP		CWP1				0.08095238	8.9857	32.810	CWP1	4	O	HW-57122-4
C-106	1958	3	XIN	49		392		#N/A	-67	CWP		CWP1				0.08095238	3.9667	36.776	CWP1	4	O	HW-57550-4
C-106	1958	3	XIN	134		526		#N/A	-67	CWP		CWP1				0.08095238	10.848	47.624	CWP1	4	O	HW-57711-4
C-106	1958	3	SEND	-7		519		#N/A	-67	SU		BY-110				0	0	47.624		4	O	HW-57711-4
C-106	1958	3	STAT		519	519	29	#N/A	-67	TBP,P,CW			XIN total 294	7 to 110-BX,SS 294-CW rec'd		0	0	47.624		1		
C-106	1958	4	STAT		535	535	29	16	-51	TBP,P,CW				Latest electrode reading		0	0	47.624		1		
C-106	1959	1	STAT		510	510	29	-25	-76	P,CW						0	0	47.624		1		
C-106	1959	2	STAT		510	510	29	#N/A	-76	P,CW						0	0	47.624		1		
C-106	1959	3	STAT		510	510	29	#N/A	-76	P,CW						0	0	47.624		1		
C-106	1959	4	STAT		510	510	29	#N/A	-76	P,CW						0	0	47.624		1		
C-106	1960	1	STAT		510	510	29	#N/A	-76	TBP,P,CW						0	0	47.624		1		
C-106	1960	2	XIN	17		527		#N/A	-76	CWP		CWP1				0.08095238	1.3762	49.000	CWP1	4	O	HW-65272-4
C-106	1960	2	STAT		527	527	29	#N/A	-76	P,CW				SS 17 CW rec'd		0	0	49.000		1		
C-106	1960	3	STAT		527	527	29	#N/A	-76	P,CW						0	0	49.000		1		
C-106	1960	4	STAT		527	527	29	#N/A	-76	TBP,P,CW						0	0	49.000		1		
C-106	1961	1	STAT		N/A	527		#N/A	-76								0	49.000		1		
C-106	1961	2	STAT		527	527	29	#N/A	-76	TBP,P,CW				[6 months report		0	0	49.000		1		
C-106	1961	3	STAT		N/A	527		#N/A	-76								0	49.000		1		
C-106	1961	4	STAT		527	527	29	#N/A	-76	TBP,P,CW				[6 months report		0	0	49.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-106	1962	1	STAT		N/A	527		#N/A	-76								0	49.000		1		
C-106	1962	2	STAT		527	527	29	#N/A	-76	TBP,P,CW				[6 months report		0	0	49.000		1		
C-106	1962	3	STAT		N/A	527		#N/A	-76								0	49.000		1		
C-106	1962	4	STAT		527	527	29	#N/A	-76	TBP,P,CW				[6 months report		0	0	49.000		1		
C-106	1963	1	STAT		N/A	527		#N/A	-76								0	49.000		1		
C-106	1963	2	STAT		530	530	24	3	-73	TBP,P,CW				[6 months report		0	0	49.000		1		
C-106	1963	3	SEND	-101		429		#N/A	-73	SU		B-101				0	0	49.000		1		
C-106	1963	3	SEND	-252		177		#N/A	-73	SU		B-107				0	0	49.000		1		
C-106	1963	3	REC	245		422		#N/A	-73	SU	A-102	A-102	OC 182 to 245		427 total for these 2	0	0	49.000		3	V	HW-80379-4
C-106	1963	3	REC	182		604		#N/A	-73	SU	A-102	A-102			427 total for these 2	0	0	49.000		3	V	HW-80379-4
C-106	1963	3	STAT		N/A	604		#N/A	-73								0	49.000		1		
C-106	1963	4	send	-66		538		#N/A	-73			A-102	sluicinginput, sluicing?			0	0	49.000		0		
C-106	1963	4	STAT		538	538	24	#N/A	-73	P			REC total 427	427 from 102-A		0	0	49.000		1		
C-106	1964	1	STAT		N/A	538		#N/A	-73								0	49.000		1		
C-106	1964	2	send	-16		522		#N/A	-73			A-102	sluicing?				0	49.000		1		
C-106	1964	2	STAT		522	522	24	#N/A	-73	P				New electrode [6 months report		0	0	49.000		0		
C-106	1964	3	STAT		N/A	522		#N/A	-73								0	49.000		1		
C-106	1964	4	send	-17		505		#N/A	-73			A-102	sluicing?				0	49.000		1		
C-106	1964	4	STAT		505	505	24	#N/A	-73	P						0	0	49.000		0		
C-106	1965	1	XIN	36		541		#N/A	-73		CR VAL	DW	Omis.	[6 months report		0	0	49.000		1		
C-106	1965	1	STAT		N/A	541		#N/A	-73						Omission	0	0	49.000		3	V	RL-SEP-659-4
C-106	1965	2	STAT		541	541	62	#N/A	-73	P							0	49.000		1		
C-106	1965	3	STAT		546	546	62	5	-68	P				36 from CR vault		0	0	49.000		1		
C-106	1965	4	STAT		549	549	62	3	-65							0	0	49.000		1		
C-106	1966	1	STAT		549	549	62	#N/A	-65	P						0	0	49.000		1		
C-106	1966	2	STAT		519	519	62	-30	-95							0	0	49.000		1		
C-106	1966	3	STAT		519	519	62	#N/A	-95	P				New electrode		0	0	49.000		1		
C-106	1966	4	STAT		527	527	62	8	-87							0	0	49.000		1		
C-106	1967	1	STAT		527	527	62	#N/A	-87					New electrode		0	0	49.000		1		
C-106	1967	2	STAT		527	527	62	#N/A	-87							0	0	49.000		1		
C-106	1967	3	STAT		527	527	62	#N/A	-87							0	0	49.000		1		
C-106	1967	4	STAT		527	527	62	#N/A	-87	P						0	0	49.000		1		
C-106	1968	1	SEND	-461		66		#N/A	-87	SU		C-105				0	0	49.000		1		
C-106	1968	1	STAT		66	66	62	#N/A	-87	P						0	0	49.000		4	O	ARH-534-5
C-106	1968	2	STAT		72	72	62	6	-81	P				461 PSN to 105-C		0	0	49.000		1		
C-106	1968	3	STAT		70	70	62	-2	-83							0	0	49.000		1		
C-106	1968	4	STAT		70	70	62	#N/A	-83	P						0	0	49.000		1		
C-106	1969	1	XIN	54		124		#N/A	-83	AR		AR	Omis.		Omission	0.082051	4.4308	53.431	AR	3	V	ARH-1200A-5
C-106	1969	1	STAT		124	124	62	#N/A	-83	P				54 from 002 AR (101-A sludge wash		0	0	53.431		1		
C-106	1969	2	XIN	120		244		#N/A	-83	AR		AR	Omis.		Omission	0.082051	9.8462	63.277	AR	3	V	ARH-1200B-5
C-106	1969	2	STAT		244	244	62	#N/A	-83	P				120 from AR sludge washes		0	0	63.277		1		
C-106	1969	3	XIN	50		294		#N/A	-83	AR		AR	Omis.		Omission	0.082051	4.1026	67.379	AR	3	V	ARH-1200C-5
C-106	1969	3	STAT		293	293	62	-1	-84	P				50 from 002 AR sludge washes		0	0	67.379		1		
C-106	1969	4	XIN	52		345		#N/A	-84	AR		AR	Omis.		Omission	0.082051	4.2667	71.646	AR	3	V	ARH-1200D-5
C-106	1969	4	SEND	-176		169		#N/A	-84	SU		C-105				0	0	71.646		4	O	ARH-1200D-5
C-106	1969	4	STAT		167	167	57	-2	-86	PSS				52 from 002 AR, 176 to 105-C		0	0	71.646		1		
C-106	1970	1	xin	6		173		#N/A	-86	AR	A-106	AR				0.082051	0.4923	72.138	AR	0		
C-106	1970	1	XIN	55		228		#N/A	-86	AR		AR	Omis.		Omission	0.082051	4.5128	76.651	AR	3	V	ARH-1666A-5
C-106	1970	1	STAT		222	222	57	-6	-92	PSS				55 from 002 AR		0	0	76.651		1		
C-106	1970	2	xin	2		224		#N/A	-92	AR	A-106	AR				0.082051	0.1641	76.815	AR	0		
C-106	1970	2	XIN	149		373		#N/A	-92	AR		AR	Omis.		Omission	0.082051	12.226	89.041	AR	3	V	ARH-1666B-5
C-106	1970	2	STAT		379	379	57	6	-86	PSS				149 from 002 AR		0	0	89.041		1		
C-106	1970	3	xin	4		383		#N/A	-86	AR	A-106	AR				0.082051	0.3282	89.369	AR	0		
C-106	1970	3	XIN	216		599		#N/A	-86	AR		AR	Omis.		Omission	0.082051	17.723	107.092	AR	3	V	ARH-1666C-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-106	1970	3	SEND	-69		530		#N/A	-86	SU		C-103				0	0	107.092		4	O	ARH-1666D-5/ARH-1666C-5 SEND
C-106	1970	3	STAT		517	517	79	-13	-99	PSS				216 from 002 AR, 69 to 103-C		0	0	107.092		1		
C-106	1970	4	xin	8		525		#N/A	-99	AR	A-106	AR				0.082051	0.6564	107.749	AR	0		
C-106	1970	4	XIN	303		828		#N/A	-99	AR		AR	Omis.		Omission	0.082051	24.862	132.610	AR	3	V	ARH-1666D-5
C-106	1970	4	SEND	-194		634		#N/A	-99	SU		A-102				0	0	132.610		4	O	ARH-1666D-5
C-106	1970	4	SEND	-99		535		#N/A	-99	SU		C-103				0	0	132.610		4	O	ARH-1666A-5
C-106	1970	4	STAT		530	530	145	-5	-104	PSS				303 from 002 AR, 99 to 103-C, 194 to 102-A		0	0	132.610		1		
C-106	1971	1	xin	5		535		#N/A	-104	AR	A-106	AR				0.082051	0.4103	133.021	AR	0		
C-106	1971	1	XIN	131		666		#N/A	-104	AR		AR	Omis.		Omission	0.082051	10.749	143.769	AR	3	V	ARH-2074A-5
C-106	1971	1	SEND	-257		409		#N/A	-104	SU		C-103				0	0	143.769		4	O	ARH-2074A-5
C-106	1971	1	REC	444		853		#N/A	-104	SU	C-103	C-103				0	0	143.769		4	O	ARH-2074-A5
C-106	1971	1	SEND	-827		26		#N/A	-104	SU		C-105				0	0	143.769		4	O	ARH-2074A-5
C-106	1971	1	REC	194		220		#N/A	-104	SU	A-102	A-102				0	0	143.769		4	O	ARH-2074-A5
C-106	1971	1	STAT		212	212	150	-8	-112	PSS				131 from 002 AR, 444 from 103-C, 194 from 102-A, 267 to 103-C, 827 to 105-C		0	0	143.769		1		
C-106	1971	2	STAT		212	212	150	#N/A	-112	PSS						0	0	143.769		1		
C-106	1971	3	XIN	27		239		#N/A	-112	WTR		WTR	*63 to 27		Omission	0	0	143.769		3	V	ARH-2074C-5
C-106	1971	3	STAT		239	239	150	#N/A	-112	H2O,PSS				63 water		0	0	143.769		1		
C-106	1971	4	XIN	0		239		#N/A	-112	COND		WTR	omission not used		Omission		0	143.769		3	V	ARH-2074D-5
C-106	1971	4	XIN	0		239		#N/A	-112	WTR		WTR	omission not used		Omission		0	143.769		3	V	ARH-2074D-5
C-106	1971	4	STAT		235	235	150	-4	-116	H2O,PSS				16 water, 22 condensate		0	0	143.769		1		
C-106	1972	1	STAT		233	233	150	-2	-118	PSS				* Dry Wells 30-06-02, 30-06-04, 30-06-10 drilled.		0	0	143.769		1		
C-106	1972	2	xin	15		248		#N/A	-118	AR	A-106	AR				0.082051	1.2308	145.000	AR	0		
C-106	1972	2	STAT		235	235	125	-13	-131	PSS						0	0	145.000		1		
C-106	1972	3	STAT		244	244	125	9	-122	PSS						0	0	145.000		1		
C-106	1972	4	STAT		248	248	125	4	-118	PSS						0	0	145.000		1		
C-106	1973	1	STAT		255	255	125	7	-111	PSS						0	0	145.000		1		
C-106	1973	2	STAT		249	249	125	-6	-117	PSS						0	0	145.000		1		
C-106	1973	3	STAT		241	241	125	-8	-125	PSS						0	0	145.000		1		
C-106	1973	4	STAT		238	238	125	-3	-128	PSS						0	0	145.000		1		
C-106	1974	1	STAT		237	237	125	-1	-129	PSS				** Dry Wells 30-06-03, 30-06-09, 30-06-12 drilled.		0	0	145.000		1		
C-106	1974	2	STAT		250	250	125	13	-116	PSS						0	0	145.000		1		
C-106	1974	3	XIN	283		533		#N/A	-116	BL		BL	OC 238 to 283, AND reports 238		Shows 283 not 238	0.017705	5.0106	150.011	BL	3	V	ARH-CD-133C-4
C-106	1974	3	XIN	3		536		#N/A	-116	WTR		WTR				0	0	150.011		4	O	ARH-CD-133C-4
C-106	1974	3	XIN	15		551		#N/A	-116	WTR		WTR	Omis. REC B-154 CT		Omission	0	0	150.011		3	V	ARH-CD-133C-4
C-106	1974	3	SEND	-221		330		#N/A	-116	SU		AX-103				0	0	150.011		4	O	ARH-CD-133C-4
C-106	1974	3	STAT		324	324	125	-6	-122	PSS,BL				238 from B Plant, 15 from 154-B catch tank, 3 water, 221 to 103-AX		0	0	150.011		1		
C-106	1974	4	XIN	506		830		#N/A	-122	BL		BL				0.017705	8.9588	158.969	BL	4	O	ARH-CD-133D-4
C-106	1974	4	XIN	1		831		#N/A	-122	WTR		WTR				0	0	158.969		4	O	ARH-CD-133D-4
C-106	1974	4	SEND	-409		422		#N/A	-122	SU		C-103				0	0	158.969		4	O	ARH-CD-133D-4
C-106	1974	4	STAT		420	420	106	-2	-124	BL				506 from B Plant, 1 water, 409 to 103-C		0	0	158.969		1		
C-106	1975	1	XIN	356		776		#N/A	-124	BL		BL				0.017705	6.303	165.272	BL	4	O	ARH-CD-336A-4
C-106	1975	1	SEND	-404		372		#N/A	-124	SU		C-103				0	0	165.272		4	O	ARH-CD-336A-4
C-106	1975	1	STAT		373	373	106	1	-123	BL				356 from B Plant, 404 to 103-C		0	0	165.272		1		
C-106	1975	2	XIN	236		609		#N/A	-123	BL		BL				0.017705	4.1784	169.451	BL	4	O	ARH-CD-336B-4
C-106	1975	2	XIN	7		616		#N/A	-123	WTR		WTR	Omis. REC 302 CT		Omission	0	0	169.451		3	V	ARH-CD-336B-4
C-106	1975	2	SEND	-258		358		#N/A	-123	SU		C-103				0	0	169.451		4	O	ARH-CD-336B-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-106	1975	2	outx	-13		345		#N/A	-123			COND				0	0	169.451		0		
C-106	1975	2	STAT		345	345	106	#N/A	-123	BL				236 from B Plant, 7 from 302-CT,258 to 103-C		0	0	169.451		1		
C-106	1975	3	XIN	242		587		#N/A	-123	BL		BL				0.017705	4.2846	173.735	BL	4	O	ARH-CD-336C-4
C-106	1975	3	SEND	-101		486		#N/A	-123	SU		C-104				0	0	173.735		4	O	ARH-CD-336C-4
C-106	1975	3	outx	-17		469		#N/A	-123			COND				0	0	173.735		0		
C-106	1975	3	STAT		469	469	106	#N/A	-123	BL				242 from B Plant, 101 to 104-C		0	0	173.735		1		
C-106	1975	4	XIN	414		883		#N/A	-123	BL		BL				0.017705	7.3299	181.065	BL	4	O	ARH-CD-336D-4
C-106	1975	4	SEND	-595		288		#N/A	-123	SU		C-104				0	0	181.065		4	O	ARH-CD-336D-4
C-106	1975	4	STAT		288	288	106	#N/A	-123	BL				414 from B Plant, 595 to 104-C		0	0	181.065		1		
C-106	1976	1	XIN	581		869		#N/A	-123	BL		BL				0.017705	10.287	191.352	BL	4	O	ARH-CD-702A-4
C-106	1976	1	SEND	-477		392		#N/A	-123	SU		C-104				0	0	191.352		4	O	ARH-CD-702A-4
C-106	1976	1	outx	-63		329		#N/A	-123			COND				0	0	191.352		0		
C-106	1976	1	STAT		329	329	106	#N/A	-123	BL				581 from 6 Plant, 477 to 104-C		0	0	191.352		1		
C-106	1976	2	XIN	319		648		#N/A	-123	BL		BL				0.017705	5.6479	197.000	BL	4	O	ARH-CD-702B-4
C-106	1976	2	SEND	-148		500		#N/A	-123	SU		C-104				0	0	197.000		4	O	ARH-CD-702B-4
C-106	1976	2	STAT		499	499	106	-1	-124	BL				319 from B Plant, 148 to 104-C		0	0	197.000		1		
C-106	1976	3	send	-77		422		#N/A	-124			A-102				0	0	197.000		0		
C-106	1976	3	STAT		422	422	106	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1976	4	send	-189		233		#N/A	-124			A-102				0	0	197.000		0		
C-106	1976	4	STAT		233	233	106	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	1	rec	140		373		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1977	1	STAT		373	373	145	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	2	rec	107		480		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1977	2	STAT		480	480	145	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	3	send	-82		398		#N/A	-124			A-102				0	0	197.000		0		
C-106	1977	3	STAT		398	398	145	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	4	send	-14		384		#N/A	-124			A-102				0	0	197.000		0		
C-106	1977	4	STAT		384	384	156	#N/A	-124							0	0	197.000		1		
C-106	1978	1	SEND	-44		340		#N/A	-124	SU		A-102	*237 to			0	0	197.000		1		
C-106	1978	1	SEND	-64		276		#N/A	-124	SU		AZ-101				0	0	197.000		1		
C-106	1978	1	SEND	-20		256		#N/A	-124	SU		AZ-101				0	0	197.000		1		
C-106	1978	1	SEND	-1		255		#N/A	-124	SU		AZ-101				0	0	197.000		1		
C-106	1978	1	STAT		255	255	156	#N/A	-124	CPLX				Active-Receiving B Plt. Wst.		0	0	197.000		1		
C-106	1978	2	SEND	-159		96		#N/A	-124	SU		A-102				0	0	197.000		1		
C-106	1978	2	rec	260		356		#N/A	-124	SU	A-102	A-102	*-1 to			0	0	197.000		0		
C-106	1978	2	STAT		356	356	156	#N/A	-124	CPLX						0	0	197.000		1		
C-106	1978	3	rec	88		444		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1978	3	STAT		444	444	156	#N/A	-124	CPLX						0	0	197.000		1		
C-106	1978	4	send	-22		422		#N/A	-124			A-102				0	0	197.000		0		
C-106	1978	4	STAT		422	422	142	#N/A	-124	CPLX				Solids level evaluated 11/3/78		0	0	197.000		1		
C-106	1979	1	SEND	-209		213		#N/A	-124	SU		A-102				0	0	197.000		1		
C-106	1979	1	SEND	-11		202		#N/A	-124	SU		A-102	*+40 to			0	0	197.000		1		
C-106	1979	1	STAT		202	202	197	#N/A	-124	NCPLX				Solids level 3/31/79 Inactive		0	0	197.000		1		
C-106	1979	2	rec	17		219		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1979	2	STAT		219	219	197	#N/A	-124					New photo 4/5/79		0	0	197.000		1		
C-106	1979	3	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1979	4	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	1	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	2	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	3	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	4	STAT		219	219	197	#N/A	-124	CPLX						0	0	197.000		1		
C-106	1993	2	STAT		229	229	197	10	-114	NCPLX						0	0	197.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-106	1993	4	STAT		229	229	197	#N/A	-114							0	0	197.000		1		
C-106	1994	1	STAT		229	229	197	#N/A	-114							0	0	197.000		1		
C-106	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-107	1900																					
C-107	1946	2	CSEND	0		0		#N/A	0	SET	C-108						0	0.000		1		
C-107	1946	2	XIN	2		2		#N/A	0	1C		1C1				0.13728	0.2746	0.275	1C1	1		
C-107	1946	2	STAT		N/A	2	0	#N/A	0				phase error? 53 to N/A	Added in April 1946		0	0	0.275		1		
C-107	1946	3	STAT		N/A	2	0	#N/A	0				phase error? 53 to N/A			0	0	0.275		1		
C-107	1946	4	STAT		N/A	2	0	#N/A	0				phase error? 53 to N/A			0	0	0.275		1		
C-107	1947	1	STAT		N/A	2	0	#N/A	0	1C			phase error? 53 to N/A			0	0	0.275		1		
C-107	1947	2	XIN	133		135		#N/A	0	1C		1C1				0.13728	18.258	18.533	1C1	1		
C-107	1947	2	XIN	49		184		#N/A	0	1C		1C1				0.13728	6.7267	25.259	1C1	1		
C-107	1947	2	XIN	91		275		#N/A	0	1C		1C1				0.13728	12.492	37.752	1C1	1		
C-107	1947	2	STAT		275	275	0	#N/A	0	1C				1st in cascade, began filling April 1947		0	0	37.752		1		
C-107	1947	3	XIN	102		377		#N/A	0	1C		1C1				0.13728	14.003	51.754	1C1	1		
C-107	1947	3	XIN	71		448		#N/A	0	1C		1C1				0.13728	9.7469	61.501	1C1	1		
C-107	1947	3	XIN	95		543		#N/A	0	1C		1C1				0.13728	13.042	74.543	1C1	1		
C-107	1947	3	send	-13		530		#N/A	0	cas		C-108				0	0	74.543		0		
C-107	1947	3	STAT		530	530	0	#N/A	0					Full September 1947		0	0	74.543		1		
C-107	1947	4	XIN	70		600		#N/A	0	1C		1C1				0.13728	9.6096	84.152	1C1	1		
C-107	1947	4	XIN	73		673		#N/A	0	1C		1C1				0.13728	10.021	94.174	1C1	1		
C-107	1947	4	XIN	91		764		#N/A	0	1C		1C1				0.13728	12.492	106.666	1C1	1		
C-107	1947	4	send	-91		673		#N/A	0	cas		C-108				0	0	106.666		0		
C-107	1947	4	send	-73		600		#N/A	0	cas		C-108				0	0	106.666		0		
C-107	1947	4	send	-70		530		#N/A	0	cas		C-108				0	0	106.666		0		
C-107	1947	4	STAT		530	530	0	#N/A	0	1C				Cascading to 108-C		0	0	106.666		1		
C-107	1948	1	XIN	70		600		#N/A	0	1C		1C1				0.13728	9.6096	116.276	1C1	1		
C-107	1948	1	XIN	92		692		#N/A	0	1C		1C1				0.13728	12.63	128.906	1C1	1		
C-107	1948	1	XIN	104		796		#N/A	0	1C		1C1				0.13728	14.277	143.183	1C1	1		
C-107	1948	1	send	-104		692		#N/A	0	cas		C-108				0	0	143.183		0		
C-107	1948	1	send	-92		600		#N/A	0	cas		C-108				0	0	143.183		0		
C-107	1948	1	send	-70		530		#N/A	0	cas		C-108				0	0	143.183		0		
C-107	1948	1	STAT		530	530	0	#N/A	0					Cascading to 108-C		0	0	143.183		1		
C-107	1948	2	XIN	79		609		#N/A	0	1C		1C1				0.13728	10.845	154.028	1C1	1		
C-107	1948	2	XIN	108		717		#N/A	0	1C		1C1				0.13728	14.826	168.854	1C1	1		
C-107	1948	2	XIN	116		833		#N/A	0	1C		1C1				0.13728	15.924	184.778	1C1	1		
C-107	1948	2	send	-116		717		#N/A	0	cas		C-108				0	0	184.778		0		
C-107	1948	2	send	-108		609		#N/A	0	cas		C-108				0	0	184.778		0		
C-107	1948	2	send	-79		530		#N/A	0	cas		C-108				0	0	184.778		0		
C-107	1948	2	STAT		530	530	0	#N/A	0					Cascading to 108-C & 109-C		0	0	184.778		1		
C-107	1948	3	XIN	121		651		#N/A	0	1C		1C1				0.13728	16.611	201.389	1C1	1		
C-107	1948	3	XIN	92		743		#N/A	0	1C		1C1				0.13728	12.63	214.019	1C1	1		
C-107	1948	3	XIN	29		772		#N/A	0	1C		1C1				0.13728	3.9811	218.000	1C1	1		
C-107	1948	3	send	-121		651		#N/A	0	cas		C-108				0	0	218.000		0		
C-107	1948	3	send	-92		559		#N/A	0	cas		C-108				0	0	218.000		0		
C-107	1948	3	send	-29		530		#N/A	0	cas		C-108				0	0	218.000		0		
C-107	1948	3	STAT		530	530	0	#N/A	0					Cascade full in September 1948		0	0	218.000		1		
C-107	1948	4	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	1	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	2	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	3	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	4	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	1	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	2	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	3	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	4	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1951	1	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1951	2	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1951	3	STAT		N/A	530		#N/A	0							0	0	218.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-107	1951	4	STAT		N/A	530		#N/A	0							0	0	218.000		1		
C-107	1952	1	SEND	-131		399		#N/A	0	SU		B-106				0	0	218.000		1		
C-107	1952	1	STAT		399	399	399	#N/A	0							0	0	218.000		1		
C-107	1952	2	STAT		399	399	399	#N/A	0							0	0	218.000		1		
C-107	1952	3	STAT		399	399	399	#N/A	0	1C						0	0	218.000		1		
C-107	1952	4	XIN	199		598		#N/A	0	UR		UR				0	0	218.000		1		
C-107	1952	4	send	-68		530		#N/A	0	cas		C-108				0	0	218.000		1		
C-107	1952	4	STAT		547	547	399	17	17	TBP				Overflow line to 108-C plugged 12-18-52		0	0	218.000		0		
C-107	1953	1	SEND	-29		518		#N/A	17	SL		C-108				0	0	218.000		1		
C-107	1953	1	STAT		518	518	399	#N/A	17	TBP						0	0	218.000		1		
C-107	1953	2	CSEND	0		518		#N/A	17	END	C-108			Overflow to 108-C plugged		0	0	218.000		1		
C-107	1953	2	STAT		519	519	399	1	18	TBP							0	218.000		1		
C-107	1953	3	XIN	12		531		#N/A	18	UR		UR		Overflow to 108-C plugged		0	0	218.000		1		
C-107	1953	3	STAT		530	530	399	-1	17							0	0	218.000		1		
C-107	1953	4	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1954	1	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1954	2	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1954	3	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1954	4	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1955	1	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1955	2	STAT		530	530	399	#N/A	17					Overflow to 108-C plugged		0	0	218.000		1		
C-107	1955	3	STAT		530	530	399	#N/A	17					Overflow partially plugged		0	0	218.000		1		
C-107	1955	4	STAT		530	530	399	#N/A	17							0	0	218.000		1		
C-107	1956	1	STAT		530	530	399	#N/A	17							0	0	218.000		1		
C-107	1956	2	STAT		530	530	399	#N/A	17							0	0	218.000		1		
C-107	1956	3	STAT		530	530	399	#N/A	17	TBP						0	0	218.000		1		
C-107	1956	4	OUTX	-172		358		#N/A	17	T08	C-109	TFeCN	and reports 155			0	0	218.000		3	O	N-54-282
C-107	1956	4	STAT		375	375	375	17	34	TBP				155 scavenged during October		0	0	218.000		1		
C-107	1957	1	STAT		376	376	375	1	35	1C				Latest electrode reading, 3" gal (flushes)		0	0	218.000		1		
C-107	1957	2	STAT		381	381	375	5	40	1C				Latest electrode reading		0	0	218.000		1		
C-107	1957	3	XIN	22		403		#N/A	40	1C		WTR	Omis line flushing w/ water		Omission, line flush	0	0	218.000		2	V	HW-51858-4
C-107	1957	3	XIN	8		411		#N/A	40	1C		WTR	Omis line flushing w/ water		Omission, line flush	0	0	218.000		2	V	HW-52932-4
C-107	1957	3	STAT		392	392	375	-19	21	1C				Latest electrode reading, 30 line flushes rec'd		0	0	218.000		1		
C-107	1957	4	XIN	19		411		#N/A	21	1C		WTR	Omis line flushing w/ water		Omission, line flush	0	0	218.000		3	V	HW-54519-4
C-107	1957	4	XIN	0		411		#N/A	21	WTR		WTR	53 split up			0	0	218.000		1		
C-107	1957	4	STAT		411	411	375	#N/A	21	1C				19 line flushes rec'd		0	0	218.000		1		
C-107	1958	1	XIN	17		428		#N/A	21	FLSH		WTR				0	0	218.000		4	O	HW-54916-4
C-107	1958	1	STAT		425	425	375	-3	18					17 line flushes, latest electrode reading		0	0	218.000		1		
C-107	1958	2	STAT		425	425	375	#N/A	18	1C						0	0	218.000		1		
C-107	1958	3	STAT		422	422	375	-3	15	1C				Latest electrode reading		0	0	218.000		1		
C-107	1958	4	STAT		425	425	375	3	18					Latest electrode reading		0	0	218.000		1		
C-107	1959	1	STAT		425	425	375	#N/A	18	1C						0	0	218.000		1		
C-107	1959	2	STAT		422	422	375	-3	15					Latest electrode reading		0	0	218.000		1		
C-107	1959	3	STAT		422	422	375	#N/A	15							0	0	218.000		1		
C-107	1959	4	STAT		422	422	375	#N/A	15							0	0	218.000		1		
C-107	1960	1	STAT		422	422	375	#N/A	15							0	0	218.000		1		
C-107	1960	2	STAT		422	422	375	#N/A	15							0	0	218.000		1		
C-107	1960	3	STAT		422	422	375	#N/A	15							0	0	218.000		1		
C-107	1960	4	STAT		422	422	375	#N/A	15	1C						0	0	218.000		1		
C-107	1961	1	STAT		N/A	422		#N/A	15							0	0	218.000		1		
C-107	1961	2	STAT		439	439	375	17	32	1C				[6 months report		0	0	218.000		1		
C-107	1961	3	XIN	514		953		#N/A	32	CWP		CWP2	OC 511 to 514		902 total for these 2	0.027007	13.882	231.882	CWP2	3	V	HW-72625-4
C-107	1961	3	SEND	-245		708		#N/A	32	SU		BY-101	OC 258 to 245		Shows 245 not 258	0	0	231.882		3	V	HW-72625-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-107	1961	3	SEND	-138		570		#N/A	32	SU		BY-104	OC 133 to 138		Shows 138 not 133	0	0	231.882		3	V	HW-72625-5
C-107	1961	3	SEND	-20		550		#N/A	32	SU		BY-105				0	0	231.882		4	O	HW-72625-5
C-107	1961	3	STAT		N/A	550		#N/A	32								0	231.882		1		
C-107	1961	4	XIN	388		938		#N/A	32	CWP		CWP2			902 total for these 2	0.027007	10.479	242.361	CWP2	3	V	HW-72625-4
C-107	1961	4	SEND	-172		766		#N/A	32	SU		BY-105	AND reports 192 pos typo error			0	0	242.361		4	O	HW-72625-5
C-107	1961	4	SEND	-256		510		#N/A	32	SU		BY-106	OC 250 to 256		Shows 256 not 250	0	0	242.361		3	V	HW-74647-5
C-107	1961	4	STAT		483	483	375	-27	5	CW			XIN total 902, SEND total -831, AND reports -858	858 to BY, 902 CW rec'd (6 month report)		0	0	242.361		1		
C-107	1962	1	XIN	320		803		#N/A	5	CWP		CWP2	OC 317 to 320		468 total for these 2	0.027007	8.6423	251.003	CWP2	3	V	HW-74647-4
C-107	1962	1	SEND	-435		368		#N/A	5	SU		BY-109				0	0	251.003		3	O	HW-74647-4
C-107	1962	1	STAT		N/A	368		#N/A	5								0	251.003		1		
C-107	1962	2	XIN	148		516		#N/A	5	CWP		CWP2			468 total for these 2	0.027007	3.9971	255.000	CWP2	3	V	HW-74647-4
C-107	1962	2	SEND	-14		502		#N/A	5	SU		BY-104				0	0	255.000		4	O	HW-74647-5
C-107	1962	2	SEND	-118		384		#N/A	5	SU		BY-106				0	0	255.000		4	O	HW-74647-5
C-107	1962	2	STAT		384	384	375	#N/A	5	CW			XIN total 468, SEND total 597	468 rec'd, 567 to BY		0	0	255.000		1		
C-107	1962	3	STAT		N/A	384		#N/A	5					[6 months report			0	255.000		1		
C-107	1962	4	STAT		384	384	375	#N/A	5	CW						0	0	255.000		1		
C-107	1963	1	STAT		N/A	384		#N/A	5								0	255.000		1		
C-107	1963	2	STAT		384	384	321	#N/A	5	CW				[6 months report		0	0	255.000		1		
C-107	1963	3	STAT		N/A	384		#N/A	5								0	255.000		1		
C-107	1963	4	STAT		381	381	321	-3	2	CW				Latest electrode reading		0	0	255.000		1		
C-107	1964	1	STAT		N/A	381		#N/A	2								0	255.000		1		
C-107	1964	2	STAT		381	381	321	#N/A	2	CW				[6 months report		0	0	255.000		1		
C-107	1964	3	STAT		N/A	381		#N/A	2								0	255.000		1		
C-107	1964	4	XIN	2		383		#N/A	2	HS		HS				0	0	255.000		3	O	RL-SEP-260-4
C-107	1964	4	STAT		383	383	321	#N/A	2	CW,HS				2 rec'd [6 months report		0	0	255.000		1		
C-107	1965	1	STAT		N/A	383		#N/A	2								0	255.000		1		
C-107	1965	2	XIN	12		396		#N/A	2		CR VAL	DW	Omis.		Omission	0	0	255.000		3	V	RL-SEP-659-4
C-107	1965	2	STAT		395	395	225	#N/A	2	CW,HS				12 from CR vault		0	0	255.000		1		
C-107	1965	3	XIN	30		425		#N/A	2	HS		HS	lost record			0	0	255.000		4	O	RL-SEP-821-4
C-107	1965	3	STAT		425	425	225	#N/A	2	CW,HS				30 from HS		0	0	255.000		1		
C-107	1965	4	XIN	40		465		#N/A	2	HS		HS				0	0	255.000		4	O	RL-SEP-923-4
C-107	1965	4	STAT		466	466	225	1	3	CW,HS				41 from HS		0	0	255.000		1		
C-107	1966	1	XIN	61		527		#N/A	3	HS		HS				0	0	255.000		4	O	ISO-226-4
C-107	1966	1	STAT		527	527	255	#N/A	3	CW,HS				61 from HS		0	0	255.000		1		
C-107	1966	2	XIN	39		566		#N/A	3	HS		HS				0	0	255.000		4	O	ISO-404-4
C-107	1966	2	SEND	-102		464		#N/A	3	SU		C-108				0	0	255.000		4	O	ISO-404-4
C-107	1966	2	STAT		464	464	255	#N/A	3	CW,HS				102 to 108-C, rec'd 39 HS		0	0	255.000		1		
C-107	1966	3	XIN	23		487		#N/A	3	HS		HS				0	0	255.000		4	O	ISO-538-4
C-107	1966	3	STAT		486	486	255	-1	2	CW,HS				Rec'd 23 HS		0	0	255.000		1		
C-107	1966	4	XIN	41		527		#N/A	2	HS		HS				0	0	255.000		4	O	ISO-674-4
C-107	1966	4	STAT		527	527	255	#N/A	2	CW,HS				41 from HS		0	0	255.000		1		
C-107	1967	1	XIN	3		530		#N/A	2	HLO		WTR				0	0	255.000		4	O	ISO-806-4
C-107	1967	1	STAT		530	530	255	#N/A	2	CW,HS,HLO				3 from HLO		0	0	255.000		1		
C-107	1967	2	STAT		528	528	255	-2	0	HS,HLO						0	0	255.000		1		
C-107	1967	3	STAT		528	528	255	#N/A	0	CW,HS,HLO						0	0	255.000		1		
C-107	1967	4	XIN	6		534		#N/A	0	HS		HS				0	0	255.000		4	O	ARH-326-5
C-107	1967	4	STAT		534	534	255	#N/A	0	CW,HS,HLO				6 from HSW		0	0	255.000		1		
C-107	1968	1	STAT		534	534	255	#N/A	0	HS,HLO						0	0	255.000		1		
C-107	1968	2	STAT		534	534	255	#N/A	0	HS,HLO						0	0	255.000		1		
C-107	1968	3	STAT		534	534	255	#N/A	0	CW,HS,HLO						0	0	255.000		1		
C-107	1968	4	STAT		528	528	255	-6	-6	SSW,BNW						0	0	255.000		1		
C-107	1969	1	STAT		528	528	255	#N/A	-6	CW,SSW,BNW						0	0	255.000		1		
C-107	1969	2	STAT		525	525	255	-3	-9	CW,SSW,BNW						0	0	255.000		1		
C-107	1969	3	STAT		524	524	255	-1	-10	CW,SSW,BNW						0	0	255.000		1		
C-107	1969	4	SEND	-223		301		#N/A	-10	SU		C-104				0	0	255.000		4	O	ARH-1200D-5

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
C-107	1969	4	STAT		301	301	255	#N/A	-10	CW				223 to 104-C		0	0	255.000		1		
C-107	1970	1	STAT		303	303	255	2	-8	CW						0	0	255.000		1		
C-107	1970	2	STAT		304	304	200	1	-7	CW						0	0	255.000		1		
C-107	1970	3	REC	245		549		#N/A	-7	SU	BX-104	BX-104				0	0	255.000		4	O	ARH-1666C-5
C-107	1970	3	STAT		547	547	195	-2	-9	IX				245 from 104-BX		0	0	255.000		1		
C-107	1970	4	STAT		547	547	195	#N/A	-9	CW,IX						0	0	255.000		1		
C-107	1971	1	STAT		546	546	195	-1	-10	CW,IX						0	0	255.000		1		
C-107	1971	2	STAT		546	546	197	#N/A	-10	IX						0	0	255.000		1		
C-107	1971	3	STAT		546	546	197	#N/A	-10	CW,IX						0	0	255.000		1		
C-107	1971	4	STAT		541	541	197	-5	-15	CW,IX						0	0	255.000		1		
C-107	1972	1	SEND	-253		288		#N/A	-15	SU		C-104				0	0	255.000		1		
C-107	1972	1	STAT		288	288	197	#N/A	-15	CW,IX			and stats at 238			0	0	255.000		4	O	ARH-2456A-4
C-107	1972	2	STAT		289	289	197	1	-14	CW,IX						0	0	255.000		1		
C-107	1972	3	STAT		289	289	206	#N/A	-14	CW,IX						0	0	255.000		1		
C-107	1972	4	STAT		260	260	206	-29	-43	IX						0	0	255.000		1		
C-107	1973	1	STAT		260	260	206	#N/A	-43	CW,IX						0	0	255.000		1		
C-107	1973	2	STAT		261	261	206	1	-42	CW,IX						0	0	255.000		1		
C-107	1973	3	REC	31		292		#N/A	-42	SU	C-104	C-104				0	0	255.000		1		
C-107	1973	3	STAT		299	299	206	7	-35	BNW,N,LW,CW,DW,IX						0	0	255.000		4	O	ARH-2794C-4
C-107	1973	4	REC	213		512		#N/A	-35	SU	C-104	C-104		31 from 104-C		0	0	255.000		1		
C-107	1973	4	STAT		513	513	206	1	-34	BNW,N,LW,CW,DW,IX,EB				213 from 104-C		0	0	255.000		4	O	ARH-2794D-4
C-107	1974	1	STAT		514	514	206	1	-33	N,LW,CW,DW,IX,EB				* Dry Wells 30-07-01, 30-07-02, 30-07-05, 30-07-07, 30-07-08, 30-07-10, 30-07-11 drilled.		0	0	255.000		1		
C-107	1974	2	STAT		514	514	206	#N/A	-33	BNW,N,LW,CW,DW,IX,EB						0	0	255.000		1		
C-107	1974	3	STAT		515	515	206	1	-32	BNW,N,LW,CW,DW,IX,EB						0	0	255.000		1		
C-107	1974	4	STAT		513	513	191	-2	-34	CW,N,LW,CW,DW,IX,EB						0	0	255.000		1		
C-107	1975	1	SEND	-65		448		#N/A	-34	SU		C-103				0	0	255.000		4	O	ARH-CD-336A-4
C-107	1975	1	STAT		450	450	191	2	-32	BNW,N,LW,CW,DW,IX,EB				65 to 103-C		0	0	255.000		1		
C-107	1975	2	STAT		450	450	191	#N/A	-32	BNW,N,LW,CW,DW,IX,EB						0	0	255.000		1		
C-107	1975	3	SEND	-195		255		#N/A	-32	SU		C-103				0	0	255.000		4	O	ARH-CD-336C-4
C-107	1975	3	STAT		255	255	191	#N/A	-32	BNW,N,LW,CW,DW,IX,EB				195 to 103-C		0	0	255.000		1		
C-107	1975	4	STAT		255	255	191	#N/A	-32	BNW,N,LW,CW,DW,IX,EB						0	0	255.000		1		
C-107	1976	1	SEND	-1		254		#N/A	-32	SU		C-103				0	0	255.000		4	O	ARH-CD-702A-4
C-107	1976	1	STAT		257	257	191	3	-29	BNW,N,LW,CW,DW,IX,EB				Removed from service 1 to 103-C		0	0	255.000		1		
C-107	1976	2	STAT		257	257	191	#N/A	-29	BNW,N,LW,CW,DW,IX,EB				RFS		0	0	255.000		1		
C-107	1976	3	STAT		257	257	191	#N/A	-29					Salt Well Pumped		0	0	255.000		1		
C-107	1976	4	STAT		257	257	191	#N/A	-29					Salt Well Pumped		0	0	255.000		1		
C-107	1977	1	STAT		257	257	191	#N/A	-29					Salt Well Pumped		0	0	255.000		1		
C-107	1977	2	STAT		249	249	191	-8	-37					Salt Well Pumped		0	0	255.000		1		
C-107	1977	3	xin	201		450		#N/A	-37			SRR				0.050891	10.229	265.229	SRR	0		
C-107	1977	3	STAT		450	450	191	#N/A	-37	SRS			assumed SRR from PSS lost transactions	Sludge Waste Recovery		0	0	265.229		1		
C-107	1977	4	send	-83		367		#N/A	-37			A-102				0	0	265.229		0		
C-107	1977	4	STAT		367	367	296	#N/A	-37	SRS						0	0	265.229		1		
C-107	1978	1	xin	192		559		#N/A	-37			SRR				0.050891	9.771	275.000	SRR	0		
C-107	1978	1	SEND	-119		440		#N/A	-37	SU		C-103				0	0	275.000		1		
C-107	1978	1	SEND	-100		340		#N/A	-37	SU		C-103				0	0	275.000		1		
C-107	1978	1	STAT		340	340	337	#N/A	-37					Inactive		0	0	275.000		1		
C-107	1978	2	STAT		340	340	337	#N/A	-37	NCPLX						0	0	275.000		1		
C-107	1978	3	STAT		337	337	337	-3	-40					New Solids Level 7/19/78		0	0	275.000		1		
C-107	1978	4	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1979	1	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1979	2	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1979	3	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1979	4	STAT		337	337	337	#N/A	-40							0	0	275.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
C-107	1980	1	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1980	2	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1980	3	STAT		337	337	337	#N/A	-40							0	0	275.000		1		
C-107	1980	4	STAT		337	337	337	#N/A	-40	NCPLX						0	0	275.000		1		
C-107	1984	1	send	-61		276		#N/A	-40	swliq		AN-101				0	0	275.000		1		
C-107	1993	2	STAT		275	275	275	-1	-41	DC						0	0	275.000		0		
C-107	1993	4	STAT		275	275	275	#N/A	-41							0	0	275.000		1		
C-107	1994	1	STAT		275	275	275	#N/A	-41							0	0	275.000		1		
C-107	2000															0	0	275.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-108	1900																					
C-108	1945	1	STAT		N/A	0		#N/A	0				moved from 1944 to 1945	* Dry Well 30-08-02 drilled.			0	0.000		1		
C-108	1946	2	CREC	0		0		#N/A	0	SET	C-107						0	0.000		1		
C-108	1946	2	CSEND	0		0		#N/A	0	SET	C-109						0	0.000		1		
C-108	1946	2	STAT		N/A	0		#N/A	0								0	0.000		1		
C-108	1946	3	STAT		N/A	0		#N/A	0								0	0.000		1		
C-108	1946	4	STAT		N/A	0		#N/A	0								0	0.000		1		
C-108	1947	1	STAT		N/A	0		#N/A	0								0	0.000		1		
C-108	1947	2	STAT		N/A	0		#N/A	0								0	0.000		1		
C-108	1947	3	rec	13		13		#N/A	0	cas	C-107	C-107					0	0.000		1		
C-108	1947	3	STAT		53	53	0	40	40	1C				2nd in cascade, began filling September 1947		0.025755	0.3348	0.335	1C1	0		
C-108	1947	4	rec	91		144		#N/A	40	cas	C-107	C-107				0	0	0.335		1		
C-108	1947	4	rec	73		217		#N/A	40	cas	C-107	C-107				0.025755	2.3437	2.679	1C1	0		
C-108	1947	4	rec	70		287		#N/A	40	cas	C-107	C-107				0.025755	1.8801	4.559	1C1	0		
C-108	1947	4	STAT		249	249	0	-38	2	1C						0.025755	1.8028	6.361	1C1	0		
C-108	1948	1	rec	104		353		#N/A	2	cas	C-107	C-107				0	0	6.361		1		
C-108	1948	1	rec	92		445		#N/A	2	cas	C-107	C-107				0.025755	2.6785	9.040	1C1	0		
C-108	1948	1	rec	70		515		#N/A	2	cas	C-107	C-107				0.025755	2.3694	11.409	1C1	0		
C-108	1948	1	STAT		530	530	0	15	17	IC				Full in March 1948		0.025755	1.8028	13.212	1C1	0		
C-108	1948	2	rec	116		646		#N/A	17	cas	C-107	C-107				0	0	13.212		1		
C-108	1948	2	rec	108		754		#N/A	17	cas	C-107	C-107				0.025755	2.9876	16.200	1C1	0		
C-108	1948	2	rec	79		833		#N/A	17	cas	C-107	C-107				0.025755	2.7815	18.981	1C1	0		
C-108	1948	2	send	-116		717		#N/A	17	cas		C-109				0.025755	2.0346	21.016	1C1	0		
C-108	1948	2	send	-108		609		#N/A	17	cas		C-109				0	0	21.016		0		
C-108	1948	2	send	-79		530		#N/A	17	cas		C-109				0	0	21.016		0		
C-108	1948	2	STAT		530	530	0	#N/A	17							0	0	21.016		0		
C-108	1948	3	rec	121		651		#N/A	17	cas	C-107	C-107		Cascading to 109-C		0	0	21.016		1		
C-108	1948	3	rec	92		743		#N/A	17	cas	C-107	C-107				0.025755	3.1163	24.132	1C1	0		
C-108	1948	3	rec	29		772		#N/A	17	cas	C-107	C-107				0.025755	2.3694	26.502	1C1	0		
C-108	1948	3	send	-121		651		#N/A	17	cas		C-109				0.025755	0.7469	27.249	1C1	0		
C-108	1948	3	send	-92		559		#N/A	17	cas		C-109				0	0	27.249		0		
C-108	1948	3	send	-29		530		#N/A	17	cas		C-109				0	0	27.249		0		
C-108	1948	3	STAT		530	530	0	#N/A	17					Cascade full in September 1948		0	0	27.249		0		
C-108	1948	4	STAT		530	530	0	#N/A	17	IC						0	0	27.249		1		
C-108	1949	1	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1949	2	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1949	3	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1949	4	STAT		530	530	0	#N/A	17	1C						0	0	27.249		1		
C-108	1950	1	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1950	2	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1950	3	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1950	4	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1951	1	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1951	2	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1951	3	STAT		530	530	0	#N/A	17							0	0	27.249		1		
C-108	1951	4	STAT		530	530	0	#N/A	17	1C						0	0	27.249		1		
C-108	1952	1	STAT		N/A	530		#N/A	17							0	0	27.249		1		
C-108	1952	2	SEND	-496		34		#N/A	17	SU		B-106				0	0	27.249		1		
C-108	1952	2	STAT		34	34	34	#N/A	17					Finished pumping on 4-15-52		0	0	27.249		1		
C-108	1952	3	STAT		34	34	34	#N/A	17	1C						0	0	27.249		1		
C-108	1952	4	rec	68		102		#N/A	17	cas	C-107	C-107				0.025755	1.7513	29.000	1C1	0		
C-108	1952	4	STAT		85	85	34	-17	0	TBP				Overflow line from 108-C, plugged 12-13-52		0	0	29.000		1		
C-108	1953	1	XIN	388		473		#N/A	0	UR		UR				0.02771619	10.754	39.754	UR	1		
C-108	1953	1	XIN	172		645		#N/A	0	UR		UR				0.02771619	4.7672	44.521	UR	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
C-108	1953	1	REC	29		674		#N/A	0	SL	C-107	C-107				0	0	44.521		1		
C-108	1953	1	send	-144		530		#N/A	0	cas		C-109	phase error? 496 to n/a			0	0	44.521		0		
C-108	1953	1	STAT		527	527	34	-3	-3	TBP				Now receiving TBP process waste		0	0	44.521		1		
C-108	1953	2	XIN	3		530		#N/A	-3	UR		UR				0.02771619	0.0831	44.604	UR	1		
C-108	1953	2	XIN	339		869		#N/A	-3	UR		UR				0.02771619	9.3958	54.000	UR	1		
C-108	1953	2	send	-339		530		#N/A	-3	cas		C-109				0	0	54.000		0		
C-108	1953	2	CREC	0		530		#N/A	-3	END	C-107						0	54.000		1		
C-108	1953	2	CSEND	0		530		#N/A	-3	END	C-109						0	54.000		1		
C-108	1953	2	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1953	3	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1953	4	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1954	1	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1954	2	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1954	3	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1954	4	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1955	1	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1955	2	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1955	3	STAT		530	530	34	#N/A	-3							0	0	54.000		1		
C-108	1955	4	STAT		530	530	34	#N/A	-3	TBP						0	0	54.000		1		
C-108	1956	1	REC	433		963		#N/A	-3	SU	C-112	C-112				0	0	54.000		1		
C-108	1956	1	OUTX	-124		839		#N/A	-3	T04	C-109	TFeCN				0	0	54.000		3	O	N-54-278
C-108	1956	1	OUTX	-364		475		#N/A	-3	T05	C-111	TFeCN				0	0	54.000		3	O	N-54-209
C-108	1956	1	STAT		N/A	475	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Non-disposable material. Transfer- red to 001-CR		0	0	54.000		1		
C-108	1956	2	STAT		N/A	475	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Non-cribbable material		0	0	54.000		1		
C-108	1956	3	OUTX	-278		197		#N/A	-3	SU	B-020	CRIB	OC 241 to 278, AND reports - 399		Shows 278 & BC-7 Ditch	0	0	54.000		2	V	N-54-209
C-108	1956	3	OUTX	-179		18		#N/A	-3	SU	B-021	CRIB	OC 156 to 179, AND reports - 24		Shows 179 & BC-8 Ditch	0	0	54.000		2	V	N-54-210
C-108	1956	3	STAT		N/A	18	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped 399 to BC #7 ditch and 24 to BC #8 ditch		0	0	54.000		1		
C-108	1956	4	STAT		N/A	18	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	54.000		1		
C-108	1957	1	STAT		N/A	18	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	54.000		1		
C-108	1957	2	STAT		N/A	18	34	#N/A	-3	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	54.000		1		
C-108	1957	3	XIN	465		483		#N/A	-3	T21	B-108	TFeCN	OC 365 to 465		Shows 465 not 365	0.010582	4.9206	58.921	TFeCl	2	V	N-54-295
C-108	1957	3	XIN	54		537		#N/A	-3	WTR		WTR				0	0	58.921		1		
C-108	1957	3	REC	451		988		#N/A	-3	SU	C-111	C-111	OC 432 to 451		Shows 451 not 432	0	0	58.921		4	V	N-54-291
C-108	1957	3	OUTX	-462		526		#N/A	-3	SU	B-032	CRIB	OC 437 to 462		Shows 462	0	0	58.921		3	V	N-54-249
C-108	1957	3	STAT		N/A	526	34	#N/A	-3	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading, 463 to BC-19, rec'd #8 ditch		0	0	58.921		1		
C-108	1957	4	XIN	451		977		#N/A	-3	T25	B-112	TFeCN				0.010582	4.7725	63.693	TFeCl	4	O	N-54-299
C-108	1957	4	XIN	218		1195		#N/A	-3	T29	BX-109	TFeCN				0.010582	2.3069	66.000	TFeCl	4	O	N-54-273
C-108	1957	4	OUTX	-380		815		#N/A	-3	SU	B-033	CRIB	OC 359 to 380		Shows 380 not 359	0	0	66.000		3	V	N-54-250
C-108	1957	4	OUTX	-309		506		#N/A	-3	SU	B-035	CRIB				0	0	66.000		4	O	N-54-252
C-108	1957	4	OUTX	-69		437		#N/A	-3	SU	B-034	CRIB	OC 65 to 69		Shows 69 not 65	0	0	66.000		3	V	N-54-251

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-108	1957	4	OUTX	-41		396		#N/A	-3	SU	B-034	CRIB		OUTX total -799, AND reports -774, XIN total 669, AND reports 714		0	0	66.000		4	O	N-54-251
C-108	1957	4	STAT		N/A	396	79	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	774 to BC-20 & 21, 714 rec'd		0	0	66.000		1		
C-108	1958	1	OUTX	-264		132		#N/A	-3	SU	B-035	CRIB	OC 250 to 264, AND reports -297		Shows 264 not 250	0	0	66.000		2	V	N-54-252
C-108	1958	1	STAT		175	175	79	43	40	TBP				297 to BC-22 trench		0	0	66.000		1		
C-108	1958	2	STAT		175	175	79	#N/A	40							0	0	66.000		1		
C-108	1958	3	STAT		175	175	79	#N/A	40							0	0	66.000		1		
C-108	1958	4	STAT		175	175	79	#N/A	40							0	0	66.000		1		
C-108	1959	1	STAT		175	175	79	#N/A	40	TBP						0	0	66.000		1		
C-108	1959	2	STAT		183	183	79	8	48	TBP						0	0	66.000		1		
C-108	1959	3	STAT		188	188	79	5	53					Latest electrode reading		0	0	66.000		1		
C-108	1959	4	STAT		188	188	79	#N/A	53	TBP						0	0	66.000		1		
C-108	1960	1	REC	306		494		#N/A	53	SU	C-105	C-105				0	0	66.000		4	O	HW-63896-4
C-108	1960	1	STAT		494	494	79	#N/A	53					306 from 105-C		0	0	66.000		1		
C-108	1960	2	STAT		494	494	79	#N/A	53	TBP						0	0	66.000		1		
C-108	1960	3	STAT		N/A	494	79	#N/A	53	TBP,CW			PHASING PROB 430 TO N/A				0	66.000		1		
C-108	1960	4	SEND	-257		237		#N/A	53	SU		BY-101	AND reports 275 pos error			0	0	66.000		4	O	HW-68291-4
C-108	1960	4	SEND	-77		160		#N/A	53	SU		BY-101				0	0	66.000		4	O	HW-68292-4
C-108	1960	4	STAT		166	166	79	6	59	TBP			SEND total -334	334 to 101-BY		0	0	66.000		1		
C-108	1961	1	STAT		N/A	166		#N/A	59								0	66.000		1		
C-108	1961	2	XIN	250		416		#N/A	59	CWP		CWP2				0	0	66.000		1		
C-108	1961	2	XIN	252		668		#N/A	59	CWP		CWP2				0	0	66.000		1		
C-108	1961	2	SEND	-89		579		#N/A	59	SU		BY-101				0	0	66.000		4	O	HW-71610-5
C-108	1961	2	SEND	-91		488		#N/A	59	SU		BY-105				0	0	66.000		4	O	HW-71610-5
C-108	1961	2	STAT		486	486	79	-2	57	CW			SEND total -180	180 to BY, 500-CW rec'd		0	0	66.000		1		
C-108	1961	3	STAT		N/A	486		#N/A	57					[6 months report			0	66.000		1		
C-108	1961	4	STAT		486	486	79	#N/A	57	CW						0	0	66.000		1		
C-108	1962	1	STAT		N/A	486		#N/A	57								0	66.000		1		
C-108	1962	2	STAT		486	486	79	#N/A	57	CW				[6 months report		0	0	66.000		1		
C-108	1962	3	STAT		N/A	486		#N/A	57								0	66.000		1		
C-108	1962	4	STAT		486	486	79	#N/A	57	CW				[6 months report		0	0	66.000		1		
C-108	1963	1	STAT		N/A	486		#N/A	57								0	66.000		1		
C-108	1963	2	STAT		483	483	79	-3	54	CW				[6 months report		0	0	66.000		1		
C-108	1963	3	STAT		N/A	483		#N/A	54								0	66.000		1		
C-108	1963	4	STAT		486	486	79	3	57	CW				Latest electrode reading		0	0	66.000		1		
C-108	1964	1	STAT		N/A	486		#N/A	57								0	66.000		1		
C-108	1964	2	rec	924		1410		#N/A	57		C-102	C-102	assumed			0	0	66.000		0		
C-108	1964	2	SEND	-454		956		#N/A	57	SU		BX-108				0	0	66.000		4	O	HW-83308-5
C-108	1964	2	SEND	-487		469		#N/A	57			BX-111			Omission	0	0	66.000		3	V	HW-83308-5
C-108	1964	2	SEND	-12		457		#N/A	57			BX-111	Omis.		Omission	0	0	66.000		2	V	HW-83308-5
C-108	1964	2	STAT		426	426	79	-31	26	CW				60 to BX [6 months report		0	0	66.000		1		
C-108	1964	3	STAT		N/A	426		#N/A	26								0	66.000		1		
C-108	1964	4	STAT		426	426	79	#N/A	26	CW				[6 months report		0	0	66.000		1		
C-108	1965	1	STAT		N/A	426		#N/A	26								0	66.000		1		
C-108	1965	2	XIN	142		568		#N/A	26	HS		HS				0	0	66.000		4	O	RL-SEP-659-4
C-108	1965	2	SEND	-36		532		#N/A	26	SU		C-102				0	0	66.000		4	O	RL-SEP-659-4
C-108	1965	2	STAT		568	568	98	36	62	CW,HS				142 from HS, 36 to 102-C		0	0	66.000		1		
C-108	1965	3	STAT		532	532	98	-36	26	HS						0	0	66.000		1		
C-108	1965	4	STAT		532	532	98	#N/A	26	HS						0	0	66.000		1		
C-108	1966	1	STAT		532	532	98	#N/A	26	CW,HS						0	0	66.000		1		
C-108	1966	2	SEND	-113		419		#N/A	26	SU		C-102				0	0	66.000		4	O	ISO-404-4
C-108	1966	2	REC	102		521		#N/A	26	SU	C-107	C-107				0	0	66.000		4	O	ISO-404-4
C-108	1966	2	SEND	-13		508		#N/A	26	SU		C-109				0	0	66.000		4	O	ISO-404-4

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-108	1966	2	STAT		521	521	98	13	39	CW,HS				113 to 102-C, 13 to 109-C		0	0	66.000		1		
C-108	1966	3	STAT		521	521	98	#N/A	39	HS						0	0	66.000		1		
C-108	1966	4	STAT		521	521	98	#N/A	39	HS				New electrode		0	0	66.000		1		
C-108	1967	1	STAT		521	521	98	#N/A	39	HS						0	0	66.000		1		
C-108	1967	2	STAT		521	521	98	#N/A	39	HS						0	0	66.000		1		
C-108	1967	3	STAT		521	521	98	#N/A	39	CW,HS						0	0	66.000		1		
C-108	1967	4	STAT		517	517	98	-4	35	CW,HS						0	0	66.000		1		
C-108	1968	1	STAT		516	516	98	-1	34	HS						0	0	66.000		1		
C-108	1968	2	STAT		516	516	98	#N/A	34	HS						0	0	66.000		1		
C-108	1968	3	STAT		516	516	98	#N/A	34	CW,HS						0	0	66.000		1		
C-108	1968	4	STAT		514	514	98	-2	32	SSW						0	0	66.000		1		
C-108	1969	1	STAT		514	514	98	#N/A	32	SSW						0	0	66.000		1		
C-108	1969	2	STAT		514	514	98	#N/A	32	CW,SSW						0	0	66.000		1		
C-108	1969	3	STAT		513	513	98	-1	31	CW,SSW						0	0	66.000		1		
C-108	1969	4	SEND	-375		138		#N/A	31	SU		C-102				0	0	66.000		1		
C-108	1969	4	STAT		138	138	98	#N/A	31	CW						0	0	66.000		4	O	ARH-1200D-5
C-108	1970	1	STAT		138	138	98	#N/A	31	CW						0	0	66.000		1		
C-108	1970	2	REC	395		533		#N/A	31	SU	C-110	C-110				0	0	66.000		1		
C-108	1970	2	STAT		532	532	95	-1	30	CW,OWW,IX						0	0	66.000		4	O	ARH-1666B-5
C-108	1970	3	STAT		532	532	69	#N/A	30	OWW,IX				395 from 110-C		0	0	66.000		1		
C-108	1970	4	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	1	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	2	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	3	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	4	STAT		532	532	69	#N/A	30	CW,OWW,IX						0	0	66.000		1		
C-108	1972	1	SEND	-195		337		#N/A	30	SU		C-104				0	0	66.000		1		
C-108	1972	1	STAT		334	334	69	-3	27	CW,OWW,IX						0	0	66.000		4	O	ARH-2456A-4
C-108	1972	2	SEND	-69		265		#N/A	27	SU		C-104		195 to 104-C		0	0	66.000		1		
C-108	1972	2	STAT		266	266	69	1	28	CW,OWW,IX						0	0	66.000		4	O	ARH-2456B-4
C-108	1972	3	STAT		266	266	78	#N/A	28	CW,OWW,IX				69 to 104-C		0	0	66.000		1		
C-108	1972	4	STAT		271	271	76	5	33	CW,OWW,IX						0	0	66.000		1		
C-108	1973	1	STAT		270	270	76	-1	32	OWW,IX						0	0	66.000		1		
C-108	1973	2	STAT		270	270	76	#N/A	32	CW,OWW,IX						0	0	66.000		1		
C-108	1973	3	REC	245		515		#N/A	32	SU	C-104	C-104				0	0	66.000		1		
C-108	1973	3	STAT		516	516	76	1	33	N,LW,CW,DW,IX,TBP,R,OWW				245 from 104-C		0	0	66.000		4	O	ARH-2794C-4
C-108	1973	4	STAT		516	516	76	#N/A	33	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1974	1	STAT		515	515	76	-1	32	N,LW,CW,DW,IX,TBP,R,OWW				*Dry Well 30-08-02, 30-08-12 drilled.		0	0	66.000		1		
C-108	1974	2	STAT		515	515	76	#N/A	32	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1974	3	STAT		516	516	76	1	33	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1974	4	STAT		516	516	65	#N/A	33	N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	1	STAT		516	516	65	#N/A	33	N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	2	STAT		516	516	65	#N/A	33	N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	3	STAT		516	516	65	#N/A	33	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	4	SEND	-426		90		#N/A	33	SU		C-103				0	0	66.000		1		
C-108	1975	4	STAT		87	87	65	-3	30	BNW,N,LW,CW,DW,IX,TBP,R,OWW				426 to 103-C		0	0	66.000		4	O	ARH-CD-336D-4
C-108	1976	1	SEND	-27		60		#N/A	30	SU		C-103				0	0	66.000		1		
C-108	1976	1	STAT		76	76	65	16	46	CW,DW,IX,R,OWW				Removed from service 27 to 103-C		0	0	66.000		4	O	ARH-CD-702A-4
C-108	1976	2	SEND	-1		75		#N/A	46	SU		C-103				0	0	66.000		1		
C-108	1976	2	STAT		76	76	65	1	47	N,CW,DW,IX,R,OWW						0	0	66.000		4	O	ARH-CD-702B-4
C-108	1976	3	STAT		65	65	65	-11	36					RFS 1 to 103 C		0	0	66.000		1		
C-108	1976	4	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	1	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	2	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	3	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	4	STAT		65	65	65	#N/A	36					Inactive Current		0	0	66.000		1		
														Inactive Current Salt Well Pumped		0	0	66.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
C-108	1978	1	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1978	2	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1978	3	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1978	4	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1979	1	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1979	2	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1979	3	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1979	4	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1980	1	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1980	2	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1980	3	STAT		65	65	65	#N/A	36							0	0	66.000		1		
C-108	1980	4	STAT		65	65	65	#N/A	36	IXROW						0	0	66.000		1		
C-108	1993	2	STAT		66	66	66	1	37	NCPLX						0	0	66.000		1		
C-108	1993	4	STAT		66	66	66	#N/A	37							0	0	66.000		1		
C-108	1994	1	STAT		66	66	66	#N/A	37							0	0	66.000		1		
C-108	2000															0	0	66.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ct	Q/A	Document/Pg #
C-109	1900																					
C-109	1946	2	CREC	0		0		#N/A	0	SET	C-108											
C-109	1948	1	STAT		N/A	0		#N/A	0								0	0.000		1		
C-109	1948	2	rec	116		116		#N/A	0	cas	C-108	C-108					0	0.000		1		
C-109	1948	2	rec	108		224		#N/A	0	cas	C-108	C-108				0.00972763	1.1284	1.128	1C1	0		
C-109	1948	2	rec	79		303		#N/A	0	cas	C-108	C-108				0.00972763	1.0506	2.179	1C1	0		
																0.00972763	0.7685	2.947	1C1	0		
C-109	1948	2	STAT		288	288	0	-15	-15					3rd in cascade, began filling April 1948		0	0	2.947		1		
C-109	1948	3	rec	121		409		#N/A	-15	cas	C-108	C-108				0.00972763	1.177	4.125	1C1	0		
C-109	1948	3	rec	92		501		#N/A	-15	cas	C-108	C-108				0.00972763	0.8949	5.019	1C1	0		
C-109	1948	3	rec	29		530		#N/A	-15	cas	C-108	C-108				0.00972763	0.2821	5.302	1C1	0		
C-109	1948	3	STAT		530	530	0	#N/A	-15					Filled in September 1948		0	0	5.302		1		
C-109	1948	4	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1949	1	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1949	2	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1949	3	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1949	4	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1950	1	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1950	2	STAT		530	530	0	#N/A	-15	1C						0	0	5.302		1		
C-109	1950	3	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1950	4	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1951	1	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1951	2	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1951	3	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1951	4	STAT		530	530	0	#N/A	-15							0	0	5.302		1		
C-109	1952	1	STAT		525	525	0	-5	-20	1C						0	0	5.302		1		
C-109	1952	2	SEND	-214		311		#N/A	-20	SU		B-106				0	0	5.302		1		
C-109	1952	2	STAT		311	311	10	#N/A	-20	1C				Pumping to 106-B		0	0	5.302		1		
C-109	1952	3	SEND	-301		10		#N/A	-20	SU		B-106				0	0	5.302		1		
C-109	1952	3	STAT		10	10	10	#N/A	-20	1C				Finished pumping 7-25-52		0	0	5.302		1		
C-109	1952	4	STAT		N/A	10	10	#N/A	-20	TBP				Temp supernate tank for C farm removal operations		0	0	5.302		1		
C-109	1953	1	rec	144		154		#N/A	-20	cas	C-108	C-108	phase error? 496 to n/a			0.00972763	1.4008	6.702	1C1	0		
C-109	1953	1	STAT		182	182	10	28	8	TBP				Tank was emptied 1/9/53 Rec'd TBP in March		0	0	6.702		1		
C-109	1953	2	rec	339		521		#N/A	8	cas	C-108	C-108				0.00972763	3.2977	10.000	1C1	0		
C-109	1953	2	CREC	0		521		#N/A	8	END	C-108						0	10.000		1		
C-109	1953	2	STAT		521	521	10	#N/A	8					Filled in April		0	0	10.000		1		
C-109	1953	3	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1953	4	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1954	1	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1954	2	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1954	3	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1954	4	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1955	1	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1955	2	STAT		521	521	10	#N/A	8							0	0	10.000		1		
C-109	1955	3	STAT		521	521	10	#N/A	8	TBP						0	0	10.000		1		
C-109	1955	4	OUTX	-463		58		#N/A	8	T01	C-112	TFeCN				0	0	10.000		3	O	N-54-275
C-109	1955	4	STAT		N/A	58	10	#N/A	8	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pump to 001-CR at intervals for scvg treatment		0	0	10.000		1		
C-109	1956	1	XIN	384		442		#N/A	8	T02	C-101	TFeCN				0.01511081	5.8026	15.803	TFeCl	3	O	N-54-276
C-109	1956	1	XIN	32		474		#N/A	8	T04	C-111	TFeCN				0.01511081	0.4835	16.286	TFeCl	3	O	N-54-276
C-109	1956	1	XIN	124		598		#N/A	8	T04	C-108	TFeCN				0.01511081	1.8737	18.160	TFeCl	3	O	N-54-276
C-109	1956	1	XIN	272		870		#N/A	8	T04	C-110	TFeCN				0.01511081	4.1101	22.270	TFeCl	3	O	N-54-276
C-109	1956	1	OUTX	-437		433		#N/A	8	SU	B-017	CRIB	OC 383 to 437		Shows 437 not 383	0	0	22.270		2	V	N-54-204

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-109	1956	1	STAT		N/A	433	10	#N/A	8	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Decant tank. Emptied in January. Filled in February		0	0	22.270		1		
C-109	1956	2	STAT		N/A	433	10	#N/A	8				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Non-cribbable material		0	0	22.270		1		
C-109	1956	3	STAT		N/A	433	10	#N/A	8	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Non-cribbable scvg. TBP waste		0	0	22.270		1		
C-109	1956	4	XIN	11		444		#N/A	8	T08	C-101	TFeCN				0.01511081	0.1662	22.436	TFeCl	3	O	N-54-282
C-109	1956	4	XIN	172		616		#N/A	8	T08	C-107	TFeCN				0.01511081	2.5991	25.035	TFeCl	3	O	N-54-282
C-109	1956	4	OUTX	-487		129		#N/A	8	SU	B-022	CRIB	OC 426 to 487		Shows 487 not 426	0	0	25.035		2	V	N-54-211
C-109	1956	4	STAT		N/A	129	10	#N/A	8	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	484 transferred to BC #10 ditch in October		0	0	25.035		1		
C-109	1957	1	STAT		N/A	129	35	#N/A	8	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	25.035		1		
C-109	1957	2	XIN	135		264		#N/A	8	T10	C-102	TFeCN				0.01511081	2.04	27.075	TFeCl	3	O	N-54-284
C-109	1957	2	XIN	114		378		#N/A	8	T13	C-106	TFeCN	OC 102 to 114		Shows 114 not 102	0.01511081	1.7226	28.798	TFeCl	2	V	N-54-287
C-109	1957	2	XIN	337		715		#N/A	8	T13	BY-102	TFeCN	OC 308 to 337,C-101 to BY-102		Shows 337 and BY-102	0.01511081	5.0923	33.890	TFeCl	2	V	N-54-287
C-109	1957	2	OUTX	-456		259		#N/A	8	SU	B-028	CRIB	OC 360 to 456		Shows 456 not 360	0	0	33.890		4	V	N-54-244
C-109	1957	2	STAT		N/A	259	51	#N/A	8	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	To be cribbed, 462 to #17 BC trench, 456 to #15 BC ditch		0	0	33.890		1		
C-109	1957	3	XIN	234		493		#N/A	8	T16	BY-101	TFeCN				0.01511081	3.5359	37.426	TFeCl	3	O	N-54-206
C-109	1957	3	XIN	202		695		#N/A	8	T19	B-101	TFeCN	OC 223 to 202		Shows total 473 for this &	0.01511081	3.0524	40.479	TFeCl	4	V	N-54-293
C-109	1957	3	XIN	271		966		#N/A	9	T19	B-103	TFeCN	OC 292 to 271		this one	0.01511081	4.095	44.574	TFeCl	4	V	N-54-293
C-109	1957	3	XIN	242		1208		#N/A	8	T23	B-107	TFeCN	OC 217 to 242		Shows 242 not 217	0.01511081	3.6568	48.230	TFeCl	4	V	N-54-297
C-109	1957	3	OUTX	-461		747		#N/A	8	SU	B-030	CRIB	OC 392 to 461		Show 461 not 392	0	0	48.230		3	V	N-54-247
C-109	1957	3	OUTX	-245		502		#N/A	8	SU	B-019	CRIB	OC 236 to 245		Shows 245 to BC-6 Crib	0	0	48.230		4	V	N-54-206
C-109	1957	3	OUTX	-151		351		#N/A	8	SU	B-033	CRIB	LC 448 TO 151		Shows 448 not 445	0	0	48.230		4	V	N-54-250
C-109	1957	3	STAT		N/A	351	35	#N/A	8	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd 716, 245 to BC-6 crib, 443 to BC 20		0	0	48.230		1		
C-109	1957	4	XIN	448		799		#N/A	8	T27	BX-111	TFeCN		XIN total 715		0.01511081	6.7696	55.000	TFeCl	4	O	N-54-271
C-109	1957	4	OUTX	-256		543		#N/A	8	SU	B-034	CRIB	OC 253 to 256		Shows 256 not 253	0	0	55.000		4	V	N-54-251
C-109	1957	4	STAT		543	543	90	#N/A	8	EB				456 rec'd, 253 to BC-21		0	0	55.000		1		
C-109	1958	1	OUTX	-435		108		#N/A	8	SU	B-035	CRIB	OC 427 to 435		shows 435 not 427	0	0	55.000		3	V	N-54-252
C-109	1958	1	STAT		112	112	90	4	12	EB				431 to BC-22 trench		0	0	55.000		1		
C-109	1958	2	STAT		112	112	90	#N/A	12							0	0	55.000		1		
C-109	1958	3	STAT		112	112	90	#N/A	12							0	0	55.000		1		
C-109	1958	4	STAT		112	112	90	#N/A	12							0	0	55.000		1		
C-109	1959	1	STAT		112	112	90	#N/A	12	EB						0	0	55.000		1		
C-109	1959	2	REC	261		373		#N/A	12	SU	C-105	C-105				0	0	55.000		1		
C-109	1959	2	STAT		373	373	90	#N/A	12	EB,CW				261 CW from 105-C		0	0	55.000		4	O	HW-61095-4
C-109	1959	3	xin	13		386		#N/A	12	ADJ	CORR	WTR				0	0	55.000		1		
C-109	1959	3	REC	154		540		#N/A	12	SU	C-105	C-105				0	0	55.000		0		
C-109	1959	3	STAT		540	540	90	#N/A	12	CW				154 from 105-C, latest electrode reading		0	0	55.000		4	O	HW-62421-4
C-109	1959	4	STAT		540	540	90	#N/A	12	CW						0	0	55.000		1		
C-109	1960	1	STAT		540	540	90	#N/A	12	CW						0	0	55.000		1		
C-109	1960	2	STAT		540	540	90	#N/A	12	CW						0	0	55.000		1		
C-109	1960	3	STAT		540	540	90	#N/A	12	EB,CW						0	0	55.000		1		
C-109	1960	4	XIN	6		546		#N/A	12	FLSH		WTR				0	0	55.000		4	O	HW-68291-4
C-109	1960	4	STAT		546	546	90	#N/A	12	EB,CW				6 back flush rec'd		0	0	55.000		1		
C-109	1961	1	STAT		N/A	546		#N/A	12								0	55.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ffr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-109	1961	2	STAT		549	549	90	3	15	EB,CW				[6 months report		0	0	55.000		1		
C-109	1961	3	STAT		N/A	549		#N/A	15								0	55.000		1		
C-109	1961	4	STAT		549	549	90	#N/A	15	EB,CW				[6 months report		0	0	55.000		1		
C-109	1962	1	SEND	-137		412		#N/A	15	SU		BY-109	no change made									N-54-109/HW-74647-4 SEND
C-109	1962	1	STAT		N/A	412		#N/A	15						Shows 685 BC-16 Ditch	0	0	55.000		4	O	
C-109	1962	2	XIN	21		433		#N/A	15	HS		HS					0	55.000		1		
C-109	1962	2	STAT		433	433	90	#N/A	15	EB,CW,FP						0.0526315E	1.1053	56.105	HS	3	O	HW-74647-4
C-109	1962	3	STAT		N/A	433		#N/A	15					137 to BY, rec'd 21 HS		0	0	56.105		1		
C-109	1962	4	XIN	58		491		#N/A	15	HS		HS					0	56.105		1		
C-109	1962	4	STAT		491	491	90	#N/A	15	EB,CW,FP						0.0526315E	3.0526	59.158	HS	4	O	HW-76223-4
C-109	1963	1	STAT		N/A	491		#N/A	15					58 from HS [6 months report		0	0	59.158		1		
C-109	1963	2	STAT		494	494	90	3	18	EB,CW,FP							0	59.158		1		
C-109	1963	3	STAT		N/A	494		#N/A	18					[6 months report		0	0	59.158		1		
C-109	1963	4	STAT		497	497	90	3	21	EB,CW,HS							0	59.158		1		
C-109	1964	1	STAT		N/A	497		#N/A	21					Latest electrode reading		0	0	59.158		1		
C-109	1964	2	XIN	35		532		#N/A	21	HS		HS					0	59.158		1		
C-109	1964	2	STAT		532	532	90	#N/A	21	EB,CW,HS				Rec'd 35 HS [6 months report		0.05263158	1.8421	61.000	HS	4	O	HW-83308-4
C-109	1964	3	STAT		N/A	532		#N/A	21							0	0	61.000		1		
C-109	1964	4	STAT		535	535	90	3	24	EB,CW,HS				[6 months report			0	61.000		1		
C-109	1965	1	STAT		N/A	535		#N/A	24							0	0	61.000		1		
C-109	1965	2	XIN	19		554		#N/A	24	HS		HS					0	61.000		1		
C-109	1965	2	STAT		554	554	79	#N/A	24	CW,HS				19 from HS [6 months report		0.05263158	1	62.000	HS	4	O	RL-SEP-659-4
C-109	1965	3	STAT		554	554	79	#N/A	24	CW,HS						0	0	62.000		1		
C-109	1965	4	STAT		554	554	79	#N/A	24	EB,CW,HS						0	0	62.000		1		
C-109	1966	1	STAT		552	552	79	-2	22	EB,CW,HS						0	0	62.000		1		
C-109	1966	2	REC	13		565		#N/A	22	SU	C-108	C-108				0	0	62.000		1		
C-109	1966	2	STAT		565	565	79	#N/A	22	CW,HS						0	0	62.000		4	O	ISO-404-4
C-109	1966	3	STAT		565	565	79	#N/A	22	EB,CW,HS				13 from 108-C		0	0	62.000		1		
C-109	1966	4	STAT		552	552	79	-13	9	CW,HS						0	0	62.000		1		
C-109	1967	1	STAT		552	552	79	#N/A	9	CW,HS				New electrode		0	0	62.000		1		
C-109	1967	2	STAT		552	552	79	#N/A	9	CW,HS						0	0	62.000		1		
C-109	1967	3	STAT		552	552	79	#N/A	9	EB,CW,HS						0	0	62.000		1		
C-109	1967	4	STAT		549	549	79	-3	6	EB,CW,HS						0	0	62.000		1		
C-109	1968	1	STAT		549	549	79	#N/A	6	EB,CW,HS						0	0	62.000		1		
C-109	1968	2	STAT		543	543	79	-6	0	CW,HS						0	0	62.000		1		
C-109	1968	3	STAT		543	543	79	#N/A	0	CW,HS						0	0	62.000		1		
C-109	1968	4	STAT		543	543	79	#N/A	0	CW,SSW						0	0	62.000		1		
C-109	1969	1	STAT		543	543	79	#N/A	0	CW,SSW						0	0	62.000		1		
C-109	1969	2	STAT		543	543	79	#N/A	0	CW,SSW						0	0	62.000		1		
C-109	1969	3	STAT		543	543	79	#N/A	0	CW,SSW						0	0	62.000		1		
C-109	1969	4	STAT		543	543	79	#N/A	0	EB,CW,SSW						0	0	62.000		1		
C-109	1970	1	SEND	-397		146		#N/A	0	SU		C-104				0	0	62.000		1		
C-109	1970	1	REC	19		165		#N/A	0	SU	C-203	C-203				0	0	62.000		4	O	ARH-1666A-5
C-109	1970	1	STAT		165	165	79	#N/A	0	CW						0	0	62.000		4	O	ARH-1666A-5
C-109	1970	2	REC	375		540		#N/A	0	SU	C-110	C-110		19 from 203-C, 397 to 104-C		0	0	62.000		1		
C-109	1970	2	STAT		541	541	106	1	1	CW,IX						0	0	62.000		4	O	ARH-1666B-5
C-109	1970	3	STAT		543	543	95	2	3	IX				375 from 110-C		0	0	62.000		1		
C-109	1970	4	STAT		543	543	95	#N/A	3	CW,IX						0	0	62.000		1		
C-109	1971	1	STAT		542	542	95	-1	2	CW,IX						0	0	62.000		1		
C-109	1971	2	STAT		543	543	95	1	3	CW,IX						0	0	62.000		1		
C-109	1971	3	STAT		542	542	95	-1	2	IX						0	0	62.000		1		
C-109	1971	4	STAT		542	542	95	#N/A	2	CW,IX						0	0	62.000		1		
C-109	1972	1	STAT		540	540	95	-2	0	IX						0	0	62.000		1		
C-109	1972	2	STAT		540	540	95	#N/A	0	IX						0	0	62.000		1		
C-109	1972	3	STAT		540	540	95	#N/A	0	CW,IX						0	0	62.000		1		
C-109	1972	4	STAT		530	530	95	-10	-10	CW,IX						0	0	62.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-109	1973	1	STAT		529	529	95	-1	-11	IX						0	0	62.000		1		
C-109	1973	2	STAT		529	529	95	#N/A	-11	CW,IX						0	0	62.000		1		
C-109	1973	3	STAT		505	505	95	-24	-35	CW,IX						0	0	62.000		1		
C-109	1973	4	STAT		504	504	95	-1	-36	IX						0	0	62.000		1		
C-109	1974	1	STAT		504	504	95	#N/A	-36	IX				*Dry Well 30-09-01, 30-09-02, 30-09-06, 30-09-10, 30-09-11 drilled.		0	0	62.000		1		
C-109	1974	2	STAT		504	504	95	#N/A	-36	IX						0	0	62.000		1		
C-109	1974	3	STAT		504	504	95	#N/A	-36	CW,IX						0	0	62.000		1		
C-109	1974	4	STAT		505	505	79	1	-35	IX						0	0	62.000		1		
C-109	1975	1	STAT		505	505	79	#N/A	-35	IX						0	0	62.000		1		
C-109	1975	2	STAT		505	505	79	#N/A	-35	CW,IX						0	0	62.000		1		
C-109	1975	3	SEND	-364		141		#N/A	-35	SU		C-103				0	0	62.000		4	O	ARH-CD-336C-4
C-109	1975	3	STAT		142	142	79	1	-34	CW,IX				364 to 103-C		0	0	62.000		1		
C-109	1975	4	SEND	-85		57		#N/A	-34			C-103	LC C-109 to C-103		Omission	0	0	62.000		3	M/V	ARH-CD-336D-4
C-109	1975	4	STAT		62	62	62	5	-29							0	0	62.000		1		
C-109	1976	1	SEND	-9		53		#N/A	-29	SU		C-103				0	0	62.000		4	O	ARH-CD-702A-4
C-109	1976	1	STAT		62	62	62	9	-20					Removed from. Service 9 to 103-C		0	0	62.000		1		
C-109	1976	2	STAT		62	62	62	#N/A	-20					Removed from. Service 9 to 103-C		0	0	62.000		1		
C-109	1976	3	STAT		62	62	62	#N/A	-20					Salt Well Pumped		0	0	62.000		1		
C-109	1976	4	STAT		62	62	62	#N/A	-20					Salt Well Pumped		0	0	62.000		1		
C-109	1977	1	STAT		62	62	62	#N/A	-20					Salt Well Pumped		0	0	62.000		1		
C-109	1977	2	STAT		62	62	62	#N/A	-20					Salt Well Pumped		0	0	62.000		1		
C-109	1977	3	STAT		62	62	62	#N/A	-20					Salt Well Pumped		0	0	62.000		1		
C-109	1977	4	STAT		62	62	62	#N/A	-20					Inactive Current Salt Well Pumped		0	0	62.000		1		
C-109	1978	1	STAT		62	62	62	#N/A	-20					Inactive		0	0	62.000		1		
C-109	1978	2	STAT		62	62	62	#N/A	-20							0	0	62.000		1		
C-109	1978	3	STAT		62	62	62	#N/A	-20							0	0	62.000		1		
C-109	1978	4	STAT		62	62	62	#N/A	-20							0	0	62.000		1		
C-109	1979	1	STAT		68	68	62	6	-14							0	0	62.000		1		
C-109	1979	2	STAT		68	68	62	#N/A	-14							0	0	62.000		1		
C-109	1979	3	STAT		68	68	62	#N/A	-14							0	0	62.000		1		
C-109	1979	4	STAT		68	68	62	#N/A	-14							0	0	62.000		1		
C-109	1980	1	STAT		68	68	62	#N/A	-14							0	0	62.000		1		
C-109	1980	2	STAT		68	68	62	#N/A	-14							0	0	62.000		1		
C-109	1980	3	STAT		68	68	62	#N/A	-14							0	0	62.000		1		
C-109	1980	4	STAT		68	68	62	#N/A	-14	NCPLX						0	0	62.000		1		
C-109	1993	2	STAT		66	66	62	-2	-16	NCPLX						0	0	62.000		1		
C-109	1993	4	STAT		66	66	62	#N/A	-16							0	0	62.000		1		
C-109	1994	1	STAT		66	66	62	#N/A	-16							0	0	62.000		1		
C-109	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-110	1900																					
C-110	1946	2	CSEND	0		0		#N/A	0	SET	C-111						0	0.000		1		
C-110	1946	2	XIN	192		192		#N/A	0	1C		1C1				0.11768408	22.595	22.595	1C1	1		
C-110	1946	2	XIN	147		339		#N/A	0	1C		1C1				0.11768408	17.3	39.895	1C1	1		
C-110	1946	2	STAT		337	337	0	-2	-2	1C				1st in cascade, began filling May 1946		0	0	39.895		1		
C-110	1946	3	XIN	165		502		#N/A	-2	1C		1C1				0.11768408	19.418	59.313	1C1	1		
C-110	1946	3	XIN	234		736		#N/A	-2	1C		1C1				0.11768408	27.538	86.851	1C1	1		
C-110	1946	3	XIN	124		860		#N/A	-2	1C		1C1				0.11768408	14.593	101.444	1C1	1		
C-110	1946	3	send	-206		654		#N/A	-2	cas		C-111				0	0	101.444		0		
C-110	1946	3	send	-124		530		#N/A	-2	cas		C-111				0	0	101.444		0		
C-110	1946	3	STAT		530	530	0	#N/A	-2					Filled in August		0	0	101.444		1		
C-110	1946	4	XIN	157		687		#N/A	-2	1C		1C1				0.11768408	18.476	119.920	1C1	1		
C-110	1946	4	XIN	119		806		#N/A	-2	1C		1C1				0.11768408	14.004	133.924	1C1	1		
C-110	1946	4	XIN	146		952		#N/A	-2	1C		1C1				0.11768408	17.182	151.106	1C1	1		
C-110	1946	4	send	-157		795		#N/A	-2	cas		C-111				0	0	151.106		0		
C-110	1946	4	send	-146		649		#N/A	-2	cas		C-111				0	0	151.106		0		
C-110	1946	4	send	-119		530		#N/A	-2	cas		C-111				0	0	151.106		0		
C-110	1946	4	STAT		530	530	0	#N/A	-2					Cascading to 111-C		0	0	151.106		1		
C-110	1947	1	XIN	92		622		#N/A	-2	1C		1C1				0.11768408	10.827	161.933	1C1	1		
C-110	1947	1	XIN	64		686		#N/A	-2	1C		1C1				0.11768408	7.5318	169.465	1C1	1		
C-110	1947	1	XIN	132		818		#N/A	-2	1C		1C1				0.11768408	15.534	184.999	1C1	1		
C-110	1947	1	send	-132		686		#N/A	-2	cas		C-111				0	0	184.999		0		
C-110	1947	1	send	-92		594		#N/A	-2	cas		C-111				0	0	184.999		0		
C-110	1947	1	send	-64		530		#N/A	-2	cas		C-111				0	0	184.999		0		
C-110	1947	1	STAT		530	530	0	#N/A	-2					Cascading to 111-C & 112-C		0	0	184.999		1		
C-110	1947	2	XIN	17		547		#N/A	-2	1C		1C1				0.11768408	2.0006	187.000	1C1	1		
C-110	1947	2	send	-17		530		#N/A	-2	cas		C-111				0	0	187.000		0		
C-110	1947	2	STAT		530	530	0	#N/A	-2					Cascade filled in April 1974		0	0	187.000		1		
C-110	1947	3	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1947	4	STAT		530	530	0	#N/A	-2	1C						0	0	187.000		1		
C-110	1948	1	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1948	2	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1948	3	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1948	4	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1949	1	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1949	2	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1949	3	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1949	4	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1950	1	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1950	2	STAT		530	530	0	#N/A	-2	1C						0	0	187.000		1		
C-110	1950	3	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1950	4	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1951	1	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1951	2	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1951	3	STAT		530	530	0	#N/A	-2							0	0	187.000		1		
C-110	1951	4	STAT		530	530	0	#N/A	-2	1C						0	0	187.000		1		
C-110	1952	1	STAT		530	530	0	#N/A	-2	1C						0	0	187.000		1		
C-110	1952	2	STAT		530	530	231	#N/A	-2	1C						0	0	187.000		1		
C-110	1952	3	SEND	-299		231		#N/A	-2	SU		B-106				0	0	187.000		1		
C-110	1952	3	STAT		231	231	231	#N/A	-2	1C				Finshed pumping to 106-B 7-22-52		0	0	187.000		1		
C-110	1952	4	XIN	259		490		#N/A	-2	UR		UR				0	0	187.000		1		
C-110	1952	4	STAT		490	490	231	#N/A	-2	TBP				Active receiver of TBP wastes Overflow to 111-C plugged on 11-15-52		0	0	187.000		1		
C-110	1953	1	XIN	48		538		#N/A	-2	UR		UR				0	0	187.000		1		
C-110	1953	1	STAT		530	530	231	-8	-10					Overflow to 111-C plugged		0	0	187.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-110	1953	2	CSEND	0		530		#N/A	-10	END	C-111						0	187.000		1		
C-110	1953	2	STAT		538	538	231	8	-2					Overflow to 111-C plugged		0	0	187.000		1		
C-110	1953	3	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187.000		1		
C-110	1953	4	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187.000		1		
C-110	1954	1	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187.000		1		
C-110	1954	2	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187.000		1		
C-110	1954	3	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187.000		1		
C-110	1954	4	STAT		538	538	231	#N/A	-2							0	0	187.000		1		
C-110	1955	1	STAT		538	538	231	#N/A	-2							0	0	187.000		1		
C-110	1955	2	STAT		538	538	231	#N/A	-2							0	0	187.000		1		
C-110	1955	3	STAT		538	538	231	#N/A	-2							0	0	187.000		1		
C-110	1955	4	STAT		538	538	231	#N/A	-2	TBP						0	0	187.000		1		
C-110	1956	1	OUTX	-272		266		#N/A	-2	T04	C-109	TFeCN				0	0	187.000		3	O	N-54-278
C-110	1956	1	STAT		265	265	231	-1	-3	TBP				Transferred to 001-CR in March		0	0	187.000		1		
C-110	1956	2	XIN	134		399		#N/A	-3	OWW		OWW1	OC 22 to 134		Shows 181 total for this &	0	0	187.000		2	V	HW-43895-4
C-110	1956	2	XIN	47		446		#N/A	-3	OWW		OWW1			this one	0	0	187.000		2	V	HW-43895-4
C-110	1956	2	STAT		436	436	231	-10	-13	OWW				Received OWW in June		0	0	187.000		1		
C-110	1956	3	XIN	22		458		#N/A	-13	OWW		OWW1	OC 32 to 22		Shows 47 total for this &	0	0	187.000		2	V	HW-44860-4
C-110	1956	3	XIN	25		483		#N/A	-13	OWW		OWW1			this one	0	0	187.000		2	V	HW-44860-4
C-110	1956	3	XIN	30		513		#N/A	-13	OWW		OWW1				0	0	187.000		1		
C-110	1956	3	XIN	8		521		#N/A	-13	OWW	PUREX	OWW1	Omis.		Omission	0	0	187.000		2	V	HW-45738-4
C-110	1956	3	STAT		491	491	231	-30	-43					Received OWW		0	0	187.000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW		OWW1	31 TO 0 AND COMMENTS			0	0	187.000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW		OWW1	36 TO 0 AND COMMENTS			0	0	187.000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW		OWW1	327 TO 0 AND COMMENTS			0	0	187.000		1		
C-110	1956	4	STAT		491	491	231	#N/A	-43	OWW				No OWW received		0	0	187.000		1		
C-110	1957	1	STAT		513	513	231	22	-21	1C,OWW				Latest electrode reading		0	0	187.000		1		
C-110	1957	2	STAT		508	508	231	-5	-26	1C,OWW				Latest electrode reading		0	0	187.000		1		
C-110	1957	3	STAT		510	510	231	2	-24	OWW				Latest electrode reading		0	0	187.000		1		
C-110	1957	4	STAT		510	510	231	#N/A	-24	1C,OWW						0	0	187.000		1		
C-110	1958	1	STAT		508	508	231	-2	-26	OWW				Latest electrode reading		0	0	187.000		1		
C-110	1958	2	STAT		508	508	231	#N/A	-26	OWW						0	0	187.000		1		
C-110	1958	3	STAT		508	508	231	#N/A	-26	OWW						0	0	187.000		1		
C-110	1958	4	STAT		508	508	231	#N/A	-26	OWW				Latest electrode reading		0	0	187.000		1		
C-110	1959	1	STAT		508	508	231	#N/A	-26	1C,OWW						0	0	187.000		1		
C-110	1959	2	STAT		507	507	231	-1	-27	OWW				Latest electrode reading		0	0	187.000		1		
C-110	1959	3	STAT		507	507	231	#N/A	-27	OWW						0	0	187.000		1		
C-110	1959	4	STAT		507	507	231	#N/A	-27	OWW						0	0	187.000		1		
C-110	1960	1	STAT		507	507	231	#N/A	-27	OWW						0	0	187.000		1		
C-110	1960	2	STAT		507	507	231	#N/A	-27	OWW						0	0	187.000		1		
C-110	1960	3	STAT		507	507	231	#N/A	-27	1C,OWW						0	0	187.000		1		
C-110	1960	4	STAT		N/A	507	231	#N/A	-27	1C,OWW			STAT 455 TO N/A	Latest electrode reading			0	187.000		1		
C-110	1961	1	STAT		N/A	507		#N/A	-27								0	187.000		1		
C-110	1961	2	STAT		505	505	231	-2	-29	1C,OWW						0	0	187.000		1		
C-110	1961	3	STAT		N/A	505		#N/A	-29								0	187.000		1		
C-110	1961	4	STAT		510	510	231	5	-24	1C,OWW				Latest electrode reading		0	0	187.000		1		
C-110	1962	1	STAT		N/A	510		#N/A	-24								0	187.000		1		
C-110	1962	2	STAT		510	510	231	#N/A	-24	1C,OWW						0	0	187.000		1		
C-110	1962	3	STAT		N/A	510		#N/A	-24								0	187.000		1		
C-110	1962	4	STAT		508	508	231	-2	-26	1C,OWW				Latest electrode reading		0	0	187.000		1		
C-110	1963	1	STAT		N/A	508		#N/A	-26								0	187.000		1		
C-110	1963	2	STAT		505	505	230	-3	-29	1C,OWW				[6 months report		0	0	187.000		1		
C-110	1963	3	STAT		N/A	505		#N/A	-29								0	187.000		1		
C-110	1963	4	STAT		505	505	230	#N/A	-29	1C,OWW				[6 months report		0	0	187.000		1		
C-110	1964	1	STAT		N/A	505		#N/A	-29								0	187.000		1		
C-110	1964	2	STAT		505	505	230	#N/A	-29	1C,OWW				[6 months report		0	0	187.000		1		
C-110	1964	3	STAT		N/A	505		#N/A	-29								0	187.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #
C-110	1964	4	STAT		513	513	230	8	-21	1C,OWW				New elect. (reading confirmed) [6 months report		0	0	187.000		1		
C-110	1965	1	STAT		N/A	513		#N/A	-21								0	187.000		1		
C-110	1965	2	STAT		508	508	191	-5	-26	OWW				[6 months report		0	0	187.000		1		
C-110	1965	3	STAT		508	508	191	#N/A	-26	OWW				New electrode		0	0	187.000		1		
C-110	1965	4	STAT		508	508	191	#N/A	-26	1C,OWW						0	0	187.000		1		
C-110	1966	1	STAT		505	505	191	-3	-29	1C,OWW						0	0	187.000		1		
C-110	1966	2	STAT		508	508	191	3	-26	OWW						0	0	187.000		1		
C-110	1966	3	STAT		508	508	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1966	4	STAT		508	508	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1967	1	STAT		508	508	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1967	2	STAT		508	508	191	#N/A	-26	1C,OWW						0	0	187.000		1		
C-110	1967	3	OUTX	0		508		#N/A	-26	SU	CSR	CSR	TO CELL 23 NOT CSR			0	0	187.000		1		
C-110	1967	3	STAT		508	508	191	#N/A	-26	1C,OWW				73 to Cell 23		0	0	187.000		2		
C-110	1967	4	send	-73		435		#N/A	-26			BY-112	Omis. evap B plant bottoms REC		Omission	0	0	187.000		1		
C-110	1967	4	STAT		435	435	191	#N/A	-26	OWW						0	0	187.000		0	V	ARH-326-5
C-110	1968	1	STAT		435	435	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1968	2	STAT		435	435	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1968	3	STAT		435	435	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1968	4	STAT		435	435	191	#N/A	-26	OWW						0	0	187.000		1		
C-110	1969	1	STAT		435	435	191	#N/A	-26	1C,OWW						0	0	187.000		1		
C-110	1969	2	SEND	-215		220		#N/A	-26	SU		C-102				0	0	187.000		1		
C-110	1969	2	STAT		220	220	191	#N/A	-26	OWW						0	0	187.000		4	O	ARH-1200B-5
C-110	1969	3	STAT		224	224	191	4	-22					215 to 102-C		0	0	187.000		1		
C-110	1969	4	STAT		224	224	191	#N/A	-22	OWW						0	0	187.000		1		
C-110	1970	1	REC	151		375		#N/A	-22	SU	BY-104	BY-104				0	0	187.000		1		
C-110	1970	1	STAT		375	375	191	#N/A	-22	OWW,IX				151 from 104-BY		0	0	187.000		4	O	ARH-1200B-5
C-110	1970	2	REC	1191		1566		#N/A	-22	SU	BX-104	BX-104				0	0	187.000		1		
C-110	1970	2	SEND	-395		1171		#N/A	-22	SU		C-108				0	0	187.000		4	O	ARH-1666B-5
C-110	1970	2	SEND	-375		796		#N/A	-22	SU		C-109				0	0	187.000		4	O	ARH-1666B-5
C-110	1970	2	SEND	-327		469		#N/A	-22	SU		C-112				0	0	187.000		4	O	ARH-1666B-5
C-110	1970	2	STAT		470	470	211	1	-21	EB,IX			SEND total -1097	1192 from 104-BX-1097 to 108-C, 109-C & 112-C		0	0	187.000		1		
C-110	1970	3	REC	66		536		#N/A	-21	SU	BX-104	BX-104				0	0	187.000		4	O	ARH-1666C-5
C-110	1970	3	SEND	0		536		#N/A	-21	SU	BX-104	BX-104	FROM 104 NOT TO 104				0	187.000		1		
C-110	1970	3	STAT		536	536	189	#N/A	-21	EB,IX				66 from 104-BX		0	0	187.000		1		
C-110	1970	4	STAT		536	536	189	#N/A	-21	IX						0	0	187.000		1		
C-110	1971	1	STAT		536	536	189	#N/A	-21	IX						0	0	187.000		1		
C-110	1971	2	STAT		536	536	189	#N/A	-21	IX						0	0	187.000		1		
C-110	1971	3	STAT		536	536	189	#N/A	-21	EB,IX						0	0	187.000		1		
C-110	1971	4	SEND	-326		210		#N/A	-21	SU		C-104				0	0	187.000		4	O	ARH-2074D-5
C-110	1971	4	STAT		211	211	189	1	-20	EB,IX				326 to 104-C		0	0	187.000		1		
C-110	1972	1	REC	160		371		#N/A	-20	SU	BX-103	BX-103				0	0	187.000		4	O	ARH-2456A-4
C-110	1972	1	STAT		376	376	189	5	-15	OWW,EB,RIX				160 from 103-BX		0	0	187.000		1		
C-110	1972	2	STAT		376	376	189	#N/A	-15	CW,OWW,EB,RIX						0	0	187.000		1		
C-110	1972	3	STAT		376	376	183	#N/A	-15	OWW,EB,RIX						0	0	187.000		1		
C-110	1972	4	STAT		376	376	183	#N/A	-15	OWW,EB,RIX						0	0	187.000		1		
C-110	1973	1	STAT		376	376	183	#N/A	-15	OWW,EB,RIX						0	0	187.000		1		
C-110	1973	2	STAT		376	376	183	#N/A	-15	CW,OWW,EB,RIX						0	0	187.000		1		
C-110	1973	3	STAT		376	376	183	#N/A	-15	CW,OWW,EB,RIX						0	0	187.000		1		
C-110	1973	4	STAT		376	376	183	#N/A	-15	CW,OWW,EB,RIX						0	0	187.000		1		
C-110	1974	1	STAT		376	376	200	#N/A	-15	OWW,EB,RIX				* Dry Wells 30-10-01, 30-10-02, 30-10-09 drilled.		0	0	187.000		1		
C-110	1974	2	STAT		376	376	200	#N/A	-15	OWW,EB,RIX						0	0	187.000		1		
C-110	1974	3	STAT		376	376	200	#N/A	-15	CW,OWW,EB,RIX						0	0	187.000		1		
C-110	1974	4	STAT		376	376	211	#N/A	-15	OWW,EB,RIX						0	0	187.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-110	1975	1	STAT		376	376	211	#N/A	-15	OWW,EB,RIX						0	0	187.000		1		
C-110	1975	2	STAT		376	376	211	#N/A	-15	CW,OWW,EB,RIX				**Dry Wells 30-10-11 drilled.		0	0	187.000		1		
C-110	1975	3	SEND	-109		267		#N/A	-15	SU		C-112				0	0	187.000		1		
C-110	1975	3	STAT		268	268	211	1	-14	CW,OWW,EB,RIX						0	0	187.000		4	O	ARH-CD-336C-4
C-110	1975	4	STAT		268	268	211	#N/A	-14	CW,OWW,EB,RIX				109 to 112-C		0	0	187.000		1		
C-110	1976	1	SEND	-62		206		#N/A	-14	SU		C-103				0	0	187.000		1		
C-110	1976	1	STAT		233	233	211	27	13	CW,OWW,EB,RIX						0	0	187.000		4	O	ARH-CD-702A-4
C-110	1976	2	SEND	-4		229		#N/A	13	SU		C-103		Removed from Service 62 to 103-C		0	0	187.000		1		
C-110	1976	2	STAT		211	211	211	-18	-5							0	0	187.000		4	O	ARH-CD-702B-4
C-110	1976	3	STAT		211	211	211	#N/A	-5					Removed from Service 4 to 103-C		0	0	187.000		1		
C-110	1976	4	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187.000		1		
C-110	1977	1	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187.000		1		
C-110	1977	2	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187.000		1		
C-110	1977	3	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187.000		1		
C-110	1977	4	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187.000		1		
C-110	1978	1	STAT		211	211	211	#N/A	-5					Inactive Current Salt Well Installed		0	0	187.000		1		
C-110	1978	2	STAT		211	211	211	#N/A	-5							0	0	187.000		1		
C-110	1978	3	STAT		211	211	211	#N/A	-5							0	0	187.000		1		
C-110	1978	4	STAT		211	211	211	#N/A	-5	NCPLX						0	0	187.000		1		
C-110	1979	1	STAT		213	213	211	2	-3							0	0	187.000		1		
C-110	1979	2	STAT		213	213	211	#N/A	-3					Questionable Integrity Primary Stabilized		0	0	187.000		1		
C-110	1979	3	STAT		213	213	211	#N/A	-3							0	0	187.000		1		
C-110	1979	4	STAT		213	213	211	#N/A	-3							0	0	187.000		1		
C-110	1980	1	STAT		213	213	211	#N/A	-3					New Photo 8/8/79		0	0	187.000		1		
C-110	1980	2	STAT		213	213	211	#N/A	-3							0	0	187.000		1		
C-110	1980	3	STAT		213	213	211	#N/A	-3							0	0	187.000		1		
C-110	1980	4	STAT		213	213	211	#N/A	-3	NCPLX						0	0	187.000		1		
C-110	1983	4	send	-26		187		#N/A	-3	swlq		AN-103				0	0	187.000		1		
C-110	1993	2	STAT		187	187	187	#N/A	-3	DC						0	0	187.000		0		
C-110	1993	4	STAT		187	187	187	#N/A	-3							0	0	187.000		1		
C-110	1994	1	STAT		187	187	187	#N/A	-3							0	0	187.000		1		
C-110	2000															0	0	187.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-111	1900																					
C-111	1946	2	CREC	0		0		#N/A	0	SET	C-110						0	0.000		1		
C-111	1946	2	CSEND	0		0		#N/A	0	SET	C-112						0	0.000		1		
C-111	1946	2	STAT		N/A	0		#N/A	0								0	0.000		1		
C-111	1946	3	rec	206		206		#N/A	0	cas	C-110	C-110				0.03405866	7.0161	7.016	1C1	0		
C-111	1946	3	rec	124		330		#N/A	0	cas	C-110	C-110				0.03405866	4.2233	11.239	1C1	0		
C-111	1946	3	STAT		332	332	0	2	2	1C				2nd in Cascade, began filling August 1946		0	0	11.239		1		
C-111	1946	4	rec	157		489		#N/A	2	cas	C-110	C-110				0.03405866	5.3472	16.587	1C1	0		
C-111	1946	4	rec	146		635		#N/A	2	cas	C-110	C-110				0.03405866	4.9726	21.559	1C1	0		
C-111	1946	4	rec	119		754		#N/A	2	cas	C-110	C-110				0.03405866	4.053	25.612	1C1	0		
C-111	1946	4	send	-146		608		#N/A	2	cas		C-112				0	0	25.612		0		
C-111	1946	4	send	-78		530		#N/A	2	cas		C-112				0	0	25.612		0		
C-111	1946	4	STAT		530	530	0	#N/A	2					filled in November 1946		0	0	25.612		1		
C-111	1947	1	rec	132		662		#N/A	2	cas	C-110	C-110				0.03405866	4.4957	30.108	1C1	0		
C-111	1947	1	rec	92		754		#N/A	2	cas	C-110	C-110				0.03405866	3.1334	33.241	1C1	0		
C-111	1947	1	rec	64		818		#N/A	2	cas	C-110	C-110				0.03405866	2.1798	35.421	1C1	0		
C-111	1947	1	send	-132		686		#N/A	2	cas		C-112				0	0	35.421		0		
C-111	1947	1	send	-92		594		#N/A	2	cas		C-112				0	0	35.421		0		
C-111	1947	1	send	-64		530		#N/A	2	cas		C-112				0	0	35.421		0		
C-111	1947	1	STAT		530	530	0	#N/A	2					Cascading to 112-C		0	0	35.421		1		
C-111	1947	2	rec	17		547		#N/A	2	cas	C-110	C-110				0.03405866	0.579	36.000	1C1	0		
C-111	1947	2	send	-17		530		#N/A	2	cas		C-112				0	0	36.000		0		
C-111	1947	2	STAT		530	530	0	#N/A	2					Cascade filled April 1947		0	0	36.000		1		
C-111	1947	3	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1947	4	STAT		530	530	0	#N/A	2	1C						0	0	36.000		1		
C-111	1948	1	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1948	2	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1948	3	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1948	4	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1949	1	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1949	2	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1949	3	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1949	4	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1950	1	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1950	2	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1950	3	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1950	4	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1951	1	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1951	2	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1951	3	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1951	4	STAT		530	530	0	#N/A	2							0	0	36.000		1		
C-111	1952	1	STAT		530	530	0	#N/A	2	1C						0	0	36.000		1		
C-111	1952	2	STAT		530	530	36	#N/A	2	1C						0	0	36.000		1		
C-111	1952	3	SEND	-293		237		#N/A	2	SU		B-106				0	0	36.000		1		
C-111	1952	3	SEND	-201		36		#N/A	2	SU		B-106				0	0	36.000		1		
C-111	1952	3	STAT		36	36	36	#N/A	2	1C				Finished pumping to 106-B		0	0	36.000		1		
C-111	1952	4	XIN	103		139		#N/A	2	UR		UR				0	0	36.000		1		
C-111	1952	4	STAT		139	139	36	#N/A	2	TBP				Overflow from 110-C plugged on 11-15-52		0	0	36.000		1		
C-111	1953	1	XIN	610		749		#N/A	2	UR		UR				0	0	36.000		1		
C-111	1953	1	XIN	19		768		#N/A	2	UR		UR				0	0	36.000		1		
C-111	1953	1	send	-219		549		#N/A	2	cas		C-112				0	0	36.000		0		
C-111	1953	1	send	-19		530		#N/A	2	cas		C-112				0	0	36.000		0		
C-111	1953	1	STAT		536	536	36	6	6							0	0	36.000		1		
C-111	1953	2	XIN	258		794		#N/A	8	UR		UR				0	0	36.000		1		
C-111	1953	2	send	-264		530		#N/A	8	cas		C-112				0	0	36.000		0		
C-111	1953	2	CREC	0		530		#N/A	8	END	C-110						0	36.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-111	1953	2	STAT		536	536	36	6	14							0	0	36.000		1		
C-111	1953	3	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1953	4	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1954	1	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1954	2	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1954	3	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1954	4	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1955	1	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1955	2	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1955	3	STAT		536	536	36	#N/A	14							0	0	36.000		1		
C-111	1955	4	STAT		536	536	36	#N/A	14	TBP						0	0	36.000		1		
C-111	1956	1	OUTX	-465		51		#N/A	14	T03	C-112	TFeCN				0	0	36.000		3	O	N-54-277
C-111	1956	1	OUTX	-32		19		#N/A	14	T04	C-109	TFeCN				0	0	36.000		3	O	N-54-278
C-111	1956	1	XIN	33		52		#N/A	14	T05	C-105	TFeCN				0.001631	0.0538	36.054	TFeCl	3	O	N-54-279
C-111	1956	1	XIN	364		416		#N/A	14	T05	C-108	TFeCN				0.001631	0.5938	36.648	TFeCl	3	O	N-54-279
C-111	1956	1	xin	114		530		#N/A	14			TFeCN	addition due to primary operations of tank			0.001631	0.186	36.834	TFeCl	0		
C-111	1956	1	STAT		530	530	36	#N/A	14	TBP				Emptied in January. Rec'd scvg. waste from 001-CR in Feb. Non-disposable material		0	0	36.834		1		
C-111	1956	2	STAT		530	530	36	#N/A	14	TBP				Non-cribbable material		0	0	36.834		1		
C-111	1956	3	XIN	3		533		#N/A	14	OWW		OWW1				0	0	36.834		3	O	HW-45738-4
C-111	1956	3	OUTX	-476		57		#N/A	14	SU	B-020	CRIB	OC 376 to 476		Shows 476 not 364	0	0	36.834		2	V	N-54-279
C-111	1956	3	STAT		56	56	36	-1	13	OWW				Pumped to BC #7 ditch in Aug & Sept Rec'd OWW in Sept.		0	0	36.834		1		
C-111	1956	4	XIN	8		64		#N/A	13	OWW		OWW1				0	0	36.834		4	O	HW-46382-4
C-111	1956	4	XIN	6		70		#N/A	13	OWW		OWW1				0	0	36.834		4	O	HW-47640-4
C-111	1956	4	STAT		70	70	36	#N/A	13	OWW				Rec'd 14 OWW		0	0	36.834		1		
C-111	1957	1	XIN	52		122		#N/A	13	CWP		CWP1				0.04610951	2.3977	39.231	CWP1	4	O	HW-48144-4
C-111	1957	1	XIN	91		213		#N/A	13	CWP		CWP1				0.04610951	4.196	43.427	CWP1	4	O	HW-48846-4
C-111	1957	1	XIN	119		332		#N/A	13	CWP		CWP1				0.04610951	5.487	48.914	CWP1	4	O	HW-49523-4
C-111	1957	1	STAT		332	332	36	#N/A	13	1C,OWW,CW				SS, 263 CW rec'd		0	0	48.914		1		
C-111	1957	2	XIN	77		409		#N/A	13	CWP		CWP1				0.04610951	3.5504	52.465	CWP1	4	O	HW-50127-4
C-111	1957	2	XIN	486		895		#N/A	13	T11	C-103	TFeCN				0.001631	0.7928	53.258	TFeCl	3	O	N-54-285
C-111	1957	2	XIN	436		1331		#N/A	13	T14	BY-102	TFeCN	OC 398 to 436		Shows 436 not 398	0.001631	0.7113	53.969	TFeCl	2	V	N-54-288
C-111	1957	2	XIN	18		1349		#N/A	13	FLSH		WTR				0	0	53.969		1		
C-111	1957	2	SEND	-363		986		#N/A	13	SU		BY-111				0	0	53.969		4	O	N-54-285
C-111	1957	2	OUTX	-461		525		#N/A	13	SU	B-030	CRIB	OC 441 to 461		Shows 461 BC-17 Trench	0	0	53.969		3	V	N-54-247
C-111	1957	2	STAT		521	521	13	-4	9	TBP				Inc due to line drainage, 462 to #17 BC trench, SS 77 CW rec'd, 373 to 111-BY		0	0	53.969		1		
C-111	1957	3	XIN	462		983		#N/A	9	T17	BY-103	TFeCN				0.001631	0.7537	54.722	TFeCl	4	O	N-54-291
C-111	1957	3	XIN	257		1240		#N/A	9	T18	BY-103	TFeCN				0.001631	0.4192	55.142	TFeCl	4	O	N-54-292
C-111	1957	3	XIN	40		1280		#N/A	9	T22	B-108	TFeCN	OC 31 to 40		Shows 40 not 31	0.001631	0.0653	55.207	TFeCl	3	V	N-54-296
C-111	1957	3	XIN	465		1745		#N/A	9	T22	B-109	TFeCN	OC 412 to 465		Shows 465 not 412	0.001631	0.7586	55.966	TFeCl	2	V	N-54-296
C-111	1957	3	XIN	22		1767		#N/A	9	WTR		WTR				0	0	55.966		2		
C-111	1957	3	SEND	-451		1316		#N/A	9	SU		C-108	OC 432 to 451		Shows 451 not 432	0	0	55.966		4	V	N-54-291
C-111	1957	3	OUTX	-465		851		#N/A	9	SU	B-031	CRIB	OC 445 to 465		Shows 465 not 445	0	0	55.966		4	V	N-54-248
C-111	1957	3	OUTX	-296		555		#N/A	9	SU	B-033	CRIB	OC 284 to 296		Shows 296 not 284	0	0	55.966		4	V	N-54-250
C-111	1957	3	STAT		549	549	54	-6	3	EB			XIN total 781, AND reports 888	451 to 108-C, 888 rec'd, 297 to BC-20, 465 to BC-18 ditch		0	0	55.966		1		
C-111	1957	4	XIN	88		637		#N/A	3	T26	B-112	TFeCN				0.001631	0.1436	56.109	TFeCl	3	O	N-54-270
C-111	1957	4	XIN	320		957		#N/A	3	T26	BX-110	TFeCN	OC 201 to 320		Shows 320 not 201	0.001631	0.522	56.631	TFeCl	2	V	N-54-270
C-111	1957	4	XIN	31		988		#N/A	3	WTR		WTR				0	0	56.631		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	QA	Document/Pg #
C-111	1957	4	OUTX	-396		592		#N/A	3	SU	B-034	CRIB	OC 379 to 396, AND reports - 414		Shows 396 not 379	0	0	56.631		2	V	N-54-251
C-111	1957	4	OUTX	-373		219		#N/A	3	SU	B-035	CRIB	OC 357 to 373, AND reports - 346		Shows 373 not 357	0	0	56.631		2	V	N-54-252
C-111	1957	4	outx	-121		98		#N/A	3			CRIB				0	0	56.631		0		
C-111	1957	4	STAT		98	98	95	#N/A	3	EB				336 rec'd, 346 to BC-22, 414 to BC 21		0	0	56.631		1		
C-111	1958	1	STAT		101	101	95	3	6					Latest electrode reading		0	0	56.631		1		
C-111	1958	2	STAT		101	101	95	#N/A	6							0	0	56.631		1		
C-111	1958	3	STAT		101	101	95	#N/A	6	EB						0	0	56.631		1		
C-111	1958	4	STAT		88	88	88	-13	-7	EB				Latest & new electrode reading		0	0	56.631		1		
C-111	1959	1	STAT		90	90	90	2	-5							0	0	56.631		1		
C-111	1959	2	outx	-10		80		#N/A	-5	ADJ	CORR	COND				0	0	56.631		0		
C-111	1959	2	STAT		90	90	90	10	5	EB						0	0	56.631		1		
C-111	1959	3	STAT		111	111	95	21	26	EB				Latest electrode reading, Increase To be investigated		0	0	56.631		1		
C-111	1959	4	REC	187		298		#N/A	26	SU	C-105	C-105				0	0	56.631		4	O	HW-62723-4
C-111	1959	4	STAT		298	298	95	#N/A	26	EB,CW				187 from 105-C		0	0	56.631		1		
C-111	1960	1	REC	39		337		#N/A	26	SU	C-105	C-105				0	0	56.631		4	O	HW-64810-4
C-111	1960	1	STAT		337	337	95	#N/A	26	EB,CW				39 from 105-C		0	0	56.631		1		
C-111	1960	2	STAT		337	337	95	#N/A	26							0	0	56.631		1		
C-111	1960	3	STAT		337	337	95	#N/A	26	EB,CW						0	0	56.631		1		
C-111	1960	4	XIN	8		345		#N/A	26	CWP		CWP1			Shows 5 not 8	0.04610951	0.3689	57.000	CWP1	3	V	HW-68291-4
C-111	1960	4	STAT		N/A	345	95	#N/A	26	EB,CW			INCORRECT STAT 309 TO N/A	Latest electrode reading, 5 CW rec'd			0	57.000		1		
C-111	1961	1	STAT		N/A	345		#N/A	26								0	57.000		1		
C-111	1961	2	STAT		345	345	95	#N/A	26	EB,CW							0	57.000		1		
C-111	1961	3	STAT		N/A	345		#N/A	26							0	0	57.000		1		
C-111	1961	4	STAT		345	345	95	#N/A	26	EB,CW							0	57.000		1		
C-111	1962	1	STAT		N/A	345		#N/A	26							0	0	57.000		1		
C-111	1962	2	STAT		345	345	95	#N/A	26	EB,CW							0	57.000		1		
C-111	1962	3	STAT		N/A	345		#N/A	26							0	0	57.000		1		
C-111	1962	4	XIN	25		370		#N/A	26	HS		HS					0	57.000		1		
C-111	1962	4	STAT		370	370	95	#N/A	26	EB,CW,FP						0	0	57.000		4	O	HW-76223-4
C-111	1963	1	STAT		N/A	370		#N/A	26					25 from HS		0	0	57.000		1		
C-111	1963	2	XIN	61		431		#N/A	26	HS		HS					0	57.000		1		
C-111	1963	2	STAT		431	431	95	#N/A	26	EB,CW,FP						0	0	57.000		4	O	HW-78279-4
C-111	1963	3	STAT		N/A	431		#N/A	26					Rec'd 61 from HS		0	0	57.000		1		
C-111	1963	4	XIN	41		472		#N/A	26	HS		HS					0	57.000		1		
C-111	1963	4	STAT		472	472	95	#N/A	26	EB,CW,HS						0	0	57.000		4	O	HW-80379-4
C-111	1964	1	STAT		N/A	472		#N/A	26					Rec'd 41 from semiworks		0	0	57.000		1		
C-111	1964	2	XIN	101		573		#N/A	26	HS		HS					0	57.000		1		
C-111	1964	2	STAT		539	539	95	-34	-8	EB,CW,HS						0	0	57.000		4	O	HW-83308-4
C-111	1964	3	STAT		N/A	539		#N/A	-8					Rec'd 101 HS		0	0	57.000		1		
C-111	1964	4	STAT		539	539	95	#N/A	-8	EB,CW,HS							0	57.000		1		
C-111	1965	1	STAT		N/A	539		#N/A	-8							0	0	57.000		1		
C-111	1965	2	STAT		519	519	81	-20	-28	EB,CW,HS							0	57.000		1		
C-111	1965	3	STAT		520	520	81	1	-27	EB,CW,HS				New elect.		0	0	57.000		1		
C-111	1965	4	STAT		516	516	81	-4	-31	EB,CW,HS				New electrode		0	0	57.000		1		
C-111	1966	1	STAT		513	513	81	-3	-34	EB,CW,HS						0	0	57.000		1		
C-111	1966	2	STAT		510	510	81	-3	-37	CW,HS						0	0	57.000		1		
C-111	1966	3	STAT		510	510	81	#N/A	-37	EB,CW,HS						0	0	57.000		1		
C-111	1966	4	STAT		508	508	81	-2	-39	CW						0	0	57.000		1		
C-111	1967	1	STAT		508	508	81	#N/A	-39	EB,CW,HS						0	0	57.000		1		
C-111	1967	2	STAT		503	503	81	-5	-44	CW,HS						0	0	57.000		1		
C-111	1967	3	STAT		503	503	81	#N/A	-44	EB,CW,HS						0	0	57.000		1		
C-111	1967	4	STAT		502	502	81	-1	-45	EB,CW,HS						0	0	57.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-111	1968	1	STAT		499	499	81	-3	-48	CW,HS						0	0	57.000		1		
C-111	1968	2	STAT		499	499	81	#N/A	-48	CW,HS						0	0	57.000		1		
C-111	1968	3	STAT		499	499	81	#N/A	-48	CW,HS						0	0	57.000		1		
C-111	1968	4	STAT		499	499	81	#N/A	-48	EB,CW,SSW						0	0	57.000		1		
C-111	1969	1	STAT		498	498	81	-1	-49	EB,CW,SSW						0	0	57.000		1		
C-111	1969	2	STAT		497	497	81	-1	-50	CW,SSW						0	0	57.000		1		
C-111	1969	3	STAT		497	497	81	#N/A	-50	EB,CW,SSW						0	0	57.000		1		
C-111	1969	4	SEND	-349		148		#N/A	-50	SU		C-104				0	0	57.000		4	O	ARH-1200D-5
C-111	1969	4	STAT		147	147	81	-1	-51	CW				349 to 104-C		0	0	57.000		1		
C-111	1970	1	STAT		147	147	81	#N/A	-51	CW				*Dry Wells 30-11-01, 30-11-06,30-11-09 drilled.		0	0	57.000		1		
C-111	1970	2	STAT		146	146	96	-1	-52	CW						0	0	57.000		1		
C-111	1970	3	STAT		150	150	92	4	-48	CW						0	0	57.000		1		
C-111	1970	4	STAT		151	151	92	1	-47							0	0	57.000		1		
C-111	1971	1	STAT		151	151	92	#N/A	-47							0	0	57.000		1		
C-111	1971	2	STAT		151	151	92	#N/A	-47							0	0	57.000		1		
C-111	1971	3	STAT		151	151	92	#N/A	-47							0	0	57.000		1		
C-111	1971	4	STAT		151	151	92	#N/A	-47	CW						0	0	57.000		1		
C-111	1972	1	STAT		150	150	92	-1	-48	CW						0	0	57.000		1		
C-111	1972	2	XIN	22		172		#N/A	-48	WTR		WTR	Omis. REC C-301		Omission	0	0	57.000		3	V	ARH-2456B-4
C-111	1972	2	STAT		172	172	76	#N/A	-48	CW				22 from 301-C		0	0	57.000		1		
C-111	1972	3	STAT		174	174	76	2	-46	CW						0	0	57.000		1		
C-111	1972	4	STAT		172	172	76	-2	-48							0	0	57.000		1		
C-111	1973	1	STAT		172	172	76	#N/A	-48							0	0	57.000		1		
C-111	1973	2	STAT		172	172	76	#N/A	-48							0	0	57.000		1		
C-111	1973	3	STAT		172	172	76	#N/A	-48	CW						0	0	57.000		1		
C-111	1973	4	STAT		171	171	76	-1	-49							0	0	57.000		1		
C-111	1974	1	STAT		171	171	76	#N/A	-49	CW				Suspect leaker		0	0	57.000		1		
C-111	1974	2	SEND	65		106		#N/A	-49	SU		C-104				0	0	57.000		4	O	ARH-CD-133B-4
C-111	1974	2	STAT		114	114	76	8	-41	CW				Suspect leaker. 65 to 104-C		0	0	57.000		1		
C-111	1974	3	STAT		115	115	76	1	-40	CW				Suspect leaker		0	0	57.000		1		
C-111	1974	4	STAT		114	114	62	-1	-41					Suspect leaker		0	0	57.000		1		
C-111	1975	1	STAT		114	114	62	#N/A	-41					Suspect leaker * Dry Wells 30 11-05, 30-11-11 drilled.		0	0	57.000		1		
C-111	1975	2	STAT		114	114	62	#N/A	-41					Removed from service		0	0	57.000		1		
C-111	1975	3	STAT		114	114	62	#N/A	-41					Removed from service		0	0	57.000		1		
C-111	1975	4	STAT		114	114	62	#N/A	-41	CW				Removed from service		0	0	57.000		1		
C-111	1976	1	SEND	-41		73		#N/A	-41	SU		C-103	PUMPED ONLY 41?			0	0	57.000		4	O	ARH-CD-702A-4
C-111	1976	1	STAT		73	73	62	#N/A	-41	CW				Removed from service. 63 to 103-C		0	0	57.000		1		
C-111	1976	2	SEND	-11		62		#N/A	-41	SU		C-103	PUMPED 11?			0	0	57.000		4	O	ARH-CD-702B-4
C-111	1976	2	STAT		62	62	62	#N/A	-41					Removed from service 2 to 103-C		0	0	57.000		1		
C-111	1976	3	STAT		62	62	62	#N/A	-41					Salt Well Pumped		0	0	57.000		1		
C-111	1976	4	STAT		62	62	62	#N/A	-41					Salt Well Pumped		0	0	57.000		1		
C-111	1977	1	STAT		62	62	62	#N/A	-41					Salt Well Pumped		0	0	57.000		1		
C-111	1977	2	STAT		62	62	62	#N/A	-41					Salt Well Pumped		0	0	57.000		1		
C-111	1977	3	STAT		62	62	62	#N/A	-41					Salt Well Pumped		0	0	57.000		1		
C-111	1977	4	STAT		62	62	62	#N/A	-41					Salt Well Pumped		0	0	57.000		1		
C-111	1978	1	STAT		62	62	62	#N/A	-41					Inactive		0	0	57.000		1		
C-111	1978	2	STAT		62	62	62	#N/A	-41					Questionable Integrity		0	0	57.000		1		
C-111	1978	3	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1978	4	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1979	1	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1979	2	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1979	3	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1979	4	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1980	1	STAT		62	62	62	#N/A	-41							0	0	57.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-111	1980	2	STAT		62	62	62	#N/A	-41							0	0	57.000		1		
C-111	1980	3	STAT		62	62	62	#N/A	-41	CW						0	0	57.000		1		
C-111	1980	4	STAT		62	62	62	#N/A	-41	CW						0	0	57.000		1		
C-111	1985	2	send	-5		57		#N/A	-41	swliq		AW-105				0	0	57.000		1		
C-111	1993	2	STAT		57	57	57	#N/A	-41	NCPLX						0	0	57.000		0		
C-111	1993	4	STAT		57	57	57	#N/A	-41							0	0	57.000		1		
C-111	1994	1	STAT		57	57	57	#N/A	-41							0	0	57.000		1		
C-111	2000															0	0	57.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-112	1900																					
C-112	1946	2	CREC	0		0		#N/A	0	SET	C-111						0	0.000		1		
C-112	1946	2	STAT		N/A	0		#N/A	0								0	0.000		1		
C-112	1946	3	STAT		N/A	0		#N/A	0								0	0.000		1		
C-112	1946	4	rec	146		146		#N/A	0	cas	C-111	C-111				0.02835539	4.1399	4.140	1C1	0		
C-112	1946	4	rec	78		224		#N/A	0	cas	C-111	C-111				0.02835539	2.2117	6.352	1C1	0		
C-112	1946	4	STAT		225	225	0	1	1	1C				3rd in cascade, began filling November 1946		0	0	6.352		1		
C-112	1947	1	rec	132		357		#N/A	1	cas	C-111	C-111				0.02835539	3.7429	10.095	1C1	0		
C-112	1947	1	rec	92		449		#N/A	1	cas	C-111	C-111				0.02835539	2.6087	12.703	1C1	0		
C-112	1947	1	rec	64		513		#N/A	1	cas	C-111	C-111				0.02835539	1.8147	14.518	1C1	0		
C-112	1947	1	STAT		513	513	0	#N/A	1	1C						0	0	14.518		1		
C-112	1947	2	rec	17		530		#N/A	1	cas	C-111	C-111				0.02835539	0.482	15.000	1C1	0		
C-112	1947	2	STAT		530	530	0	#N/A	1					Finished fill April 1947		0	0	15.000		1		
C-112	1947	3	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1947	4	STAT		530	530	0	#N/A	1	1C						0	0	15.000		1		
C-112	1948	1	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1948	2	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1948	3	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1948	4	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1949	1	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1949	2	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1949	3	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1949	4	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1950	1	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1950	2	STAT		530	530	0	#N/A	1	1C						0	0	15.000		1		
C-112	1950	3	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1950	4	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1951	1	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1951	2	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1951	3	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1951	4	STAT		530	530	0	#N/A	1							0	0	15.000		1		
C-112	1952	1	STAT		525	525	0	-5	-4	1C						0	0	15.000		1		
C-112	1952	2	SEND	-426		99		#N/A	-4	SU		B-106				0	0	15.000		1		
C-112	1952	2	STAT		99	99	15	#N/A	-4	1C				Partially pumped to 106-B.To be finished at a later date		0	0	15.000		1		
C-112	1952	3	SEND	-82		17		#N/A	-4	SU		B-106				0	0	15.000		1		
C-112	1952	3	STAT		17	17	15	#N/A	-4	1C				Finished pumping to 106-B on 8-15-52		0	0	15.000		1		
C-112	1952	4	STAT		17	17	15	#N/A	-4	1C						0	0	15.000		1		
C-112	1953	1	rec	219		236		#N/A	-4	cas	C-111	C-111				0	0	15.000		0		
C-112	1953	1	rec	19		255		#N/A	-4	cas	C-111	C-111				0	0	15.000		0		
C-112	1953	1	STAT		249	249	15	-6	-10	1C,TBP				Started filling in January		0	0	15.000		1		
C-112	1953	2	rec	264		513		#N/A	-10	cas	C-111	C-111				0	0	15.000		0		
C-112	1953	2	STAT		517	517	15	4	-6	1C,TBP				Filled in April		0	0	15.000		1		
C-112	1953	3	SEND	-239		278		#N/A	-6	SU		B-106				0	0	15.000		1		
C-112	1953	3	SEND	-100		178		#N/A	-6	SU		B-106				0	0	15.000		1		
C-112	1953	3	STAT		178	178	15	#N/A	-6	1C,TBP				Pumped TBP waste to 106-B		0	0	15.000		1		
C-112	1953	4	SEND	-33		145		#N/A	-6	SU		B-106				0	0	15.000		1		
C-112	1953	4	STAT		145	145	15	#N/A	-6	TBP						0	0	15.000		1		
C-112	1954	1	STAT		145	145	15	#N/A	-6	1C,TBP						0	0	15.000		1		
C-112	1954	2	XIN	33		178		#N/A	-6	UR		UR				0	0	15.000		1		
C-112	1954	2	XIN	255		433		#N/A	-6	UR		UR				0	0	15.000		1		
C-112	1954	2	STAT		433	433	15	#N/A	-6	1C,TBP				Rec'd TBP waste during June		0	0	15.000		1		
C-112	1954	3	XIN	33		466		#N/A	-6	UR		UR				0	0	15.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-112	1954	3	STAT		466	466	15	#N/A	-6	TBP				Rec'd material from 301-C catch tank		0	0	15.000		1		
C-112	1954	4	STAT		466	466	15	#N/A	-6	TBP						0	0	15.000		1		
C-112	1955	1	STAT		466	466	15	#N/A	-6	1C,TBP						0	0	15.000		1		
C-112	1955	2	STAT		466	466	17	#N/A	-6							0	0	15.000		1		
C-112	1955	3	STAT		466	466	17	#N/A	-6	TBP						0	0	15.000		1		
C-112	1955	4	XIN	463		929		#N/A	-6	T01	C-109	TFeCN				0.015863	7.3443	22.344	TFeCl	3	O	N-54-275
C-112	1955	4	SEND	-420		509		#N/A	-6	SU		C-104				0	0	22.344		1		
C-112	1955	4	STAT		524	524	17	15	9	TBP				Pumped to 104-C in October. Rec'd TBP in December								
C-112	1956	1	XIN	485		1009		#N/A	9	T03	C-111	TFeCN				0	0	22.344		1		
C-112	1956	1	SEND	-433		576		#N/A	9	SU		C-108				0.015863	7.6933	30.038	TFeCl	3	O	N-54-277
C-112	1956	1	OUTX	-452		124		#N/A	9	SU	B-017	CRIB	OC 408 to 452			0	0	30.038		1		
C-112	1956	1	STAT		N/A	124	17	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped in March. Rec'd scvg waste from 001-CR	Shows 452 BC-4 Crib	0	0	30.038		2	V	N-54-204
C-112	1956	2	XIN	434		558		#N/A	9	T06	C-105	TFeCN				0	0	30.038		1		
C-112	1956	2	STAT		N/A	558	17	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd scvg waste from 001-CR in April. Non-cribbable material		0.015863	6.8843	36.922	TFeCl	3	O	N-54-203 & 280
C-112	1956	3	OUTX	-445		113		#N/A	9	SU	B-016	CRIB	OC 420 to 445, AND reports -336		Shows 445 to BC-3	0	0	36.922		1		
C-112	1956	3	STAT		N/A	113	17	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd scvg waste from 001-CR vault. Pumped 336 to BC #3 crib		0	0	36.922		2	V	N-54-203 & 280
C-112	1956	4	XIN	429		542		#N/A	9	T07	C-101	TFeCN	OC 360 to 429		Shows 429 not 360	0.015863	6.805	43.727	TFeCl	1		
C-112	1956	4	OUTX	-476		66		#N/A	9	SU	B-023	CRIB	OC 429 to 476		Shows 476 to BC-10 Ditch	0	0	43.727		1		
C-112	1956	4	STAT		N/A	66	39	#N/A	9				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped 476 to BC #10 ditch in October		0	0	43.727		2	V	N-54-281
C-112	1957	1	STAT		N/A	66	39	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	27" gain. Flushing BX line, latest electrode reading		0	0	43.727		3	V	N-54-239
C-112	1957	2	XIN	370		436		#N/A	9	T09	C-102	TFeCN				0.015863	5.8691	49.596	TFeCl	1		
C-112	1957	2	XIN	58		494		#N/A	9	T12	C-103	TFeCN				0.015863	0.92	50.516	TFeCl	1		
C-112	1957	2	XIN	506		1000		#N/A	9	T12	C-106	TFeCN	OC 448 to 506, AND reports 487		Shows 506 not 448	0.015863	8.0264	58.543	TFeCl	2	V	N-54-286
C-112	1957	2	SEND	-471		529		#N/A	9	SU		BY-102	AND reports -483			0	0	58.543		3	O	N-54-102
C-112	1957	2	SEND	-496		33		#N/A	9	SU		BY-108	OC 440 to 496, AND reports 279		Shows 496 not 440	0	0	58.543		2	V	N-54-283
C-112	1957	2	STAT		N/A	33	21	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	483 to 102-BY, 474 to 108-BY, 487 rec'd		0	0	58.543		1		
C-112	1957	3	XIN	474		507		#N/A	9	T15	BY-101	TFeCN	AND reports 478			0.015863	7.5188	66.061	TFeCl	3	O	N-54-289
C-112	1957	3	XIN	446		953		#N/A	9	T20	B-102	TFeCN	AND reports 459			0.015863	7.0747	73.136	TFeCl	3	O	N-54-294
C-112	1957	3	OUTX	-450		503		#N/A	9	SU	B-019	CRIB	AND reports -450			0	0	73.136		4	O	N-54-206 & 289
C-112	1957	3	STAT		N/A	503	39	#N/A	9	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	450 to BC-6, 459 rec'd, rec'd 478 scvg waste		0	0	73.136		1		
C-112	1957	4	XIN	461		964		#N/A	9	T24	B-106	TFeCN				0.015863	7.3126	80.449	TFeCl	4	O	N-54-298
C-112	1957	4	XIN	413		1377		#N/A	9	T28	BX-108	TFeCN	OC 443 to 413		Shows 413 not 443	0.015863	6.5512	87.000	TFeCl	3	V	N-54-272
C-112	1957	4	OUTX	-470		907		#N/A	9	SU	B-019	CRIB				0	0	87.000		4	O	N-54-206
C-112	1957	4	OUTX	-414		493		#N/A	9	SU	B-034	CRIB		XIN total 874		0	0	87.000		4	O	N-54-251
C-112	1957	4	STAT		N/A	493	39	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	869 rec'd, 470 to BC-6, 414 to BC-21		0	0	87.000		1		
C-112	1958	1	OUTX	-439		54		#N/A	9	SU	B-035	CRIB	OC 469 to 439		Shows 439 not 469	0	0	87.000		3	V	N-54-252

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-112	1958	1	STAT		84	84	46	30	39	TBP				432 to BC-22 trench		0	0	87.000		1		
C-112	1958	2	STAT		84	84	46	#N/A	39							0	0	87.000		1		
C-112	1958	3	STAT		84	84	46	#N/A	39	TBP						0	0	87.000		1		
C-112	1958	4	xin	20		104		#N/A	39	ADJ	CORR	WTR				0	0	87.000		0		
C-112	1958	4	STAT		134	134	46	30	69	TBP				Latest new electrode reading		0	0	87.000		1		
C-112	1959	1	STAT		137	137	46	3	72							0	0	87.000		1		
C-112	1959	2	STAT		137	137	46	#N/A	72	TBP						0	0	87.000		1		
C-112	1959	3	STAT		N/A	137	46	#N/A	72	TBP			LC bad STAT? 84 to N/A	Latest electrode reading		0	0	87.000		1		
C-112	1959	4	STAT		136	136	46	-1	71	TBP						0	0	87.000		1		
C-112	1960	1	STAT		137	137	46	1	72							0	0	87.000		1		
C-112	1960	2	STAT		137	137	46	#N/A	72	TBP						0	0	87.000		1		
C-112	1960	3	XIN	71		208		#N/A	72	CWP		CWP1				0.078313	5.5602	92.560	CWP1	4	O	HW-67696-4
C-112	1960	3	XIN	55		263		#N/A	72	WTR		WTR				0	0	92.560		4	O	HW-67696-4
C-112	1960	3	STAT		263	263	46	#N/A	72	TBP			XIN total 126	SS rec'd 126 CW & dilution		0	0	92.560		1		
C-112	1960	4	XIN	54		317		#N/A	72	CWP		CWP1				0.078313	4.2289	96.789	CWP1	4	O	HW-67705-4
C-112	1960	4	XIN	41		358		#N/A	72	CWP		CWP1				0.078313	3.2108	100.000	CWP1	4	O	HW-68291-4
C-112	1960	4	XIN	42		400		#N/A	72	WTR		WTR				0	0	100.000		4	O	HW-67705-4
C-112	1960	4	STAT		367	367	46	-33	39	TBP			XIN total 137	Latest electrode reading. 137 CW rec'd		0	0	100.000		1		
C-112	1961	1	XIN	55		422		#N/A	39	CWP		CWP2				0.034091	1.875	101.875	CWP2	1		
C-112	1961	1	STAT		N/A	422		#N/A	39								0	101.875		1		
C-112	1961	2	XIN	33		455		#N/A	39	CWP		CWP2				0.034091	1.125	103.000	CWP2	1		
C-112	1961	2	STAT		455	455	46	#N/A	39	TBP,CW				[6 month report]		0	0	103.000		1		
C-112	1961	3	STAT		N/A	455		#N/A	39								0	103.000		1		
C-112	1961	4	XIN	31		486		#N/A	39	HS		HS				0.018868	0.5849	103.585	HS	4	O	HW-72625-4
C-112	1961	4	STAT		486	486	46	#N/A	39	TBP,CW,HS				31 from HS [6 month report]		0	0	103.585		1		
C-112	1962	1	STAT		N/A	486		#N/A	39								0	103.585		1		
C-112	1962	2	XIN	22		508		#N/A	39	HS		HS	OC 27 to 22		Show 22 not 27	0.018868	0.4151	104.000	HS	3	V	HW-74647-4
C-112	1962	2	STAT		508	508	46	#N/A	39	TBP,CW,FP				22 from HS [6 month report]		0	0	104.000		1		
C-112	1962	3	STAT		N/A	508		#N/A	39								0	104.000		1		
C-112	1962	4	STAT		505	505	46	-3	36	TBP,CW,FP				Latest electrode reading [6 month report]		0	0	104.000		1		
C-112	1963	1	STAT		N/A	505		#N/A	36								0	104.000		1		
C-112	1963	2	STAT		510	510	46	5	41	TBP,CW,FP				Latest electrode reading [6 month report]		0	0	104.000		1		
C-112	1963	3	STAT		N/A	510		#N/A	41								0	104.000		1		
C-112	1963	4	STAT		513	513	46	3	44	TBP,CW,HS				Latest electrode reading [6 month report]		0	0	104.000		1		
C-112	1964	1	STAT		N/A	513		#N/A	44								0	104.000		1		
C-112	1964	2	STAT		547	547	46	34	78	TBP,CW,HS				[6 month report]		0	0	104.000		1		
C-112	1964	3	STAT		N/A	547		#N/A	78								0	104.000		1		
C-112	1964	4	STAT		547	547	46	#N/A	78	TBP,CW				[6 month report]		0	0	104.000		1		
C-112	1965	1	STAT		N/A	547		#N/A	78								0	104.000		1		
C-112	1965	2	STAT		538	538	128	-9	69	CW,HS				New electrode		0	0	104.000		1		
C-112	1965	3	STAT		538	538	128	#N/A	69	CW,HS				New electrode		0	0	104.000		1		
C-112	1965	4	STAT		538	538	128	#N/A	69	CW,HS						0	0	104.000		1		
C-112	1966	1	STAT		538	538	128	#N/A	69	TBP,CW,HS						0	0	104.000		1		
C-112	1966	2	STAT		535	535	128	-3	66	CW,HS						0	0	104.000		1		
C-112	1966	3	STAT		535	535	128	#N/A	66	CW,HS						0	0	104.000		1		
C-112	1966	4	STAT		535	535	128	#N/A	66	CW,HS						0	0	104.000		1		
C-112	1967	1	STAT		535	535	128	#N/A	66	CW,HS						0	0	104.000		1		
C-112	1967	2	STAT		535	535	128	#N/A	66	CW,HS						0	0	104.000		1		
C-112	1967	3	STAT		535	535	128	#N/A	66	CW,HS						0	0	104.000		1		
C-112	1967	4	STAT		535	535	128	#N/A	66	TBP,CW,HS						0	0	104.000		1		
C-112	1968	1	STAT		534	534	128	-1	65	CW,HS						0	0	104.000		1		
C-112	1968	2	STAT		534	534	128	#N/A	65	CW,HS						0	0	104.000		1		
C-112	1968	3	STAT		534	534	128	#N/A	65	CW,HS						0	0	104.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-112	1968	4	STAT		534	534	128	#N/A	65	CW,SSW						0	0	104.000		1		
C-112	1969	1	STAT		534	534	128	#N/A	65	TBP,CW,SSW						0	0	104.000		1		
C-112	1969	2	STAT		532	532	128	-2	63	CW,SSW						0	0	104.000		1		
C-112	1969	3	STAT		532	532	128	#N/A	63	CW,SSW						0	0	104.000		1		
C-112	1969	4	STAT		532	532	128	#N/A	63	TBP,CW,SSW						0	0	104.000		1		
C-112	1970	1	XIN	21		553		#N/A	63	WTR		WTR	Omis. REC C-301			0	0	104.000		1		
C-112	1970	1	SEND	-340		213		#N/A	63	SU		C-104			Omission	0	0	104.000		3	V	ARH-1666A-5
																0	0	104.000		4	O	ARH-1666A-5
C-112	1970	1	STAT		213	213	128	#N/A	63	CW				21 from 301-C catch tk, 340 to 104-C								
C-112	1970	2	REC	327		540		#N/A	63	SU	C-110	C-110				0	0	104.000		1		
C-112	1970	2	STAT		541	541	138	1	64	CW,IX						0	0	104.000		4	O	ARH-1666B-5
C-112	1970	3	STAT		543	543	136	2	66	IX				327 from 110-C		0	0	104.000		1		
C-112	1970	4	STAT		543	543	136	#N/A	66	IX						0	0	104.000		1		
C-112	1971	1	STAT		543	543	136	#N/A	66	IX						0	0	104.000		1		
C-112	1971	2	STAT		543	543	136	#N/A	66	IX						0	0	104.000		1		
C-112	1971	3	STAT		543	543	136	#N/A	66	IX						0	0	104.000		1		
C-112	1971	4	STAT		543	543	136	#N/A	66	CW,IX						0	0	104.000		1		
C-112	1972	1	STAT		542	542	136	-1	65	CW,IX						0	0	104.000		1		
C-112	1972	2	STAT		543	543	136	1	66	CW,IX						0	0	104.000		1		
C-112	1972	3	STAT		543	543	120	#N/A	66	CW,IX						0	0	104.000		1		
C-112	1972	4	STAT		532	532	120	-11	55	IX						0	0	104.000		1		
C-112	1973	1	STAT		532	532	120	#N/A	55	CW,IX						0	0	104.000		1		
C-112	1973	2	STAT		531	531	120	-1	54	IX						0	0	104.000		1		
C-112	1973	3	STAT		531	531	120	#N/A	54	IX						0	0	104.000		1		
C-112	1973	4	STAT		531	531	120	#N/A	54	CW,IX						0	0	104.000		1		
C-112	1974	1	STAT		530	530	120	-1	53	IX						0	0	104.000		1		
C-112	1974	2	STAT		530	530	120	#N/A	53	IX						0	0	104.000		1		
C-112	1974	3	STAT		530	530	120	#N/A	53	CW,IX						0	0	104.000		1		
C-112	1974	4	STAT		532	532	128	2	55	CW,IX						0	0	104.000		1		
C-112	1975	1	XIN	19		551		#N/A	55	WTR		WTR	Omis. REC C-301			0	0	104.000		1		
C-112	1975	1	SEND	-66		485		#N/A	55	SU		C-103			Omission	0	0	104.000		3	V	ARH-CD-336A-4
																0	0	104.000		4	O	ARH-CD-336A-4
C-112	1975	1	STAT		483	483	128	-2	53	CW,IX				19 from 301-C, 66 to 103-C *Dry Wells 30-12-01, 30-12-03, 30-12-09 drilled.								
C-112	1975	2	STAT		483	483	128	#N/A	53	CW,IX						0	0	104.000		1		
C-112	1975	3	SEND	-400		83		#N/A	53	SU		C-103				0	0	104.000		1		
C-112	1975	3	REC	109		192		#N/A	53	SU	C-110	C-110				0	0	104.000		4	O	ARH-CD-336C-4
																0	0	104.000		4	O	ARH-CD-336C-4
C-112	1975	3	STAT		194	194	128	2	55	CW,OWW,EB,RIX				109 from 110-C, 400 to 103-C								
C-112	1975	4	SEND	-85		109		#N/A	55	SU		C-103				0	0	104.000		1		
C-112	1975	4	STAT		109	109	109	#N/A	55					85 to 103-C		0	0	104.000		4	O	ARH-CD-336D-4
C-112	1976	1	SEND	-3		106		#N/A	55	SU		C-103				0	0	104.000		1		
																0	0	104.000		4	O	ARH-CD-702A-4
C-112	1976	1	STAT		109	109	109	3	56					Removed from service 3 to 103-C								
C-112	1976	2	SEND	-1		108		#N/A	56	SU		C-103				0	0	104.000		1		
																0	0	104.000		4	O	ARH-CD-702B-4
C-112	1976	2	STAT		109	109	109	1	59					Removed from service 1 to 103-C								
C-112	1976	3	STAT		109	109	109	#N/A	59					Salt Well Pumped		0	0	104.000		1		
C-112	1976	4	STAT		109	109	109	#N/A	59					Salt Well Pumped		0	0	104.000		1		
C-112	1977	1	STAT		109	109	109	#N/A	59					Salt Well Pumped		0	0	104.000		1		
C-112	1977	2	STAT		109	109	109	#N/A	59					Salt Well Pumped		0	0	104.000		1		
C-112	1977	3	STAT		109	109	109	#N/A	59					Salt Well Pumped		0	0	104.000		1		
C-112	1977	4	STAT		109	109	109	#N/A	59					Inactive Current Salt Well Installed		0	0	104.000		1		
C-112	1978	1	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1978	2	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1978	3	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1978	4	STAT		109	109	109	#N/A	59					New Photo 11/16/78		0	0	104.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-112	1979	1	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1979	2	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1979	3	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1979	4	STAT		109	109	109	#N/A	59	EBRIX						0	0	104.000		1		
C-112	1980	1	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1980	2	STAT		109	109	109	#N/A	59					*30-12-13 dry well drilled 5-78		0	0	104.000		1		
C-112	1980	3	STAT		109	109	109	#N/A	59							0	0	104.000		1		
C-112	1980	4	STAT		109	109	109	#N/A	59	EB-RI						0	0	104.000		1		
C-112	1983	4	send	-5		104		#N/A	59	swliq		AN-103				0	0	104.000		1		
C-112	1993	2	STAT		104	104	104	#N/A	59	NCPLX						0	0	104.000		0		
C-112	1993	4	STAT		104	104	104	#N/A	59							0	0	104.000		1		
C-112	1994	1	STAT		104	104	104	#N/A	59							0	0	104.000		1		
C-112	2000															0	0	104.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
C-201	1900																					
C-201	1947	4	CSEND	0		0		#N/A	0	SET	C-202											
C-201	1947	4	XIN	55		55		#N/A	0	MW		MW1					0	0.000		1		
C-201	1947	4	XIN	96		151		#N/A	0	MW		MW1				0.004545	0.25	0.250	MW1	1		
C-201	1947	4	send	-96		55		#N/A	0			C-202				0.004545	0.4364	0.686	MW1	1		
C-201	1947	4	STAT		55	55	0	#N/A	0					Filled during March & November		0	0	0.686		0		
C-201	1948	1	XIN	69		124		#N/A	0	MW		MW1				0	0	0.686		1		
C-201	1948	1	send	-69		55		#N/A	0			C-202				0.004545	0.3136	1.000	MW1	1		
C-201	1948	1	STAT		55	55	0	#N/A	0							0	0	1.000		0		
C-201	1948	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1948	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1948	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1949	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1949	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1949	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1949	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1950	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1950	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1950	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1950	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1951	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1951	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1951	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1951	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-201	1952	1	STAT		54.5	54.5	0	-0.5	-0.5							0	0	1.000		1		
C-201	1952	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0	1.000		1		
C-201	1952	3	STAT		54.5	54.5	0	#N/A	-0.5	MW						0	0	1.000		1		
C-201	1952	4	STAT		52.5	52.5	0	-2	-2.5							0	0	1.000		1		
C-201	1953	1	STAT		52.5	52.5	0	#N/A	-2.5	MW						0	0	1.000		1		
C-201	1953	2	STAT		54.5	54.5	0	2	-0.5					Cascade now processing. For feed to TBP Plant		0	0	1.000		1		
C-201	1953	3	STAT		54.5	54.5	0	#N/A	-0.5	MW						0	0	1.000		1		
C-201	1953	4	STAT		N/A	54.5	0	#N/A	-0.5	MW			sluicing phasing errors stat to n/a	MW removal in progress Supernatant transferred to 106-C		0	0	1.000		1		
C-201	1954	1	CSEND	0		54.5		#N/A	-0.5	END	C-202						0	1.000		1		
C-201	1954	1	STAT		N/A	54.5	0	#N/A	-0.5				sluicing phasing errors stat to n/a	Declared empty on 3-17-54		0	0	1.000		1		
C-201	1954	2	STAT		N/A	54.5	0	#N/A	-0.5				sluicing phasing errors stat to n/a			0	0	1.000		1		
C-201	1954	3	STAT		N/A	54.5	0	#N/A	-0.5				sluicing phasing errors stat to n/a			0	0	1.000		1		
C-201	1954	4	SEND	-53		1.5		#N/A	-0.5	SL		C-204				0	0	1.000		1		
C-201	1954	4	STAT		0	0	0	-1.5	-2	MW			sluicing phasing errors stat to n/a			0	0	1.000		1		
C-201	1955	1	STAT		0	0	0	#N/A	-2	MW						0	0	1.000		1		
C-201	1955	2	xin	13		13		#N/A	-2			HS				0.017544	0.2281	1.228	SSW	0		
C-201	1955	2	STAT		13	13	0	#N/A	-2	SSW				Started receiving in May		0	0	1.228		1		
C-201	1955	3	xin	17		30		#N/A	-2			HS				0.017544	0.2982	1.526	SSW	0		
C-201	1955	3	STAT		30	30	0	#N/A	-2	SSW						0	0	1.526		1		
C-201	1955	4	xin	27		57		#N/A	-2			HS				0.017544	0.4737	2.000	SSW	0		
C-201	1955	4	STAT		57	57	0	#N/A	-2	SSW						0	0	2.000		1		
C-201	1956	1	STAT		54.5	54.5	0	-2.5	-4.5							0	0	2.000		1		
C-201	1956	2	STAT		54.5	54.5	0	#N/A	-4.5							0	0	2.000		1		
C-201	1956	3	STAT		54.5	54.5	0	#N/A	-4.5							0	0	2.000		1		
C-201	1956	4	STAT		55	55	0	0.5	-4	SSW						0	0	2.000		1		
C-201	1957	1	STAT		54	54	0	-1	-5							0	0	2.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-201	1957	2	STAT		54	54	0	#N/A	-5	HS						0	0	2.000		1		
C-201	1957	3	STAT		55	55	0	1	-4					Latest electrode reading		0	0	2.000		1		
C-201	1957	4	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1958	1	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1958	2	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1958	3	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1958	4	STAT		55	55	0	#N/A	-4	HS						0	0	2.000		1		
C-201	1959	1	STAT		54	54	0	-1	-5							0	0	2.000		1		
C-201	1959	2	STAT		54	54	0	#N/A	-5							0	0	2.000		1		
C-201	1959	3	STAT		54	54	0	#N/A	-5	HS						0	0	2.000		1		
C-201	1959	4	STAT		55	55	0	1	-4					Latest electrode reading		0	0	2.000		1		
C-201	1960	1	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1960	2	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1960	3	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1960	4	STAT		55	55	0	#N/A	-4	HS						0	0	2.000		1		
C-201	1961	1	STAT		N/A	55		#N/A	-4								0	2.000		1		
C-201	1961	2	STAT		56	56	0	1	-3	HS						0	0	2.000		1		
C-201	1961	3	STAT		N/A	56		#N/A	-3								0	2.000		1		
C-201	1961	4	STAT		56	56	0	#N/A	-3	HS						0	0	2.000		1		
C-201	1962	1	STAT		N/A	56		#N/A	-3								0	2.000		1		
C-201	1962	2	STAT		56	56	0	#N/A	-3	HS						0	0	2.000		1		
C-201	1962	3	STAT		N/A	56		#N/A	-3								0	2.000		1		
C-201	1962	4	STAT		56	56	0	#N/A	-3	HS						0	0	2.000		1		
C-201	1963	1	STAT		N/A	56		#N/A	-3								0	2.000		1		
C-201	1963	2	STAT		56	56	0	#N/A	-3	HS						0	0	2.000		1		
C-201	1963	3	STAT		N/A	56		#N/A	-3								0	2.000		1		
C-201	1963	4	STAT		54	54	0	-2	-5	HS						0	0	2.000		1		
C-201	1964	1	STAT		N/A	54		#N/A	-5								0	2.000		1		
C-201	1964	2	STAT		54	54	0	#N/A	-5	HS						0	0	2.000		1		
C-201	1964	3	STAT		N/A	54		#N/A	-5								0	2.000		1		
C-201	1964	4	STAT		54	54	0	#N/A	-5	HS						0	0	2.000		1		
C-201	1965	1	STAT		N/A	54		#N/A	-5								0	2.000		1		
C-201	1965	2	STAT		54	54	0	#N/A	-5							0	0	2.000		1		
C-201	1965	3	STAT		54	54	0	#N/A	-5	HS						0	0	2.000		1		
C-201	1965	4	STAT		52	52	0	-2	-7							0	0	2.000		1		
C-201	1966	1	STAT		52	52	0	#N/A	-7							0	0	2.000		1		
C-201	1966	2	STAT		52	52	0	#N/A	-7							0	0	2.000		1		
C-201	1966	3	STAT		52	52	0	#N/A	-7							0	0	2.000		1		
C-201	1966	4	STAT		52	52	0	#N/A	-7	HS						0	0	2.000		1		
C-201	1967	1	STAT		55	55	0	3	-4							0	0	2.000		1		
C-201	1967	2	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1967	3	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1967	4	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1968	1	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1968	2	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1968	3	STAT		55	55	0	#N/A	-4	HS						0	0	2.000		1		
C-201	1968	4	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1969	1	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1969	2	STAT		55	55	0	#N/A	-4							0	0	2.000		1		
C-201	1969	3	STAT		55	55	0	#N/A	-4	SSW						0	0	2.000		1		
C-201	1969	4	STAT		55	55	0	#N/A	-4	SSW						0	0	2.000		1		
C-201	1970	1	STAT		55	55	1	#N/A	-4	SSW						0	0	2.000		1		
C-201	1970	2	SEND	-54		1		#N/A	-4	SU		C-104				0	0	2.000		4	O	ARH-1666B-5
C-201	1970	2	STAT		1	1	1	#N/A	-4					54 to 104-C		0	0	2.000		1		
C-201	1970	3	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1970	4	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1971	1	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1971	2	STAT		1	1	1	#N/A	-4							0	0	2.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-201	1971	3	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1971	4	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1972	1	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1972	2	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1972	3	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1972	4	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1973	1	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1973	2	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1973	3	STAT		1	1	1	#N/A	-4							0	0	2.000		1		
C-201	1973	4	STAT		3	3	1	2	-2							0	0	2.000		1		
C-201	1974	1	STAT		3	3	1	#N/A	-2							0	0	2.000		1		
C-201	1974	2	STAT		3	3	1	#N/A	-2							0	0	2.000		1		
C-201	1974	3	STAT		3	3	1	#N/A	-2							0	0	2.000		1		
C-201	1974	4	STAT		3	3	0	#N/A	-2							0	0	2.000		1		
C-201	1975	1	STAT		4	4	0	1	-1							0	0	2.000		1		
C-201	1975	2	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1975	3	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1975	4	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1976	1	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1976	2	STAT		4	4	0	#N/A	-1	SSW				Removed from service		0	0	2.000		1		
C-201	1976	3	STAT		4	4	0	#N/A	-1					Removed from service		0	0	2.000		1		
C-201	1976	4	STAT		4	4	0	#N/A	-1					Evap. Active Restricted		0	0	2.000		1		
C-201	1977	1	STAT		4	4	0	#N/A	-1					Evap. Active Restricted		0	0	2.000		1		
C-201	1977	2	STAT		4	4	0	#N/A	-1					Evap. Active Restricted		0	0	2.000		1		
C-201	1977	3	STAT		4	4	0	#N/A	-1					Evap. Active Restricted		0	0	2.000		1		
C-201	1977	4	STAT		4	4	0	#N/A	-1					Evap. Active Restricted		0	0	2.000		1		
C-201	1978	1	STAT		4	4	0	#N/A	-1					Inactive		0	0	2.000		1		
C-201	1978	2	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1978	3	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1978	4	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1979	1	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1979	2	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1979	3	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1979	4	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1980	1	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1980	2	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1980	3	STAT		4	4	0	#N/A	-1							0	0	2.000		1		
C-201	1980	4	STAT		4	4	0	#N/A	-1	NCPLX						0	0	2.000		1		
C-201	1993	2	STAT		2	2	2	-2	-3	MW						0	0	2.000		1		
C-201	1993	4	STAT		2	2	2	#N/A	-3							0	0	2.000		1		
C-201	1994	1	STAT		2	2	2	#N/A	-3							0	0	2.000		1		
C-201	2000															0	0	2.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-202	1900																					
C-202	1947	4	CREC	0		0		#N/A	0	SET	C-201											
C-202	1947	4	CSEND	0		0		#N/A	0	SET	C-203						0	0.000		1		
C-202	1947	4	rec	96		96		#N/A	0			C-201					0	0.000		1		
C-202	1947	4	send	-41		55		#N/A	0			C-203				0	0	0.000		0		
C-202	1947	4	STAT		55	55	0	#N/A	0							0	0	0.000		0		
C-202	1948	1	rec	69		124		#N/A	0			C-201		Filled in March & November		0	0	0.000		1		
C-202	1948	1	send	-69		55		#N/A	0			C-203				0	0	0.000		0		
C-202	1948	1	STAT		55	55	0	#N/A	0							0	0	0.000		0		
C-202	1948	2	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1948	3	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1948	4	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1949	1	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1949	2	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1949	3	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1949	4	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1950	1	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1950	2	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1950	3	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1950	4	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1951	1	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1951	2	STAT		55	55	0	#N/A	0		55					0	0	0.000		1		
C-202	1951	3	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1951	4	STAT		55	55	0	#N/A	0							0	0	0.000		1		
C-202	1952	1	STAT		54.5	54.5	0	-0.5	-0.5							0	0	0.000		1		
C-202	1952	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0	0.000		1		
C-202	1952	3	STAT		54.5	54.5	0	#N/A	-0.5							0	0	0.000		1		
C-202	1952	4	STAT		54.5	54.5	0	#N/A	-0.5							0	0	0.000		1		
C-202	1953	1	STAT		55	55	0	0.5	0	MW						0	0	0.000		1		
C-202	1953	2	xin	8		63		#N/A	0			WTR				0	0	0.000		1		
C-202	1953	2	SEND	-55		8		#N/A	0	SU		C-106				0	0	0.000		0		
C-202	1953	2	STAT		8	8	0	#N/A	0	MW						0	0	0.000		1		
C-202	1953	3	STAT		8	8	0	#N/A	0	MW				Cascade now processing for feed to TBP Plant		0	0	0.000		1		
C-202	1953	4	xin	36		44		#N/A	0			WTR				0	0	0.000		1		
C-202	1953	4	STAT		44	44	0	#N/A	0	MW				MW removal in progress. Supernatant transferred to 106-C		0	0	0.000		0		
C-202	1954	1	outx	-44		0		#N/A	0			UR				0	0	0.000		1		
C-202	1954	1	CREC	0		0		#N/A	0	END	C-201						0	0.000		0		
C-202	1954	1	STAT		0	0	0	#N/A	0					Sluicing completed in January		0	0	0.000		1		
C-202	1954	2	STAT		0	0	0	#N/A	0							0	0	0.000		1		
C-202	1954	3	STAT		0	0	0	#N/A	0							0	0	0.000		1		
C-202	1954	4	STAT		0	0	0	#N/A	0							0	0	0.000		1		
C-202	1955	1	STAT		0	0	0	#N/A	0							0	0	0.000		1		
C-202	1955	2	STAT		0	0	0	#N/A	0							0	0	0.000		1		
C-202	1955	3	STAT		0	0	0	#N/A	0	MW						0	0	0.000		1		
C-202	1955	4	xin	6		6		#N/A	0			HS				0	0	0.000		1		
C-202	1955	4	STAT		6	6	0	#N/A	0	SSW						0.018182	0.1091	0.109	SSW	0		
C-202	1956	1	xin	18		24		#N/A	0			HS				0	0	0.109		1		
C-202	1956	1	STAT		24	24	0	#N/A	0	SSW				Received in February		0.018182	0.3273	0.436	SSW	0		
C-202	1956	2	xin	31		55		#N/A	0			HS				0	0	0.436		1		
C-202	1956	2	STAT		54.5	54.5	0	-0.5	-0.5					Filled in May		0.018182	0.5636	1.000	SSW	0		
C-202	1956	3	STAT		54.5	54.5	0	#N/A	-0.5							0	0	1.000		1		
C-202	1956	4	STAT		55	55	0	0.5	0	SSW						0	0	1.000		1		
C-202	1957	1	STAT		56	56	0	1	1							0	0	1.000		1		
C-202	1957	2	STAT		56	56	0	#N/A	1					Latest electrode reading		0	0	1.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-202	1957	3	STAT		56	56	0	#N/A	1							0	0	1.000		1		
C-202	1957	4	STAT		56	56	0	#N/A	1							0	0	1.000		1		
C-202	1958	1	STAT		56	56	0	#N/A	1							0	0	1.000		1		
C-202	1958	2	STAT		56	56	0	#N/A	1							0	0	1.000		1		
C-202	1958	3	STAT		56	56	0	#N/A	1	HS						0	0	1.000		1		
C-202	1958	4	STAT		55	55	0	-1	0							0	0	1.000		1		
C-202	1959	1	STAT		55	55	0	#N/A	0					New electrode reading		0	0	1.000		1		
C-202	1959	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1959	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1959	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1960	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1960	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1960	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1960	4	STAT		55	55	0	#N/A	0	HS						0	0	1.000		1		
C-202	1961	1	STAT		N/A	55		#N/A	0							0	0	1.000		1		
C-202	1961	2	STAT		56	56	0	1	1	HS				[6 month report]			0	1.000		1		
C-202	1961	3	STAT		N/A	56		#N/A	1							0	0	1.000		1		
C-202	1961	4	STAT		56	56	0	#N/A	1	HS				[6 month report]			0	1.000		1		
C-202	1962	1	STAT		N/A	56		#N/A	1							0	0	1.000		1		
C-202	1962	2	STAT		56	56	0	#N/A	1	HS				[6 month report]			0	1.000		1		
C-202	1962	3	STAT		N/A	56		#N/A	1							0	0	1.000		1		
C-202	1962	4	STAT		56	56	0	#N/A	1	HS				[6 month report]			0	1.000		1		
C-202	1963	1	STAT		N/A	56		#N/A	1							0	0	1.000		1		
C-202	1963	2	STAT		56	56	0	#N/A	1	HS				[6 month report]			0	1.000		1		
C-202	1963	3	STAT		N/A	56		#N/A	1							0	0	1.000		1		
C-202	1963	4	STAT		57	57	0	1	2	HS				[6 month report]			0	1.000		1		
C-202	1964	1	STAT		N/A	57		#N/A	2							0	0	1.000		1		
C-202	1964	2	STAT		56	56	0	-1	1	HS							0	1.000		1		
C-202	1964	3	STAT		N/A	56		#N/A	1							0	0	1.000		1		
C-202	1964	4	STAT		55	55	0	-1	0	HS							0	1.000		1		
C-202	1965	1	STAT		N/A	55		#N/A	0					[6 month report]		0	0	1.000		1		
C-202	1965	2	STAT		55	55	0	#N/A	0								0	1.000		1		
C-202	1965	3	STAT		55	55	0	#N/A	0					[6 month report]		0	0	1.000		1		
C-202	1965	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1966	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1966	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1966	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1966	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1967	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1967	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1967	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1967	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1968	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1968	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1968	3	STAT		55	55	0	#N/A	0	HS						0	0	1.000		1		
C-202	1968	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1969	1	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1969	2	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1969	3	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1969	4	STAT		55	55	0	#N/A	0							0	0	1.000		1		
C-202	1970	1	STAT		55	55	0	#N/A	0	SSW						0	0	1.000		1		
C-202	1970	2	SEND	-55		0		#N/A	0	SU		C-104				0	0	1.000		4	O	ARH-1666B-5
C-202	1970	2	STAT		0	0	0	#N/A	0					55 to 104-C		0	0	1.000		1		
C-202	1970	3	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1970	4	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1971	1	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1971	2	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1971	3	STAT		0	0	0	#N/A	0							0	0	1.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-202	1971	4	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1972	1	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1972	2	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1972	3	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1972	4	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1973	1	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1973	2	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1973	3	STAT		0	0	0	#N/A	0							0	0	1.000		1		
C-202	1973	4	STAT		1	1	0	1	1							0	0	1.000		1		
C-202	1974	1	STAT		1	1	0	#N/A	1							0	0	1.000		1		
C-202	1974	2	STAT		2	2	0	1	2							0	0	1.000		1		
C-202	1974	3	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1974	4	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1975	1	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1975	2	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1975	3	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1975	4	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1976	1	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1976	2	STAT		2	2	0	#N/A	2	SSW				Removed from service		0	0	1.000		1		
C-202	1976	3	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1976	4	STAT		2	2	0	#N/A	2					Active Restricted		0	0	1.000		1		
C-202	1977	1	STAT		2	2	0	#N/A	2					Active Restricted		0	0	1.000		1		
C-202	1977	2	STAT		2	2	0	#N/A	2					Active Restricted		0	0	1.000		1		
C-202	1977	3	STAT		2	2	0	#N/A	2					Active Restricted		0	0	1.000		1		
C-202	1977	4	STAT		2	2	0	#N/A	2					Inactive Current		0	0	1.000		1		
C-202	1978	1	STAT		2	2	0	#N/A	2					Inactive Current		0	0	1.000		1		
C-202	1978	2	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1978	3	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1978	4	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1979	1	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1979	2	STAT		2	2	0	#N/A	2					New Solids Level 1/19/79		0	0	1.000		1		
C-202	1979	3	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1979	4	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1980	1	STAT		2	2	0	#N/A	2							0	0	1.000		1		
C-202	1980	2	STAT		2	2	0	#N/A	2	NCPLX						0	0	1.000		1		
C-202	1980	3	STAT		3	3	1	1	3	NCPLX						0	0	1.000		1		
C-202	1980	4	STAT		1	1	1	-2	1	NCPLX						0	0	1.000		1		
C-202	1993	2	STAT		1	1	1	#N/A	1	EMPTY						0	0	1.000		1		
C-202	1993	4	STAT		1	1	1	#N/A	1							0	0	1.000		1		
C-202	1994	1	STAT		1	1	1	#N/A	1							0	0	1.000		1		
C-202	2000																					

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-203	1900																					
C-203	1947	4	CREC	0		0		#N/A	0	SET	C-202											
C-203	1947	4	rec	41		41		#N/A	0			C-202					0	0.000		1		
C-203	1947	4	STAT		41	41	0	#N/A	0	MW						0	0	0.000		0		
C-203	1948	1	rec	69		110		#N/A	0			C-202		Filled in March & November		0	0	0.000		1		
C-203	1948	1	send	-55		55		#N/A	0			C-204				0.057971	4	4.000	MW1	0		
C-203	1948	1	STAT		55	55	0	#N/A	0							0	0	4.000		0		
C-203	1948	2	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1948	3	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1948	4	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1949	1	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1949	2	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1949	3	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1949	4	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1950	1	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1950	2	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1950	3	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1950	4	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1951	1	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1951	2	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1951	3	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1951	4	STAT		55	55	0	#N/A	0							0	0	4.000		1		
C-203	1952	1	STAT		54.5	54.5	0	-0.5	-0.5							0	0	4.000		1		
C-203	1952	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0	4.000		1		
C-203	1952	3	STAT		54.5	54.5	0	#N/A	-0.5							0	0	4.000		1		
C-203	1952	4	STAT		54.5	54.5	0	#N/A	-0.5							0	0	4.000		1		
C-203	1953	1	STAT		54.5	54.5	0	#N/A	-0.5							0	0	4.000		1		
C-203	1953	2	xin	55		110		#N/A	-0.5			WTR				0	0	4.000		1		
C-203	1953	2	SEND	-55		54.5		#N/A	-0.5	SU		C-106				0	0	4.000		0		
C-203	1953	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0	4.000		1		
C-203	1953	3	STAT		55	55	0	0.5	0	MW						0	0	4.000		1		
C-203	1953	4	outx	-40		15		#N/A	0			UR				0	0	4.000		1		
																0	0	4.000		0		
C-203	1953	4	STAT		15	15	0	#N/A	0	MW				MW removal in progress.Supernatransferred to 106-C								
C-203	1954	1	outx	-15		0		#N/A	0			UR				0	0	4.000		1		
																0	0	4.000		0		
C-203	1954	1	STAT		0	0	0	#N/A	0					Sluicing completed in February								
C-203	1954	2	STAT		0	0	0	#N/A	0							0	0	4.000		1		
C-203	1954	3	STAT		0	0	0	#N/A	0							0	0	4.000		1		
C-203	1954	4	STAT		0	0	0	#N/A	0							0	0	4.000		1		
C-203	1955	1	STAT		0	0	0	#N/A	0							0	0	4.000		1		
C-203	1955	2	STAT		0	0	0	#N/A	0							0	0	4.000		1		
C-203	1955	3	STAT		0	0	0	#N/A	0	MW						0	0	4.000		1		
C-203	1955	4	xin	5		5		#N/A	0			HS				0	0	4.000		1		
C-203	1955	4	CSEND	0		5		#N/A	0	END	C-204					0.028571	0.1429	4.143	SSW	0		
C-203	1955	4	STAT		5	5	0	#N/A	0	SSW							0	4.143		1		
C-203	1956	1	STAT		5	5	0	#N/A	0							0	0	4.143		1		
C-203	1956	2	STAT		5	5	0	#N/A	0	SSW						0	0	4.143		1		
C-203	1956	3	XIN	2		7		#N/A	0	HOT SEMI		HS	Omis.			0	0	4.143		1		
C-203	1956	3	xin	15		22		#N/A	0			HS			Omission	0.028571	0.0571	4.200	SSW	2	V	HW-45738-4
C-203	1956	3	STAT		22	22	0	#N/A	0	SSW						0.028571	0.4286	4.629	SSW	0		
C-203	1956	4	xin	13		35		#N/A	0			HS		Received in Aug & Sept		0	0	4.629		1		
C-203	1956	4	STAT		35	35	0	#N/A	0	SSW						0.028571	0.3714	5.000	SSW	0		
C-203	1957	1	STAT		36	36	0	1	1	HS				Rec'd in October		0	0	5.000		1		
C-203	1957	2	STAT		35	35	0	-1	0					SS latest electrode reading		0	0	5.000		1		
C-203	1957	3	STAT		35	35	0	#N/A	0					Latest electrode reading		0	0	5.000		1		
C-203	1957	4	STAT		35	35	0	#N/A	0							0	0	5.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
C-203	1958	1	STAT		35	35	0	#N/A	0							0	0	5.000		1		
C-203	1958	2	STAT		35	35	0	#N/A	0							0	0	5.000		1		
C-203	1958	3	STAT		35	35	0	#N/A	0							0	0	5.000		1		
C-203	1958	4	STAT		35	35	0	#N/A	0	HS						0	0	5.000		1		
C-203	1959	1	STAT		34	34	0	-1	-1							0	0	5.000		1		
C-203	1959	2	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1959	3	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1959	4	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1960	1	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1960	2	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1960	3	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1960	4	STAT		34	34	0	#N/A	-1	HS						0	0	5.000		1		
C-203	1961	1	STAT		N/A	34		#N/A	-1									5.000		1		
C-203	1961	2	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5.000		1		
C-203	1961	3	STAT		N/A	34		#N/A	-1									5.000		1		
C-203	1961	4	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5.000		1		
C-203	1962	1	STAT		N/A	34		#N/A	-1									5.000		1		
C-203	1962	2	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5.000		1		
C-203	1962	3	STAT		N/A	34		#N/A	-1									5.000		1		
C-203	1962	4	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5.000		1		
C-203	1963	1	STAT		N/A	34		#N/A	-1									5.000		1		
C-203	1963	2	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5.000		1		
C-203	1963	3	STAT		N/A	34		#N/A	-1									5.000		1		
C-203	1963	4	STAT		35	35	0	1	0	HS				[6 month report]		0	0	5.000		1		
C-203	1964	1	STAT		N/A	35		#N/A	0									5.000		1		
C-203	1964	2	STAT		35	35	0	#N/A	0	HS				[6 month report]		0	0	5.000		1		
C-203	1964	3	STAT		N/A	35		#N/A	0									5.000		1		
C-203	1964	4	STAT		35	35	0	#N/A	0	HS				[6 month report]		0	0	5.000		1		
C-203	1965	1	STAT		N/A	35		#N/A	0									5.000		1		
C-203	1965	2	STAT		33	33	0	-2	-2					New elect. [6 month report]		0	0	5.000		1		
C-203	1965	3	STAT		33	33	0	#N/A	-2					New electrode		0	0	5.000		1		
C-203	1965	4	STAT		33	33	0	#N/A	-2							0	0	5.000		1		
C-203	1966	1	STAT		33	33	0	#N/A	-2							0	0	5.000		1		
C-203	1966	2	STAT		33	33	0	#N/A	-2							0	0	5.000		1		
C-203	1966	3	STAT		33	33	0	#N/A	-2							0	0	5.000		1		
C-203	1966	4	STAT		33	33	0	#N/A	-2	HS						0	0	5.000		1		
C-203	1967	1	STAT		34	34	0	1	-1							0	0	5.000		1		
C-203	1967	2	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1967	3	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1967	4	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1968	1	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1968	2	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1968	3	STAT		34	34	0	#N/A	-1	HS						0	0	5.000		1		
C-203	1968	4	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1969	1	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1969	2	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1969	3	STAT		34	34	0	#N/A	-1							0	0	5.000		1		
C-203	1969	4	STAT		34	34	0	#N/A	-1	SSW						0	0	5.000		1		
C-203	1970	1	SEND	-19		15		#N/A	-1	SU		C-109				0	0	5.000		4	O	ARH-1666A-5
C-203	1970	1	STAT		18	18	5	3	2	SSW				19 to 109-C		0	0	5.000		1		
C-203	1970	2	SEND	-12		6		#N/A	2	SU		C-104				0	0	5.000		4	O	ARH-1666B-5
C-203	1970	2	STAT		6	6	5	#N/A	2	SSW				12 to 104-C		0	0	5.000		1		
C-203	1970	3	STAT		6	6	5	#N/A	2							0	0	5.000		1		
C-203	1970	4	STAT		6	6	5	#N/A	2							0	0	5.000		1		
C-203	1971	1	STAT		6	6	5	#N/A	2							0	0	5.000		1		
C-203	1971	2	STAT		6	6	5	#N/A	2							0	0	5.000		1		
C-203	1971	3	STAT		6	6	5	#N/A	2							0	0	5.000		1		
C-203	1971	4	STAT		6	6	5	#N/A	2	SSW						0	0	5.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-203	1972	1	STAT		6	6	3	#N/A	2							0	0	5.000		1		
C-203	1972	2	STAT		6	6	3	#N/A	2							0	0	5.000		1		
C-203	1972	3	STAT		6	6	3	#N/A	2							0	0	5.000		1		
C-203	1972	4	STAT		6	6	3	#N/A	2							0	0	5.000		1		
C-203	1973	1	STAT		6	6	3	#N/A	2							0	0	5.000		1		
C-203	1973	2	STAT		6	6	3	#N/A	2							0	0	5.000		1		
C-203	1973	3	STAT		6	6	3	#N/A	2	SSW						0	0	5.000		1		
C-203	1973	4	STAT		7	7	3	1	3							0	0	5.000		1		
C-203	1974	1	STAT		7	7	3	#N/A	3	SSW						0	0	5.000		1		
C-203	1974	2	STAT		8	8	3	1	4							0	0	5.000		1		
C-203	1974	3	STAT		8	8	3	#N/A	4	SSW						0	0	5.000		1		
C-203	1974	4	STAT		7	7	3	-1	3							0	0	5.000		1		
C-203	1975	1	STAT		7	7	3	#N/A	3	SSW						0	0	5.000		1		
C-203	1975	2	STAT		8	8	3	1	4							0	0	5.000		1		
C-203	1975	3	STAT		8	8	3	#N/A	4							0	0	5.000		1		
C-203	1975	4	STAT		8	8	3	#N/A	4							0	0	5.000		1		
C-203	1976	1	STAT		8	8	3	#N/A	4							0	0	5.000		1		
C-203	1976	2	STAT		8	8	3	#N/A	4					Removed from service		0	0	5.000		1		
C-203	1976	3	STAT		8	8	3	#N/A	4					Removed from service		0	0	5.000		1		
C-203	1976	4	STAT		8	8	3	#N/A	4					Removed from service		0	0	5.000		1		
C-203	1977	1	STAT		8	8	3	#N/A	4					Removed from service		0	0	5.000		1		
C-203	1977	2	STAT		8	8	3	#N/A	4							0	0	5.000		1		
C-203	1977	3	STAT		8	8	3	#N/A	4	SSW						0	0	5.000		1		
C-203	1977	4	STAT		8	8	4	#N/A	4	SSW						0	0	5.000		1		
C-203	1978	1	STAT		8	8	4	#N/A	4					Inactive		0	0	5.000		1		
C-203	1978	2	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1978	3	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1978	4	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1979	1	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1979	2	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1979	3	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1979	4	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1980	1	STAT		8	8	4	#N/A	4							0	0	5.000		1		
C-203	1980	2	STAT		8	8	4	#N/A	4	NCPLX						0	0	5.000		1		
C-203	1980	3	STAT		9	9	5	1	5							0	0	5.000		1		
C-203	1980	4	STAT		9	9	5	#N/A	5	NCPLX				New Photo 4/3/80		0	0	5.000		1		
C-203	1993	2	STAT		5	5	5	-4	1	NCPLX						0	0	5.000		1		
C-203	1993	4	STAT		5	5	5	#N/A	1							0	0	5.000		1		
C-203	1994	1	STAT		5	5	5	#N/A	1							0	0	5.000		1		
C-203	2000															0	0	5.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	QA	Document/Pg #
C-204	1900																					
C-204	1947	4	CREC	0		0		#N/A	0	SET	C-203											
C-204	1948	1	rec	55		55		#N/A	0			C-203					0	0.000		1		
C-204	1948	1	STAT		55	55	0	#N/A	0					Full in January 1948		0.036364	2	2.000	MW1	0		
C-204	1948	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1948	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1948	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	1	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	1	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	1	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1952	1	STAT		54.5	54.5	0	-0.5	-0.5							0	0	2.000		1		
C-204	1952	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1952	3	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1952	4	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1953	1	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1953	2	xin	55.5		110		#N/A	-0.5			WTR				0	0	2.000		1		
C-204	1953	2	SEND	-55		55		#N/A	-0.5	SU		C-106				0	0	2.000		0		
C-204	1953	2	STAT		55	55	0	#N/A	-0.5	MW						0	0	2.000		1		
C-204	1953	3	STAT		55	55	0	#N/A	-0.5	MW						0	0	2.000		1		
C-204	1953	4	outx	-40		15		#N/A	-0.5			UR				0	0	2.000		1		
C-204	1953	4	STAT		15	15	0	#N/A	-0.5	MW				MW removal in progress. Supernatant transferred to 106-C		0	0	2.000		1		
C-204	1954	1	xin	36		51		#N/A	-0.5			WTR				0	0	2.000		0		
C-204	1954	1	STAT		51	51	11	#N/A	-0.5					Contains water and initial sludge		0	0	2.000		1		
C-204	1954	2	STAT		51	51	11	#N/A	-0.5					Contains water and initial sludge		0	0	2.000		1		
C-204	1954	3	STAT		51	51	11	#N/A	-0.5	MW				Contains water and initial sludge		0	0	2.000		1		
C-204	1954	4	REC	53		104		#N/A	-0.5	SL	C-201	C-201				0	0	2.000		1		
C-204	1954	4	OUTX	-5		99		#N/A	-0.5	SL	UR	UR				0	0	2.000		1		
C-204	1954	4	OUTX	-48		51		#N/A	-0.5	SL	UR	UR				0	0	2.000		1		
C-204	1954	4	outx	-4		47		#N/A	-0.5			UR				0	0	2.000		1		
C-204	1954	4	STAT		47	47	11	#N/A	-0.5	MW						0	0	2.000		0		
C-204	1955	1	outx	-47		0		#N/A	-0.5			UR		Pumped in November		0	0	2.000		1		
C-204	1955	1	STAT		0	0	0	#N/A	-0.5							0	0	2.000		0		
C-204	1955	2	STAT		0	0	0	#N/A	-0.5					Pumped in January		0	0	2.000		1		
C-204	1955	3	STAT		0	0	0	#N/A	-0.5	MW						0	0	2.000		1		
C-204	1955	4	xin	5		5		#N/A	-0.5			HS				0	0	2.000		1		
C-204	1955	4	CREC	0		5		#N/A	-0.5	END	C-203					0.029412	0.1471	2.147	SSW	0		
C-204	1955	4	STAT		5	5	0	#N/A	-0.5								0	2.147		1		
C-204	1956	1	STAT		5	5	0	#N/A	-0.5	SSW						0	0	2.147		1		
C-204	1956	2	xin	29		34		#N/A	-0.5			HS				0	0	2.147		1		
C-204	1956	2	STAT		34	34	0	#N/A	-0.5					Rec'd SSW in May		0.029412	0.8529	3.000	SSW	0		
C-204	1956	3	STAT		34	34	0	#N/A	-0.5	SSW						0	0	3.000		1		
C-204	1956	4	STAT		35	35	0	1	0.5	SSW						0	0	3.000		1		
C-204	1957	1	STAT		N/A	35	0	#N/A	0.5	HS			bad stat? 54 to N/A			0	0	3.000		1		
C-204	1957	2	STAT		33	33	0	-2	-1.5	HS				Latest electrode reading		0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-204	1957	3	STAT		32	32	0	-1	-2.5					Latest electrode reading		0	0	3.000		1		
C-204	1957	4	STAT		32	32	0	#N/A	-2.5	HS						0	0	3.000		1		
C-204	1958	1	STAT		34	34	0	2	-0.5					Latest electrode reading		0	0	3.000		1		
C-204	1958	2	STAT		34	34	0	#N/A	-0.5							0	0	3.000		1		
C-204	1958	3	STAT		34	34	0	#N/A	-0.5							0	0	3.000		1		
C-204	1958	4	STAT		34	34	0	#N/A	-0.5	HS						0	0	3.000		1		
C-204	1959	1	STAT		33	33	0	-1	-1.5							0	0	3.000		1		
C-204	1959	2	STAT		33	33	0	#N/A	-1.5							0	0	3.000		1		
C-204	1959	3	STAT		33	33	0	#N/A	-1.5	HS						0	0	3.000		1		
C-204	1959	4	STAT		36	36	0	3	1.5					New electrode installed		0	0	3.000		1		
C-204	1960	1	STAT		36	36	0	#N/A	1.5							0	0	3.000		1		
C-204	1960	2	STAT		36	36	0	#N/A	1.5							0	0	3.000		1		
C-204	1960	3	STAT		36	36	0	#N/A	1.5							0	0	3.000		1		
C-204	1960	4	STAT		36	36	0	#N/A	1.5	HS						0	0	3.000		1		
C-204	1961	1	STAT		N/A	36		#N/A	1.5							0	0	3.000		1		
C-204	1961	2	STAT		37	37	0	1	2.5	HS							0	3.000		1		
C-204	1961	3	STAT		N/A	37		#N/A	2.5					[6 month report]		0	0	3.000		1		
C-204	1961	4	STAT		37	37	0	#N/A	2.5	HS							0	3.000		1		
C-204	1962	1	STAT		N/A	37		#N/A	2.5					[6 month report]		0	0	3.000		1		
C-204	1962	2	STAT		37	37	11	#N/A	2.5	HS							0	3.000		1		
C-204	1962	3	STAT		N/A	37		#N/A	2.5					[6 month report]		0	0	3.000		1		
C-204	1962	4	STAT		37	37	11	#N/A	2.5	HS							0	3.000		1		
C-204	1963	1	STAT		N/A	37		#N/A	2.5					[6 month report]		0	0	3.000		1		
C-204	1963	2	STAT		37	37	11	#N/A	2.5	HS							0	3.000		1		
C-204	1963	3	STAT		N/A	37		#N/A	2.5					[6 month report]		0	0	3.000		1		
C-204	1963	4	STAT		36	36	11	-1	1.5	HS							0	3.000		1		
C-204	1964	1	STAT		N/A	36		#N/A	1.5					[6 month report]		0	0	3.000		1		
C-204	1964	2	STAT		36	36	11	#N/A	1.5	HS							0	3.000		1		
C-204	1964	3	STAT		N/A	36		#N/A	1.5					[6 month report]		0	0	3.000		1		
C-204	1964	4	STAT		36	36	11	#N/A	1.5	HS							0	3.000		1		
C-204	1965	1	STAT		N/A	36		#N/A	1.5					[6 month report]		0	0	3.000		1		
C-204	1965	2	STAT		36	36	11	#N/A	1.5								0	3.000		1		
C-204	1965	3	STAT		36	36	11	#N/A	1.5					New elect [6 month report]		0	0	3.000		1		
C-204	1965	4	STAT		36	36	11	#N/A	1.5					New electrode		0	0	3.000		1		
C-204	1966	1	STAT		36	36	11	#N/A	1.5							0	0	3.000		1		
C-204	1966	2	STAT		36	36	11	#N/A	1.5							0	0	3.000		1		
C-204	1966	3	STAT		36	36	11	#N/A	1.5	HS,HS						0	0	3.000		1		
C-204	1966	4	STAT		36	36	11	#N/A	1.5							0	0	3.000		1		
C-204	1967	1	STAT		36	36	11	#N/A	1.5							0	0	3.000		1		
C-204	1967	2	STAT		36	36	11	#N/A	1.5	HS						0	0	3.000		1		
C-204	1967	3	xln	19		55		#N/A	1.5			HS				0	0	3.000		1		
C-204	1967	3	STAT		36	36	11	-19	-17.5							0	0	3.000		0		
C-204	1967	4	STAT		57	57	11	21	3.5							0	0	3.000		1		
C-204	1968	1	STAT		57	57	11	#N/A	3.5							0	0	3.000		1		
C-204	1968	2	STAT		57	57	11	#N/A	3.5							0	0	3.000		1		
C-204	1968	3	STAT		57	57	11	#N/A	3.5	HS						0	0	3.000		1		
C-204	1968	4	STAT		57	57	11	#N/A	3.5							0	0	3.000		1		
C-204	1969	1	STAT		57	57	11	#N/A	3.5							0	0	3.000		1		
C-204	1969	2	STAT		57	57	11	#N/A	3.5							0	0	3.000		1		
C-204	1969	3	STAT		57	57	11	#N/A	3.5							0	0	3.000		1		
C-204	1969	4	STAT		57	57	11	#N/A	3.5	SSW						0	0	3.000		1		
C-204	1970	1	STAT		57	57	2	#N/A	3.5	SSW						0	0	3.000		1		
C-204	1970	2	SEND	-14		43		#N/A	3.5	SU		C-104				0	0	3.000		1		
C-204	1970	2	STAT		43	43	2	#N/A	3.5	SSW				14 to 104-C		0	0	3.000		4	O	ARH-1666B-5
C-204	1970	3	STAT		42	42	2	-1	2.5							0	0	3.000		1		
C-204	1970	4	STAT		42	42	2	#N/A	2.5							0	0	3.000		1		
C-204	1971	1	STAT		42	42	2	#N/A	2.5							0	0	3.000		1		
C-204	1971	2	STAT		42	42	2	#N/A	2.5							0	0	3.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-204	1971	3	STAT		42	42	2	#N/A	2.5							0	0	3.000		1		
C-204	1971	4	STAT		42	42	2	#N/A	2.5	SSW						0	0	3.000		1		
C-204	1972	1	STAT		42	42	1	#N/A	2.5							0	0	3.000		1		
C-204	1972	2	STAT		42	42	1	#N/A	2.5							0	0	3.000		1		
C-204	1972	3	STAT		42	42	1	#N/A	2.5							0	0	3.000		1		
C-204	1972	4	STAT		42	42	1	#N/A	2.5							0	0	3.000		1		
C-204	1973	1	STAT		42	42	1	#N/A	2.5							0	0	3.000		1		
C-204	1973	2	STAT		42	42	1	#N/A	2.5							0	0	3.000		1		
C-204	1973	3	STAT		42	42	1	#N/A	2.5	SSW						0	0	3.000		1		
C-204	1973	4	STAT		44	44	1	2	4.5							0	0	3.000		1		
C-204	1974	1	STAT		44	44	1	#N/A	4.5							0	0	3.000		1		
C-204	1974	2	STAT		44	44	1	#N/A	4.5							0	0	3.000		1		
C-204	1974	3	STAT		44	44	1	#N/A	4.5	SSW						0	0	3.000		1		
C-204	1974	4	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1975	1	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1975	2	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1975	3	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1975	4	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1976	1	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1976	2	STAT		44	44	0	#N/A	4.5	SSW						0	0	3.000		1		
C-204	1976	3	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1976	4	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1977	1	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1977	2	STAT		44	44	0	#N/A	4.5							0	0	3.000		1		
C-204	1977	3	STAT		3	3	0	-41	-36.5							0	0	3.000		1		
C-204	1977	4	STAT		3	3	0	#N/A	-36.5					Inactive Current		0	0	3.000		1		
C-204	1978	1	STAT		3	3	0	#N/A	-36.5					Inactive Current		0	0	3.000		1		
C-204	1978	2	STAT		3	3	0	#N/A	-36.5					Inactive		0	0	3.000		1		
C-204	1978	3	STAT		3	3	0	#N/A	-36.5							0	0	3.000		1		
C-204	1978	4	STAT		3	3	0	#N/A	-36.5							0	0	3.000		1		
C-204	1979	1	STAT		3	3	0	#N/A	-36.5							0	0	3.000		1		
C-204	1979	2	STAT		3	3	0	#N/A	-36.5					Primary Stabilized		0	0	3.000		1		
C-204	1979	3	STAT		3	3	0	#N/A	-36.5							0	0	3.000		1		
C-204	1979	4	STAT		3	3	0	#N/A	-36.5							0	0	3.000		1		
C-204	1980	1	STAT		3	3	0	#N/A	-36.5							0	0	3.000		1		
C-204	1980	2	STAT		3	3	0	#N/A	-36.5	NCPLX						0	0	3.000		1		
C-204	1980	3	STAT		3	3	1	#N/A	-36.5							0	0	3.000		1		
C-204	1980	4	STAT		3	3	1	#N/A	-36.5	NCPLX				New Photo 4/3/80		0	0	3.000		1		
C-204	1993	2	STAT		3	3	3	#N/A	-36.5	NCPLX						0	0	3.000		1		
C-204	1993	4	STAT		3	3	3	#N/A	-36.5							0	0	3.000		1		
C-204	1994	1	STAT		3	3	3	#N/A	-36.5							0	0	3.000		1		
C-204	2000																					

241-A-101 Waste Volume History



241-A-102 Waste Volume History



241-A-103 Waste Volume History



241-A-104 Waste Volume History



241-A-105 Waste Volume History



241-A-106 Waste Volume History



241-AX-101 Waste Volume History



241-AX-102 Waste Volume History



241-AX-103 Waste Volume History



241-AX-104 Waste Volume History



241-B-101 Waste Volume History



241-B-102 Waste Volume History



241-B-103 Waste Volume History



241-B-104 Waste Volume History



241-B-105 Waste Volume History



241-B-106 Waste Volume History



241-B-107 Waste Volume History



241-B-108 Waste Volume History



241-B-109 Waste Volume History



241-B-110 Waste Volume History



241-B-111 Waste Volume History



241-B-112 Waste Volume History



241-B-201 Waste Volume History



241-B-202 Waste Volume History



241-B-203 Waste Volume History



241-B-204 Waste Volume History



241-BX-101 Waste Volume History



241-BX-102 Waste Volume History



241-BX-103 Waste Volume History



241-BX-104 Waste Volume History



241-BX-105 Waste Volume History



241-BX-106 Waste Volume History



241-BX-107 Waste Volume History



241-BX-108 Waste Volume History



241-BX-109 Waste Volume History



241-BX-110 Waste Volume History



241-BX-111 Waste Volume History



241-BX-112 Waste Volume History



241-BY-101 Waste Volume History



241-BY-102 Waste Volume History



241-BY-103 Waste Volume History



241-BY-104 Waste Volume History



241-BY-105 Waste Volume History



241-BY-106 Waste Volume History



241-BY-107 Waste Volume History



241-BY-108 Waste Volume History



241-BY-109 Waste Volume History



241-BY-110 Waste Volume History



241-BY-111 Waste Volume History



241-BY-112 Waste Volume History



241-C-101 Waste Volume History



241-C-102 Waste Volume History



241-C-103 Waste Volume History



241-C-104 Waste Volume History



241-C-105 Waste Volume History



241-C-106 Waste Volume History



241-C-107 Waste Volume History



241-C-108 Waste Volume History



241-C-109 Waste Volume History



241-C-110 Waste Volume History



241-C-111 Waste Volume History



241-C-112 Waste Volume History



DISTRIBUTION SHEET

To	From	Page 1 of 2
Distribution	C. H. Brevick	Date Jan. 30, 1996
Project Title/Work Order		EDT No.
Waste Status and Transaction Record Summary for the Northeast Quadrant of the Hanford 200 East Area		ECN No. 624016

Name	MSIN	Text With All Attach.	Text Only	Attach./ Appendix Only	EDT/ECN Only
Westinghouse Hanford Company					
D. G. Baide	R2-12	X			
K. D. Boomer	H5-49	X			
T. M. Brown	R2-12	X			
R. J. Cash	S7-15	X			
W. L. Cowley	A3-37	X			
G. D. Forehand	S7-21	X			
J. S. Garfield	H5-49	X			
B. A. Higley	H5-27	X			
J. W. Hunt	R2-12	X			
N. W. Kirch	R2-11	X			
M. J. Kupfer	H5-49	X			
D. E. Place	H5-27	X			
L. W. Shelton	H5-49	X			
B. C. Simpson	R2-12	X			
J. P. Sloughter	R2-54	X			
D. J. Washenfelder	H5-61	X			
Central Files	A3-88	X (2)			
Tank Characterization Resource Library	R2-12	X			
ICF Kaiser Hanford Company					
C. H. Brevick	S3-10	X (3)			
E. D. Johnson	S3-09	X			
S. K. Kujak	S3-10	X			
T. P. Kunthara	S3-10	X			
D. A. Lauhala	S3-09	X			
E. D. Johnson	S3-09	X			
R. L. Newell	S3-09	X (2)			
ICF KH Publications	E6-63	O			
ICF KH Document Control	R1-29	X			
Pacific Northwest National Laboratory					
S. F. Bobrowski	K7-28	X			
J. D. Brown	K7-98	X			
N. G. Colton	K2-40	X			
A. F. Noonan	K9-91	X			
K. M. Remund	K5-12	X			
P. D. Whitney	K5-12	X			
K. L. Wiemers	K6-51	X			

Department of Energy - Richland Operations

S. T. Burnum	S7-53	X
J. F. Thompson	S7-54	X

Los Alamos National Laboratory

S. F. Agnew X
CST-14, MS-J586
PO Box 1663
Los Alamos, New Mexico 87545

Los Alamos Technical Associates

T. T. Tran X (2)
903 Bradley Boulevard
Richland, Washington 99352

Ogden Environmental

R. J. Anema X
101E Wellsian Way
Richland, Washington 99352